

PRELOADACTION: SetVariableValue
Variable: ENV_RUN
Value: 3

PRELOADACTION: BranchTo
Next question

ENV_RUN: RadioButton

ENVIRONMENT: Defines which Environment the project is currently running in

- 1 = DEV Environment
- 2 = TEST Environment
- 3 = PROD Environment

Codes:

- [0] NO DEFINED SQL MASKS
- [1] DEV Environment
- [2] TEST Environment
- [3] PROD Environment

RESPONDENT_METADATA: RespondentMetaData

"Hidden question used to collect metadata information about the respondent such as its IP address, Browser, etc."

PRELOADACTION: SetVariableValue
Variable: FIMODE
Value: V01(FIENTER=1)

PRELOADACTION: SetVariableValue
Variable: FIENTER
Value: ()

PRELOADACTION: BranchTo
Next question

FIENTER: RadioButton

"FLAG THAT AN FI ENTERED THE CASE, OPERATES LIKE SUPPORT CALL. WIPE IT OUT AFTER SET.

- 0=not in mode
- 1=in FI mode

IF FIENTER=1, SET FIEVER=1

IF FIENTER=1, SET FIMODE=1

AFTERWARDS, CLEAR FIENTER VIA: SET EQUAL TO FORMULA ()

"

Codes:

[0]

[1]

PRELOADACTION: BranchTo
Next question

FIMODE: RadioButton

ARE WE CURRENTLY IN FI MODE?
DETERMINED BY FIENTER

Codes:

[0] 0 NO

[1] 1 YES

PRELOADACTION: BranchTo
Question BALLOT3

SU_ID: TextAnswer

MaxAnswerLength = 8

PRELOADACTION: SetVariableValue
Variable: SAMPTYPE
Value: XSEC

PRELOADACTION: BranchTo
Next question

SAMPTYPE: TextAnswer

SAMPLE TYPE (AREA OR PANL)

MaxAnswerLength = 4

PRELOADACTION: BranchTo
Next question

BALLOT: TextAnswer

"ENTER BALLOT NUMBER (1, 2 OR 3)"

MaxAnswerLength = 1

VERXY: RadioButton

ENTER X OR Y

Codes:

[X] X

[Y] Y

PRELOADACTION: SetVariableValue
Variable: PANEL
Value: 2

PRELOADACTION: BranchTo
Next question

PANEL: NumericAnswer

"ENTER 1 IF PANEL CASE, 2 IF NOT"

MinValue = 1 MaxValue = 9

RANDOM: TextAnswer

RANDOM: ENTER 1 OR 2

MaxAnswerLength = 1

MaxValue = 9

RANDORDER1: NumericAnswer

RANDORDER1: ENTER NUMBER 1-6

MaxValue = 9

RANDORDER2: NumericAnswer

RANDORDER2: ENTER NUMBER 1-24

MaxValue = 9

PREADMIN: NumericAnswer

PREADMIN (ENTER 1 OR 2)

MaxValue = 9

P_INCAMT: NumericAnswer

P_INCAMT

MaxValue = 9

P_SUID: TextAnswer

"PRELOAD: SU_ID (This is also the CASE ID, which contains two preceding zeros and the 8 digit SU_ID)"

MaxAnswerLength = 10

MaxValue = 9

NFA: NumericAnswer

MaxValue = 9

SEGMENT: NumericAnswer

MaxValue = 9

TRACT: NumericAnswer

MaxValue = 9

BLOCK: NumericAnswer

MaxValue = 9

LINE: NumericAnswer

MaxValue = 9

BLOCK_LINE: NumericAnswer

MaxValue = 9

FORM: TextAnswer

MaxValue = 9

P_ADD1: TextAnswer

PRELOAD: Advance letter address - address 1

MaxAnswerLength = 64

MaxValue = 9

P_ADD2: TextAnswer

PRELOAD: Advance letter address - address 2

MaxAnswerLength = 64

MaxValue = 9

P_CITY: TextAnswer

PRELOAD: P_CITY

MaxValue = 9

P_STATE: RadioButton

MaxValue = 9

Codes:

[AL] AL
[AK] AK
[AZ] AZ
[AR] AR
[CA] CA
[CO] CO
[CT] CT
[DE] DE
[DC] DC
[FL] FL
[GA] GA
[GU] GU
[HI] HI
[ID] ID
[IL] IL
[IN] IN
[IA] IA
[KS] KS

[KY] KY
[LA] LA
[ME] ME
[MD] MD
[MA] MA
[MI] MI
[MN] MN
[MS] MS
[MO] MO
[MT] MT
[NE] NE
[NV] NV
[NH] NH
[NJ] NJ
[NM] NM
[NY] NY
[NC] NC
[ND] ND
[OH] OH
[OK] OK
[OE] OR
[PA] PA
[PR] PR
[RI] RI
[SC] SC
[SD] SD
[TN] TN
[TX] TX
[UT] UT
[VT] VT
[VI] VI
[VA] VA
[WA] WA
[WV] WV
[WI] WI
[WY] WY
[77]
[99]

P_ZIP: TextAnswer

PRELOAD: P_ZIP

MaxValue = 9

P_BATCH: TextAnswer

PRELOAD: Batch Number

MaxAnswerLength = 3

MaxValue = 9

P_REPLIC: TextAnswer

PRELOAD: Replicate

MaxAnswerLength = 4

MaxValue = 9

STAT_SUID: TextAnswer

MaxValue = 9

P_VOXREL: RadioButton

PRELOAD: Used to release specific pieces of sample based on the P_VOXREL strata.

MaxValue = 9

Codes:

[1] Live Sample

[0] Smoke Test Sample

LAT: TextAnswer

MaxValue = 9

LONG: TextAnswer

MaxValue = 9

ADDRESS: TextAnswer

ADDRESS:

MaxValue = 9

APRTMNT: TextAnswer

APARTMENT:

MaxValue = 9

CITY: TextAnswer

CITY:

MaxValue = 9

STATE: TextAnswer

STATE:

MaxValue = 9

ZIP: TextAnswer

ZIP:

MaxValue = 9

PPHONE: TextAnswer

PPHONE

MaxValue = 9

PRELOADACTION: BranchTo
Next question

BALLOT3: RadioButton

BALLOT 3 TEST QUEX

MaxValue = 9

Codes:

[1] Choice 1

[2] Choice 2

```
PRELOADACTION: BranchTo  
Question SIM_END  
IF 1>0
```

```
PRELOADACTION: SetVariableValue  
Variable: SIM_START  
Value: 1
```

```
PRELOADACTION: BranchTo  
Next question
```

SIM_START: RadioButton

1. Export this survey file
2. Import into GSS_TEST_Simulation
3. Remove the 1>0 skip here at SIM_START
4. Run simulation.

MaxValue = 9

Codes:

[1] START

SIM_CASE: RadioButton

SIM_CASE FLAG

MaxValue = 9

Codes:

[1] SIMULATION

SIM_BALLOT: RadioButton

BALLOT

MaxValue = 9

Codes:

[3] 3

```
POSTANSWERACTION: SetVariableValue  
Variable: BALLOT  
Value: [SIM_BALLOT.Code]
```

SIM_VERXY: RadioButton

ENTER X OR Y

MaxValue = 9

Codes:

[X] X

[Y] Y

```
POSTANSWERACTION: SetVariableValue  
Variable: VERXY  
Value: [SIM_VERXY.Code]
```

SIM_RANDORDER1: RadioButton

RANDORDER1

MaxValue = 9

Codes:

[1] 1

[2] 2

[3] 3

[4] 4

[5] 5

[6] 6

```
POSTANSWERACTION: SetVariableValue  
Variable: RANDORDER1  
Value: [SIM_RANDORDER1.Code]
```

SIM_RANDORDER2: RadioButton

RANDORDER2

MaxValue = 9

Codes:

[1] 1
[2] 2
[3] 3
[4] 4
[5] 5
[6] 6
[7] 7
[8] 8
[9] 9
[10] 10
[11] 11
[12] 12
[13] 13
[14] 14
[15] 15
[16] 16
[17] 17
[18] 18
[19] 19
[20] 20
[21] 21
[22] 22
[23] 23
[24] 24

POSTANSWERACTION: SetVariableValue
Variable: RANDORDER2
Value: [SIM_RANDORDER2.Code]

SIM_QUEXMODE: RadioButton

QUEXMODE

MaxValue = 9

Codes:

[1] CATI/CAPI
[2] WEB

POSTANSWERACTION: SetVariableValue
Variable: QUEXMODE
Value: [SIM_QUEXMODE.Code]

PRELOADACTION: BranchTo
Next question

SIM_END: RadioButton

END POINT FOR SIMS

MaxValue = 9

Codes:

[1] DONE

SKIPTOEND: RadioButton

FOR TESTING ONLY:

DO YOU WANT TO SKIP?

MaxValue = 9

Codes:

[1] "NO, CONTINUE"

[2] "YES, SKIP TO END"

[3] "YES, SKIP TO SECTION K"

PRELOADACTION: BranchTo
Next question

LASTSECT: TextAnswer

LAST SECTION ASKED

MaxAnswerLength = 2

MaxValue = 9

PRELOADACTION: BranchTo
Next question

BREAKOFF: RadioButton

BREAKOFF SECTION

MaxValue = 9

Codes:

- [1] SECTION A - CORE (2020)
- [2] SECTION B - HOUSEHOLD COMPOSITION
- [3] SECTION G - ANES
- [4] SECTION H - RELIGION
- [5] SECTION J - CDC RISKY BEHAVIORS
- [6] SECTION K - CONTACT
- [7] SECTION L -
- [8] SECTION M -
- [9] SECTION N -
- [10] SECTION O -
- [11] SECTION P -
- [12] SECTION Q -
- [13] SECTION R

PRELOADACTION: SetVariableValue
Variable: CURRMO
Value: MON(\$D)

PRELOADACTION: BranchTo
Next question

CURRMO: NumericAnswer

MinValue = 0 MaxValue = 99

PRELOADACTION: SetVariableValue
Variable: CURRDY
Value: [\$D.Day]

PRELOADACTION: BranchTo
Next question

CURRDY: NumericAnswer

MinValue = 0 MaxValue = 99

PRELOADACTION: SetVariableValue
Variable: CURRYR
Value: [\$D.Year]

PRELOADACTION: BranchTo
Next question

CURRYR: NumericAnswer

MinValue = 0 MaxValue = 9999

PRELOADACTION: SetVariableValue
Variable: CURRMOTXT
Value: [CURRMO]

PRELOADACTION: BranchTo
Next question

CURRMOTXT: RadioButton

MaxValue = 9999

Codes:

- [1] January
- [2] February
- [3] March
- [4] April
- [5] May
- [6] June
- [7] July
- [8] August
- [9] September
- [10] October
- [11] November
- [12] December

PRELOADACTION: BranchTo
Next question

QUEXMODE: RadioButton

MaxValue = 9999

Codes:

[1] CATI/CAPI
[2] WEB

```
PRELOADACTION: SetVariableValue  
Variable: INTERVIEWER  
Value: [TINTERVIEWER]  
IF TINTERVIEWER Is Not Empty
```

```
PRELOADACTION: SetVariableValue  
Variable: INTERVIEWER  
Value: ***  
IF TINTERVIEWER Is Empty
```

```
PRELOADACTION: SetVariableValue  
Variable: TINTERVIEWER  
Value: ()
```

```
PRELOADACTION: BranchTo  
Next question
```

TINTERVIEWER: TextAnswer

Employee ID of the Telephone Interviewer or *** if no Telephone interviewer utilized

MaxValue = 9999

```
PRELOADACTION: SetVariableValue  
Variable: RSUPPORTCALL  
Value: [SUPPORT_CALL]  
IF SUPPORT_CALL > 0
```

```
PRELOADACTION: SetVariableValue  
Variable: R_SUPPORTCALL  
Value: [SUPPORT_CALL]  
IF SUPPORT_CALL > 0
```

```
PRELOADACTION: SetVariableValue  
Variable: SUPPORT_CALL  
Value: ()
```

```
PRELOADACTION: BranchTo  
Next question
```

SUPPORT_CALL: NumericAnswer

Captures Support Survey Call Value

MaxValue = 9999

```
PRELOADACTION: SetVariableValue  
Variable: MODE_JS
```

Value: V01(QUEXMODE=1 OR FIMODE=1)

PRELOADACTION: BranchTo
Next question

MODE_JS: RadioButton

"COMPUTATION: This question indicates the mode of survey execution where:

0=CAWI
1=CATI

It is used throughout the template and questionnaires to customize the survey by mode including capitalization in CATI choice text, show/hide questions and/or choices, display options for question text and/or choice text. It is set according to a value from SUPPORT_CALL."

MaxValue = 9999

Codes:

[0]
[1]

PRELOADACTION: SetVariableValue
Variable: CATI_TXT
Value: V01(MODE_JS=1)

PRELOADACTION: BranchTo
Next question

CATI_TXT: RadioButton

"If this is CATI, use choice 1 to display the text.
If not CATI, we want choice 0 to hide the text."

MaxValue = 9999

Codes:

[0] "style=""display: none;""
[1] "style=""display:inline;""

PRELOADACTION: SetVariableValue
Variable: CATI_UP
Value: V01(MODE_JS=1)

PRELOADACTION: BranchTo
Next question

CATI_UP: RadioButton

"If this is CATI, use choice 1 to display the text.
If not CATI, we want choice 0 to hide the text."

MaxValue = 9999

Codes:

[0]
[1] "style=""text-transform: uppercase;""

PRELOADACTION: SetVariableValue
Variable: CAWI_TXT
Value: V01(MODE_JS=0)

PRELOADACTION: BranchTo
Next question

CAWI_TXT: RadioButton

"If this is CAWI, use choice 1 to display the text.
If not CAWI, we want choice 0 to hide the text."

MaxValue = 9999

Codes:

[0] "style=""display: none;""
[1] "style=""display:inline;""

PRELOADACTION: SetVariableValue
Variable: CAWI_FLOAT1
Value: V01(MODE_JS=0)

PRELOADACTION: BranchTo
Next question

CAWI_FLOAT1: RadioButton

Used in CAWI to move the last VISIBLE choice down 1 space

MaxValue = 9999

Codes:

[0]
[1] " "

PRELOADACTION: SetVariableValue
Variable: CAWI_FLOAT2

Value: V01(MODE_JS=0)

PRELOADACTION: BranchTo
Next question

CAWI_FLOAT2: RadioButton

Used in CAWI to move the last 2 VISIBLE choice down 1 space

MaxValue = 9999

Codes:

[0]
[1] " "

PRELOADACTION: SetVariableValue
Variable: CAWI_FLOAT3
Value: V01(MODE_JS=0)

PRELOADACTION: BranchTo
Next question

CAWI_FLOAT3: RadioButton

Used in CAWI to move the last 3 VISIBLE choice down 1 space

MaxValue = 9999

Codes:

[0]
[1] " "

PRELOADACTION: SetVariableValue
Variable: P_KEYPAD
Value: [MODE_JS.code]

PRELOADACTION: BranchTo
Next question

P_KEYPAD: RadioButton

Single answer question using Radio Buttons

MaxValue = 9999

Codes:

[1] "
"
[0]

```
PRELOADACTION: SetVariableValue  
Variable: CATIFILL1  
Value: [QUEXMODE]
```

```
PRELOADACTION: BranchTo  
Next question
```

CATIFILL1: RadioButton

Single answer question using Radio Buttons

MaxValue = 9999

Codes:

[1] I
[2] we

```
PRELOADACTION: SetVariableValue  
Variable: CATIFILL2  
Value: [QUEXMODE]
```

```
PRELOADACTION: BranchTo  
Next question
```

CATIFILL2: RadioButton

Single answer question using Radio Buttons

MaxValue = 9999

Codes:

[1] I am
[2] We are

```
PRELOADACTION: SetVariableValue  
Variable: CATIFILL3  
Value: [QUEXMODE]
```

```
PRELOADACTION: BranchTo  
Next question
```

CATIFILL3: RadioButton

Single answer question using Radio Buttons

MaxValue = 9999

Codes:

[1] me

[2] us

```
PRELOADACTION: SetVariableValue  
Variable: CATIFILL4  
Value: [QUEXMODE]
```

```
PRELOADACTION: BranchTo  
Next question
```

CATIFILL4: RadioButton

Single answer question using Radio Buttons

MaxValue = 9999

Codes:

[1] I

[2] We

```
PRELOADACTION: SetVariableValue  
Variable: BTIMEA  
Value: [$H]  
IF BTIMEA Is Empty
```

```
PRELOADACTION: BranchTo  
Next question
```

BTIMEA: DateTimeAnswer

BEGIN TIME SECTION A

MaxAnswerLength = 20

MaxValue = 9999

```
PRELOADACTION: SetVariableValue  
Variable: BTIMEA_D  
Value: [$H]
```

```
PRELOADACTION: BranchTo  
Next question
```

BTIMEA_D: DateTimeAnswer

DYNAMIC BEGIN TIME SECTION A

MaxAnswerLength = 20

MaxValue = 9999

PRELOADACTION: BranchTo
Next question

QUEXLANGOLD: RadioButton

Please select the language in which you would like to complete the questionnaire:

Seleccione el idioma en el que desea completar el cuestionario:

MaxValue = 9999

Codes:

[EN] English

[ES] Español

PRELOADACTION: BranchTo
Next question

QUEXLANG: RespondentLanguage

Single answer question used to display and update the respondent's language

MaxValue = 9999

Codes:

[en] English

[es] Spanish

PRELOADACTION: SetVariableValue
Variable: _SPFILL2
Value: 3

PRELOADACTION: BranchTo
Next question

_SPFILL2: RadioButton

MaxValue = 9999

Codes:

- [1] he
- [2] she
- [3] they

```
PRELOADACTION: BranchTo  
Next question  
IF ENV_RUN <> 2
```

SKIPSECTION: RadioButton

CHOOSE NEXT SECTION TO TEST OR CLICK [NEXT]

MaxValue = 9999

Codes:

- [1] A - Core
- [2] B - Household Composition
- [3] C - NSF Science

```
DISPLAY IF: VERXY =X
```

- [4] D -ISSP Environment
- [5] E - ISSP Social Inequity
- [6] F - Healthy People
- [7] H - Wilde-Religion
- [8] I - McCall Social Inequity
- [9] J - CDC Risky Behaviors
- [10] Section K - Contact/Validation
- [11] R - REMARKS (PHONE ONLY)
- [12] SKIP TO END
- [13] DO NOT SKIP

```
POSTANSWERACTION: BranchTo  
Question BTIMEA  
IF SKIPSECTION = 1
```

```
POSTANSWERACTION: BranchTo  
Question BTIMEB  
IF SKIPSECTION = 2
```

```
POSTANSWERACTION: BranchTo  
Question BTIMEC  
IF SKIPSECTION = 3
```

```
POSTANSWERACTION: BranchTo
```

```
Question BTIMEE  
IF SKIPSECTION = 5
```

```
POSTANSWERACTION: BranchTo  
Question BTIMEF  
IF SKIPSECTION = 6
```

```
POSTANSWERACTION: BranchTo  
Question BTIMEH  
IF SKIPSECTION = 7
```

```
POSTANSWERACTION: BranchTo  
Question BTIMEI  
IF SKIPSECTION = 8
```

```
POSTANSWERACTION: BranchTo  
Question BTIMEJ  
IF SKIPSECTION = 9
```

```
POSTANSWERACTION: BranchTo  
Question BTIMEK  
IF SKIPSECTION = 10
```

```
POSTANSWERACTION: BranchTo  
Question TIMEQUX  
IF SKIPSECTION = 12
```

```
PRELOADACTION: BranchTo  
Question NATSPACY  
IF VERXY = Y
```

NATSPAC: RadioButton

"[WEB TEXT: Let's begin with]

[CATI TEXT: First I would like to talk to you about] some things people think about today. We are faced with many problems in this country, none of which can be solved easily or inexpensively. [WEB TEXT: For each of the following problems, please indicate]

[CATI TEXT: I'm going to name some of these problems, and for each one I'd like you to tell me] whether you think we're spending too much money on it, too little money, or about the right amount.

First: The space exploration program

... are we spending too much, too little, or about the right amount on

The space exploration program?"

MaxValue = 9999

Codes:

[1] "[CATI UCase: Too little] "

[2] "[CATI UCase: About right] "

[3] "[CATI UCase: Too much] "

[77] "[CATI UCase: Don't know] "

```
DISPLAY IF: QUEXMODE = 1
```

[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

NATENVIR: RadioButton

"Improving and protecting the environment

... are we spending too much, too little, or about the right amount on

Improving and protecting the environment?"

MaxValue = 9999

Codes:

[1] [CATI UCase: Too little]
[2] [CATI UCase: About right]
[3] [CATI UCase: Too much]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

NATHEAL: RadioButton

"Improving and protecting the nation's health

... are we spending too much, too little, or about the right amount on

Improving and protecting the nation's health?"

MaxValue = 9999

Codes:

[1] [CATI UCase: Too little]
[2] [CATI UCase: About right]
[3] [CATI UCase: Too much]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

NATCITY: RadioButton

"Solving the problems of the big cities

... are we spending too much, too little, or about the right amount on

Solving the problems of the big cities?"

MaxValue = 9999

Codes:

[1] [CATI UCase: Too little]

[2] [CATI UCase: About right]

[3] [CATI UCase: Too much]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

NATCRIME: RadioButton

"Halting the rising crime rate

... are we spending too much, too little, or about the right amount on

Halting the rising crime rate?"

MaxValue = 9999

Codes:

[1] [CATI UCase: Too little]

[2] [CATI UCase: About right]

[3] [CATI UCase: Too much]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

NATDRUG: RadioButton

"Dealing with drug addiction

... are we spending too much, too little, or about the right amount on

Dealing with drug addiction?"

MaxValue = 9999

Codes:

[1] [CATI UCase: Too little]
[2] [CATI UCase: About right]
[3] [CATI UCase: Too much]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

NATEDUC: RadioButton

"Improving the nation's education system

... are we spending too much, too little, or about the right amount on

Improving the nation's education system?"

MaxValue = 9999

Codes:

[1] [CATI UCase: Too little]
[2] [CATI UCase: About right]
[3] [CATI UCase: Too much]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

NATRACE: RadioButton

"Improving the conditions of Blacks

... are we spending too much, too little, or about the right amount on

Improving the conditions of Blacks?"

MaxValue = 9999

Codes:

[1] [CATI UCase: Too little]
[2] [CATI UCase: About right]

[3] [CATI UCase: Too much]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

NATARMS: RadioButton

"The military, armaments and defense

... are we spending too much, too little, or about the right amount on

The military, armaments and defense?"

MaxValue = 9999

Codes:

[1] [CATI UCase: Too little]
[2] [CATI UCase: About right]
[3] [CATI UCase: Too much]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

NATAID: RadioButton

"Foreign aid

... are we spending too much, too little, or about the right amount on

Foreign aid?"

MaxValue = 9999

Codes:

[1] "[CATI UCase: Too little] "
[2] "[CATI UCase: About right] "
[3] "[CATI UCase: Too much] "
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

NATFARE: RadioButton

"Welfare

... are we spending too much, too little, or about the right amount on

Welfare?"

MaxValue = 9999

Codes:

[1] [CATI UCase: Too little]

[2] [CATI UCase: About right]

[3] [CATI UCase: Too much]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Question NATROAD

IF VERXY <> Y

NATSPACY: RadioButton

"[WEB TEXT: Let's begin with]

[CATI TEXT: First I would like to talk to you about] some things people think about today. We are faced with many problems in this country, none of which can be solved easily or inexpensively. [WEB TEXT: For each of the following problems, please indicate]

[CATI TEXT: I'm going to name some of these problems, and for each one I'd like you to tell me] whether you think we're spending too much money on it, too little money, or about the right amount.

First: Space exploration

... are we spending too much, too little, or about the right amount on

Space exploration?"

MaxValue = 9999

Codes:

[1] "[CATI UCase: Too little] "

[2] "[CATI UCase: About right] "

[3] "[CATI UCase: Too much] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

NATENVIY: RadioButton

"The environment

... are we spending too much, too little, or about the right amount on

The environment?"

MaxValue = 9999

Codes:

[1] [CATI UCase: Too little]
[2] [CATI UCase: About right]
[3] [CATI UCase: Too much]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

NATHEALY: RadioButton

"Health

... are we spending too much, too little, or about the right amount on

Health?"

MaxValue = 9999

Codes:

[1] [CATI UCase: Too little]
[2] [CATI UCase: About right]
[3] [CATI UCase: Too much]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

NATCITYY: RadioButton

"Assistance to big cities

... are we spending too much, too little, or about the right amount on

Assistance to big cities?"

MaxValue = 9999

Codes:

[1] [CATI UCase: Too little]

[2] [CATI UCase: About right]

[3] [CATI UCase: Too much]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

NATCRIMY: RadioButton

"Law enforcement

... are we spending too much, too little, or about the right amount on

Law enforcement?"

MaxValue = 9999

Codes:

[1] [CATI UCase: Too little]

[2] [CATI UCase: About right]

[3] [CATI UCase: Too much]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

NATDRUGY: RadioButton

"Drug rehabilitation

... are we spending too much, too little, or about the right amount on

Drug rehabilitation?"

MaxValue = 9999

Codes:

[1] [CATI UCase: Too little]
[2] [CATI UCase: About right]
[3] [CATI UCase: Too much]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

NATEDUCY: RadioButton

"Education

... are we spending too much, too little, or about the right amount on

Education?"

MaxValue = 9999

Codes:

[1] [CATI UCase: Too little]
[2] [CATI UCase: About right]
[3] [CATI UCase: Too much]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

NATRACEY: RadioButton

"Assistance to Blacks

... are we spending too much, too little, or about the right amount on

Assistance to Blacks?"

MaxValue = 9999

Codes:

[1] [CATI UCase: Too little]
[2] [CATI UCase: About right]

[3] [CATI UCase: Too much]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

NATARMSY: RadioButton

"National defense

... are we spending too much, too little, or about the right amount on

National defense?"

MaxValue = 9999

Codes:

[1] [CATI UCase: Too little]
[2] [CATI UCase: About right]
[3] [CATI UCase: Too much]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

NATAIDY: RadioButton

"Assistance to other countries

... are we spending too much, too little, or about the right amount on

Assistance to other countries?"

MaxValue = 9999

Codes:

[1] [CATI UCase: Too little]
[2] [CATI UCase: About right]
[3] [CATI UCase: Too much]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

NATFAREY: RadioButton

"Assistance for the poor

... are we spending too much, too little, or about the right amount on

Assistance for the poor?"

MaxValue = 9999

Codes:

[1] [CATI UCase: Too little]

[2] [CATI UCase: About right]

[3] [CATI UCase: Too much]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

NATROAD: RadioButton

"Highways and bridges

... are we spending too much, too little, or about the right amount on

Highways and bridges?"

MaxValue = 9999

Codes:

[1] [CATI UCase: Too little]

[2] [CATI UCase: About right]

[3] [CATI UCase: Too much]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

NATSOC: RadioButton

"Social Security

... are we spending too much, too little, or about the right amount on
Social Security?"

MaxValue = 9999

Codes:

[1] [CATI UCase: Too little]
[2] [CATI UCase: About right]
[3] [CATI UCase: Too much]
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

NATMASS: RadioButton

"Mass transportation

... are we spending too much, too little, or about the right amount on

Mass transportation?"

MaxValue = 9999

Codes:

[1] [CATI UCase: Too little]
[2] [CATI UCase: About right]
[3] [CATI UCase: Too much]
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

NATPARK: RadioButton

"Parks and recreation

... are we spending too much, too little, or about the right amount on

Parks and recreation?"

MaxValue = 9999

Codes:

[1] [CATI UCase: Too little]
[2] [CATI UCase: About right]
[3] [CATI UCase: Too much]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

NATCHLD: RadioButton

"Assistance for childcare

... are we spending too much, too little, or about the right amount on

Assistance for childcare?"

MaxValue = 9999

Codes:

[1] [CATI UCase: Too little]
[2] [CATI UCase: About right]
[3] [CATI UCase: Too much]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

NATSCI: RadioButton

"Supporting scientific research

... are we spending too much, too little, or about the right amount on

Supporting scientific research?"

MaxValue = 9999

Codes:

[1] [CATI UCase: Too little]
[2] [CATI UCase: About right]
[3] [CATI UCase: Too much]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1

[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

NATENRGY: RadioButton

"Developing alternative energy sources

... are we spending too much, too little, or about the right amount on

Developing alternative energy sources?"

MaxValue = 9999

Codes:

[1] [CATI UCase: Too little]
[2] [CATI UCase: About right]
[3] [CATI UCase: Too much]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

RES16: RadioButton

"[CATI TEXT: HANDCARD A1] Next, we have a few factual questions about yourself. Which of the categories [CATI TEXT: on this card] comes closest to the type of place you were living in when you were 16 years old?"

MaxValue = 9999

Codes:

[1] "[CATI TEXT: 1.] In open country but not on a farm"
[2] "[CATI TEXT: 2.] On a farm"
[3] "[CATI TEXT: 3.] In a small city or town (under 50,000)"
[4] "[CATI TEXT: 4.] In a medium-size city (50,000-250,000)"
[5] "[CATI TEXT: 5.] In a suburb near a large city"
[6] "[CATI TEXT: 6.] In a large city (over 250,000)"
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

REG16: DropDownList

In what state or foreign country were you living when you were 16 years old?

MaxValue = 9999

Codes:

[63] "[CATI UCase: Alabama] "
[94] "[CATI UCase: Alaska] "
[87] "[CATI UCase: Arizona] "
[71] "[CATI UCase: Arkansas] "
[93] "[CATI UCase: California] "
[86] "[CATI UCase: Colorado] "
[15] "[CATI UCase: Connecticut] "
[51] "[CATI UCase: Delaware] "
[55] "[CATI UCase: District of Columbia] "
[59] "[CATI UCase: Florida] "
[58] "[CATI UCase: Georgia] "
[95] "[CATI UCase: Hawaii] "
[82] "[CATI UCase: Idaho] "
[32] "[CATI UCase: Illinois] "
[33] "[CATI UCase: Indiana] "
[42] "[CATI UCase: Iowa] "
[47] "[CATI UCase: Kansas] "
[61] "[CATI UCase: Kentucky] "
[73] "[CATI UCase: Louisiana] "
[11] "[CATI UCase: Maine] "
[52] "[CATI UCase: Maryland] "
[14] "[CATI UCase: Massachusetts] "
[34] "[CATI UCase: Michigan] "
[41] "[CATI UCase: Minnesota] "
[64] "[CATI UCase: Mississippi] "
[43] "[CATI UCase: Missouri] "
[81] "[CATI UCase: Montana] "
[46] "[CATI UCase: Nebraska] "
[84] "[CATI UCase: Nevada] "
[13] "[CATI UCase: New Hampshire] "
[22] "[CATI UCase: New Jersey] "
[88] "[CATI UCase: New Mexico] "
[21] "[CATI UCase: New York] "
[56] "[CATI UCase: North Carolina] "
[44] "[CATI UCase: North Dakota] "
[35] "[CATI UCase: Ohio] "
[72] "[CATI UCase: Oklahoma] "
[92] "[CATI UCase: Oregon] "
[23] "[CATI UCase: Pennsylvania] "
[16] "[CATI UCase: Rhode Island] "
[57] "[CATI UCase: South Carolina] "
[45] "[CATI UCase: South Dakota] "
[62] "[CATI UCase: Tennessee] "
[74] "[CATI UCase: Texas] "
[85] "[CATI UCase: Utah] "
[12] "[CATI UCase: Vermont] "
[54] "[CATI UCase: Virginia] "
[96] "[CATI UCase: Virgin Islands] "

```
[91] [CATI UCase: Washington]
[53] "[CATI UCase: West Virginia] "
[31] "[CATI UCase: Wisconsin] "
[83] "[CATI UCase: Wyoming] "
[97] Foreign country
[777] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[999] "[CATI UCase: REFUSED] "
DISPLAY IF: QUEXMODE =1
[998] "[CATI UCase: SKIPPED ON WEB] "
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF REG16 <> 97
```

REG16SPC: TextAnswer

In what state or foreign country were you living when you were 16 years old?

MaxAnswerLength = 20

MaxValue = 9999

Codes:

```
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: SetVariableValue
Variable: REG16SPC
Value: 98
IF REG16SPC Is Empty
```

STSAME: DropDownList

In what state do you currently live?

MaxValue = 9999

Codes:

```
[63] "[CATI UCase: Alabama] "
[94] "[CATI UCase: Alaska] "
[87] "[CATI UCase: Arizona] "
[71] "[CATI UCase: Arkansas] "
[93] "[CATI UCase: California] "
```

[86] "[CATI UCase: Colorado] "
[15] "[CATI UCase: Connecticut] "
[51] "[CATI UCase: Delaware] "
[55] "[CATI UCase: District of Columbia] "
[59] "[CATI UCase: Florida] "
[58] "[CATI UCase: Georgia] "
[95] "[CATI UCase: Hawaii] "
[82] "[CATI UCase: Idaho] "
[32] "[CATI UCase: Illinois] "
[33] "[CATI UCase: Indiana] "
[42] "[CATI UCase: Iowa] "
[47] "[CATI UCase: Kansas] "
[61] "[CATI UCase: Kentucky] "
[73] "[CATI UCase: Louisiana] "
[11] "[CATI UCase: Maine] "
[52] "[CATI UCase: Maryland] "
[14] "[CATI UCase: Massachusetts] "
[34] "[CATI UCase: Michigan] "
[41] "[CATI UCase: Minnesota] "
[64] "[CATI UCase: Mississippi] "
[43] "[CATI UCase: Missouri] "
[81] "[CATI UCase: Montana] "
[46] "[CATI UCase: Nebraska] "
[84] "[CATI UCase: Nevada] "
[13] "[CATI UCase: New Hampshire] "
[22] "[CATI UCase: New Jersey] "
[88] "[CATI UCase: New Mexico] "
[21] "[CATI UCase: New York] "
[56] "[CATI UCase: North Carolina] "
[44] "[CATI UCase: North Dakota] "
[35] "[CATI UCase: Ohio] "
[72] "[CATI UCase: Oklahoma] "
[92] "[CATI UCase: Oregon] "
[23] "[CATI UCase: Pennsylvania] "
[16] "[CATI UCase: Rhode Island] "
[57] "[CATI UCase: South Carolina] "
[45] "[CATI UCase: South Dakota] "
[62] "[CATI UCase: Tennessee] "
[74] "[CATI UCase: Texas] "
[85] "[CATI UCase: Utah] "
[12] "[CATI UCase: Vermont] "
[54] "[CATI UCase: Virginia] "
[96] "[CATI UCase: Virgin Islands] "
[91] "[CATI UCase: Washington] "
[53] "[CATI UCase: West Virginia] "
[31] "[CATI UCase: Wisconsin] "
[83] "[CATI UCase: Wyoming] "
[97] Foreign country
[777] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[999] "[CATI UCase: REFUSED] "
DISPLAY IF: QUEXMODE =1
[998] "[CATI UCase: SKIPPED ON WEB] "
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Question FAMILY16A
IF REG16<>STSAME

CITYSAME: RadioButton

Do you currently live in the same city or town you lived in when you were 16 years old?

MaxValue = 9999

Codes:

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

FAMILY16A: RadioButton

Were you living with both your own mother and father around the time you were 16?

MaxValue = 9999

Codes:

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question DADFILL

IF FAMILY16A = 1

FAMILY16B: RadioButton

With whom were you living around that time?

MaxValue = 9999

Codes:

[1] [CATI UCase: Both own mother and father]

[2] [CATI UCase: Father and stepmother]

[3] [CATI UCase: Mother and stepfather]

[4] [CATI UCase: Father--no mother or stepmother]
[5] [CATI UCase: Mother--no father or stepfather]
[6] [CATI UCase: Some other male relative (no female head)]
[7] [CATI UCase: Some other female relative (no male head)]
[8] " [CATI UCase: Other arrangement with both male and female relatives (e.g. aunt and uncle, grandparents)] "
[9] [CATI UCase: Other (specify)]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo
Question DADFILL
IF FAMILY16B = 4 OR 5
IF FAMILY16B = 4
IF FAMILY16B = 5

PRELOADACTION: BranchTo
Question FAMSPECF
IF "V01(FAMILY16B=6,8,9)==0"

FAMSPECM: TextAnswer

"Who was the male relative you were living with at age 16? Please tell us his relationship to you, e.g. uncle, grandfather, cousin."

MaxValue = 9999

Codes:

[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue
Variable: FAMSPECM
Value: 98
IF FAMSPECM Is Empty

PRELOADACTION: BranchTo
Question FAMDIF16
IF "V01(FAMILY16B=7,8,9)==0"

FAMSPECF: TextAnswer

"Who was the female relative you were living with at age 16? Please tell us her relationship to you,

e.g. aunt, grandmother, cousin."

MaxValue = 9999

Codes:

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: FAMSPECF

Value: 98

IF FAMSPECF Is Empty

PRELOADACTION: BranchTo

Question FAMDIF16Y

IF VERXY = Y

FAMDIF16: RadioButton

Which of the following best describes your situation?

MaxValue = 9999

Codes:

[1] [CATI UCase: One or both parents died]

[2] [CATI UCase: Parents divorced or separated]

[3] [CATI UCase: Father absent in armed forces]

[4] [CATI UCase: One or both parents in institution]

[5] [CATI UCase: Other (specify)]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Question FDIFSPEC

IF VERXY = X

FAMDIF16Y: RadioButton

Which of the following best describes your situation?

MaxValue = 9999

Codes:

[1] [CATI UCase: One or both parents died]
[2] [CATI UCase: Parents divorced or separated]
[3] [CATI UCase: Parent absent in armed forces]
[4] [CATI UCase: One or both parents in institution]
[5] [CATI UCase: Other (specify)]
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF FAMDIF16 <> 5

And FAMDIF16Y <> 5

FDIFSPEC: TextAnswer

"[CATI UCase: Please specify other circumstances.
]"

MaxAnswerLength = 100

MaxValue = 9999

Codes:

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: FDIFSPEC

Value: 98

IF FDIFSPEC Is Empty

PRELOADACTION: SetVariableValue

Variable: DADFILL

Value: 1

IF FAMILY16A = 1

Or FAMILY16B = 9

Or FAMILY16B = 1

Or FAMILY16B = 2

Or FAMILY16B = 4

Or FAMILY16B = 5

Or FAMILY16B = 7

```
PRELOADACTION: SetVariableValue
Variable: DADFILL
Value: 2
IF FAMILY16B = 3
```

```
PRELOADACTION: SetVariableValue
Variable: DADFILL
Value: 4
IF FAMILY16B = 8
Or FAMILY16B = 99
Or FAMILY16B = 77
Or FAMILY16B = 98
```

```
PRELOADACTION: SetVariableValue
Variable: DADFILL
Value: 3
IF FAMILY16B = 6
And FAMSPECM Is Not Empty
And FAMSPECM <> 77
And FAMSPECM <> 99
And FAMSPECM <> 98
```

```
PRELOADACTION: BranchTo
Next question
IF DADFILL > 0
```

```
PRELOADACTION: SetVariableValue
Variable: DADFILL
Value: 5
```

```
PRELOADACTION: BranchTo
Next question
```

DADFILL: RadioButton

MaxValue = 9999

Codes:

- [1] your father
- [2] your stepfather
- [3] your [FAMSPECM]
- [4] the male relative you were living with at 16
- [5] your (FATHER SUBSTITUTE)

```
PRELOADACTION: SetVariableValue
Variable: DADFILL_2
Value: [DADFILL]
```

```
PRELOADACTION: BranchTo
Next question
```

DADFILL_2: RadioButton

MaxValue = 9999

Codes:

- [1] your father
- [2] your stepfather
- [3] [FAMSPECM]
- [4] the male relative you were living with at 16
- [5] your (FATHER SUBSTITUTE)

```
PRELOADACTION: SetVariableValue
Variable: MOMFILL
Value: 1
IF FAMILY16A = 1
Or FAMILY16B = 9
Or FAMILY16B = 1
Or FAMILY16B = 3
Or FAMILY16B = 5
Or FAMILY16B = 4
Or FAMILY16B = 6
```

```
PRELOADACTION: SetVariableValue
Variable: MOMFILL
Value: 2
IF FAMILY16B = 2
```

```
PRELOADACTION: SetVariableValue
Variable: MOMFILL
Value: 4
IF FAMILY16B = 8
Or FAMILY16B = 99
Or FAMILY16B = 77
Or FAMILY16B = 98
```

```
PRELOADACTION: SetVariableValue
Variable: MOMFILL
Value: 3
IF FAMILY16B = 7
And FAMSPECF Is Not Empty
And FAMSPECF <> 98
And FAMSPECF <> 77
And FAMSPECF <> 99
```

```
PRELOADACTION: BranchTo
Next question
IF MOMFILL > 0
```

```
PRELOADACTION: SetVariableValue
Variable: MOMFILL
Value: 5
```

```
PRELOADACTION: BranchTo
```

Next question

MOMFILL: RadioButton

MaxValue = 9999

Codes:

- [1] your mother
- [2] your stepmother
- [3] your [FAMSPECF]
- [4] the female relative you were living with at 16
- [5] your (MOTHER SUBSTITUTE)

PRELOADACTION: SetVariableValue
Variable: MOMFILL_2
Value: [MOMFILL]

PRELOADACTION: BranchTo
Next question

MOMFILL_2: RadioButton

MaxValue = 9999

Codes:

- [1] your mother
- [2] your stepmother
- [3] [FAMSPECF]
- [4] the female relative you were living with at 16
- [5] your (MOTHER SUBSTITUTE)

PRELOADACTION: SetVariableValue
Variable: OCCINST
Value: [QUEXMODE]

PRELOADACTION: BranchTo
Next question

OCCINST: RadioButton

Single answer question using Radio Buttons

MaxValue = 9999

Codes:

[1] "

FI INFO: PROBE FOR A PRECISE AND DETAILED DESCRIPTION OF JOB AND INDUSTRY. AVOID ONE WORD RESPONSES. USE NEUTRAL PROBES TO OBTAIN MORE INFORMATION. DO NOT ASSUME NOR SUGGEST CERTAIN CHARACTERISTICS.

REPEAT R'S VERBATIM RESPONSE AND/OR PROBE TO ENSURE YOU HAVE A COMPLETE, CLEAR, AND COHERENT UNDERSTANDING OF THE JOB AND INDUSTRY. ENTER R'S VERBATIM RESPONSE BELOW.]
"

[2]

PRELOADACTION: BranchTo
Question MAGRADE
IF FAMILY16B = 5
Or FAMILY16B = 7

OCCPA: TextAnswer

"What kind of work did [dadfill] usually do while you were growing up?

[WEB TEXT:

(*What was his job called?*)] [CATI TEXT: That is, what was his job called?] [OCCINST]"

MaxValue = 9999

Codes:

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

MAINPA: TextAnswer

"What did he actually do in that job? [WEB TEXT:

(*What were some of his main duties?*)] [CATI TEXT: Tell me, what were some of his main duties?] "

MaxValue = 9999

Codes:

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue
Variable: MAINPA
Value: 98
IF MAINPA Is Empty

POSTANSWERACTION: SetVariableValue
Variable: OCCPA
Value: 98
IF OCCPA Is Empty

INDPA: TextAnswer

"What kind of place did he work for? [WEB TEXT:
(*What would you call that business or industry?*)] [CATI TEXT: What would you call that business or
industry?] [OCCINST]"

MaxValue = 9999

Codes:

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

WHATPA: TextAnswer

"What did they make or do? [WEB TEXT:
(*What they mainly did*)] [CATI TEXT: What did they mainly do?] "

MaxValue = 9999

Codes:

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue
Variable: INDPA
Value: 98
IF INDPA Is Empty

POSTANSWERACTION: SetVariableValue
Variable: WHATPA
Value: 98
IF WHATPA Is Empty

WHATPA2: RadioButton

How would you classify the place where [dadfill] worked? Was this mainly....? [CAWI_FLOAT2]

MaxValue = 9999

Codes:

[1] Manufacturing
[2] Wholesale trade
[3] Retail trade
[4] "Other (Agriculture, Construction, Service, Government, Etc.)"
[77] "[CATI UCase: Don't know/Can't remember] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PAWRKSLF2: RadioButton

"[CATI TEXT: IF ALREADY ANSWERED, CODE WITHOUT ASKING:] At this job, was [dadfill] an employee, self-employed without employees, or self-employed with employees?[CAWI_FLOAT2]"

MaxValue = 9999

Codes:

[1] [CATI UCase: Employee]
[2] [CATI UCase: Self-employed without employees]
[3] [CATI UCase: Self-employed with employees]
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PAWRKSLFFAM: RadioButton

"[CATI TEXT: IF ALREADY ANSWERED, CODE WITHOUT ASKING:] At this job, did he work in his own family business or family farm?"

MaxValue = 9999

Codes:

```
[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

PAGRADE: RadioButton

What is the highest grade in elementary school or high school that [dadfill] finished and got credit for?

[CAWI_FLOAT2]

MaxValue = 9999

Codes:

```
[1] "[CATI UCase: No formal school] "  
[2] "[CATI UCase: 1st grade] "  
[3] "[CATI UCase: 2nd grade] "  
[4] "[CATI UCase: 3rd grade] "  
[5] "[CATI UCase: 4th grade] "  
[6] "[CATI UCase: 5th grade] "  
[7] "[CATI UCase: 6th grade] "  
[8] "[CATI UCase: 7th grade] "  
[9] "[CATI UCase: 8th grade] "  
[10] "[CATI UCase: 9th grade] "  
[11] "[CATI UCase: 10th grade] "  
[12] "[CATI UCase: 11th grade] "  
[13] "[CATI UCase: 12th grade] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

POSTANSWERACTION: BranchTo

Question IQ5

IF PAGRADE = 1 OR 2 OR 3 OR 4 OR 5 OR 6 OR 7 OR 8 OR 9

IF PAGRADE = 1

IF PAGRADE = 2

IF PAGRADE = 3

IF PAGRADE = 4

IF PAGRADE = 5

IF PAGRADE = 6

IF PAGRADE = 7

IF PAGRADE = 8

IF PAGRADE = 9

PADIPLMA: RadioButton

Did he ever get a high school diploma or a GED certificate?[CAWI_FLOAT2]

MaxValue = 9999

Codes:

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PACOL: RadioButton

"Did he ever complete one or more years of college for credit--not including schooling such as business college, technical or vocational school?[CAWI_FLOAT2]"

MaxValue = 9999

Codes:

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question IQ5

IF PACOL = 2 OR 3 OR 4 OR 5

IF PACOL = 2

IF PACOL = 98

IF PACOL = 99

IF PACOL = 77

PACOLCOM: RadioButton

How many years did he complete?[CAWI_FLOAT2]

MaxValue = 9999

Codes:

[1] [CATI UCase: 1 year]

[2] [CATI UCase: 2 years]

[3] [CATI UCase: 3 years]
[4] [CATI UCase: 4 years]
[5] [CATI UCase: 5 years]
[6] [CATI UCase: 6 years]
[7] "[CATI UCase: 7 years] "
[8] [CATI UCase: 8 or more years]
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PACOLDEG: RadioButton

Does he have any college degrees?[CAWI_FLOAT2]

MaxValue = 9999

Codes:

[1] [CATI UCase: Yes]
[2] [CATI UCase: No]
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo
Question IQ5
IF PACOLDEG = 2 OR 3 OR 4 OR 5
IF PACOLDEG = 2
IF PACOLDEG = 98
IF PACOLDEG = 77
IF PACOLDEG = 99

PADEGHI: RadioButton

"[CATI TEXT: What degree or degrees?

CODE HIGHEST DEGREE EARNED] [WEB TEXT: What was the highest degree he earned?]
[CAWI_FLOAT2]"

MaxValue = 9999

Codes:

[1] [CATI UCase: Associate/junior college]
[2] [CATI UCase: Bachelor's]
[3] [CATI UCase: Graduate]

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: IQ5

Value: 2

IF FAMILY16B = 4

Or FAMILY16B = 6

PRELOADACTION: BranchTo

Question TIMEA1

IF IQ5 = 2

PRELOADACTION: SetVariableValue

Variable: IQ5

Value: 1

PRELOADACTION: BranchTo

Next question

IQ5: RadioButton

"CHECK Q.14 IS A MOTHER, STEPMOTHER, OR OTHER FEMALE SPECIFIED?"

MaxValue = 9999

Codes:

[1] **"YES, MOTHER OR SUBSTITUTION IS SPECIFIED (CODES 1, 2, 3, 5, 7, OR 8) (ASK Qs. 18-20 FOR THAT PERSON)"**

[2] **"NO MOTHER, STEPMOTHER, OR OTHER FEMALE IS SPECIFIED (CODES 4 OR 6) (SKIP TO Q.22)"**

MAGRADE: RadioButton

What is the highest grade in elementary school or high school that [momfill] finished and got credit for?[CAWI_FLOAT2]

MaxValue = 9999

Codes:

[1] [CATI UCase: No formal school]

[2] [CATI UCase: 1st grade]

[3] [CATI UCase: 2nd grade]

[4] [CATI UCase: 3rd grade]

[5] [CATI UCase: 4th grade]

[6] [CATI UCase: 5th grade]

[7] [CATI UCase: 6th grade]
[8] [CATI UCase: 7th grade]
[9] [CATI UCase: 8th grade]
[10] [CATI UCase: 9th grade]
[11] [CATI UCase: 10th grade]
[12] [CATI UCase: 11th grade]
[13] [CATI UCase: 12th grade]
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question MAWRKGRW

IF MAGRADE = 1 OR 2 OR 3 OR 4 OR 5 OR 6 OR 7 OR 8 OR 9

IF MAGRADE = 1

IF MAGRADE = 2

IF MAGRADE = 3

IF MAGRADE = 4

IF MAGRADE = 5

IF MAGRADE = 6

IF MAGRADE = 7

IF MAGRADE = 8

IF MAGRADE = 9

MADIPLMA: RadioButton

Did she ever get a high school diploma or a GED certificate?[CAWI_FLOAT2]

MaxValue = 9999

Codes:

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

MACOL: RadioButton

"Did she ever complete one or more years of college for credit--not including schooling such as business college, technical or vocational school?[CAWI_FLOAT2]"

MaxValue = 9999

Codes:

[1] [CATI UCase: Yes]
[2] [CATI UCase: No]
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo
Question MAWRKGRW
IF MACOL = 2 OR 3 OR 4 OR 5
IF MACOL = 2
IF MACOL = 98
IF MACOL = 77
IF MACOL = 99

MACOLCOM: RadioButton

How many years did she complete?[CAWI_FLOAT2]

MaxValue = 9999

Codes:

[1] "[CATI UCase: 1 year] "
[2] "[CATI UCase: 2 years] "
[3] "[CATI UCase: 3 years] "
[4] "[CATI UCase: 4 years] "
[5] "[CATI UCase: 5 years] "
[6] "[CATI UCase: 6 years] "
[7] "[CATI UCase: 7 years] "
[8] "[CATI UCase: 8 or more years] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

MACOLDEG: RadioButton

Does she have any college degrees?[CAWI_FLOAT2]

MaxValue = 9999

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo
Question MAWRKGRW
IF MACOLDEG = 2 OR 3 OR 4 OR 5
IF MACOLDEG = 2
IF MACOLDEG = 98
IF MACOLDEG = 77
IF MACOLDEG = 99

MADEGHI: RadioButton

"[CATI TEXT: What degree or degrees?

CODE HIGHEST DEGREE EARNED] [WEB TEXT: What was the highest degree she earned?]
[CAWI_FLOAT2]"

MaxValue = 9999

Codes:

[1] [CATI UCase: Associate/junior college]
[2] [CATI UCase: Bachelor's]
[3] [CATI UCase: Graduate]
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

MAWRKGRW: RadioButton

Did [momfill] ever work for pay for as long as a year while you were growing up?[CAWI_FLOAT2]

MaxValue = 9999

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo
Question TIMEA1
IF MAWRKGRW = 2 OR 3 OR 4 OR 5

```
IF MAWRKGRW = 2
IF MAWRKGRW = 98
IF MAWRKGRW = 77
IF MAWRKGRW = 99
```

OCCMA: TextAnswer

"What kind of work did [momfill] usually do while you were growing up? [WEB TEXT:
(What was her job called?)] [CATI TEXT: That is, what was her job called?] [OCCINST]"

MaxValue = 9999

Codes:

```
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

MAINMA: TextAnswer

"What did she actually do in that job? [WEB TEXT:
(What were some of her main duties?)] [CATI TEXT: Tell me, what were some of her main duties?>] "

MaxValue = 9999

Codes:

```
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: SetVariableValue  
Variable: OCCPA  
Value: 98  
IF OCCMA Is Empty
```

```
POSTANSWERACTION: SetVariableValue  
Variable: MAINMA  
Value: 98  
IF MAINMA Is Empty
```

INDMA: TextAnswer

"What kind of place did she work for? [WEB TEXT:
(*What would you call that business or industry?*)] [CATI TEXT: What would you call that business or
industry?] [OCCINST]"

MaxValue = 9999

Codes:

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

WHATMA: TextAnswer

"What did they make or do? [WEB TEXT:
(*What they mainly did*)] [CATI TEXT: What did they mainly do?] "

MaxValue = 9999

Codes:

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: INDMA

Value: 98

IF INDMA Is Empty

POSTANSWERACTION: SetVariableValue

Variable: WHATMA

Value: 98

IF WHATMA Is Empty

WHATMA2: RadioButton

How would you classify the place where [momfill] worked? Was this mainly....? [CAWI_FLOAT2]

MaxValue = 9999

Codes:

[1] Manufacturing
[2] Wholesale trade
[3] Retail trade
[4] "Other (Agriculture, Construction, Service, Government, Etc.)"
[77] "[CATI UCase: Don't know/Can't remember] "
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

MAWRKSLF2: RadioButton

"At this job, was [momfill] an employee, self-employed without employees, or self-employed with employees?[CAWI_FLOAT2]"

MaxValue = 9999

Codes:

[1] [CATI UCase: Employee]
[2] [CATI UCase: Self-employed without employees]
[3] [CATI UCase: Self-employed with employees]
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

MAWRKSLFFAM: RadioButton

"[CATI TEXT: IF ALREADY ANSWERED, CODE WITHOUT ASKING:] At this job, was she working for her own family business or family farm?"

MaxValue = 9999

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: TIMEA1
Value: [\$H]

PRELOADACTION: BranchTo

Next question

TIMEA1: DateTimeAnswer

MaxAnswerLength = 20

MaxValue = 9999

SIBS: NumericAnswer

"How many brothers and sisters did you have? (Count those born alive, but no longer living, as well as those alive now. Also include stepbrothers and stepsisters, and children adopted by your parents.)

"

MinValue = 0 MaxValue = 99

Codes:

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: SIBS

Value: 98

IF SIBS Is Empty

MARITAL: RadioButton

"Are you currently married, widowed, divorced, separated, or have you never been married?"

MaxValue = 99

Codes:

[1] "[CATI UCase: Married] "

[2] "[CATI UCase: Widowed] "

[3] "[CATI UCase: Divorced] "

[4] "[CATI UCase: Separated] "

[5] "[CATI UCase: Never married] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE = 1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

POSTANSWERACTION: BranchTo

Question WIDOWED

IF MARITAL = 3 OR 4

IF MARITAL = 3

IF MARITAL = 4

POSTANSWERACTION: BranchTo

Question POSSLQ

IF MARITAL = 5

PRELOADACTION: BranchTo

Next question

IF QUEXMODE = 2

PRELOADACTION: BranchTo

Next question

IF MARITAL <> 1

MARTYPE: RadioButton

"[CATI TEXT: (INTERVIEWER: DO NOT READ ALOUD

THIS IS A...] [WEB TEXT: This is a...] "

MaxValue = 99

Codes:

[1] "[CATI UCase: Marriage between a man and a woman] "

[2] "[CATI UCase: Same-gender marriage, a man married to a man or a woman married to a woman]

"

[3] "[CATI UCase: Not sure] "

PRELOADACTION: BranchTo

Question WIDOWED

IF MARITAL = 3

And MARITAL = 4

And MARITAL = 5

And MARITAL = 99

DIVORCE: RadioButton

Have you ever been divorced or legally separated?

MaxValue = 99

Codes:

[1] [CATI UCase: Yes]
[2] [CATI UCase: No]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF MARITAL = 2

WIDOWED: RadioButton

Have you ever been widowed?

MaxValue = 99

Codes:

[1] [CATI UCase: Yes]
[2] [CATI UCase: No]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Question POSSLQY
IF VERXY = Y

POSSLQ: RadioButton

"[CATI TEXT: [HANDCARD A1.2a]] Which of these statements applies to you?"

MaxValue = 99

Codes:

[1] I am married and living in the same household as my husband or wife.
[2] I am living as married and my partner and I together live in the same household.
[3] "I have a husband or wife or steady partner, but we don't live in the same household."
[4] I don't have a steady partner.
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF VERXY = X

POSSLQ: RadioButton

"[CATI TEXT: [HANDCARD A1.2b]] Which of these statements applies to you?"

MaxValue = 99

Codes:

- [1] I am married and living in the same household as my husband or wife.
- [2] "I have a steady partner, and we live in the same household."
- [3] "I have a husband or wife or steady partner, but we don't live in the same household."
- [4] I don't have a steady partner.
- [77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: _SPFILL1
Value: 3

PRELOADACTION: SetVariableValue
Variable: _SPFILL1
Value: 4
IF "MARITAL <> 1 AND (POSSLQ=2,3 OR POSSLQY=2,3)"

PRELOADACTION: BranchTo
Next question

_SPFILL1: RadioButton

MaxValue = 99

Codes:

- [1] husband
- [2] wife
- [3] spouse
- [4] partner

PRELOADACTION: SetVariableValue
Variable: _SPFILL3
Value: 3

PRELOADACTION: BranchTo
Next question

_SPFILL3: RadioButton

MaxValue = 99

Codes:

[1] his
[2] her
[3] their

PRELOADACTION: SetVariableValue
Variable: _SPFILL4
Value: 3

PRELOADACTION: BranchTo
Next question

_SPFILL4: RadioButton

MaxValue = 99

Codes:

[1] him
[2] her
[3] them

ETHWORLD: CheckBox

"From what part of the world did your ancestors come? [CATI TEXT: (CHECK ALL THAT APPLY)] [WEB TEXT: (Check all that apply)] [CAWI_FLOAT2]"

MaxValue = 99

Codes:

[1] "[CATI UCase: Europe] "
[2] "[CATI UCase: Africa] "
[3] "[CATI UCase: Asia] "
[4] "[CATI UCase: Middle East] "
[5] "[CATI UCase: South America] "
[6] "[CATI UCase: Central America] "
[7] "[CATI UCase: North America] "
[8] "[CATI UCase: Caribbean] "
[9] "[CATI UCase: Oceania] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question WRKSTAT

IF ETHWORLD = 11 OR 12

IF ETHWORLD = 99

IF ETHWORLD = 98

ETHREGION: CheckBox

"From what country or countries did your ancestors come? [CATI TEXT: (CHECK ALL THAT APPLY)]
[WEB TEXT: (Check all that apply)] [CATI TEXT:

DO NOT READ RESPONSE CATEGORIES] "

MaxValue = 99

Codes:

Header: "[CATI UCase: Europe] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[1] "[CATI UCase: Austria] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[2] "[CATI UCase: Belgium] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[3] "[CATI UCase: Czechoslovakia] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[4] "[CATI UCase: Denmark] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[5] "[CATI UCase: England and Wales] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[6] "[CATI UCase: Finland] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[7] "[CATI UCase: France] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[8] "[CATI UCase: Germany] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[9] "[CATI UCase: Greece] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[10] "[CATI UCase: Hungary] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[11] "[CATI UCase: Ireland] "
DISPLAY IF: "V01(ETHWORLD=1,77)==1"
[12] "[CATI UCase: Italy] "
DISPLAY IF: "V01(ETHWORLD=1,77)==1"
[13] "[CATI UCase: Lithuania] "
DISPLAY IF: "V01(ETHWORLD=1,77)==1"
[14] "[CATI UCase: Netherlands (Dutch/Holland)] "
DISPLAY IF: "V01(ETHWORLD=1,77)==1"
[15] "[CATI UCase: Norway] "
DISPLAY IF: "V01(ETHWORLD=1,77)==1"
[16] "[CATI UCase: Poland] "
DISPLAY IF: "V01(ETHWORLD=1,77)==1"
[17] "[CATI UCase: Portugal] "
DISPLAY IF: "V01(ETHWORLD=1,77)==1"
[18] "[CATI UCase: Romania] "
DISPLAY IF: ETHWORLD =1
[19] "[CATI UCase: Russia (USSR)] "
DISPLAY IF: "V01(ETHWORLD=1,77)==1"
[20] "[CATI UCase: Scotland] "
DISPLAY IF: "V01(ETHWORLD=1,77)==1"
[21] "[CATI UCase: Spain] "
DISPLAY IF: ETHWORLD =1
[22] "[CATI UCase: Sweden] "
DISPLAY IF: "V01(ETHWORLD=1,77)==1"
[23] "[CATI UCase: Switzerland] "
DISPLAY IF: ETHWORLD =1
[24] "[CATI UCase: Turkey] "
DISPLAY IF: "V01(ETHWORLD=1,77)==1"
[25] "[CATI UCase: Yugoslavia] "
DISPLAY IF: "V01(ETHWORLD=1,77)==1"
[26] "[CATI UCase: Other] "
DISPLAY IF: "V01(ETHWORLD=1,77)==1"

Header: "
[CATI UCase: Africa]
"

DISPLAY IF: "V01(ETHWORLD=2,77)==1"
[27] "[CATI UCase: Algeria] "
DISPLAY IF: "V01(ETHWORLD=2,77)==1"
[28] "[CATI UCase: Democratic Republic of the Congo] "
DISPLAY IF: "V01(ETHWORLD=2,77)==1"
[29] "[CATI UCase: Egypt] "
DISPLAY IF: "V01(ETHWORLD=2,77)==1"
[30] "[CATI UCase: Ethiopia] "
DISPLAY IF: "V01(ETHWORLD=2,77)==1"
[31] "[CATI UCase: Kenya] "
DISPLAY IF: "V01(ETHWORLD=2,77)==1"
[32] "[CATI UCase: Nigeria] "
DISPLAY IF: "V01(ETHWORLD=2,77)==1"
[33] "[CATI UCase: South Africa] "
DISPLAY IF: "V01(ETHWORLD=2,77)==1"
[34] "[CATI UCase: Sudan] "
DISPLAY IF: "V01(ETHWORLD=2,77)==1"
[35] "[CATI UCase: Tanzania] "
DISPLAY IF: "V01(ETHWORLD=2,77)==1"
[36] "[CATI UCase: Uganda] "
DISPLAY IF: "V01(ETHWORLD=2,77)==1"
[37] "[CATI UCase: Other] "
DISPLAY IF: "V01(ETHWORLD=2,77)==1"

Header: "[CATI UCase: Asia] "

DISPLAY IF: "V01(ETHWORLD=3,77)==1"
[38] "[CATI UCase: Bangladesh] "
DISPLAY IF: "V01(ETHWORLD=3,77)==1"
[39] "[CATI UCase: China] "
DISPLAY IF: "V01(ETHWORLD=3,77)==1"
[40] "[CATI UCase: India] "
DISPLAY IF: "V01(ETHWORLD=3,77)==1"
[41] "[CATI UCase: Indonesia] "
DISPLAY IF: ETHWORLD =3
[42] "[CATI UCase: Japan] "
DISPLAY IF: "V01(ETHWORLD=3,77)==1"
[43] "[CATI UCase: Pakistan] "
DISPLAY IF: "V01(ETHWORLD=3,77)==1"
[44] "[CATI UCase: Philippines] "
DISPLAY IF: "V01(ETHWORLD=3,77)==1"
[45] "[CATI UCase: South Korea] "
DISPLAY IF: "V01(ETHWORLD=3,77)==1"
[46] "[CATI UCase: Thailand] "
DISPLAY IF: "V01(ETHWORLD=3,77)==1"
[47] "[CATI UCase: Vietnam] "
DISPLAY IF: "V01(ETHWORLD=3,77)==1"
[48] "[CATI UCase: Other] "
DISPLAY IF: "V01(ETHWORLD=3,77)==1"

Header: "[CATI UCase: Middle East] "

DISPLAY IF: "V01(ETHWORLD=4,77)==1"
[129] "[CATI UCase: Egypt] "
DISPLAY IF: "V01(ETHWORLD=4,77)==1"
[49] "[CATI UCase: Iran] "
DISPLAY IF: "V01(ETHWORLD=4,77)==1"
[50] "[CATI UCase: Iraq] "
DISPLAY IF: "V01(ETHWORLD=4,77)==1"
[51] "[CATI UCase: Israel] "
DISPLAY IF: "V01(ETHWORLD=4,77)==1"
[52] "[CATI UCase: Jordan] "
DISPLAY IF: "V01(ETHWORLD=4,77)==1"
[53] "[CATI UCase: Saudi Arabia] "
DISPLAY IF: "V01(ETHWORLD=4,77)==1"
[54] "[CATI UCase: Syria] "
DISPLAY IF: "V01(ETHWORLD=4,77)==1"
[124] "[CATI UCase: Turkey] "
DISPLAY IF: "V01(ETHWORLD=4,77)==1"
[55] "[CATI UCase: United Arab Emirates] "
DISPLAY IF: "V01(ETHWORLD=4,77)==1"
[56] "[CATI UCase: Yemen] "
DISPLAY IF: "V01(ETHWORLD=4,77)==1"
[57] "[CATI UCase: Other] "
DISPLAY IF: "V01(ETHWORLD=4,77)==1"

Header: "[CATI UCase: South America] "

DISPLAY IF: "V01(ETHWORLD=5,77)==1"
[58] "[CATI UCase: Argentina] "
DISPLAY IF: "V01(ETHWORLD=5,77)==1"
[59] "[CATI UCase: Bolivia] "
DISPLAY IF: "V01(ETHWORLD=5,77)==1"
[60] "[CATI UCase: Brazil] "
DISPLAY IF: "V01(ETHWORLD=5,77)==1"

[61] "[CATI UCase: Chile] "
DISPLAY IF: "V01(ETHWORLD=5,77)==1"
[62] "[CATI UCase: Colombia] "
DISPLAY IF: "V01(ETHWORLD=5,77)==1"
[63] "[CATI UCase: Ecuador] "
DISPLAY IF: "V01(ETHWORLD=5,77)==1"
[64] "[CATI UCase: French Guiana] "
DISPLAY IF: "V01(ETHWORLD=5,77)==1"
[65] "[CATI UCase: Guyana] "
DISPLAY IF: "V01(ETHWORLD=5,77)==1"
[66] "[CATI UCase: Paraguay] "
DISPLAY IF: "V01(ETHWORLD=5,77)==1"
[67] "[CATI UCase: Peru] "
DISPLAY IF: "V01(ETHWORLD=5,77)==1"
[68] "[CATI UCase: Suriname] "
DISPLAY IF: "V01(ETHWORLD=5,77)==1"
[69] "[CATI UCase: Uruguay] "
DISPLAY IF: "V01(ETHWORLD=5,77)==1"
[70] "[CATI UCase: Venezuela] "
DISPLAY IF: "V01(ETHWORLD=5,77)==1"
[71] "[CATI UCase: Other] "
DISPLAY IF: "V01(ETHWORLD=5,77)==1"

Header: "[CATI UCase: Central America] "

DISPLAY IF: "V01(ETHWORLD=6,77)==1"
[72] "[CATI UCase: Belize] "
DISPLAY IF: "V01(ETHWORLD=6,77)==1"
[73] "[CATI UCase: Costa Rica] "
DISPLAY IF: "V01(ETHWORLD=6,77)==1"
[74] "[CATI UCase: El Salvador] "
DISPLAY IF: "V01(ETHWORLD=6,77)==1"
[75] "[CATI UCase: Guatemala] "
DISPLAY IF: "V01(ETHWORLD=6,77)==1"
[76] "[CATI UCase: Honduras] "
DISPLAY IF: "V01(ETHWORLD=6,77)==1"
[77] "[CATI UCase: Mexico] "
DISPLAY IF: "V01(ETHWORLD=6,77)==1"
[78] "[CATI UCase: Nicaragua] "
DISPLAY IF: "V01(ETHWORLD=6,77)==1"
[79] "[CATI UCase: Panama] "
DISPLAY IF: "V01(ETHWORLD=6,77)==1"
[80] "[CATI UCase: Other] "
DISPLAY IF: "V01(ETHWORLD=6,77)==1"

Header: "[CATI UCase: North America] "

DISPLAY IF: "V01(ETHWORLD=7,77)==1"
[81] "[CATI UCase: American Indian] "
DISPLAY IF: "V01(ETHWORLD=7,77)==1"
[82] "[CATI UCase: Canada] "
DISPLAY IF: "V01(ETHWORLD=7,77)==1"
[83] "[CATI UCase: Canada (French)] "
DISPLAY IF: "V01(ETHWORLD=7,77)==1"
[177] "[CATI UCase: Mexico] "
DISPLAY IF: "V01(ETHWORLD=7,77)==1"
[84] "[CATI UCase: Puerto Rico] "
DISPLAY IF: "V01(ETHWORLD=7,77)==1"
[85] "[CATI UCase: Other] "
DISPLAY IF: "V01(ETHWORLD=7,77)==1"

Header: "[CATI UCase: Caribbean] "

DISPLAY IF: "V01(ETHWORLD=8,77)==1"

[86] "[CATI UCase: Cuba] "

DISPLAY IF: "V01(ETHWORLD=8,77)==1"

[87] "[CATI UCase: Haiti] "

DISPLAY IF: "V01(ETHWORLD=8,77)==1"

[88] "[CATI UCase: Dominican Republic] "

DISPLAY IF: "V01(ETHWORLD=8,77)==1"

[184] "[CATI UCase: Puerto Rico] "

DISPLAY IF: "V01(ETHWORLD=8,77)==1"

[89] "[CATI UCase: Jamaica] "

DISPLAY IF: "V01(ETHWORLD=8,77)==1"

[90] "[CATI UCase: Other] "

DISPLAY IF: "V01(ETHWORLD=8,77)==1"

Header: "[CATI UCase: Oceania] "

DISPLAY IF: "V01(ETHWORLD=9,77)==1"

[91] "[CATI UCase: Australia] "

DISPLAY IF: "V01(ETHWORLD=9,77)==1"

[92] "[CATI UCase: Papua New Guinea] "

DISPLAY IF: "V01(ETHWORLD=9,77)==1"

[93] "[CATI UCase: New Zealand] "

DISPLAY IF: "V01(ETHWORLD=9,77)==1"

[94] "[CATI UCase: Samoa] "

DISPLAY IF: "V01(ETHWORLD=9,77)==1"

[95] "[CATI UCase: Jamaica] "

DISPLAY IF: "V01(ETHWORLD=9,77)==1"

[96] "[CATI UCase: Other] "

DISPLAY IF: "V01(ETHWORLD=9,77)==1"

[777] "[CATI UCase: Don't know] "

[999] "REFUSED"

DISPLAY IF: QUEXMODE =1

[998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF NBR(ETHREGION)==1

ETHPICK: RadioButton

Which one of these countries do you feel closer to?

MaxValue = 99

Codes:

Eliminate Choices Not Answered at ETHREGION

Header: "[CATI UCase: Europe] "

[1] "[CATI UCase: Austria] "

[2] "[CATI UCase: Belgium] "

[3] "[CATI UCase: Czechoslovakia] "

[4] "[CATI UCase: Denmark] "
[5] "[CATI UCase: England and Wales] "
[6] "[CATI UCase: Finland] "
[7] "[CATI UCase: France] "
[8] "[CATI UCase: Germany] "
[9] "[CATI UCase: Greece] "
[10] "[CATI UCase: Hungary] "
[11] "[CATI UCase: Ireland] "
[12] "[CATI UCase: Italy] "
[13] "[CATI UCase: Lithuania] "
[14] "[CATI UCase: Netherlands (Dutch/Holland)] "
[15] "[CATI UCase: Norway] "
[16] "[CATI UCase: Poland] "
[17] "[CATI UCase: Portugal] "
[18] "[CATI UCase: Romania] "
[19] "[CATI UCase: Russia (USSR)] "
[20] "[CATI UCase: Scotland] "
[21] "[CATI UCase: Spain] "
[22] "[CATI UCase: Sweden] "
[23] "[CATI UCase: Switzerland] "
[24] "[CATI UCase: Turkey] "
[25] "[CATI UCase: Yugoslavia] "
[26] [ETHREGION.Choices(26).OpenEnd]

Header: "

[CATI UCase: Africa]

"

[27] "[CATI UCase: Algeria] "
[28] "[CATI UCase: Democratic Republic of the Congo] "
[29] "[CATI UCase: Egypt] "
[30] "[CATI UCase: Ethiopia] "
[31] "[CATI UCase: Kenya] "
[32] "[CATI UCase: Nigeria] "
[33] "[CATI UCase: South Africa] "
[34] "[CATI UCase: Sudan] "
[35] "[CATI UCase: Tanzania] "
[36] "[CATI UCase: Uganda] "
[37] [ETHREGION.Choices(37).OpenEnd]

Header: "[CATI UCase: Asia]"

[38] "[CATI UCase: Bangladesh] "
[39] "[CATI UCase: China] "
[40] "[CATI UCase: India] "
[41] "[CATI UCase: Indonesia] "
[42] "[CATI UCase: Japan] "
[43] "[CATI UCase: Pakistan] "
[44] "[CATI UCase: Philippines] "
[45] "[CATI UCase: South Korea] "
[46] "[CATI UCase: Thailand] "
[47] "[CATI UCase: Vietnam] "
[48] [ETHREGION.Choices(48).OpenEnd]

Header: "[CATI UCase: Middle East]"

[129] "[CATI UCase: Egypt] "
[49] "[CATI UCase: Iran] "
[50] "[CATI UCase: Iraq] "
[51] "[CATI UCase: Israel] "
[52] "[CATI UCase: Jordan] "
[53] "[CATI UCase: Saudi Arabia] "

[54] "[CATI UCase: Syria] "
[124] "[CATI UCase: Turkey] "
[55] "[CATI UCase: United Arab Emirates] "
[56] "[CATI UCase: Yemen] "
[57] [ETHREGION.Choices(57).OpenEnd]

Header: "[CATI UCase: South America] "

[58] "[CATI UCase: Argentina] "
[59] "[CATI UCase: Bolivia] "
[60] "[CATI UCase: Brazil] "
[61] "[CATI UCase: Chile] "
[62] "[CATI UCase: Colombia] "
[63] "[CATI UCase: Ecuador] "
[64] "[CATI UCase: French Guiana] "
[65] "[CATI UCase: Guyana] "
[66] "[CATI UCase: Paraguay] "
[67] "[CATI UCase: Peru] "
[68] "[CATI UCase: Suriname] "
[69] "[CATI UCase: Uruguay] "
[70] "[CATI UCase: Venezuela] "
[71] [ETHREGION.Choices(71).OpenEnd]

Header: "[CATI UCase: Central America] "

[72] "[CATI UCase: Belize] "
[73] "[CATI UCase: Costa Rica] "
[74] "[CATI UCase: El Salvador] "
[75] "[CATI UCase: Guatemala] "
[76] "[CATI UCase: Honduras] "
[77] "[CATI UCase: Mexico] "
[78] "[CATI UCase: Nicaragua] "
[79] "[CATI UCase: Panama] "
[80] [ETHREGION.Choices(80).OpenEnd]

Header: "[CATI UCase: North America] "

[81] "[CATI UCase: American Indian] "
[82] "[CATI UCase: Canada] "
[83] "[CATI UCase: Canada (French)] "
[177] "[CATI UCase: Mexico] "
[84] "[CATI UCase: Puerto Rico] "
[85] [ETHREGION.Choices(85).OpenEnd]

Header: "[CATI UCase: Caribbean] "

[86] "[CATI UCase: Cuba] "
[87] "[CATI UCase: Haiti] "
[88] "[CATI UCase: Dominican Republic] "
[184] "[CATI UCase: Puerto Rico] "
[89] "[CATI UCase: Jamaica] "
[90] [ETHREGION.Choices(90).OpenEnd]

Header: "[CATI UCase: Oceania] "

[91] "[CATI UCase: Australia] "
[92] "[CATI UCase: Papua New Guinea] "
[93] "[CATI UCase: New Zealand] "
[94] "[CATI UCase: Samoa] "
[95] "[CATI UCase: Jamaica] "
[96] [ETHREGION.Choices(96).OpenEnd]
[777] "[CATI UCase: Don't know] "
[999] "REFUSED"

DISPLAY IF: QUEXMODE = 1

[998] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

WRKSTAT: RadioButton

"[CATI TEXT: [HANDCARD A2]] Last week were you working full time, part time, going to school, keeping house, or what? [WEB TEXT:]
[WEB TEXT:]
[WEB TEXT: Please provide one response only. If you were doing more than one of these last week, select the one closest to the top of the list.] [CATI TEXT:

IF MORE THAN ONE RESPONSE, GIVE PREFERENCE TO SMALLEST CODE NUMBER THAT APPLIES.] "

MaxValue = 99

Codes:

[1] "[CATI UCase: Working full time] "
[2] "[CATI UCase: Working part time] "
[3] "[CATI UCase: With a job, but not at work because of temporary illness, vacation, strike] "
[4] "[CATI UCase: Unemployed, laid off, looking for work] "
[5] "[CATI UCase: Retired] "
[6] "[CATI UCase: In school] "
[7] "[CATI UCase: Keeping house] "
[8] "[CATI UCase: Other (Please specify)] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

WRKSPEC: TextAnswer

Please specify other activity.

MaxAnswerLength = 30

MaxValue = 99

Codes:

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue
Variable: WRKSPEC

Value: 98
IF WRKSPEC Is Empty

PRELOADACTION: BranchTo
Question HRS2
IF WRKSTAT <> 1
And WRKSTAT <> 2

HRS1: NumericAnswer

"How many hours did you work last week, at all jobs?

"

MinValue = 0 MaxValue = 168

Codes:

[777] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[999] "REFUSED"
DISPLAY IF: QUEXMODE =1
[998] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue
Variable: HRS1
Value: 998
IF HRS1 Is Empty

PRELOADACTION: BranchTo
Question EVWORK
IF WRKSTAT <> 3

HRS2: NumericAnswer

"How many hours a week do you usually work, at all jobs?

"

MinValue = 1 MaxValue = 168

Codes:

[777] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[999] "REFUSED"
DISPLAY IF: QUEXMODE =1
[998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue
Variable: HRS2
Value: 998
IF HRS2 Is Empty

PRELOADACTION: BranchTo
Question OCCSLFFILL
IF WRKSTAT <> 5
And WRKSTAT <> 6
And WRKSTAT <> 7
And WRKSTAT <> 8

EVWORK: RadioButton

Did you ever work for as long as one year?

MaxValue = 168

Codes:

[1] [CATI UCase: Yes]
[2] [CATI UCase: No]
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Question LOCALNUM
IF "WRKSTAT=5,6,7,8 AND EVWORK=2"

PRELOADACTION: SetVariableValue
Variable: OCCSLFFILL
Value: 1
IF WRKSTAT = 1
Or WRKSTAT = 2
Or WRKSTAT = 3

PRELOADACTION: SetVariableValue
Variable: OCCSLFFILL
Value: 2
IF WRKSTAT <> 1
And WRKSTAT <> 2
And WRKSTAT <> 3

PRELOADACTION: BranchTo
Next question

OCCSLFFILL: RadioButton

MaxValue = 168

Codes:

[1] "What kind of work do you normally do? [WEB TEXT:
(*What is your occupation called?*)] [CATI TEXT: That is, what is your occupation called?] "
[2] "What kind of work did you normally do? [WEB TEXT:
(*What was your occupation called?*)] [CATI TEXT: That is, what was your occupation called?] "

```
PRELOADACTION: SetVariableValue  
Variable: MAINSLFFILL  
Value: 1  
IF WRKSTAT = 1  
Or WRKSTAT = 2  
Or WRKSTAT = 3
```

```
PRELOADACTION: SetVariableValue  
Variable: MAINSLFFILL  
Value: 2  
IF WRKSTAT <> 1  
And WRKSTAT <> 2  
And WRKSTAT <> 3
```

```
PRELOADACTION: BranchTo  
Next question
```

MAINSLFFILL: RadioButton

MaxValue = 168

Codes:

[1] "What do you actually do in that job? [WEB TEXT:
(*What are some of your main duties?*)] [CATI TEXT: Tell me, what are some of your main duties?] "
[2] "What did you actually do in that job? [WEB TEXT:
(*What were some of your main duties?*)] [CATI TEXT: Tell me, what were some of your main duties?]
"

OCCSLF: TextAnswer

[occslffill][OCCINST]

MaxValue = 168

Codes:

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

MAINSLF: TextAnswer

[mainslffill]

MaxValue = 168

Codes:

[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue
Variable: OCCSLF
Value: 98
IF OCCSLF Is Empty

POSTANSWERACTION: SetVariableValue
Variable: MAINSLF
Value: 98
IF MAINSLF Is Empty

PRELOADACTION: SetVariableValue
Variable: INSTFILL
Value: [QUEXMODE]

PRELOADACTION: BranchTo
Next question

INSTFILL: RadioButton

Single answer question using Radio Buttons

MaxValue = 168

Codes:

[1] "PROMPT, IF NEEDED:] "
[2]

PRELOADACTION: SetVariableValue
Variable: INDSLFFILL

```
Value: 1
IF WRKSTAT = 1
Or WRKSTAT = 2
Or WRKSTAT = 3
```

```
PRELOADACTION: SetVariableValue
Variable: INDSLFFILL
Value: 2
IF WRKSTAT <> 1
And WRKSTAT <> 2
And WRKSTAT <> 3
```

```
PRELOADACTION: BranchTo
Next question
```

INDSLFFILL: RadioButton

MaxValue = 168

Codes:

[1] What kind of place do you work for?
[2] What kind of place did you work for?

```
PRELOADACTION: SetVariableValue
Variable: WHATSLFFILL
Value: 1
IF WRKSTAT = 1
Or WRKSTAT = 2
Or WRKSTAT = 3
```

```
PRELOADACTION: SetVariableValue
Variable: WHATSLFFILL
Value: 2
IF WRKSTAT <> 1
And WRKSTAT <> 2
And WRKSTAT <> 3
```

```
PRELOADACTION: BranchTo
Next question
```

WHATSLFFILL: RadioButton

MaxValue = 168

Codes:

[1] "What do they make or do? [WEB TEXT:
(*What they mainly do*)] [CATI TEXT: What do they mainly do?] "
[2] "What did they make or do? [WEB TEXT:
(*What they mainly did*)] [CATI TEXT: What did they mainly do?] "

INDSLF: TextAnswer

"[indsloffill] [WEB TEXT:
(*What would you call that business or industry?*)] [CATI TEXT: What would you call that business or
industry?] [OCCINST]"

MaxValue = 168

Codes:

[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE = 1
[99] "REFUSED"
DISPLAY IF: QUEXMODE = 1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE = 2

WHATSLF: TextAnswer

[whatsloffill]

MaxValue = 168

Codes:

[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE = 1
[99] "REFUSED"
DISPLAY IF: QUEXMODE = 1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE = 2

POSTANSWERACTION: SetVariableValue
Variable: WHATSLF
Value: 98
IF WHATSLF Is Empty

POSTANSWERACTION: SetVariableValue
Variable: INDSLFL
Value: 98
IF INDSLFL Is Empty

PRELOADACTION: SetVariableValue
Variable: WHATSLF2FILL
Value: 1
IF WRKSTAT = 1

```
Or WRKSTAT = 2  
Or WRKSTAT = 3
```

```
PRELOADACTION: SetVariableValue  
Variable: WHATSLF2FILL  
Value: 2  
IF WRKSTAT <> 1  
And WRKSTAT <> 2  
And WRKSTAT <> 3
```

```
PRELOADACTION: BranchTo  
Next question
```

WHATSLF2FILL: RadioButton

MaxValue = 168

Codes:

[1] work
[2] worked

WHATSLF2: RadioButton

How would you classify the place where you [whatslf2fill]? Was this mainly...?

MaxValue = 168

Codes:

[1] Manufacturing
[2] Wholesale trade
[3] Retail trade
[4] " Other (Agriculture, Construction, Service, Government, Etc.) "
[77] "[CATI UCase: Don't know] "

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: SetVariableValue  
Variable: WRKSLFFILL  
Value: 1  
IF WRKSTAT = 1  
Or WRKSTAT = 2  
Or WRKSTAT = 3
```

```
PRELOADACTION: SetVariableValue
```

```
Variable: WRKSLFFILL
Value: 2
IF WRKSTAT <> 1
And WRKSTAT <> 2
And WRKSTAT <> 3
```

```
PRELOADACTION: BranchTo
Next question
```

WRKSLFFILL: RadioButton

MaxValue = 168

Codes:

[1] Are you self-employed or do you work for someone else?
[2] Were you self-employed or did you work for someone else?

WRKSLF: RadioButton

[wrkslffill]

MaxValue = 168

Codes:

[1] "[CATI UCase: Self-employed] "
[2] "[CATI UCase: Someone else] "
[77] "[CATI UCase: Don't know] "

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: BranchTo
Question WRKSLFFAMFILL
IF WRKSLF = 2 OR 3 OR 4 OR 5
IF WRKSLF = 2
IF WRKSLF = 77
IF WRKSLF = 99
IF WRKSLF = 98
```

```
PRELOADACTION: SetVariableValue
Variable: SELFEMSFILL
Value: 1
IF WRKSTAT = 1
Or WRKSTAT = 2
Or WRKSTAT = 3
```

```
PRELOADACTION: SetVariableValue
Variable: SELFEMSFILL
Value: 2
IF WRKSTAT <> 1
And WRKSTAT <> 2
And WRKSTAT <> 3
```

```
PRELOADACTION: BranchTo
Next question
```

SELFEMSFILL: RadioButton

MaxValue = 168

Codes:

[1] Do you have any employees?
[2] Did you have any employees?

SELFEMS: RadioButton

[selfemsfill]

MaxValue = 168

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

```
POSTANSWERACTION: BranchTo
Question WRKSLFFAMFILL
IF SELFEMS = 2 OR 3 OR 4 OR 5
IF SELFEMS = 2
IF SELFEMS = 77
IF SELFEMS = 99
IF SELFEMS = 98
```

```
PRELOADACTION: SetVariableValue
Variable: NUMEMPSFILL
Value: 1
IF WRKSTAT = 1
```

Or WRKSTAT = 2
Or WRKSTAT = 3

PRELOADACTION: SetVariableValue
Variable: NUMEMPSFILL
Value: 2
IF WRKSTAT <> 1
And WRKSTAT <> 2
And WRKSTAT <> 3

PRELOADACTION: BranchTo
Next question

NUMEMPSFILL: RadioButton

MaxValue = 168

Codes:

[1] How many employees do you have?
[2] How many employees did you have?

NUMEMPS: NumericAnswer

[numempsfill]

MinValue = 1 MaxValue = 99999

Codes:

[777777] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[999999] "REFUSED"
DISPLAY IF: QUEXMODE =1
[999998] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue
Variable: NUMEMPS
Value: 999998
IF NUMEMPS Is Empty

PRELOADACTION: SetVariableValue
Variable: WRKSLFFAMFILL
Value: 1
IF WRKSTAT = 1

```
Or WRKSTAT = 2  
Or WRKSTAT = 3
```

```
PRELOADACTION: SetVariableValue  
Variable: WRKSLFFAMFILL  
Value: 2  
IF WRKSTAT <> 1  
And WRKSTAT <> 2  
And WRKSTAT <> 3
```

```
PRELOADACTION: BranchTo  
Next question
```

WRKSLFFAMFILL: RadioButton

MaxValue = 99999

Codes:

[1] do
[2] did

WRKSLFFAM: RadioButton

"For this job, [wrkslffamfill] you work in your own family business or farm?"

MaxValue = 99999

Codes:

[1] [CATI UCase: Yes]
[2] [CATI UCase: No]
[77] "[CATI UCase: Don't know] "

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: SetVariableValue  
Variable: AREWERE  
Value: 1  
IF WRKSTAT = 1  
Or WRKSTAT = 2  
Or WRKSTAT = 3
```

```
PRELOADACTION: SetVariableValue  
Variable: AREWERE  
Value: 2
```

```
IF WRKSTAT <> 1
And WRKSTAT <> 2
And WRKSTAT <> 3
```

```
PRELOADACTION: BranchTo
Next question
```

AREWERE: RadioButton

MaxValue = 99999

Codes:

[1] Are
[2] Were

WRKGOVT1: RadioButton

"[arewere] you employed by the government? (Please consider federal, state, or local government.)"

MaxValue = 99999

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

WRKGOVT2: RadioButton

[arewere] you employed by a private employer (including non-profit organizations)?

MaxValue = 99999

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF "V01(WRKSTAT=1,2,3)==0"

LOCALNUM: RadioButton

"[CATI TEXT: [HANDCARD A3]] About how many people work at the location where you work? Count part-time as well as full-time employees in all areas, departments, and buildings. If the location where you work is temporarily closed, please tell us how many people usually work there.[CAWI_FLOAT2]"

MaxValue = 99999

Codes:

[1] 1-9
[2] 10-49
[3] 50-99
[4] 100-499
[5] 500-999
[6] "1,000-1,999"
[7] "[CATI UCase: More than 2,000] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

WEEKWRK: NumericAnswer

"Now we would like to ask you about 2019. In 2019 how many weeks did you work, either full-time or part-time, not counting work around the house? Please include paid vacations and paid sick leave."

MinValue = 0 MaxValue = 52

Codes:

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue
Variable: WEEKWRK
Value: 98
IF WEEKWRK Is Empty

```
PRELOADACTION: BranchTo
Next question
IF WEEKWRK = 0
Or WEEKWRK = 77
Or WEEKWRK = 99
Or WEEKWRK = 98
```

PARTFULL: RadioButton

"When you worked in 2019, was it usually full or part time?"

MaxValue = 52

Codes:

```
[1] [CATI UCase: Full-time]
[2] [CATI UCase: Part-time]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF "V01(WRKSTAT=1,2,3,4,7)==0"
```

SATJOB: RadioButton

"On the whole, how satisfied are you with the work you do -- would you say you are very satisfied, moderately satisfied, a little dissatisfied, or very dissatisfied?"

MaxValue = 52

Codes:

```
[1] [CATI UCase: Very satisfied]
[2] [CATI UCase: Moderately satisfied]
[3] [CATI UCase: A little dissatisfied]
[4] [CATI UCase: Very dissatisfied]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
```

```
IF "V01(WRKSTAT=1,2,3,4,7)==0"
```

RICHWORK: RadioButton

"If you were to get enough money to live as comfortably as you would like for the rest of your life, would you continue to work or would you stop working?"

MaxValue = 52

Codes:

[1] [CATI UCase: Continue to work]

[2] [CATI UCase: Stop working]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Question WKSUBFILL

IF MARITAL <> 1

And POSSLQ <> 1

And POSSLQ <> 2

And POSSLQY <> 1

And POSSLQY <> 2

SPWRKSTA: RadioButton

"[CATI TEXT: [HANDCARD A4]] Last week was your [_spfill1] working full time, part time, going to school, keeping house, or what?

Please provide one response only. If your [_spfill1] was doing more than one of these last week, select the one closest to the top of the list.[CATI TEXT:

IF MORE THAN ONE RESPONSE, GIVE PREFERENCE TO SMALLEST CODE NUMBER THAT APPLIES.] "

MaxValue = 52

Codes:

[1] "[CATI UCase: Working full time] "

[2] "[CATI UCase: Working part time] "

[3] "[CATI UCase: With a job, but not at work because of temporary illness, vacation, strike] "

[4] "[CATI UCase: Unemployed, laid off, looking for work] "

[5] "[CATI UCase: Retired] "

[6] "[CATI UCase: In school] "

[7] "[CATI UCase: Keeping house] "

[8] "[CATI UCase: Other (Please specify)] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

SWRKSPEC: TextAnswer

Please specify other activity:

MaxAnswerLength = 30

MaxValue = 52

Codes:

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: SWRKSPEC

Value: 98

IF SWRKSPEC Is Empty

PRELOADACTION: BranchTo

Question SPHRS2

IF SPWRKSTA <> 1

And SPWRKSTA <> 2

SPHRS1: NumericAnswer

"How many hours did your [_spfill1] work last week, at all jobs?

"

MinValue = 0 MaxValue = 168

Codes:

[777] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[999] "REFUSED"

DISPLAY IF: QUEXMODE =1

[998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

```
POSTANSWERACTION: SetVariableValue
Variable: SPHRS1
Value: 998
IF SPHRS1 Is Empty
```

```
PRELOADACTION: BranchTo
Question SPEVWORK
IF SPWRKSTA <> 3
```

SPHRS2: NumericAnswer

"How many hours a week does your [_spfill1] usually work, at all jobs?

"

MinValue = 1 MaxValue = 168

Codes:

```
[777] "[CATI UCase: Don't know] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[999] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[998] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: SetVariableValue
Variable: SPHRS2
Value: 998
IF SPHRS2 Is Empty
```

```
PRELOADACTION: BranchTo
Question OCCSPFILL
IF SPWRKSTA <> 5
And SPWRKSTA <> 6
And SPWRKSTA <> 7
And SPWRKSTA <> 8
```

SPEVWORK: RadioButton

Did your [_spfill1] ever work for as long as one year?[CAWI_FLOAT2]

MaxValue = 168

Codes:

```
[1] "[CATI UCase: Yes] "
```

```
[2] "[CATI UCase: No] "
```

```
[77] "[CATI UCase: Don't know] "
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: BranchTo  
Question WKSUBFILL  
IF SPEVWORK = 2 OR 3 OR 4 OR 5  
IF SPEVWORK = 2  
IF SPEVWORK = 77  
IF SPEVWORK = 99  
IF SPEVWORK = 98
```

```
PRELOADACTION: SetVariableValue  
Variable: OCCSPFILL  
Value: 1  
IF SPWRKSTA = 1  
Or SPWRKSTA = 2  
Or SPWRKSTA = 3
```

```
PRELOADACTION: SetVariableValue  
Variable: OCCSPFILL  
Value: 2  
IF SPWRKSTA <> 1  
And SPWRKSTA <> 2  
And SPWRKSTA <> 3
```

```
PRELOADACTION: BranchTo  
Next question
```

OCCSPFILL: RadioButton

Single answer question using Radio Buttons

MaxValue = 168

Codes:

```
[1] "What kind of work does your [_spfill1] normally do? [WEB TEXT:  
(What is their occupation called?)] [CATI TEXT: That is, what is their occupation called?] "  
[2] "What kind of work did your [_spfill1] normally do? [WEB TEXT:  
(What was their occupation called?)] [CATI TEXT: That is, what was their occupation called?] "
```

```
PRELOADACTION: SetVariableValue  
Variable: MAINSPFILL  
Value: 1  
IF SPWRKSTA = 1  
Or SPWRKSTA = 2  
Or SPWRKSTA = 3
```

```
PRELOADACTION: SetVariableValue  
Variable: MAINSPFILL  
Value: 2  
IF SPWRKSTA <> 1  
And SPWRKSTA <> 2  
And SPWRKSTA <> 3
```

PRELOADACTION: BranchTo
Next question

MAINSPFILL: RadioButton

MaxValue = 168

Codes:

[1] "What does your [_spfill1] actually do in that job? [WEB TEXT:
(What are some of their main duties?)] [CATI TEXT: Tell me, what are some of their main duties?] "
[2] "What did your [_spfill1] actually do in that job? [WEB TEXT:
(What] [CATI TEXT: Tell me, what] were some of their main duties?[WEB TEXT:)] "

OCCSP: TextAnswer

[occspfill][OCCINST]

MaxValue = 168

Codes:

[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

MAINSP: TextAnswer

[mainspfill]

MaxValue = 168

Codes:

[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: OCCSP
Value: 98
IF OCCSP Is Empty

POSTANSWERACTION: SetVariableValue
Variable: MAINSP
Value: 98
IF MAINSP Is Empty

PRELOADACTION: SetVariableValue
Variable: INDSPFILL
Value: 1
IF SPWRKSTA = 1
Or SPWRKSTA = 2
Or SPWRKSTA = 3

PRELOADACTION: SetVariableValue
Variable: INDSPFILL
Value: 2
IF SPWRKSTA <> 1
And SPWRKSTA <> 2
And SPWRKSTA <> 3

PRELOADACTION: BranchTo
Next question

INDSPFILL: RadioButton

MaxValue = 168

Codes:

[1] "What kind of place does your [_spfill1] work for? [WEB TEXT:
(*What would you call that business or industry?*)] [CATI TEXT: What would you call that business or
industry?] [OCCINST]"

[2] "What kind of place did your [_spfill1] work for? [WEB TEXT:
(*What would you call that business or industry?*)] [CATI TEXT: What would you call that business or
industry?] [OCCINST]"

PRELOADACTION: SetVariableValue
Variable: WHATSPFILL
Value: 1
IF SPWRKSTA = 1
Or SPWRKSTA = 2
Or SPWRKSTA = 3

PRELOADACTION: SetVariableValue
Variable: WHATSPFILL
Value: 2
IF SPWRKSTA <> 1
And SPWRKSTA <> 2
And SPWRKSTA <> 3

PRELOADACTION: BranchTo
Next question

WHATSPFILL: RadioButton

MaxValue = 168

Codes:

[1] "What do they make or do? [WEB TEXT:
(*What they mainly do*)] [CATI TEXT: What do they mainly do?] "
[2] "What did they make or do? [WEB TEXT:
(*What they mainly did*)] [CATI TEXT: What did they mainly do?] "

INDSP: TextAnswer

[indspfill]

MaxValue = 168

Codes:

[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

WHATSP: TextAnswer

[whatspfill]

MaxValue = 168

Codes:

[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue
Variable: INDSP

Value: 98
IF INDSP Is Empty

POSTANSWERACTION: SetVariableValue
Variable: WHATSP
Value: 98
IF WHATSP Is Empty

PRELOADACTION: SetVariableValue
Variable: WHATSP2FILL
Value: 1
IF SPWRKSTA = 1
Or SPWRKSTA = 2
Or SPWRKSTA = 3

PRELOADACTION: SetVariableValue
Variable: WHATSP2FILL
Value: 2
IF SPWRKSTA <> 1
And SPWRKSTA <> 2
And SPWRKSTA <> 3

PRELOADACTION: BranchTo
Next question

WHATSP2FILL: RadioButton

MaxValue = 168

Codes:

[1] works
[2] worked

WHATSP2: RadioButton

How would you classify the place where your [_spfill1] [whatsp2fill]? Was this mainly...?

MaxValue = 168

Codes:

[1] Manufacturing
[2] Wholesale trade
[3] Retail trade
[4] " Other (Agriculture, Construction, Service, Government, Etc.) "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: SPWRKSLFFILL
Value: 1
IF SPWRKSTA = 1
Or SPWRKSTA = 2
Or SPWRKSTA = 3

PRELOADACTION: SetVariableValue
Variable: SPWRKSLFFILL
Value: 2
IF SPWRKSTA <> 1
And SPWRKSTA <> 2
And SPWRKSTA <> 3

PRELOADACTION: BranchTo
Next question

SPWRKSLFFILL: RadioButton

MaxValue = 168

Codes:

[1] "At this job, is your [_spfill1] self-employed or does your [_spfill1] work for someone else?"
[2] "At this job, was your [_spfill1] self-employed or did your [_spfill1] work for someone else?"

SPWRKSLF: RadioButton

[spwrkslffill][CAWI_FLOAT2]

MaxValue = 168

Codes:

[1] "[CATI UCase: Self-employed] "
[2] "[CATI UCase: Someone else] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo
Question WKSUBFILL

```
IF SPWRKSLF = 2 OR 3 OR 4 OR 5
IF SPWRKSLF = 2
IF SPWRKSLF = 77
IF SPWRKSLF = 99
IF SPWRKSLF = 98
```

```
PRELOADACTION: SetVariableValue
Variable: SPWRKSLF1FILL
Value: 1
IF SPWRKSTA = 1
Or SPWRKSTA = 2
Or SPWRKSTA = 3
```

```
PRELOADACTION: SetVariableValue
Variable: SPWRKSLF1FILL
Value: 2
IF SPWRKSTA <> 1
And SPWRKSTA <> 2
And SPWRKSTA <> 3
```

```
PRELOADACTION: BranchTo
Next question
```

SPWRKSLF1FILL: RadioButton

MaxValue = 168

Codes:

[1] Does your [_spfill1] work without employees or do they have employees?
[2] Did your [_spfill1] work without employees or did they have employees?

SPWRKSLF1: RadioButton

[spwrkslf1fill][CAWI_FLOAT2]

MaxValue = 168

Codes:

[1] "[CATI UCase: Yes, employees] "
[2] "[CATI UCase: No, no employees] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: SetVariableValue
```

```
Variable: SPWRKSLF2FILL
Value: 1
IF SPWRKSTA = 1
Or SPWRKSTA = 2
Or SPWRKSTA = 3
```

```
PRELOADACTION: SetVariableValue
Variable: SPWRKSLF2FILL
Value: 2
IF SPWRKSTA <> 1
And SPWRKSTA <> 2
And SPWRKSTA <> 3
```

```
PRELOADACTION: BranchTo
Next question
```

SPWRKSLF2FILL: RadioButton

MaxValue = 168

Codes:

[1] Does your [_spfill1] work in their own family business or farm?
[2] Did your [_spfill1] work in their own family business or farm?

SPWRKSLF2: RadioButton

[spwrkslf2fill][CAWI_FLOAT2]

MaxValue = 168

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Question TIMEA2
IF "V01(WRKSTAT=1,2,3 OR SPWRKSTA=1,2,3)==0"
```

```
PRELOADACTION: SetVariableValue
Variable: WKSUBFILL
Value: 2
IF SPWRKSTA = 1
```

```
Or SPWRKSTA = 2  
Or SPWRKSTA = 3
```

```
PRELOADACTION: SetVariableValue  
Variable: WKSUBFILL  
Value: 1  
IF WRKSTAT = 1  
Or WRKSTAT = 2  
Or WRKSTAT = 3
```

```
PRELOADACTION: BranchTo  
Next question
```

WKSUBFILL: RadioButton

MaxValue = 168

Codes:

[1] "We have some more questions about your job. At work, do you have a supervisor to whom you are directly responsible?"
[2] "At work, does your [_spfill1] have a supervisor to whom he or she is directly responsible?"

WKSUB: RadioButton

[wksubfill][CAWI_FLOAT2]

MaxValue = 168

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: BranchTo  
Question WKSUPFILL  
IF WKSUB = 2 OR 6 OR 7 OR 8  
IF WKSUB = 2  
IF WKSUB = 77  
IF WKSUB = 99  
IF WKSUB = 98
```

WKSUBS: RadioButton

Does that supervisor have a supervisor to whom he or she is directly responsible?[CAWI_FLOAT2]

MaxValue = 168

Codes:

[1] "[CATI UCase: Yes] "

[2] "[CATI UCase: No] "

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: WKSUPFILL

Value: 2

IF SPWRKSTA = 1

Or SPWRKSTA = 2

Or SPWRKSTA = 3

PRELOADACTION: SetVariableValue

Variable: WKSUPFILL

Value: 1

IF WRKSTAT = 1

Or WRKSTAT = 2

Or WRKSTAT = 3

PRELOADACTION: BranchTo

Next question

WKSUPFILL: RadioButton

MaxValue = 168

Codes:

[1] "At work, do you supervise anyone who is directly responsible to you?"

[2] "At work, does your [_spfill1] supervise anyone who is directly responsible to your [_spfill1]?"

WKSUP: RadioButton

[wksupfill][CAWI_FLOAT2]

MaxValue = 168

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question SPWKSUP

IF WKSUP = 2 OR 6 OR 7 OR 8

IF WKSUP = 2

IF WKSUP = 98

IF WKSUP = 77

IF WKSUP = 99

PRELOADACTION: SetVariableValue

Variable: WKSUPSFILL

Value: 2

IF SPWRKSTA = 1

Or SPWRKSTA = 2

Or SPWRKSTA = 3

PRELOADACTION: SetVariableValue

Variable: WKSUPSFILL

Value: 1

IF WRKSTAT = 1

Or WRKSTAT = 2

Or WRKSTAT = 3

PRELOADACTION: BranchTo

Next question

WKSUPSFILL: RadioButton

MaxValue = 168

Codes:

[1] you supervise

[2] your [_spfill1] supervises

WKSUPS: RadioButton

"[WEB TEXT: Is anyone that [wksupsfill] the direct supervisor of somebody else?] [CATI TEXT: Do any of those persons supervise anyone else?[CAWI_FLOAT2]] "

MaxValue = 168

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Question SPWKSUP

IF WRKSTAT <> 1

And WRKSTAT <> 2

And WRKSTAT <> 3

YOUSUP: NumericAnswer

How many people do you supervise directly?

MinValue = 0 MaxValue = 9999

Codes:

[77777] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99999] "REFUSED"

DISPLAY IF: QUEXMODE =1

[99998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: YOUSUP

Value: 99998

IF YOUSUP Is Empty

PRELOADACTION: BranchTo

Question TIMEA2

IF "V01(WRKSTAT=1,2,3 AND SPWRKSTA=1,2,3)=0"

SPWKSUP: RadioButton

"In your [_spfill1]'s job, does he or she supervise anyone who is directly responsible to them?"

MaxValue = 9999

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: TIMEA2
Value: [\$H]
IF TIMEA2 Is Empty

PRELOADACTION: BranchTo
Next question

TIMEA2: DateTimeAnswer

MaxAnswerLength = 20

MaxValue = 9999

UNEMP: RadioButton

"At any time during the last ten years, have you been unemployed and looking for work for as long as a month?"

MaxValue = 9999

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

CHILDS: RadioButton

How many children have you ever had? Please count all that were born alive at any time (including any you had from a previous marriage).[CAWI_FLOAT2]

MaxValue = 9999

Codes:

[0] "[CATI UCase: None] "
[1] "[CATI UCase: One] "
[2] "[CATI UCase: Two] "
[3] "[CATI UCase: Three] "
[4] "[CATI UCase: Four] "
[5] "[CATI UCase: Five] "
[6] "[CATI UCase: Six] "
[7] "[CATI UCase: Seven] "
[8] "[CATI UCase: Eight or more] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo
Question CONBUS
IF CHILDS = 1 OR 10 OR 11 OR 12
IF CHILDS = 0
IF CHILDS = 77
IF CHILDS = 99
IF CHILDS = 98

AGEKDBRN: NumericAnswer

How old were you when your first child was born?

MinValue = 9 MaxValue = 97

Codes:

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue
Variable: AGEKDBRN
Value: 98
IF AGEKDBRN Is Empty

CONBUS: RadioButton

"[CATI TEXT: [HANDCARD A5]] I am going to name some institutions in this country. [WEB TEXT: Here are some institutions in this country.] As far as the people running these institutions are concerned, would you say you have a great deal of confidence, only some confidence, or hardly any confidence at all in them?"

Major companies"

MaxValue = 97

Codes:

[1] "[CATI UCase: A great deal of confidence] "

[2] "[CATI UCase: Only some confidence] "

[3] "[CATI UCase: Hardly any confidence at all] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

CONCLERG: RadioButton

"[CATI TEXT: [HANDCARD A5]] (As far as the people running this institution are concerned, would you say you have a great deal of confidence, only some confidence, or hardly any confidence at all in them?)

Organized religion"

MaxValue = 97

Codes:

[1] [CATI UCase: A great deal of confidence]

[2] [CATI UCase: Only some confidence]

[3] [CATI UCase: Hardly any confidence at all]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

CONEDUC: RadioButton

"[CATI TEXT: [HANDCARD A5]] (As far as the people running this institution are concerned, would you say you have a great deal of confidence, only some confidence, or hardly any confidence at all in them?)

Education"

MaxValue = 97

Codes:

[1] [CATI UCase: A great deal of confidence]
[2] [CATI UCase: Only some confidence]
[3] [CATI UCase: Hardly any confidence at all]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

CONFED: RadioButton

"[CATI TEXT: [HANDCARD A5]] (As far as the people running this institution are concerned, would you say you have a great deal of confidence, only some confidence, or hardly any confidence at all in them?)

Executive branch of the federal government"

MaxValue = 97

Codes:

[1] [CATI UCase: A great deal of confidence]
[2] [CATI UCase: Only some confidence]
[3] [CATI UCase: Hardly any confidence at all]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

CONLABOR: RadioButton

"[CATI TEXT: [HANDCARD A5]] (As far as the people running this institution are concerned, would you say you have a great deal of confidence, only some confidence, or hardly any confidence at all in them?)

Organized labor"

MaxValue = 97

Codes:

[1] [CATI UCase: A great deal of confidence]
[2] [CATI UCase: Only some confidence]
[3] [CATI UCase: Hardly any confidence at all]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

CONPRESS: RadioButton

"[CATI TEXT: [HANDCARD A5]] (As far as the people running this institution are concerned, would you say you have a great deal of confidence, only some confidence, or hardly any confidence at all in them?)

Press"

MaxValue = 97

Codes:

[1] [CATI UCase: A great deal of confidence]
[2] [CATI UCase: Only some confidence]
[3] [CATI UCase: Hardly any confidence at all]
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

CONMEDIC: RadioButton

"[CATI TEXT: [HANDCARD A5]] (As far as the people running this institution are concerned, would you say you have a great deal of confidence, only some confidence, or hardly any confidence at all in them?)

Medicine"

MaxValue = 97

Codes:

[1] [CATI UCase: A great deal of confidence]
[2] [CATI UCase: Only some confidence]
[3] [CATI UCase: Hardly any confidence at all]
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

CONTV: RadioButton

"[CATI TEXT: [HANDCARD A5]] (As far as the people running this institution are concerned, would you say you have a great deal of confidence, only some confidence, or hardly any confidence at all in them?)

TV"

MaxValue = 97

Codes:

[1] [CATI UCase: A great deal of confidence]

[2] [CATI UCase: Only some confidence]

[3] [CATI UCase: Hardly any confidence at all]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

CONJUDGE: RadioButton

"[CATI TEXT: [HANDCARD A5]] (As far as the people running this institution are concerned, would you say you have a great deal of confidence, only some confidence, or hardly any confidence at all in them?)

U.S. Supreme Court"

MaxValue = 97

Codes:

[1] [CATI UCase: A great deal of confidence]

[2] [CATI UCase: Only some confidence]

[3] [CATI UCase: Hardly any confidence at all]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

CONSCI: RadioButton

"[CATI TEXT: [HANDCARD A5]] (As far as the people running this institution are concerned, would you say you have a great deal of confidence, only some confidence, or hardly any confidence at all in them?)

Scientific community"

MaxValue = 97

Codes:

- [1] [CATI UCase: A great deal of confidence]
- [2] [CATI UCase: Only some confidence]
- [3] [CATI UCase: Hardly any confidence at all]
- [77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

CONLEGIS: RadioButton

"[CATI TEXT: [HANDCARD A5]] (As far as the people running this institution are concerned, would you say you have a great deal of confidence, only some confidence, or hardly any confidence at all in them?)

Congress"

MaxValue = 97

Codes:

- [1] [CATI UCase: A great deal of confidence]
- [2] [CATI UCase: Only some confidence]
- [3] [CATI UCase: Hardly any confidence at all]
- [77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

CONARMY: RadioButton

"[CATI TEXT: [HANDCARD A5]] (As far as the people running this institution are concerned, would you say you have a great deal of confidence, only some confidence, or hardly any confidence at all in them?)

Military"

MaxValue = 97

Codes:

- [1] [CATI UCase: A great deal of confidence]
- [2] [CATI UCase: Only some confidence]

[3] [CATI UCase: Hardly any confidence at all]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

CONFINAN: RadioButton

"[CATI TEXT: [HANDCARD A5]] (As far as the people running this institution are concerned, would you say you have a great deal of confidence, only some confidence, or hardly any confidence at all in them?)

Banks and financial institutions"

MaxValue = 97

Codes:

[1] [CATI UCase: A great deal of confidence]

[2] [CATI UCase: Only some confidence]

[3] [CATI UCase: Hardly any confidence at all]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

EQWLTH: RadioButton

"[CATI TEXT: [HANDCARD A6]] Some people think that the government in Washington ought to reduce the income differences between the rich and the poor, perhaps by raising the taxes of wealthy families or by giving income assistance to the poor. Others think that the government should not concern itself with reducing this income difference between the rich and the poor.

Here is a [CATI TEXT: card with a] scale from 1 to 7. Think of a score of 1 as meaning that the government ought to reduce the income differences between rich and poor, and a score of 7 meaning that the government should not concern itself with reducing income differences. What score between 1 and 7 comes closest to the way you feel?"

MaxValue = 97

Codes:

[1] "[CATI UCase: 1 Government should do something to reduce income differences between rich and poor] "

[2] "[CATI UCase: 2] "

[3] "[CATI UCase: 3] "

[4] "[CATI UCase: 4] "

```
[5] "[CATI UCase: 5] "  
[6] "[CATI UCase: 6] "  
[7] [CATI UCase: 7 Government should not concern itself with income differences]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo  
Next question  
IF VERXY = Y
```

SPKATH: RadioButton

"There are always some people whose ideas are considered bad or dangerous by other people. For instance, somebody who is against all churches and religion...

If such a person wanted to make a speech in your community against churches and religion, should he be allowed to speak, or not?"

MaxValue = 97

Codes:

```
[1] " [CATI UCase: Yes, allowed] "  
[2] [CATI UCase: Not allowed]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo  
Next question  
IF VERXY = X
```

SPKATHY: RadioButton

"There are always some people whose ideas are considered bad or dangerous by other people. For instance, somebody who is against all churches and religion...

If such a person wanted to make a speech in your community against churches and religion, should this person be allowed to speak, or not?"

MaxValue = 97

Codes:

```
[1] " [CATI UCase: Yes, allowed] "  
[2] [CATI UCase: Not allowed]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

COLATH: RadioButton

"Should such a person be allowed to teach in a college or university, or not?"

MaxValue = 97

Codes:

```
[1] " [CATI UCase: Yes, allowed] "  
[2] [CATI UCase: Not allowed]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo  
Next question  
IF VERXY = Y
```

LIBATH: RadioButton

"If some people in your community suggested that a book he wrote against churches and religion should be taken out of your public library, would you favor removing this book, or not?"

MaxValue = 97

Codes:

```
[1] [CATI UCase: Favor]  
[2] [CATI UCase: Not favor]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo  
Next question  
IF VERXY = X
```

LIBATHY: RadioButton

"If some people in your community suggested that a book this person wrote against churches and religion should be taken out of your public library, would you favor removing this book, or not?"

MaxValue = 97

Codes:

[1] [CATI UCase: Favor]

[2] [CATI UCase: Not favor]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = Y

SPKRAC: RadioButton

"Or, consider a person who believes that Blacks are genetically inferior.

If such a person wanted to make a speech in your community claiming that Blacks are inferior, should he be allowed to speak, or not?"

MaxValue = 97

Codes:

[1] " [CATI UCase: Yes, allowed] "

[2] [CATI UCase: Not allowed]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = X

SPKRACY: RadioButton

"Or, consider a person who believes that Blacks are genetically inferior.

If such a person wanted to make a speech in your community claiming that Blacks are inferior, should this person be allowed to speak, or not?"

MaxValue = 97

Codes:

[1] " [CATI UCase: Yes, allowed] "

[2] [CATI UCase: Not allowed]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

COLRAC: RadioButton

"Should such a person be allowed to teach in a college or university, or not?"

MaxValue = 97

Codes:

[1] " [CATI UCase: Yes, allowed] "

[2] [CATI UCase: Not allowed]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = Y

LIBRAC: RadioButton

"If some people in your community suggested that a book he wrote which said Blacks are inferior should be taken out of your public library, would you favor removing this book, or not?"

MaxValue = 97

Codes:

[1] [CATI UCase: Favor]

```
[2] [CATI UCase: Not favor]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF VERXY = X
```

LIBRACY: RadioButton

"If some people in your community suggested that a book this person wrote which said Blacks are inferior should be taken out of your public library, would you favor removing this book, or not?"

MaxValue = 97

Codes:

```
[1] [CATI UCase: Favor]
[2] [CATI UCase: Not favor]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF VERXY = Y
```

SPKCOM: RadioButton

"Now, we would like to ask you some questions about a man who admits he is a Communist.

Suppose this admitted Communist wanted to make a speech in your community. Should he be allowed to speak, or not?"

MaxValue = 97

Codes:

```
[1] " [CATI UCase: Yes, allowed to speak] "
[2] [CATI UCase: Not allowed]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
```

[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF VERXY = X

SPKCOMY: RadioButton

"Now, we would like to ask you some questions about a self-identified Communist.

Suppose this admitted Communist wanted to make a speech in your community. Should this person be allowed to speak, or not?"

MaxValue = 97

Codes:

[1] "[CATI UCase: Yes, allowed to speak] "

[2] [CATI UCase: Not allowed]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF VERXY = Y

COLCOM: RadioButton

"Suppose he is teaching in a college. Should he be fired, or not?"

MaxValue = 97

Codes:

[1] "[CATI UCase: Yes, fired] "

[2] [CATI UCase: Not fired]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF VERXY = X

COLCOMY: RadioButton

"Suppose this person is teaching in a college. Should this person be fired, or not?"

MaxValue = 97

Codes:

[1] "[CATI UCase: Yes, fired] "

[2] "[CATI UCase: Not fired]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = Y

LIBCOM: RadioButton

"Suppose he wrote a book which is in your public library. Somebody in your community suggests that the book should be removed from the library. Would you favor removing it, or not?"

MaxValue = 97

Codes:

[1] [CATI UCase: Favor]

[2] [CATI UCase: Not favor]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = X

LIBCOMY: RadioButton

"Suppose this person wrote a book which is in your public library. Somebody in your community suggests that the book should be removed from the library. Would you favor removing it, or not?"

MaxValue = 97

Codes:

[1] [CATI UCase: Favor]

[2] [CATI UCase: Not favor]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = Y

SPKMIL: RadioButton

"Consider a person who advocates doing away with elections and letting the military run the country.

If such a person wanted to make a speech in your community, should he be allowed to speak, or not?"

MaxValue = 97

Codes:

[1] " [CATI UCase: Yes, allowed] "

[2] [CATI UCase: Not allowed]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = X

SPKMILY: RadioButton

"Consider a person who advocates doing away with elections and letting the military run the country.

If such a person wanted to make a speech in your community, should this person be allowed to speak, or not?"

MaxValue = 97

Codes:

```
[1] "[CATI UCase: Yes, allowed] "  
[2] [CATI UCase: Not allowed]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

COLMIL: RadioButton

"Should such a person be allowed to teach in a college or university, or not?"

MaxValue = 97

Codes:

```
[1] "[CATI UCase: Yes, allowed] "  
[2] [CATI UCase: Not allowed]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo  
Next question  
IF VERXY = Y
```

LIBMIL: RadioButton

"Suppose he wrote a book advocating doing away with elections and letting the military run the country.

Somebody in your community suggests that the book be removed from the public library. Would you favor removing it, or not?"

MaxValue = 97

Codes:

```
[1] [CATI UCase: Favor]  
[2] [CATI UCase: Not favor]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF VERXY = X
```

LIBMILY: RadioButton

"Suppose this person wrote a book advocating doing away with elections and letting the military run the country.

Somebody in your community suggests that the book be removed from the public library. Would you favor removing it, or not?"

MaxValue = 97

Codes:

```
[1] [CATI UCase: Favor]
[2] [CATI UCase: Not favor]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF VERXY = Y
```

SPKHOMO: RadioButton

"And what about a man who admits that he is homosexual...

Suppose this admitted homosexual wanted to make a speech in your community. Should he be allowed to speak, or not?"

MaxValue = 97

Codes:

```
[1] " [CATI UCase: Yes, allowed] "
[2] [CATI UCase: Not allowed]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
```

Next question
IF VERXY = X

SPKHOMOY: RadioButton

"And what about a gay person?

Suppose this gay person wanted to make a speech in your community. Should this person be allowed to speak, or not?"

MaxValue = 97

Codes:

[1] "[CATI UCase: Yes, allowed] "

[2] [CATI UCase: Not allowed]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

COLHOMO: RadioButton

"Should such a person be allowed to teach in a college or university, or not?"

MaxValue = 97

Codes:

[1] "[CATI UCase: Yes, allowed] "

[2] [CATI UCase: Not allowed]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = Y

LIBHOMO: RadioButton

"If somebody in your community suggests that a book he wrote in favor of homosexuality should be taken out of your public library, would you favor removing it, or not?"

MaxValue = 97

Codes:

[1] [CATI UCase: Favor]

[2] [CATI UCase: Not favor]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = X

LIBHOMOY: RadioButton

"If somebody in your community suggests that a book the gay person wrote in favor of homosexuality should be taken out of your public library, would you favor removing it, or not?"

MaxValue = 97

Codes:

[1] [CATI UCase: Favor]

[2] [CATI UCase: Not favor]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = Y

SPKMSLM: RadioButton

"Now consider a Muslim clergyman who preaches hatred of the United States.

If such a person wanted to make a speech in your community preaching hatred of the United States, should he be allowed to speak, or not?"

MaxValue = 97

Codes:

[1] " [CATI UCase: Yes, allowed] "
[2] [CATI UCase: Not allowed]
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF VERXY = X

SPKMSLMY: RadioButton

"Now consider a Islamic religious leader who preaches hatred of the United States.

If such a person wanted to make a speech in your community preaching hatred of the United States, should this person be allowed to speak, or not?"

MaxValue = 97

Codes:

[1] " [CATI UCase: Yes, allowed] "
[2] [CATI UCase: Not allowed]
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

COLMSLM: RadioButton

"Should such a person be allowed to teach in a college or university, or not?"

MaxValue = 97

Codes:

[1] " [CATI UCase: Yes, allowed] "
[2] [CATI UCase: Not allowed]
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question
IF VERXY = Y

LIBMSLM: RadioButton

"If some people in your community suggested that a book he wrote which preaches hatred of the United States should be taken out of your public library, would you favor removing this book, or not?"

MaxValue = 97

Codes:

[1] [CATI UCase: Favor]

[2] [CATI UCase: Not favor]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE = 1

[99] "REFUSED"

DISPLAY IF: QUEXMODE = 1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

PRELOADACTION: BranchTo

Next question

IF VERXY = X

LIBMSLMY: RadioButton

"If some people in your community suggested that a book this person wrote which preaches hatred of the United States should be taken out of your public library, would you favor removing this book, or not?"

MaxValue = 97

Codes:

[1] [CATI UCase: Favor]

[2] [CATI UCase: Not favor]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE = 1

[99] "REFUSED"

DISPLAY IF: QUEXMODE = 1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

HAPMAR: RadioButton

"Taking things all together, how would you describe your marriage? Would you say that your marriage is very happy, pretty happy, or not too happy?"

MaxValue = 97

Codes:

[1] [CATI UCase: Very happy]
[2] [CATI UCase: Pretty happy]
[3] [CATI UCase: Not too happy]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo
Question HAPPY

HAPCOHAB: RadioButton

"Taking things all together, would you say that your relationship with your partner is very happy, pretty happy, or not too happy?"

MaxValue = 97

Codes:

[1] [CATI UCase: Very happy]
[2] [CATI UCase: Pretty happy]
[3] [CATI UCase: Not too happy]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

HAPPY: RadioButton

"Taken all together, how would you say things are these days—would you say that you are very happy, pretty happy, or not too happy?"

MaxValue = 97

Codes:

[1] [CATI UCase: Very happy]
[2] [CATI UCase: Pretty happy]
[3] [CATI UCase: Not too happy]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: TIMEA72S

Value: [\$H]

PRELOADACTION: BranchTo

Next question

TIMEA72S: DateTimeAnswer

MaxAnswerLength = 20

MaxValue = 97

PRELOADACTION: SetVariableValue

Variable: TIMEA72E

Value: [\$H]

PRELOADACTION: BranchTo

Next question

TIMEA72E: DateTimeAnswer

MaxAnswerLength = 20

MaxValue = 97

CHLDVAL1: RadioButton

"[CATI TEXT: [HANDCARD A7]] If you had to choose, which thing on this list would you pick as the most important for a child to learn to prepare him or her for life?"

MaxValue = 97

Codes:

[1] [CATI UCase: To obey.]

[2] [CATI UCase: To be well-liked or popular.]

[3] [CATI UCase: To think for himself or herself.]

[4] [CATI UCase: To work hard.]
[5] [CATI UCase: To help others when they need help.]
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

CHLDVAL2: RadioButton

"[CATI TEXT: [HANDCARD A7]] Which comes next in importance?"

MaxValue = 97

Codes:

Eliminate Choices Answered at CHLDVAL1

[1] "[CATI UCase: To obey.] "
[2] "[CATI UCase: To be well-liked or popular.] "
[3] "[CATI UCase: To think for himself or herself.] "
[4] "[CATI UCase: To work hard.] "
[5] "[CATI UCase: To help others when they need help.] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

CHLDVAL3: RadioButton

"[CATI TEXT: [HANDCARD A7]] Which comes third?"

MaxValue = 97

Codes:

Eliminate Choices Answered at "CHLDVAL1,CHLDVAL2"

[1] "[CATI UCase: To obey.] "
[2] "[CATI UCase: To be well-liked or popular.] "
[3] "[CATI UCase: To think for himself or herself.] "
[4] "[CATI UCase: To work hard.] "
[5] "[CATI UCase: To help others when they need help.] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

CHLDVAL4: RadioButton

"[CATI TEXT: [HANDCARD A7]] Which comes fourth?"

MaxValue = 97

Codes:

Eliminate Choices Answered at "CHLDVAL1,CHLDVAL2,CHLDVAL3"

- [1] "[CATI UCase: To obey.] "
- [2] "[CATI UCase: To be well-liked or popular.] "
- [3] "[CATI UCase: To think for himself or herself.] "
- [4] "[CATI UCase: To work hard.] "
- [5] "[CATI UCase: To help others when they need help.] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

CHLDVAL5: RadioButton

"[CATI TEXT: [HANDCARD A7]] [CATI UCase: The least important:] "

MaxValue = 97

Codes:

Eliminate Choices Answered at "CHLDVAL1,CHLDVAL2,CHLDVAL3,CHLDVAL4"

- [1] "[CATI UCase: To obey.] "
- [2] "[CATI UCase: To be well-liked or popular.] "
- [3] "[CATI UCase: To think for himself or herself.] "
- [4] "[CATI UCase: To work hard.] "
- [5] "[CATI UCase: To help others when they need help.] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

HEALTH: RadioButton

"Would you say your own health, in general, is excellent, good, fair, or poor?"

MaxValue = 97

Codes:

[1] "[CATI UCase: Excellent] "
[2] "[CATI UCase: Good] "
[3] "[CATI UCase: Fair] "
[4] "[CATI UCase: Poor] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

GRASS: RadioButton

"Do you think the use of marijuana should be made legal, or not?"

MaxValue = 97

Codes:

[1] [CATI UCase: Should]
[2] [CATI UCase: Should not]
[3] "[CATI UCase: No opinion]
[CATI TEXT: (VOLUNTEERED)] "
DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

CAPPUN: RadioButton

Do you favor or oppose the death penalty for persons convicted of murder?

MaxValue = 97

Codes:

[1] [CATI UCase: Favor]
[2] [CATI UCase: Oppose]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

GUNLAW: RadioButton

Would you favor or oppose a law which would require a person to obtain a police permit before he or she could buy a gun?

MaxValue = 97

Codes:

[1] [CATI UCase: Favor]
[2] [CATI UCase: Oppose]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

COURTS: RadioButton

"In general, do you think the courts in your area deal too harshly or not harshly enough with criminals?"

MaxValue = 97

Codes:

[1] "[CATI UCase: Too harshly] "
[2] "[CATI UCase: Not harshly enough] "
[3] "[CATI UCase: About right] [CATI TEXT: (VOLUNTEERED)] "
DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

FEAR: RadioButton

"Is there any area around your home--that is, within a mile--where you would be afraid to walk alone at night?"

MaxValue = 97

Codes:

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: HUNTTXT

Value: 1

PRELOADACTION: SetVariableValue

Variable: HUNTTXT

Value: 2

IF MARITAL = 1

Or POSSLQ = 1

Or POSSLQ = 2

Or POSSLQY = 1

Or POSSLQY = 2

PRELOADACTION: BranchTo

Next question

HUNTTXT: RadioButton

MaxValue = 97

Codes:

[1] "[CATI UCase: No, I do not hunt] "

[2] "[CATI UCase: No, neither of us hunt] "

PRELOADACTION: SetVariableValue

Variable: HUNTSPFILL

Value: 1

PRELOADACTION: SetVariableValue

Variable: HUNTSPFILL

Value: 2

IF MARITAL = 1

Or POSSLQ = 1

Or POSSLQ = 2

Or POSSLQY = 1

Or POSSLQY = 2

PRELOADACTION: BranchTo

Next question

HUNTSPFILL: RadioButton

MaxValue = 97

Codes:

[1] Do you
[2] Do you or does your [_spfill1]

HUNT: RadioButton

And now a question on a different topic. [huntspfill] go hunting?

MaxValue = 97

Codes:

[1] "[CATI UCase: Yes, I hunt] "
[2] "[CATI UCase: Yes, my [_spfill1] hunts] "

DISPLAY IF: MARITAL =1

DISPLAY IF: POSSLQ =1

DISPLAY IF: POSSLQ =2

DISPLAY IF: POSSLQY =1

DISPLAY IF: POSSLQY =2

[3] "[CATI UCase: Yes, we both hunt] "

DISPLAY IF: MARITAL =1

DISPLAY IF: POSSLQ =1

DISPLAY IF: POSSLQ =2

DISPLAY IF: POSSLQY =1

DISPLAY IF: POSSLQY =2

[4] [hunttxt]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

OWNGUN: RadioButton

Do you happen to have in your home any guns or revolvers?

MaxValue = 97

Codes:

[1] [CATI UCase: Yes]
[2] [CATI UCase: No]
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Question POLHITOK

IF OWNGUN <> 1

PISTOL: CheckBox

"Is it a pistol, shotgun, rifle, or what?"

[WEB TEXT: If you have more than one gun, please check all that apply.] [CATI TEXT: CHECK ALL THAT APPLY] [CAWI_FLOAT2]"

MaxValue = 97

Codes:

[1] "[CATI UCase: Pistol] "

[2] "[CATI UCase: Shotgun] "

[3] "[CATI UCase: Rifle] "

[4] "[CATI UCase: Other

] "

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

GUNSPEC: TextAnswer

Please specify other type of gun:

MaxAnswerLength = 30

MaxValue = 97

Codes:

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: GUNSPEC

Value: 98
IF GUNSPEC Is Empty

ROWNGUN: RadioButton

Do any of these guns personally belong to you?

MaxValue = 97

Codes:

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY <> X

POLHITOK: RadioButton

Are there any situations you can imagine in which you would approve of a policeman striking an adult male citizen?

MaxValue = 97

Codes:

[1] "[CATI UCase: Yes] "

[2] "[CATI UCase: No] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY <> Y

POLHITOKY: RadioButton

Are there any situations you can imagine in which you would approve of a police officer striking an

adult male citizen?

MaxValue = 97

Codes:

[1] "[CATI UCase: Yes] "

[2] "[CATI UCase: No] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

POLICETXT: RadioButton

MaxValue = 97

Codes:

[1] [CATI UCase: policeman]

[2] [CATI UCase: police officer]

PRELOADACTION: BranchTo

Next question

IF VERXY <> X

POLABUSE: RadioButton

Would you approve if the citizen had said vulgar and obscene things to the policeman?

MaxValue = 97

Codes:

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF VERXY <> Y

POLABUSEY: RadioButton

Would you approve if the citizen had said vulgar and obscene things to the police officer?

MaxValue = 97

Codes:

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POLMURDR: RadioButton

Would you approve if the citizen was being questioned as a suspect in a murder case?

MaxValue = 97

Codes:

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POLESCAP: RadioButton

Would you approve if the citizen was attempting to escape from custody?

MaxValue = 97

Codes:

[1] [CATI UCase: Yes]

```
[2] [CATI UCase: No]
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF VERXY <> X
```

POLATTAK: RadioButton

Would you approve if the citizen was attacking the policeman with his fists?

MaxValue = 97

Codes:

```
[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF VERXY <> Y
```

POLATTAKY: RadioButton

Would you approve if the citizen was attacking the police officer with his fists?

MaxValue = 97

Codes:

```
[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

CLASS: RadioButton

"If you were asked to use one of four names for your social class, which would you say you belong in: the lower class, the working class, the middle class, or the upper class?"

MaxValue = 97

Codes:

[1] [CATI UCase: Lower class]

[2] [CATI UCase: Working class]

[3] [CATI UCase: Middle class]

[4] [CATI UCase: Upper class]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

SATFIN: RadioButton

"We are interested in how people are getting along financially these days. So far as you and your family are concerned, would you say that you are pretty well satisfied with your present financial situation, more or less satisfied, or not satisfied at all?"

MaxValue = 97

Codes:

[1] [CATI UCase: Pretty well satisfied]

[2] [CATI UCase: More or less satisfied]

[3] [CATI UCase: Not satisfied at all]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

FINALTER: RadioButton

"During the last few years, has your financial situation been getting better, getting worse, or has it stayed the same?"

MaxValue = 97

Codes:

[1] [CATI UCase: Getting better]
[2] [CATI UCase: Getting worse]
[3] [CATI UCase: Stayed the same]
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

FINRELA: RadioButton

"Compared with American families in general, would you say your family income is--far below average, below average, average, above average, or far above average? If you are uncertain, just give us your best guess."

MaxValue = 97

Codes:

[1] [CATI UCase: Far below average]

[2] [CATI UCase: Below average]

[3] [CATI UCase: Average]

[4] [CATI UCase: Above average]

[5] [CATI UCase: Far above average]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PARSOL: RadioButton

"Compared to your parents when they were the age you are now, do you think your own standard of living is now much better, somewhat better, about the same, somewhat worse, or much worse than theirs was?"

MaxValue = 97

Codes:

[1] [CATI UCase: Much better]

[2] [CATI UCase: Somewhat better]

[3] [CATI UCase: About the same]

[4] [CATI UCase: Somewhat worse]

[5] [CATI UCase: Much worse]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

KIDSSOL: RadioButton

"When your children are the age you are now, do you think their standard of living will be much better, somewhat better, about the same, somewhat worse, or much worse than yours is now?"

MaxValue = 97

Codes:

[1] [CATI UCase: Much better]
[2] [CATI UCase: Somewhat better]
[3] [CATI UCase: About the same]
[4] [CATI UCase: Somewhat worse]
[5] [CATI UCase: Much worse]
[6] "[CATI UCase: Not planning on having children/No children] [CATI TEXT: (VOLUNTEERED)] "
DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

GOODLIFE: RadioButton

"[CATI TEXT: [HANDCARD A8]] Please tell me [WEB TEXT: Please indicate] whether you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree with the following statement:

The way things are in America, people like me and my family have a good chance of improving our standard of living."

MaxValue = 97

Codes:

[1] [CATI UCase: Strongly agree]
[2] [CATI UCase: Agree]
[3] [CATI UCase: Neither agree nor disagree]
[4] [CATI UCase: Disagree]
[5] [CATI UCase: Strongly disagree]
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

HELPFUL: RadioButton

"Would you say that most of the time people try to be helpful, or that they are mostly just looking out for themselves?"

MaxValue = 97

Codes:

[1] "[CATI UCase: Try to be helpful] "
[2] "[CATI UCase: Just look out for themselves] "
[3] "[CATI UCase: It depends] [CATI TEXT: (VOLUNTEERED)] "
DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

AGED: RadioButton

"As you know, many older people share a home with their grown children. Do you think this is generally a good idea or a bad idea?"

MaxValue = 97

Codes:

[1] "[CATI UCase: A good idea] "
[2] "[CATI UCase: A bad idea] "
[3] "[CATI UCase: It depends] [CATI TEXT: (VOLUNTEERED)] "
DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

HISPANIC: RadioButton

"[CATI TEXT: [HANDCARD A9]] Are you of Hispanic, Latino, or Spanish origin? "

MaxValue = 97

Codes:

[1] "[CATI UCase: No, not of Hispanic, Latino, or Spanish origin] "

[2] "[CATI UCase: Yes, Mexican, Mexican American, Chicano] "
[3] "[CATI UCase: Yes, Puerto Rican] "
[4] "[CATI UCase: Yes, Cuban] "
[5] "[CATI UCase: Yes, another Hispanic, Latino, or Spanish origin] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

HIS2SPEC: TextAnswer

"Indicate origin, for example, Argentinean, Colombian, Dominican, Nicaraguan, Salvadoran, Spaniard, and so on"

MaxAnswerLength = 30

MaxValue = 97

Codes:

[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue
Variable: HIS2SPEC
Value: 98
IF HIS2SPEC Is Empty

RACEACS: CheckBox

"[CATI TEXT: [HANDCARD A10]] What is your race? Indicate one or more races that you consider yourself to be.

"

MaxValue = 97

Codes:

[1] "[CATI UCase: White] "
[2] "[CATI UCase: Black or African American] "
[3] "[CATI UCase: American Indian or Alaska Native] "
[4] "[CATI UCase: Asian Indian] "
[5] "[CATI UCase: Chinese] "
[6] "[CATI UCase: Filipino] "

[7] "[CATI UCase: Japanese] "
[8] "[CATI UCase: Korean] "
[9] "[CATI UCase: Vietnamese] "
[10] "[CATI UCase: Other Asian] "
[11] "[CATI UCase: Native Hawaiian] "
[12] "[CATI UCase: Guamanian or Chamorro] "
[13] "[CATI UCase: Samoan] "
[14] "[CATI UCase: Other Pacific Islander] "
[15] "[CATI UCase: Some other race] "
[16] "[CATI UCase: No more mentioned] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question TIMEA3

IF RACEACS = 17 OR 18 OR 19

IF RACEACS = 77

IF RACEACS = 99

IF RACEACS = 98

PRELOADACTION: BranchTo

Question RACERANK1

IF RACEACS <> 3

And RACEACS <> 10

And RACEACS <> 14

And RACEACS <> 15

And RACEACS <> 3

And RACEACS <> 10

And RACEACS <> 14

And RACEACS <> 15

RACEACSOS: HybridGrid

MaxValue = 97

PRELOADACTION: SetVariableValue

Variable: AMINSPC_FILL

Value: 1

IF RACEACS = 3

And AMINSPC Is Not Empty

PRELOADACTION: SetVariableValue

Variable: AMINSPC_FILL

Value: 2

IF RACEACS = 3

And AMINSPC Is Empty

PRELOADACTION: BranchTo

Next question

AMINSPC_FILL: RadioButton

MaxValue = 97

Codes:

[1] [AMINSPC]

[2] American Indian or Alaska Native

```
PRELOADACTION: SetVariableValue  
Variable: ASIASPC_FILL  
Value: 1  
IF RACEACS = 10  
And ASIASPC Is Not Empty
```

```
PRELOADACTION: SetVariableValue  
Variable: ASIASPC_FILL  
Value: 2  
IF RACEACS = 10  
And ASIASPC Is Empty
```

```
PRELOADACTION: BranchTo  
Next question
```

ASIASPC_FILL: RadioButton

Single answer question using Radio Buttons

MaxValue = 97

Codes:

[1] [ASIASPC]

[2] Other Asian

```
PRELOADACTION: SetVariableValue  
Variable: PACFSPC_FILL  
Value: 1  
IF RACEACS = 14  
And PACFSPC Is Not Empty
```

```
PRELOADACTION: SetVariableValue  
Variable: PACFSPC_FILL  
Value: 2  
IF RACEACS = 14  
And PACFSPC Is Empty
```

```
PRELOADACTION: BranchTo
```

Next question

PACFSPC_FILL: RadioButton

Single answer question using Radio Buttons

MaxValue = 97

Codes:

[1] [PACFSPC]

[2] Othe Pacific Islander

```
PRELOADACTION: SetVariableValue  
Variable: OTRCSPC_FILL  
Value: 1  
IF RACEACS = 15  
And OTRCSPC Is Not Empty
```

```
PRELOADACTION: SetVariableValue  
Variable: OTRCSPC_FILL  
Value: 2  
IF RACEACS = 15  
And OTRCSPC Is Empty
```

```
PRELOADACTION: BranchTo  
Next question
```

OTRCSPC_FILL: RadioButton

Single answer question using Radio Buttons

MaxValue = 97

Codes:

[1] [OTRCSPC]

[2] Some other race

```
PRELOADACTION: BranchTo  
Question TIMEA3  
IF NBR(RACEACS)=1
```

RACERANK1: RadioButton

"If you had to choose, which of these races do you identify most with?"

MaxValue = 97

Codes:

Eliminate Choices Not Answered at RACEACS

[1] "[CATI UCase: White] "
[2] "[CATI UCase: Black or African American] "
[3] "[CATI UCase: [AMINSPC_FILL]] "
[4] "[CATI UCase: Asian Indian] "
[5] "[CATI UCase: Chinese] "
[6] "[CATI UCase: Filipino] "
[7] "[CATI UCase: Japanese] "
[8] "[CATI UCase: Korean] "
[9] "[CATI UCase: Vietnamese] "
[10] "[CATI UCase: [ASIASPC_FILL]] "
[11] "[CATI UCase: Native Hawaiian] "
[12] "[CATI UCase: Guamanian or Chamorro] "
[13] "[CATI UCase: Samoan] "
[14] "[CATI UCase: [PACFSPC_FILL]] "
[15] "[CATI UCase: [OTRCSPC_FILL]] "
[16] "[CATI UCase: No more mentioned] "
[77] "[CATI TEXT: DON'T KNOW] [WEB TEXT: Can't choose] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE = 1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

POSTANSWERACTION: BranchTo

Question TIMEA3

IF RACERANK1 = 16 OR 17 OR 18 OR 19

IF RACERANK1 = 16

IF RACERANK1 = 77

IF RACERANK1 = 99

IF RACERANK1 = 98

PRELOADACTION: BranchTo

Question TIMEA3

IF NBR(RACEACS) <= 2

RACERANK2: RadioButton

"After [racerank1], which of these races do you identify most with?"

MaxValue = 97

Codes:

Eliminate Choices Answered at RACERANK1

Eliminate Choices Not Answered at RACEACS

[1] "[CATI UCase: White] "
[2] "[CATI UCase: Black or African American] "
[3] "[CATI UCase: [AMINSPC_FILL]] "

[4] "[CATI UCase: Asian Indian] "
 [5] "[CATI UCase: Chinese] "
 [6] "[CATI UCase: Filipino] "
 [7] "[CATI UCase: Japanese] "
 [8] "[CATI UCase: Korean] "
 [9] "[CATI UCase: Vietnamese] "
 [10] "[CATI UCase: [ASIASPC_FILL]] "
 [11] "[CATI UCase: Native Hawaiian] "
 [12] "[CATI UCase: Guamanian or Chamorro] "
 [13] "[CATI UCase: Samoan] "
 [14] "[CATI UCase: [PACFSPC_FILL]] "
 [15] "[CATI UCase: [OTRCSPC_FILL]] "
 [16] "[CATI UCase: No more mentioned] "
 [77] "[CATI TEXT: DON'T KNOW] [WEB TEXT: Can't choose] "
 [99] "REFUSED"
 DISPLAY IF: QUEXMODE =1
 [98] SKIPPED ON WEB
 DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo
 Question TIMEA3
 IF RACERANK2 = 18 OR 19 OR 20
 IF RACERANK2 = 77
 IF RACERANK2 = 99
 IF RACERANK2 = 98

PRELOADACTION: BranchTo
 Question TIMEA3
 IF NBR(RACEACS) <=3

RACERANK3: RadioButton

"After [racerank1] and [racerank2], which of these races do you identify most with?"

MaxValue = 97

Codes:

Eliminate Choices Answered at "RACERANK1,RACERANK2"

Eliminate Choices Not Answered at RACEACS

[1] "[CATI UCase: White] "
 [2] "[CATI UCase: Black or African American] "
 [3] "[CATI UCase: [AMINSPC_FILL]] "
 [4] "[CATI UCase: Asian Indian] "
 [5] "[CATI UCase: Chinese] "
 [6] "[CATI UCase: Filipino] "
 [7] "[CATI UCase: Japanese] "
 [8] "[CATI UCase: Korean] "
 [9] "[CATI UCase: Vietnamese] "
 [10] "[CATI UCase: [ASIASPC_FILL]] "
 [11] "[CATI UCase: Native Hawaiian] "
 [12] "[CATI UCase: Guamanian or Chamorro] "
 [13] "[CATI UCase: Samoan] "

[14] "[CATI UCase: [PACFSPC_FILL]] "
[15] "[CATI UCase: [OTRCSPC_FILL]] "
[16] "[CATI UCase: No more mentioned] "
[77] "[CATI TEXT: DON'T KNOW] [WEB TEXT: Can't choose] "
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: TIMEA3
Value: [\$H]
IF TIMEA3 Is Empty

PRELOADACTION: BranchTo
Next question

TIMEA3: DateTimeAnswer

MaxAnswerLength = 20

MaxValue = 97

PRELOADACTION: SetVariableValue
Variable: RACEFILL
Value: 2

PRELOADACTION: SetVariableValue
Variable: RACEFILL
Value: 1
IF RACERANK1 = 2

PRELOADACTION: SetVariableValue
Variable: RACEFILL
Value: 1
IF RACERANK1 = 77
And RACEACS = 2

PRELOADACTION: SetVariableValue
Variable: RACEFILL
Value: 1
IF RACERANK1 = 99
And RACEACS = 2

PRELOADACTION: SetVariableValue
Variable: RACEFILL
Value: 1
IF RACERANK1 = 98
And RACEACS = 2

PRELOADACTION: SetVariableValue
Variable: RACEFILL
Value: 1

IF RACERANK1 Is Empty 98
And RACEACS = 2

PRELOADACTION: BranchTo
Next question

RACEFILL: RadioButton

MaxValue = 97

Codes:

[1] Whites
[2] Blacks

PRELOADACTION: SetVariableValue
Variable: RACEFILL2
Value: [RACEFILL]

PRELOADACTION: BranchTo
Next question

RACEFILL2: RadioButton

MaxValue = 97

Codes:

[1] White
[2] Black

PRELOADACTION: SetVariableValue
Variable: RACOPENCARDFILL
Value: 1
IF RACEACS = 2
And VERXY = Y

PRELOADACTION: SetVariableValue
Variable: RACOPENCARDFILL
Value: 2
IF RACEACS <> 2
And VERXY = Y

PRELOADACTION: SetVariableValue
Variable: RACOPENCARDFILL
Value: 3
IF RACEACS = 2

And VERXY = X

PRELOADACTION: SetVariableValue
Variable: RACOPENCARDFILL
Value: 4
IF RACEACS <> 2
And VERXY = X

PRELOADACTION: BranchTo
Next question

RACOPENCARDFILL: RadioButton

Single answer question using Radio Buttons

MaxValue = 97

Codes:

[1] A11.2
[2] A12.2
[3] A11
[4] A12

RACLIVE: RadioButton

Are there any [racefill] living in your neighborhood now?[CAWI_FLOAT2]

MaxValue = 97

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF VERXY = Y

RACOPEN: RadioButton

"[CATI TEXT: [HANDCARD [RACOPENCARDFILL]]] Suppose there is a community-wide vote on the general housing issue. There are two possible laws to vote on:

One law says that a homeowner can decide for himself whom to sell his house to, even if he prefers not to sell to [racefill].

The second law says that a homeowner cannot refuse to sell to someone because of their race or color.

Which law would you vote for?"

MaxValue = 97

Codes:

[1] [CATI UCase: First law]

[2] [CATI UCase: Second law]

[3] [CATI UCase: Neither law [CATI TEXT: (VOLUNTEERED)]]

DISPLAY IF: QUEXMODE =1

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = X

RACOPENY: RadioButton

"[CATI TEXT: [HANDCARD [RACOPENCARDFILL]]] Suppose there is a community-wide vote on the general housing issue. There are two possible laws to vote on:

One law says that a homeowner can decide whom to sell their house to, even if that homeowner prefers not to sell to [racefill].

The second law says that a homeowner cannot refuse to sell to someone because of their race or color.

Which law would you vote for?"

MaxValue = 97

Codes:

[1] "[CATI UCase: First law] "

[2] "[CATI UCase: Second law] "

[3] "[CATI UCase: Neither law] "

DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

RACWORK: RadioButton

"Are the people who work where you work all White, mostly White, about half and half, mostly Black, or all Black?[CAWI_FLOAT2]"

MaxValue = 97

Codes:

[1] "[CATI UCase: All White] "
[2] "[CATI UCase: Mostly White] "
[3] "[CATI UCase: About half and half] "
[4] "[CATI UCase: Mostly Black] "
[5] "[CATI UCase: All Black] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

DISCAFF: RadioButton

"What do you think the chances are these days that a White person won't get a job or promotion while an equally or less qualified Black person gets one instead? Is this very likely, somewhat likely, or not very likely to happen these days?"

MaxValue = 97

Codes:

[1] [CATI UCase: Very likely]
[2] [CATI UCase: Somewhat likely]
[3] [CATI UCase: Not very likely]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF QUEXMODE = 1

Or VERXY = Y

ABGRID1: ChoiceGrid

[WEB TEXT: Do you think it should be possible for a pregnant woman to obtain a legal abortion...]

[CATI TEXT: Please tell me whether or not you think it should be possible for a pregnant woman to obtain a legal abortion...]

MaxValue = 97

Codes:

- [1] Yes
- [2] No
- [3] DK
- [4] REF
- [5] SKIPPED ON WEB

```
PRELOADACTION: BranchTo  
Question ABGRID2  
IF QUEXMODE = 2  
And VERXY = X
```

ABDEFECT: RadioButton

[WEB TEXT: Do you think it should be possible for a pregnant woman to obtain a legal abortion...]
[CATI TEXT: Please tell me whether or not you think it should be possible for a pregnant woman to obtain a legal abortion...]

If there is a strong chance of serious defect in the baby?

MaxValue = 97

Codes:

- [1] [CATI UCase: Yes]
- [2] [CATI UCase: No]
- [77] "[CATI UCase: DON'T KNOW] "

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

ABNOMORE: RadioButton

"([WEB TEXT: Do you think it should be possible for a pregnant woman to obtain a legal abortion...]
[CATI TEXT: Please tell me whether or not you think it should be possible for a pregnant woman to obtain a legal abortion...])

If she is married and does not want any more children?"

MaxValue = 97

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

ABHLTH: RadioButton

"([WEB TEXT: Do you think it should be possible for a pregnant woman to obtain a legal abortion...]
[CATI TEXT: Please tell me whether or not you think it should be possible for a pregnant woman to
obtain a legal abortion...])

If the woman's own health is seriously endangered by the pregnancy?"

MaxValue = 97

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF QUEXMODE = 1
Or VERXY = Y

ABGRID2: ChoiceGrid

[WEB TEXT: Do you think it should be possible for a pregnant woman to obtain a legal abortion...]
[CATI TEXT: Please tell me whether or not you think it should be possible for a pregnant woman to
obtain a legal abortion...]

MaxValue = 97

Codes:

[1] Yes

- [2] No
- [3] DK
- [4] REF
- [5] SKIPPED ON WEB

POSTANSWERACTION: BranchTo
Question ABANY
IF QUEXMODE = 2
And VERXY = X

ABPOOR: RadioButton

([WEB TEXT: Do you think it should be possible for a pregnant woman to obtain a legal abortion...]
[CATI TEXT: Please tell me whether or not you think it should be possible for a pregnant woman to obtain a legal abortion...])

If the family has a very low income and cannot afford any more children?

MaxValue = 97

Codes:

- [1] [CATI UCase: Yes]
- [2] [CATI UCase: No]
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

ABRAPE: RadioButton

([WEB TEXT: Do you think it should be possible for a pregnant woman to obtain a legal abortion...]
[CATI TEXT: Please tell me whether or not you think it should be possible for a pregnant woman to obtain a legal abortion...])

If she became pregnant as a result of rape?

MaxValue = 97

Codes:

- [1] [CATI UCase: Yes]
- [2] [CATI UCase: No]
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

ABSINGLE: RadioButton

([WEB TEXT: Do you think it should be possible for a pregnant woman to obtain a legal abortion...]
[CATI TEXT: Please tell me whether or not you think it should be possible for a pregnant woman to obtain a legal abortion...])

If she is not married and does not want to marry the man?

MaxValue = 97

Codes:

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

ABANY: RadioButton

([WEB TEXT: Do you think it should be possible for a pregnant woman to obtain a legal abortion...]
[CATI TEXT: Please tell me whether or not you think it should be possible for a pregnant woman to obtain a legal abortion...])

If the woman wants it for any reason?

MaxValue = 97

Codes:

[1] "[CATI UCase: Yes] "

[2] "[CATI UCase: No] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

XMARSEX: RadioButton

"Turning to another topic: There's been a lot of discussion about the way morals and attitudes about sex are changing in this country. What is your opinion about a married person having sexual relations with someone other than the marriage partner – is it always wrong, almost always wrong, wrong only sometimes, or not wrong at all?"

MaxValue = 97

Codes:

- [1] "[CATI UCase: Always wrong] "
- [2] "[CATI UCase: Almost always wrong] "
- [3] "[CATI UCase: Wrong only sometimes] "
- [4] "[CATI UCase: Not wrong at all] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

HOMOSEX: RadioButton

"What about sexual relations between two adults of the same sex-- do you think it is always wrong, almost always wrong, wrong only sometimes, or not wrong at all?"

MaxValue = 97

Codes:

- [1] [CATI UCase: Always wrong]
- [2] [CATI UCase: Almost always wrong]
- [3] [CATI UCase: Wrong only sometimes]
- [4] [CATI UCase: Not wrong at all]
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

MARHOMO: RadioButton

"[CATI TEXT: [HANDCARD A13]] Do you agree or disagree with the following statement:

Homosexual couples should have the right to marry one another."

MaxValue = 97

Codes:

- [1] [CATI UCase: Strongly agree]
- [2] [CATI UCase: Agree]
- [3] [CATI UCase: Neither agree nor disagree]
- [4] [CATI UCase: Disagree]

[5] [CATI UCase: Strongly disagree]
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

GETAHEAD: RadioButton

Some people say that people get ahead by their own hard work; others say that lucky breaks or help from other people are more important. Which do you think is most important?

MaxValue = 97

Codes:

[1] [CATI UCase: Hard work most important]
[2] [CATI UCase: Hard work and luck are equally important]
DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)
[3] "[CATI UCase: Luck or help from other people most important] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

LIFE: RadioButton

"In general, do you find life exciting, pretty routine, or dull?"

MaxValue = 97

Codes:

[1] [CATI UCase: Exciting]
[2] [CATI UCase: Routine]
[3] [CATI UCase: Dull]
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

TRUST: RadioButton

"Generally speaking, would you say that most people can be trusted or that you can't be too careful in dealing with people?"

MaxValue = 97

Codes:

[1] "[CATI UCase: Most people can be trusted] "
[2] "[CATI UCase: Can't be too careful] "
[3] "[CATI UCase: It depends] [CATI TEXT: (VOLUNTEERED)] "
DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

XMOVIE: RadioButton

"The next questions are about pornography -- books, movies, magazines, and photographs that show or describe sex activities.

Have you seen an X-rated movie in the last year?"

MaxValue = 97

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PORNLAW: RadioButton

"[CATI TEXT: [HANDCARD A14]] Which of these statements comes closest to your feelings about pornography laws?"

MaxValue = 97

Codes:

[1] "There should be laws against the distribution of pornography, whatever the age"
[2] There should be laws against the distribution of pornography to persons under 18
[3] There should be no laws forbidding the distribution of pornography
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1

[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

TAX: RadioButton

"The next few questions are about a different subject.

Do you consider the amount of federal income tax which you have to pay as too high, about right, or too low?"

MaxValue = 97

Codes:

[1] "[CATI UCase: Too high] "
[2] "[CATI UCase: About right] "
[3] "[CATI UCase: Too low] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRTYPREF: RadioButton

"Generally speaking, do you usually think of yourself as a Republican, Democrat, Independent, or what?"

MaxValue = 97

Codes:

[1] [CATI UCase: Republican]
[2] [CATI UCase: Democrat]
[3] [CATI UCase: Independent]
[4] [CATI UCase: Other (please specify)]
[5] [CATI UCase: No preference]
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRTYSPEC: TextAnswer

Specify other party:

MaxAnswerLength = 30

MaxValue = 97

Codes:

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: PRTYSPEC

Value: 98

IF PRTYSPEC Is Empty

PRELOADACTION: BranchTo

Next question

IF PRTPREF <> 1

And PRTPREF <> 2

PRTYSTRG: RadioButton

Would you call yourself a strong [PRTPREF] or not a very strong [PRTPREF]?

MaxValue = 97

Codes:

[1] [CATI UCase: Strong]

[2] [CATI UCase: Not very strong]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF PRTPREF = 1

Or PRTPREF = 2

PRTYIND: RadioButton

Do you think of yourself as closer to the Republican or Democratic Party?

MaxValue = 97

Codes:

[1] [CATI UCase: Republican]
[2] [CATI UCase: Democrat]
[3] [CATI UCase: Neither]
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

POLVIEWS: RadioButton

"[CATI TEXT: [HANDCARD A15]] We hear a lot of talk these days about liberals and conservatives. Here is a seven-point scale on which the political views that people might hold are arranged from extremely liberal—point 1—to extremely conservative—point 7. Where would you place yourself on this scale?"

MaxValue = 97

Codes:

[1] 1 Extremely liberal
[2] 2 Liberal
[3] 3 Slightly liberal
[4] "4 Moderate, middle of the road"
[5] 5 Slightly conservative
[6] 6 Conservative
[7] 7 Extremely conservative
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

GENDFILL: RadioButton

MaxValue = 97

Codes:

[1] HIS

[2] HER

HELPPOOR: RadioButton

"[CATI TEXT: [HANDCARD A17]] [CATI TEXT: I'd like to talk with you about issues] [WEB TEXT: Next, here are issues that] some people tell us are important. Some people think that the government in Washington should do everything possible to improve the standard of living of all poor Americans; they are at Point 1 on the scale below. Other people think it is not the government's responsibility, and that each person should take care of himself; they are at Point 5.

Where would you place yourself on this scale, or haven't you made up your mind on this?"

MaxValue = 97

Codes:

[1] "[CATI UCase: 1 - I strongly agree the government should improve living standards] "

[2] "[CATI UCase: 2] "

[3] "[CATI UCase: 3 - I agree with both answers] "

[4] "[CATI UCase: 4] "

[5] "[CATI UCase: 5 - I strongly agree that people should take care of themselves] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

HELPNOT: RadioButton

"[CATI TEXT: [HANDCARD A18]] Some people think that the government in Washington is trying to do too many things that should be left to individuals and private businesses. Others disagree and think that the government should do even more to solve our country's problems. Still others have opinions somewhere in between.

Where would you place yourself on this scale, or haven't you made up your mind on this?"

MaxValue = 97

Codes:

[1] "[CATI UCase: 1 - I strongly agree that the government should do more] "

[2] "[CATI UCase: 2] "

[3] "[CATI UCase: 3 - I agree with both answers] "

[4] "[CATI UCase: 4] "

[5] "[CATI UCase: 5 - I strongly agree that the government is doing too much] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

HELPSICK: RadioButton

"[CATI TEXT: [HANDCARD A19]] In general, some people think that it is the responsibility of the government in Washington to see to it that people have help in paying for doctors and hospital bills. Others think that these matters are not the responsibility of the federal government and that people should take care of these things themselves.

Where would you place yourself on this scale, or haven't you made up your mind on this?"

MaxValue = 97

Codes:

[1] "[CATI UCase: 1 - I strongly agree it is the responsibility of the government to help] "

[2] "[CATI UCase: 2] "

[3] "[CATI UCase: 3 - I agree with both answers] "

[4] "[CATI UCase: 4] "

[5] "[CATI UCase: 5 - I strongly agree that people should take care of themselves] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

HELPBLK: RadioButton

"[CATI TEXT: [HANDCARD A20]] Some people think that Blacks have been discriminated against for so long that the government has a special obligation to help improve their living standards. Others believe that the government should not be giving special treatment to Blacks.

Where would you place yourself on this scale, or haven't you made up your mind on this?"

MaxValue = 97

Codes:

[1] "[CATI UCase: 1 - I strongly agree the government is obligated to help Blacks] "

[2] "[CATI UCase: 2] "

[3] "[CATI UCase: 3 - I agree with both answers] "

[4] "[CATI UCase: 4] "

[5] "[CATI UCase: 5 - I strongly agree that government shouldn't give special treatment] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

VOTE16: RadioButton

"In 2016, Hillary Clinton ran for President on the Democratic ticket against Donald Trump for the Republicans. Do you remember for sure whether or not you voted in that election?[CAWI_FLOAT2]"

MaxValue = 97

Codes:

[1] "[CATI UCase: Voted] "
[2] "[CATI UCase: Did not vote] "
[3] "[CATI UCase: Ineligible] "
[4] "[CATI UCase: Prefer not to answer] "
[8] "[CATI UCase: Don't know/Can't remember] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRES16: RadioButton

Did you vote for Hillary Clinton or Donald Trump? [CAWI_FLOAT2]

MaxValue = 97

Codes:

[1] "[CATI UCase: Hillary Clinton] "
[2] "[CATI UCase: Donald Trump] "
[3] "[CATI UCase: Other candidate (please specify)] "
[5] "[CATI UCase: Didn't vote for president] "
[8] "[CATI UCase: Don't know/Can't remember] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PR16SPEC: TextAnswer

Who did you vote for in the 2016 election?

MaxAnswerLength = 30

MaxValue = 97

Codes:

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: PR16SPEC

Value: 98

IF PR16SPEC Is Empty

PRELOADACTION: BranchTo

Next question

IF "V01(VOTE16=2,3 OR PRES16=5)==0"

IF16WHO: RadioButton

"Who would you have voted for, for President, if you had voted?[CAWI_FLOAT2]"

MaxValue = 97

Codes:

[1] "[CATI UCase: Hillary Clinton] "

[2] "[CATI UCase: Donald Trump] "

[3] "[CATI UCase: Other] "

[8] "[CATI UCase: Don't know/Can't remember] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: TIMEA4

Value: [\$H]

PRELOADACTION: BranchTo

Next question

TIMEA4: DateTimeAnswer

MaxAnswerLength = 20

MaxValue = 97

RELIG: RadioButton

What is your religious preference?

MaxValue = 97

Codes:

[1] "[CATI UCase: Protestant] "
[2] "[CATI UCase: Catholic] "
[5] "[CATI UCase: Eastern Orthodox, such as Greek or Russian Orthodox] "
[3] "[CATI UCase: Jewish] "
[6] "[CATI UCase: Buddhist] "
[7] "[CATI UCase: Hindu] "
[8] "[CATI UCase: Muslim, Islam, Sufi, Sunni, or Shia] "
[9] "[CATI UCase: Some other religion] "
[4] "[CATI UCase: No religion] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo
Question TMPDENOM
IF RELIG = 1

POSTANSWERACTION: BranchTo
Question RELIGFILL
IF RELIG = 2 OR 3 OR 5 OR 6 OR 7
IF RELIG = 2
IF RELIG = 8
IF RELIG = 5
IF RELIG = 6
IF RELIG = 7

POSTANSWERACTION: BranchTo
Question RELIG16
IF RELIG = 9 OR 10 OR 11 OR 12
IF RELIG = 4
IF RELIG = 77
IF RELIG = 99
IF RELIG = 98

POSTANSWERACTION: BranchTo
Question JEW
IF RELIG = 3

PRELOADACTION: BranchTo
Next question
IF RELIG <> 9

RELGSPEC: TextAnswer

What is your religious preference?

MaxAnswerLength = 30

MaxValue = 97

Codes:

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: RELGSPEC

Value: 98

IF RELGSPEC Is Empty

IVQRELIG: RadioButton

Is your religious preference any of the following?

MaxValue = 97

Codes:

[1] [CATI UCase: Christian]

[2] [CATI UCase: Interdenominational]

[3] [CATI UCase: Non-denominational]

[4] [CATI UCase: Something else]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question TMPDENOM

IF IVQRELIG = 1

POSTANSWERACTION: BranchTo

Question RELIGFILL

IF IVQRELIG = 4

CHRISTCH: RadioButton

Would that be a Christian church?

MaxValue = 97

Codes:

[1] [CATI UCase: Yes]
[2] [CATI UCase: No]
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo
Question RELIGFILL
IF CHRISTCH = 2 OR 3 OR 4 OR 5
IF CHRISTCH = 2
IF CHRISTCH = 98
IF CHRISTCH = 77
IF CHRISTCH = 99

PROTCHRH: RadioButton

Would you consider that a Protestant church?

MaxValue = 97

Codes:

[1] [CATI UCase: Yes]
[2] [CATI UCase: No]
[3] [CATI UCase: Not sure]
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF PROTCHRH <> 3

PROTSPEC: TextAnswer

Please specify other religion:

MaxAnswerLength = 30

MaxValue = 97

Codes:

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: PROTSPEC

Value: 98

IF PROTSPEC Is Empty

PRELOADACTION: BranchTo

Question RELIGFILL

IF PROTCHRH = 2

Or PROTCHRH = 3

Or PROTCHRH = 77

Or PROTCHRH = 99

Or PROTCHRH = 98

TMPDENOM: RadioButton

"What specific denomination is that, if any?"

[CATI TEXT: PROBE FOR COMPLETE NAME OF DENOMINATION] "

MaxValue = 97

Codes:

[1] "[CATI UCase: Baptist] "

[2] "[CATI UCase: Methodist] "

[3] "[CATI UCase: Lutheran] "

[4] "[CATI UCase: Presbyterian] "

[5] "[CATI UCase: Episcopal church] "

[6] "[CATI UCase: Other (please specify)] "

[7] "[CATI UCase: No Denomination [CATI TEXT: given] or Non-Denominational Church] "

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: DENOM

Value: 50

IF TMPDENOM = 5

PRELOADACTION: SetVariableValue

Variable: DENOM

Value: 60

IF TMPDENOM = 6

PRELOADACTION: SetVariableValue

Variable: DENOM
Value: 70
IF TMPDENOM = 7

PRELOADACTION: SetVariableValue
Variable: DENOM
Value: 77
IF TMPDENOM = 77

PRELOADACTION: SetVariableValue
Variable: DENOM
Value: 99
IF TMPDENOM = 99

PRELOADACTION: SetVariableValue
Variable: DENOM
Value: 98
IF TMPDENOM = 98

PRELOADACTION: BranchTo
Next question
IF TMPDENOM = 5
Or TMPDENOM = 6
Or TMPDENOM = 7
Or TMPDENOM = 77
Or TMPDENOM = 99
Or TMPDENOM = 98

DENOM: RadioButton

"What specific denomination is that, if any?"

[CATI TEXT: PROBE FOR COMPLETE NAME OF DENOMINATION] "

MaxValue = 97

Codes:

[10] "[CATI UCase: American Baptist Association] "

DISPLAY IF: TMPDENOM = 1

[11] "[CATI UCase: American Baptist Churches in the U.S.A] "

DISPLAY IF: TMPDENOM = 1

[12] "[CATI UCase: National Baptist Convention of America] "

DISPLAY IF: TMPDENOM = 1

[13] "[CATI UCase: National Baptist Convention, U.S.A., Inc] "

DISPLAY IF: TMPDENOM = 1

[14] "[CATI UCase: Southern Baptist Convention] "

DISPLAY IF: TMPDENOM = 1

[15] "[CATI UCase: Other Baptist Churches] "

DISPLAY IF: TMPDENOM = 1

[18] "[CATI UCase: Baptist, Don't know which] "

DISPLAY IF: TMPDENOM = 1

[20] "[CATI UCase: African Methodist Episcopal Church] "

DISPLAY IF: TMPDENOM = 2

[21] "[CATI UCase: African Methodist Episcopal Zion Church] "

DISPLAY IF: TMPDENOM =2
[22] "[CATI UCase: United Methodist Church] "
DISPLAY IF: TMPDENOM =2
[23] "[CATI UCase: Other Methodist Churches] "
DISPLAY IF: TMPDENOM =2
[28] "[CATI UCase: Methodist, Don't know which] "
DISPLAY IF: TMPDENOM =2
[30] "[CATI UCase: American Lutheran Church] "
DISPLAY IF: TMPDENOM =3
[31] "[CATI UCase: Lutheran Church in America] "
DISPLAY IF: TMPDENOM =3
[32] "[CATI UCase: Lutheran Church -- Missouri Synod] "
DISPLAY IF: TMPDENOM =3
[33] "[CATI UCase: Wisconsin Evangelical Lutheran Synod] "
DISPLAY IF: TMPDENOM =3
[34] "[CATI UCase: Other Lutheran Churches] "
DISPLAY IF: TMPDENOM =3
[35] "[CATI UCase: Evangelical Lutheran Church of America] "
DISPLAY IF: TMPDENOM =3
[38] "[CATI UCase: Lutheran, Don't know which] "
DISPLAY IF: TMPDENOM =3
[40] "[CATI UCase: Presbyterian Church in the United States] "
DISPLAY IF: TMPDENOM =4
[41] "[CATI UCase: United Presbyterian Church in the United States of America] "
DISPLAY IF: TMPDENOM =4
[42] "[CATI UCase: Other Presbyterian Churches] "
DISPLAY IF: TMPDENOM =4
[43] "[CATI UCase: Presbyterian Church (U.S.A.)] "
DISPLAY IF: TMPDENOM =4
[48] "[CATI UCase: Presbyterian, Don't know which] "
DISPLAY IF: TMPDENOM =4
[50] "[CATI UCase: Episcopal Church] "
DISPLAY IF: TMPDENOM =5
[60] "[CATI UCase: Other (please specify)] "
DISPLAY IF: TMPDENOM =6
[70] "[CATI UCase: No denomination given or non-denominational] "
DISPLAY IF: TMPDENOM =7
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Question RELIGFILL
IF "V01(DENOM=15,23,34,35,42,43,60)==0"

PRELOADACTION: SetVariableValue
Variable: OTHDEMTXT
Value: 3

PRELOADACTION: SetVariableValue
Variable: OTHDEMTXT
Value: 1
IF DENOM = 43
Or DENOM = 35

PRELOADACTION: BranchTo
Next question

OTHDEMTXT: RadioButton

MaxValue = 97

Codes:

- [1] Do you know the name of your denomination prior to the merger?
- [2] Do you know the name of your spouse's denomination prior to the merger?
- [3] " Please specify denomination:

[CATI TEXT: PROBE FOR COMPLETE NAME OF DENOMINATION.] "

```
PRELOADACTION: SetVariableValue  
Variable: OTHSPEC  
Value: 98  
IF OTHSPEC Is Empty
```

OTHSPEC: TextAnswer

[othdemptxt]

MaxAnswerLength = 30

MaxValue = 97

Codes:

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

```
POSTANSWERACTION: BranchTo  
Question RELIGFILL
```

JEW: RadioButton

"Do you consider yourself Orthodox, Conservative, Reform or none of these?

[CATI TEXT: PROBE FOR EXACT DENOMINATION] "

MaxValue = 97

Codes:

[1] [CATI UCase: Orthodox]
[2] [CATI UCase: Conservative]
[3] [CATI UCase: Reform]
[4] [CATI UCase: None of these]
[5] [CATI UCase: Other]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF JEW <> 5

JEWSP: TextAnswer

"[CATI UCase: Please specify:] "

MaxAnswerLength = 250

MaxValue = 97

Codes:

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: JEWSP

Value: 98

IF JEWSP Is Empty

PRELOADACTION: BranchTo

Question RELIG16

IF RELIG = 4

Or RELIG = 98

Or RELIG = 77

Or RELIG = 99

PRELOADACTION: SetVariableValue

Variable: RELIGFILL

Value: 3

IF RELIG = 2

PRELOADACTION: SetVariableValue

Variable: RELIGFILL

Value: 4
IF RELIG = 5

PRELOADACTION: SetVariableValue
Variable: RELIGFILL
Value: 5
IF RELIG = 3

PRELOADACTION: SetVariableValue
Variable: RELIGFILL
Value: 6
IF RELIG = 6

PRELOADACTION: SetVariableValue
Variable: RELIGFILL
Value: 7
IF RELIG = 7

PRELOADACTION: SetVariableValue
Variable: RELIGFILL
Value: 8
IF RELIG = 8

PRELOADACTION: SetVariableValue
Variable: RELIGFILL
Value: 9
IF TMPDENOM = 1

PRELOADACTION: SetVariableValue
Variable: RELIGFILL
Value: 10
IF TMPDENOM = 2

PRELOADACTION: SetVariableValue
Variable: RELIGFILL
Value: 11
IF TMPDENOM = 3

PRELOADACTION: SetVariableValue
Variable: RELIGFILL
Value: 12
IF TMPDENOM = 4

PRELOADACTION: SetVariableValue
Variable: RELIGFILL
Value: 13
IF TMPDENOM = 5

PRELOADACTION: SetVariableValue
Variable: RELIGFILL
Value: 14
IF TMPDENOM = 6

PRELOADACTION: SetVariableValue
Variable: RELIGFILL
Value: 1
IF CHRISTCH = 1

PRELOADACTION: SetVariableValue

Variable: RELIGFILL
Value: 2
IF PROTCHRH = 1

PRELOADACTION: SetVariableValue
Variable: RELIGFILL
Value: 15
IF RELIG = 9

PRELOADACTION: SetVariableValue
Variable: RELIGFILL
Value: 2
IF TMPDENOM = 7
Or TMPDENOM = 77
Or TMPDENOM = 99
Or TMPDENOM = 98

PRELOADACTION: BranchTo
Next question

RELIGFILL: RadioButton

religfill

MaxValue = 97

Codes:

- [1] Christian
- [2] Protestant
- [3] Catholic
- [4] Orthodox Christian
- [5] Jew
- [6] Buddhist
- [7] Hindu
- [8] Muslim
- [9] Baptist
- [10] Methodist
- [11] Lutheran
- [12] Presbyterian
- [13] Episcopalian
- [14] [OTHSPEC]
- [15] [RELGSPEC]

RELITEN: RadioButton

Would you call yourself a strong [religfill] or not a very strong [religfill]?

MaxValue = 97

Codes:

```
[1] [CATI UCase: Strong]
[2] [CATI UCase: Not very strong]
[3] "[CATI UCase: Somewhat strong ] [CATI TEXT: (VOLUNTEERED)] "
DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

RELIG16: RadioButton

In what religion were you raised?

MaxValue = 97

Codes:

```
[1] "[CATI UCase: Protestant] "
[2] "[CATI UCase: Catholic] "
[5] "[CATI UCase: Eastern Orthodox, such as Greek or Russian Orthodox] "
[3] "[CATI UCase: Jewish] "
[6] "[CATI UCase: Buddhist] "
[7] "[CATI UCase: Hindu] "
[8] "[CATI UCase: Muslim, Islam, Sufi, Sunni, or Shia] "
[9] "[CATI UCase: Some other religion] "
[4] "[CATI UCase: No religion] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: BranchTo
Question TMPDEN16
IF RELIG16 = 1
```

```
POSTANSWERACTION: BranchTo
Question ATTEND
IF RELIG16 = 2 OR 3 OR 5 OR 6 OR 7
IF RELIG16 = 2
IF RELIG16 = 8
IF RELIG16 = 5
IF RELIG16 = 6
IF RELIG16 = 7
```

```
POSTANSWERACTION: BranchTo
Question ATTEND
IF RELIG16 = 9 OR 10 OR 11 OR 12
IF RELIG16 = 4
IF RELIG16 = 77
IF RELIG16 = 99
```

IF RELIG16 = 98

POSTANSWERACTION: BranchTo
Question JEW16
IF RELIG16 = 3

PRELOADACTION: BranchTo
Next question
IF RELIG16 <> 9

RG16SPEC: TextAnswer

"[CATI UCase: Please specify other religion:] "

MaxAnswerLength = 30

MaxValue = 97

Codes:

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue
Variable: RG16SPEC
Value: 98
IF RG16SPEC Is Empty

IVQRELIG2: RadioButton

Was your religious preference any of the following?

MaxValue = 97

Codes:

[1] [CATI UCase: Christian]

[2] [CATI UCase: Interdenominational]

[3] [CATI UCase: Non-denominational]

[4] [CATI UCase: Something else]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

```
POSTANSWERACTION: BranchTo
Question TMPDEN16
IF IVQRELIG2 = 1
```

```
POSTANSWERACTION: BranchTo
Question ATTEND
IF IVQRELIG2 = 4
```

CHRSTCH2: RadioButton

Would that be a Christian church?

MaxValue = 97

Codes:

```
[1] [CATI UCase: Yes]
[2] [CATI UCase: No]
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: BranchTo
Question ATTEND
IF CHRSTCH2 = 2 OR 3 OR 4 OR 5
IF CHRSTCH2 = 2
IF CHRSTCH2 = 98
IF CHRSTCH2 = 77
IF CHRSTCH2 = 99
```

PROTCH2: RadioButton

Would you consider that a Protestant church?

MaxValue = 97

Codes:

```
[1] [CATI UCase: Yes]
[2] [CATI UCase: No]
[3] [CATI UCase: Not sure]
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF PROTCH2 <> 3
```

PROTSPC2: TextAnswer

Please specify other religion:

MaxAnswerLength = 30

MaxValue = 97

Codes:

```
[77] "[CATI UCase: DON'T KNOW] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: SetVariableValue
```

```
Variable: PROTSPC2
```

```
Value: 98
```

```
IF PROTSPC2 Is Empty
```

```
PRELOADACTION: BranchTo
```

```
Question ATTEND
```

```
IF PROTCH2 = 2
```

```
Or PROTCH2 = 3
```

```
Or PROTCH2 = 98
```

```
Or PROTCH2 = 77
```

```
Or PROTCH2 = 99
```

TMPDEN16: RadioButton

"What specific denomination is that, if any?"

```
[CATI TEXT: PROBE FOR COMPLETE NAME OF DENOMINATION] "
```

MaxValue = 97

Codes:

```
[1] "[CATI UCase: Baptist] "
```

```
[2] "[CATI UCase: Methodist] "
```

```
[3] "[CATI UCase: Lutheran] "
```

```
[4] "[CATI UCase: Presbyterian] "
```

```
[5] "[CATI UCase: Episcopal church] "
```

```
[6] "[CATI UCase: Other (please specify)] "
```

```
[7] "[CATI UCase: No Denomination [CATI TEXT: given ] or Non-Denominational Church] "
```

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: DENOM16

Value: 50

IF TMPDEN16 = 5

PRELOADACTION: SetVariableValue

Variable: DENOM16

Value: 60

IF TMPDEN16 = 6

PRELOADACTION: SetVariableValue

Variable: DENOM16

Value: 70

IF TMPDEN16 = 7

PRELOADACTION: SetVariableValue

Variable: DENOM16

Value: 98

IF TMPDEN16 = 98

PRELOADACTION: SetVariableValue

Variable: DENOM16

Value: 77

IF TMPDEN16 = 77

PRELOADACTION: SetVariableValue

Variable: DENOM16

Value: 99

IF TMPDEN16 = 99

PRELOADACTION: BranchTo

Next question

IF TMPDEN16 = 5

Or TMPDEN16 = 6

Or TMPDEN16 = 7

Or TMPDEN16 = 98

Or TMPDEN16 = 77

Or TMPDEN16 = 99

DENOM16: RadioButton

"What specific denomination is that, if any?"

[CATI TEXT: PROBE FOR COMPLETE NAME OF DENOMINATION] "

MaxValue = 97

Codes:

[10] "[CATI UCase: American Baptist Association] "
DISPLAY IF: TMPDEN16 =1

[11] "[CATI UCase: American Baptist Churches in the U.S.A] "
DISPLAY IF: TMPDEN16 =1

[12] "[CATI UCase: National Baptist Convention of America] "
DISPLAY IF: TMPDEN16 =1

[13] "[CATI UCase: National Baptist Convention, U.S.A., Inc] "
DISPLAY IF: TMPDEN16 =1

[14] "[CATI UCase: Southern Baptist Convention] "
DISPLAY IF: TMPDEN16 =1

[15] "[CATI UCase: Other Baptist Churches] "
DISPLAY IF: TMPDEN16 =1

[18] "[CATI UCase: Baptist, Don't know which] "
DISPLAY IF: TMPDEN16 =1

[20] "[CATI UCase: African Methodist Episcopal Church] "
DISPLAY IF: TMPDEN16 =2

[21] "[CATI UCase: African Methodist Episcopal Zion Church] "
DISPLAY IF: TMPDEN16 =2

[22] "[CATI UCase: United Methodist Church] "
DISPLAY IF: TMPDEN16 =2

[23] "[CATI UCase: Other Methodist Churches] "
DISPLAY IF: TMPDEN16 =2

[28] "[CATI UCase: Methodist, Don't know which] "
DISPLAY IF: TMPDEN16 =2

[30] "[CATI UCase: American Lutheran Church] "
DISPLAY IF: TMPDEN16 =3

[31] "[CATI UCase: Lutheran Church in America] "
DISPLAY IF: TMPDEN16 =3

[32] "[CATI UCase: Lutheran Church -- Missouri Synod] "
DISPLAY IF: TMPDEN16 =3

[33] "[CATI UCase: Wisconsin Evangelical Lutheran Synod] "
DISPLAY IF: TMPDEN16 =3

[34] "[CATI UCase: Other Lutheran Churches] "
DISPLAY IF: TMPDEN16 =3

[35] "[CATI UCase: Evangelical Lutheran Church of America] "
DISPLAY IF: TMPDEN16 =3

[38] "[CATI UCase: Lutheran, Don't know which] "
DISPLAY IF: TMPDEN16 =3

[40] "[CATI UCase: Presbyterian Church in the United States] "
DISPLAY IF: TMPDEN16 =4

[41] "[CATI UCase: United Presbyterian Church in the United States of America] "
DISPLAY IF: TMPDEN16 =4

[42] "[CATI UCase: Other Presbyterian Churches] "
DISPLAY IF: TMPDEN16 =4

[43] "[CATI UCase: Presbyterian Church (U.S.A.)] "
DISPLAY IF: TMPDEN16 =4

[48] "[CATI UCase: Presbyterian, Don't know which] "
DISPLAY IF: TMPDEN16 =4

[50] "[CATI UCase: Episcopal Church] "
DISPLAY IF: TMPDEN16 =5

[60] "[CATI UCase: Other (please specify)] "
DISPLAY IF: TMPDEN16 =6

[70] "[CATI UCase: No denomination given or non-denominational] "
DISPLAY IF: TMPDEN16 =7

[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1

[99] "REFUSED"
DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Question ATTEND
IF "V01(DENOM16=15,23,34,35,42,43,60)==0"

PRELOADACTION: SetVariableValue
Variable: OTHDEMTXT2
Value: 3

PRELOADACTION: SetVariableValue
Variable: OTHDEMTXT2
Value: 1
IF DENOM16 = 43
Or DENOM16 = 35

PRELOADACTION: BranchTo
Next question

OTHDEMTXT2: RadioButton

MaxValue = 97

Codes:

- [1] Do you know the name of your denomination prior to the merger?]
- [2] Do you know the name of your spouse's denomination prior to the merger?]
- [3] "Please specify denomination:

[CATI TEXT: PROBE FOR COMPLETE NAME OF DENOMINATION.] "

OTH16SPC: TextAnswer

[othdemptxt2]

MaxAnswerLength = 30

MaxValue = 97

Codes:

[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue
Variable: OTH16SPC
Value: 98
IF OTH16SPC Is Empty

POSTANSWERACTION: BranchTo
Question ATTEND

JEW16: RadioButton

"Were you Orthodox, Conservative, Reform or none of these?"

[CATI TEXT: PROBE FOR EXACT DENOMINATION] "

MaxValue = 97

Codes:

[1] [CATI UCase: Orthodox]
[2] [CATI UCase: Conservative]
[3] [CATI UCase: Reform]
[4] [CATI UCase: None of these]
[5] [CATI UCase: Other]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE = 1

[99] "REFUSED"

DISPLAY IF: QUEXMODE = 1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

PRELOADACTION: BranchTo
Next question
IF JEW16 <> 5

JEW16SP: TextAnswer

Please specify:

MaxAnswerLength = 250

MaxValue = 97

Codes:

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE = 1

[99] "REFUSED"

DISPLAY IF: QUEXMODE = 1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

```
POSTANSWERACTION: SetVariableValue
Variable: JEW16SP
Value: 98
IF JEW16SP Is Empty
```

ATTEND: RadioButton

How often do you attend religious services?

MaxValue = 97

Codes:

```
[1] [CATI UCase: Never]
[2] [CATI UCase: Less than once a year]
[3] [CATI UCase: About once or twice a year]
[4] [CATI UCase: Several times a year]
[5] [CATI UCase: About once a month]
[6] [CATI UCase: 2-3 times a month]
[7] [CATI UCase: Nearly every week]
[8] [CATI UCase: Every week]
[9] [CATI UCase: Several times a week]
[77] "[CATI UCase: DON'T KNOW] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Question POSTLIFE
IF MARITAL <> 1
And POSSLQ <> 1
And POSSLQ <> 2
And POSSLQY <> 1
And POSSLQY <> 2
```

SPREL: RadioButton

What is your [_spfill1]'s religious preference?

MaxValue = 97

Codes:

```
[1] [CATI UCase: Protestant]
[2] [CATI UCase: Catholic]
[5] " [CATI UCase: Eastern Orthodox, such as Greek or Russian Orthodox] "
[3] [CATI UCase: Jewish]
[6] [CATI UCase: Buddhist]
[7] [CATI UCase: Hindu]
```

[8] " [CATI UCase: Muslim, Islam, Sufi, Sunni, or Shia] "

[9] [CATI UCase: Some other religion]

[4] [CATI UCase: No religion]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question POSTLIFE

IF SPREL = 2 OR 3 OR 5 OR 6 OR 7 OR 9 OR 10 OR 11 OR 12

IF SPREL = 2

IF SPREL = 8

IF SPREL = 5

IF SPREL = 6

IF SPREL = 7

IF SPREL = 4

IF SPREL = 77

IF SPREL = 99

IF SPREL = 98

POSTANSWERACTION: BranchTo

Question SPJEW

IF SPREL = 3

POSTANSWERACTION: BranchTo

Question TMPSPDEN

IF SPREL = 1

PRELOADACTION: BranchTo

Next question

IF SPREL <> 9

SPRELSPC: TextAnswer

Please specify religion and/or church denomination:

MaxAnswerLength = 30

MaxValue = 97

Codes:

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: SPRELSPC

Value: 98

IF SPRELSPC Is Empty

IVQRELIG3: RadioButton

Is your [_spfill1]'s religious preference any of the following?

MaxValue = 97

Codes:

[1] [CATI UCase: Christian]
[2] [CATI UCase: Interdenominational]
[3] [CATI UCase: Non-denominational]
[4] [CATI UCase: Something else]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE = 1

[99] "REFUSED"

DISPLAY IF: QUEXMODE = 1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

POSTANSWERACTION: BranchTo
Question TMPSPDEN
IF IVQRELIG3 = 1

POSTANSWERACTION: BranchTo
Question POSTLIFE
IF IVQRELIG3 = 4

CHRSTCH3: RadioButton

Would that be a Christian church?

MaxValue = 97

Codes:

[1] [CATI UCase: Yes]
[2] [CATI UCase: No]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE = 1

[99] "REFUSED"

DISPLAY IF: QUEXMODE = 1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

POSTANSWERACTION: BranchTo
Question POSTLIFE
IF CHRSTCH3 = 2 OR 3 OR 4 OR 5
IF CHRSTCH3 = 2
IF CHRSTCH3 = 98
IF CHRSTCH3 = 77
IF CHRSTCH3 = 99

PROTCH3: RadioButton

Would you consider that a Protestant church?

MaxValue = 97

Codes:

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[3] [CATI UCase: Not sure]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF PROTCH3 <> 3

PROTSPC3: TextAnswer

Please specify other religion:

MaxAnswerLength = 30

MaxValue = 97

Codes:

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: PROTSPC3

Value: 98

IF PROTSPC3 Is Empty

PRELOADACTION: BranchTo

Question POSTLIFE

IF PROTCH3 = 2

Or PROTCH3 = 3

Or PROTCH3 = 98

Or PROTCH3 = 77

Or PROTCH3 = 99

TMPSDEN: RadioButton

"What specific denomination is that, if any?"

[CATI TEXT: PROBE FOR COMPLETE NAME OF DENOMINATION] [CAWI_FLOAT2]"

MaxValue = 97

Codes:

[1] "[CATI UCase: Baptist] "

[2] "[CATI UCase: Methodist] "

[3] "[CATI UCase: Lutheran] "

[4] "[CATI UCase: Presbyterian] "

[5] "[CATI UCase: Episcopal Church] "

[6] "[CATI UCase: Other (please specify)] "

[7] "[CATI UCase: No denomination [CATI TEXT: given] or Non-denominational Church] "

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: SPDEN

Value: 50

IF TMPSDEN = 5

PRELOADACTION: SetVariableValue

Variable: SPDEN

Value: 60

IF TMPSDEN = 6

PRELOADACTION: SetVariableValue

Variable: SPDEN

Value: 70

IF TMPSDEN = 7

PRELOADACTION: SetVariableValue

Variable: SPDEN

Value: 98

IF TMPSDEN = 98

PRELOADACTION: SetVariableValue

Variable: SPDEN

Value: 77

IF TMPSDEN = 77

PRELOADACTION: SetVariableValue

Variable: SPDEN

Value: 99

IF TMPSDEN = 99

```
PRELOADACTION: BranchTo
Next question
IF TMPSPDEN = 5
Or TMPSPDEN = 6
Or TMPSPDEN = 7
Or TMPSPDEN = 98
Or TMPSPDEN = 77
Or TMPSPDEN = 99
```

SPDEN: RadioButton

"What specific denomination is that, if any?"

[CATI TEXT: PROBE FOR COMPLETE NAME OF DENOMINATION] "

MaxValue = 97

Codes:

```
[10] "[CATI UCase: American Baptist Association] "
DISPLAY IF: TMPSPDEN =1
[11] "[CATI UCase: American Baptist Churches in the U.S.A] "
DISPLAY IF: TMPSPDEN =1
[12] "[CATI UCase: National Baptist Convention of America] "
DISPLAY IF: TMPSPDEN =1
[13] "[CATI UCase: National Baptist Convention, U.S.A., Inc] "
DISPLAY IF: TMPSPDEN =1
[14] "[CATI UCase: Southern Baptist Convention] "
DISPLAY IF: TMPSPDEN =1
[15] "[CATI UCase: Other Baptist Churches] "
DISPLAY IF: TMPSPDEN =1
[18] "[CATI UCase: Baptist, Don't know which] "
DISPLAY IF: TMPSPDEN =1
[20] "[CATI UCase: African Methodist Episcopal Church] "
DISPLAY IF: TMPSPDEN =2
[21] "[CATI UCase: African Methodist Episcopal Zion Church] "
DISPLAY IF: TMPSPDEN =2
[22] "[CATI UCase: United Methodist Church] "
DISPLAY IF: TMPSPDEN =2
[23] "[CATI UCase: Other Methodist Churches] "
DISPLAY IF: TMPSPDEN =2
[28] "[CATI UCase: Methodist, Don't know which] "
DISPLAY IF: TMPSPDEN =2
[30] "[CATI UCase: American Lutheran Church] "
DISPLAY IF: TMPSPDEN =3
[31] "[CATI UCase: Lutheran Church in America] "
DISPLAY IF: TMPSPDEN =3
[32] "[CATI UCase: Lutheran Church -- Missouri Synod] "
DISPLAY IF: TMPSPDEN =3
[33] "[CATI UCase: Wisconsin Evangelical Lutheran Synod] "
DISPLAY IF: TMPSPDEN =3
[34] "[CATI UCase: Other Lutheran Churches] "
DISPLAY IF: TMPSPDEN =3
[35] "[CATI UCase: Evangelical Lutheran Church of America] "
DISPLAY IF: TMPSPDEN =3
```

```
[38] "[CATI UCase: Lutheran, Don't know which] "  
DISPLAY IF: TMPSPDEN =3  
[40] "[CATI UCase: Presbyterian Church in the United States] "  
DISPLAY IF: TMPSPDEN =4  
[41] "[CATI UCase: United Presbyterian Church in the United States of America] "  
DISPLAY IF: TMPSPDEN =4  
[42] "[CATI UCase: Other Presbyterian Churches] "  
DISPLAY IF: TMPSPDEN =4  
[43] "[CATI UCase: Presbyterian Church (U.S.A.)] "  
DISPLAY IF: TMPSPDEN =4  
[48] "[CATI UCase: Presbyterian, Don't know which] "  
DISPLAY IF: TMPSPDEN =4  
[50] "[CATI UCase: Episcopal Church] "  
DISPLAY IF: TMPSPDEN =5  
[60] "[CATI UCase: Other (please specify)] "  
DISPLAY IF: TMPSPDEN =6  
[70] "[CATI UCase: No denomination given or non-denominational] "  
DISPLAY IF: TMPSPDEN =7  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo  
Question POSTLIFE  
IF "V01(SPDEN=15,23,34,35,42,43,60)==0"
```

```
PRELOADACTION: SetVariableValue  
Variable: SPOTHFILL  
Value: 2
```

```
PRELOADACTION: SetVariableValue  
Variable: SPOTHFILL  
Value: 1  
IF SPDEN = 43  
Or SPDEN = 35
```

```
PRELOADACTION: BranchTo  
Next question
```

SPOTHFILL: RadioButton

MaxValue = 97

Codes:

- [1] Do you know the name of your [_spfill1]'s denomination prior to the merger?
- [2] Please specify denomination:

SPOTHER: TextAnswer

[spothfill]

MaxAnswerLength = 30

MaxValue = 97

Codes:

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: SPOTHER

Value: 98

IF SPOTHER Is Empty

POSTANSWERACTION: BranchTo

Question POSTLIFE

SPJEW: RadioButton

"Does your [_spfill1] consider [_spfill4]self Orthodox, Conservative, Reform or none of these?"

[CATI TEXT: PROBE FOR EXACT DENOMINATION] "

MaxValue = 97

Codes:

[1] [CATI UCase: Orthodox]

[2] [CATI UCase: Conservative]

[3] [CATI UCase: Reform]

[4] [CATI UCase: None of these]

[5] [CATI UCase: Other]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF SPJEW <> 5

SPJEWSP: TextAnswer

Please specify:

MaxAnswerLength = 250

MaxValue = 97

Codes:

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: SPJEWSP

Value: 98

IF SPJEWSP Is Empty

POSTLIFE: RadioButton

Now turning to a different topic: Do you believe there is a life after death?

MaxValue = 97

Codes:

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[3] "[CATI UCase: Undecided] [CATI TEXT: (VOLUNTEERED)] "

DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRAY: RadioButton

"About how often do you pray?[CATI TEXT:

USE CATEGORIES AS PROBES IF NECESSARY. DO NOT USE 'NEVER' RESPONSE WHEN PROBING.] "

MaxValue = 97

Codes:

[1] [CATI UCase: Several times a day]
[2] [CATI UCase: Once a day]
[3] [CATI UCase: Several times a week]
[4] [CATI UCase: Once a week]
[5] [CATI UCase: Less than once a week]
[6] [CATI UCase: Never]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

BIBLE: RadioButton

"[CATI TEXT: [HANDCARD A21]] Which one of these statements comes closest to describing your feelings about the Bible?"

MaxValue = 97

Codes:

[1] "The Bible is the actual word of God and is to be taken literally, word for word"
[2] "The Bible is the inspired word of God but not everything should be taken literally, word for word"
[3] "The Bible is an ancient book of fables, legends, history and moral precepts recorded by man"
[4] "[CATI UCase: Other/Something else] [CATI TEXT: (VOLUNTEERED)] "

DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELIG <> 2

POPESPKS: RadioButton

"[CATI TEXT: [HANDCARD A22A]] We are interested in what American Catholics think about religious matters. Please select the answer that comes closest to your own personal opinion about the following statement:

Under certain conditions, the pope is infallible when he speaks on matters of faith and morals."

MaxValue = 97

Codes:

[1] "[CATI UCase: Certainly true] "

[2] "[CATI UCase: Probably true] "
[3] "[CATI UCase: I am uncertain whether this is true or false] "
[4] "[CATI UCase: Probably false] "
[5] "[CATI UCase: Certainly false] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

GOD: RadioButton

"[CATI TEXT: [HANDCARD A23]] Please look at this card and tell me which of] [WEB TEXT: Which of] the statements comes closest to expressing what you believe about God."

MaxValue = 97

Codes:

[1] I don't believe in God
[2] I don't know whether there is a God and I don't believe there is any way to find out
[3] "I don't believe in a personal God, but do believe in a Higher Power of some kind"
[4] "I find myself believing in God some of the time, but not at others"
[5] "While I have doubts, I feel that I do believe in God"
[6] I know God really exists and I have no doubts about it
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

REBORN: RadioButton

"Would you say you have been 'born again' or have had a 'born-again' experience, that is, a turning point in your life when you committed yourself to Christ?"

MaxValue = 97

Codes:

[1] [CATI UCase: Yes]
[2] [CATI UCase: No]
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

RELPERSN: RadioButton

"To what extent do you consider yourself a religious person? Are you very religious, moderately religious, slightly religious, or not religious at all?"

MaxValue = 97

Codes:

[1] [CATI UCase: Very religious]

[2] [CATI UCase: Moderately religious]

[3] [CATI UCase: Slightly religious]

[4] [CATI UCase: Not religious at all]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

SPRTPRSN: RadioButton

"To what extent do you consider yourself a spiritual person? Are you very spiritual, moderately spiritual, slightly spiritual, or not spiritual at all?"

MaxValue = 97

Codes:

[1] [CATI UCase: Very spiritual]

[2] [CATI UCase: Moderately spiritual]

[3] [CATI UCase: Slightly spiritual]

[4] [CATI UCase: Not spiritual at all]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

RELACTIV: RadioButton

How often do you take part in the activities and organizations of a church or place of worship other than attending service?

MaxValue = 97

Codes:

[1] [CATI UCase: Never]
[2] [CATI UCase: Less than once a year]
[3] [CATI UCase: About once or twice a year]
[4] [CATI UCase: Several times a year]
[5] [CATI UCase: About once a month]
[6] [CATI UCase: 2-3 times a month]
[7] [CATI UCase: Nearly every week]
[8] [CATI UCase: Every week]
[9] [CATI UCase: Once a day]
[10] [CATI UCase: Several times a day]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

SAVESOUL: RadioButton

Have you ever tried to encourage someone to believe in Jesus Christ or accept Jesus Christ as his or her savior?

MaxValue = 97

Codes:

[1] [CATI UCase: Yes]
[2] [CATI UCase: No]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: TIMEA5
Value: [\$H]
IF TIMEA5 Is Empty

PRELOADACTION: BranchTo
Next question

TIMEA5: DateTimeAnswer

MaxAnswerLength = 20

MaxValue = 97

RGRADE: RadioButton

"What is the highest grade in elementary school or high school that you finished and got credit for?[CATI TEXT: [CAWI_FLOAT2]

CODE EXACT GRADE.] "

MaxValue = 97

Codes:

[1] "[CATI UCase: No formal school] "
[2] "[CATI UCase: 1st grade] "
[3] "[CATI UCase: 2nd grade] "
[4] "[CATI UCase: 3rd grade] "
[5] "[CATI UCase: 4th grade] "
[6] "[CATI UCase: 5th grade] "
[7] "[CATI UCase: 6th grade] "
[8] "[CATI UCase: 7th grade] "
[9] "[CATI UCase: 8th grade] "
[10] "[CATI UCase: 9th grade] "
[11] "[CATI UCase: 10th grade] "
[12] "[CATI UCase: 11th grade] "
[13] "[CATI UCase: 12th grade] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question SPGRADE

IF RGRADE = 1 OR 2 OR 3 OR 4 OR 5 OR 6 OR 7 OR 8 OR 9

IF RGRADE = 1

IF RGRADE = 2

IF RGRADE = 3

IF RGRADE = 4

IF RGRADE = 5

IF RGRADE = 6

IF RGRADE = 7

IF RGRADE = 8

IF RGRADE = 9

RDIPLMA: RadioButton

Did you ever get a high school diploma or a GED certificate?[CAWI_FLOAT2]

MaxValue = 97

Codes:

[1] "[CATI UCase: Yes] "

[2] "[CATI UCase: No] "

[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question RCOL

IF RDIPLMA = 2 OR 6 OR 7 OR 8

IF RDIPLMA = 2

IF RDIPLMA = 98

IF RDIPLMA = 77

IF RDIPLMA = 99

DIPGED: RadioButton

"Was that a diploma awarded by your high school at graduation at the end of 12th grade, a GED awarded after you took a test, or something else?[CAWI_FLOAT2]"

MaxValue = 97

Codes:

[1] "[CATI UCase: High school diploma] "

[2] "[CATI UCase: GED] "

[3] "[CATI UCase: Other (Specify)] "

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF DIPGED <> 3

DIPGEDSP: TextAnswer

Please specify

MaxAnswerLength = 250

MaxValue = 97

Codes:

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue
Variable: DIPGEDSP
Value: 98
IF DIPGEDSP Is Empty

PRELOADACTION: SetVariableValue
Variable: DIPGEDFILL
Value: [DIPGED]
IF DIPGED = 1
Or DIPGED = 2

PRELOADACTION: SetVariableValue
Variable: DIPGEDFILL
Value: 3
IF DIPGED <> 1
And DIPGED <> 2

PRELOADACTION: BranchTo
Next question

DIPGEDFILL: RadioButton

MaxValue = 97

Codes:

[1] high School diploma
[2] GED
[3] high school diploma or GED

RCOL: RadioButton

"Did you ever complete one or more years of college for credit--not including schooling such as business college, technical or vocational school?[CAWI_FLOAT2]"

MaxValue = 97

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

```
POSTANSWERACTION: BranchTo
Question SPGRADE
IF RCOL = 2 OR 6 OR 7 OR 8
IF RCOL = 2
IF RCOL = 77
IF RCOL = 99
IF RCOL = 98
```

RCCOLCOM: RadioButton

How many years did you complete?[CAWI_FLOAT2]

MaxValue = 97

Codes:

```
[1] "[CATI UCase: 1 year] "
[2] "[CATI UCase: 2 years] "
[3] "[CATI UCase: 3 years] "
[4] "[CATI UCase: 4 years] "
[5] "[CATI UCase: 5 years] "
[6] "[CATI UCase: 6 years] "
[7] "[CATI UCase: 7 years] "
[8] "[CATI UCase: 8 or more years] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

RCOLDEG: RadioButton

Do you have any college degrees? [CAWI_FLOAT2]

MaxValue = 97

Codes:

```
[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: BranchTo
Question SPGRADE
IF RCOLDEG = 2 OR 6 OR 7 OR 8
IF RCOLDEG = 2
IF RCOLDEG = 98
```

```
IF RCOLDEG = 77
IF RCOLDEG = 99
```

```
PRELOADACTION: BranchTo
Question MAJORFILL
IF RCOLDEG <> 1
```

RDEGHI: RadioButton

"What degree or degrees? If you have more than one, please select the highest degree that you have.[CAWI_FLOAT2]"

MaxValue = 97

Codes:

```
[1] "[CATI UCase: Associate or Junior College] "  
[2] "[CATI UCase: Bachelor's] "  
[3] "[CATI UCase: Graduate] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: SetVariableValue  
Variable: RDEGHIFILL  
Value: [RDEGHI]  
IF RDEGHI = 1  
Or RDEGHI = 2  
Or RDEGHI = 3
```

```
PRELOADACTION: SetVariableValue  
Variable: RDEGHIFILL  
Value: 4  
IF RDEGHI <> 1  
And RDEGHI <> 2  
And RDEGHI <> 3
```

```
PRELOADACTION: BranchTo  
Next question
```

RDEGHIFILL: RadioButton

MaxValue = 97

Codes:

```
[1] Associate/Junior College
```

[2] Bachelor's
[3] Graduate
[4] highest degree

PRELOADACTION: SetVariableValue
Variable: MAJORFILL
Value: 0

PRELOADACTION: SetVariableValue
Variable: MAJORFILL
Value: 1
IF QUEXMODE = 1
And RDEGHI = 3

PRELOADACTION: SetVariableValue
Variable: MAJORFILL
Value: 2
IF QUEXMODE = 2
And RDEGHI = 3

PRELOADACTION: BranchTo
Next question

MAJORFILL: RadioButton

Single answer question using Radio Buttons

MaxValue = 97

Codes:

[1] "IF THE RESPONDENT RECEIVED MORE THAN ONE GRADUATE LEVEL DEGREE, ASK ABOUT THE HIGHEST DEGREE OBTAINED (E.G. ABOUT A Ph.D. RATHER THAN AN M.B.A).

[COUNT UP TO 2 MENTIONS]"

[2] "If you received more than one graduate-level degree, provide your major or focus for the highest degree obtained. "

[0]

MAJOR1: TextAnswer

What was your major or field of study when you received your [RDEGHIFILL] degree?

[MAJORFILL]

MaxValue = 97

Codes:

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

```
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

MAJOR2: TextAnswer

"[CATI UCase: Second major or focus (if applicable):] "

MaxValue = 97

Codes:

```
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: SetVariableValue
Variable: MAJOR1
Value: 98
IF MAJOR1 Is Empty
```

```
PRELOADACTION: BranchTo
Question UNIONTXT
IF "V01(MARITAL=1 OR POSSLQ=1,2 OR POSSLQY=1,2)==0"
```

SPGRADE: RadioButton

What is the highest grade in elementary school or high school that your [_spfill1] finished and got credit for?[CAWI_FLOAT2]

MaxValue = 97

Codes:

```
[1] "[CATI UCase: No formal school] "
[2] "[CATI UCase: 1st grade] "
[3] "[CATI UCase: 2nd grade] "
[4] "[CATI UCase: 3rd grade] "
[5] "[CATI UCase: 4th grade] "
[6] "[CATI UCase: 5th grade] "
[7] "[CATI UCase: 6th grade] "
[8] "[CATI UCase: 7th grade] "
[9] "[CATI UCase: 8th grade] "
[10] "[CATI UCase: 9th grade] "
[11] "[CATI UCase: 10th grade] "
[12] "[CATI UCase: 11th grade] "
[13] "[CATI UCase: 12th grade] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"
```

DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo
Question UNIONTXT
IF SPGRADE = 1 OR 2 OR 3 OR 4 OR 5 OR 6 OR 7 OR 8 OR 9
IF SPGRADE = 1
IF SPGRADE = 2
IF SPGRADE = 3
IF SPGRADE = 4
IF SPGRADE = 5
IF SPGRADE = 6
IF SPGRADE = 7
IF SPGRADE = 8
IF SPGRADE = 9

SPDIPLMA: RadioButton

Did your [_spfill1] ever get a high school diploma or a GED certificate?[CAWI_FLOAT2]

MaxValue = 97

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

SPCOL: RadioButton

"Did your [_spfill1] ever complete one or more years of college for credit -- not including schooling such as business college, technical, or vocational school?[CAWI_FLOAT2]"

MaxValue = 97

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

```
Question UNIONTXT
IF SPCOL = 2 OR 3 OR 4 OR 5
IF SPCOL = 2
IF SPCOL = 98
IF SPCOL = 77
IF SPCOL = 99
```

SPCOLCOM: RadioButton

How many years did your [_spfill1] complete?[CAWI_FLOAT2]

MaxValue = 97

Codes:

```
[1] "[CATI UCase: 1 year] "  
[2] "[CATI UCase: 2 years] "  
[3] "[CATI UCase: 3 years] "  
[4] "[CATI UCase: 4 years] "  
[5] "[CATI UCase: 5 years] "  
[6] "[CATI UCase: 6 years] "  
[7] "[CATI UCase: 7 years] "  
[8] "[CATI UCase: 8 or more years] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

SPCOLDEG: RadioButton

Does your [_spfill1] have any college degrees?[CAWI_FLOAT2]

MaxValue = 97

Codes:

```
[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: BranchTo  
Question UNIONTXT  
IF SPCOLDEG = 2 OR 3 OR 4 OR 5  
IF SPCOLDEG = 2  
IF SPCOLDEG = 77  
IF SPCOLDEG = 99
```

IF SPCOLDEG = 98

SPDEGHI: RadioButton

What degree or degrees? Please select the highest degree that your [_spfill1] received.[CAWI_FLOAT2]

MaxValue = 97

Codes:

[1] "[CATI UCase: Associate/Junior College] "

[2] "[CATI UCase: Bachelor's] "

[3] "[CATI UCase: Graduate] "

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: UNIONTXT

Value: 1

PRELOADACTION: SetVariableValue

Variable: UNIONTXT

Value: 2

IF MARITAL = 1

Or POSSLQ = 1

Or POSSLQ = 2

Or POSSLQY = 1

Or POSSLQY = 2

PRELOADACTION: BranchTo

Next question

UNIONTXT: RadioButton

MaxValue = 97

Codes:

[1] Do you

[2] Do you or your [_spfill1]

PRELOADACTION: SetVariableValue

Variable: UNIONTXT3

Value: [UNIONTXT]

PRELOADACTION: BranchTo
Next question

UNIONTXT3: RadioButton

MaxValue = 97

Codes:

[1] "[CATI UCase: I do not belong] "
[2] "[CATI UCase: neither of us belong] "

UNION: RadioButton

[uniontxt] belong to a labor union?

MaxValue = 97

Codes:

[1] "[CATI UCase: Yes, I belong] "
[2] "[CATI UCase: Yes, my [_spfill1] belongs] "
DISPLAY IF: UNIONTXT =2
[3] "[CATI UCase: Yes, we both belong] "
DISPLAY IF: UNIONTXT =2
[4] "[CATI UCase: No, [uniontxt3]] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

BORN: RadioButton

Were you born in this country? [CAWI_FLOAT2]

MaxValue = 97

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

MABORN: RadioButton

"Was [MOMFILL] born in this country? [CATI TEXT:

(IF THE RESPONDENT IS UNCERTAIN OF PARENT, REFER TO MOTHER FIGURE R WAS LIVING WITH AT AGE 16).] [CAWI_FLOAT2]"

MaxValue = 97

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PABORN: RadioButton

"Was [DADFILL] born in this country?[CATI TEXT:

(IF THE RESPONDENT IS UNCERTAIN OF PARENT, REFER TO FATHER FIGURE R WAS LIVING WITH AT AGE 16).] [CAWI_FLOAT2]"

MaxValue = 97

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: PARBORN
Value: 0
IF MABORN = 1
And PABORN = 1

PRELOADACTION: SetVariableValue
Variable: PARBORN
Value: 1
IF MABORN = 1

And PABORN = 2

PRELOADACTION: SetVariableValue
Variable: PARBORN
Value: 2
IF MABORN = 2
And PABORN = 1

PRELOADACTION: SetVariableValue
Variable: PARBORN
Value: 3
IF MABORN = 1
And PABORN = 99

PRELOADACTION: SetVariableValue
Variable: PARBORN
Value: 4
IF MABORN = 2
And PABORN = 99

PRELOADACTION: SetVariableValue
Variable: PARBORN
Value: 5
IF MABORN = 99
And PABORN = 1

PRELOADACTION: SetVariableValue
Variable: PARBORN
Value: 6
IF MABORN = 99
And PABORN = 2

PRELOADACTION: SetVariableValue
Variable: PARBORN
Value: 7
IF MABORN = 99
And PABORN = 99

PRELOADACTION: SetVariableValue
Variable: PARBORN
Value: 8
IF MABORN = 2
And PABORN = 2

PRELOADACTION: BranchTo
Next question
IF QUEXMODE = 2

PARBORN: RadioButton

Were both your parents born in this country? Please think about the same people who we asked for education and occupation details from.

MaxValue = 97

Codes:

[0] "[CATI UCase: Born in U.S.] "
[1] "[CATI UCase: Mother yes, father no] "
[2] "[CATI UCase: Mother no, father yes] "
[3] "[CATI UCase: Mother yes, father don't know] "
[4] "[CATI UCase: Mother no, father don't know] "
[5] "[CATI UCase: Mother don't know, father yes] "
[6] "[CATI UCase: Mother don't know, father no] "
[7] "[CATI UCase: Mother don't know, father don't know] "
[8] "[CATI UCase: Neither born in U.S.] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

GRANIN: RadioButton

Were all of your four grandparents born in this country? [CAWI_FLOAT2]

MaxValue = 97

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question USCITZN

IF GRANIN = 1 OR 3 OR 4 OR 5

IF GRANIN = 1

IF GRANIN = 98

IF GRANIN = 77

IF GRANIN = 99

GRANOUT: RadioButton

How many were born outside the United States?[CAWI_FLOAT2]

MaxValue = 97

Codes:

[1] "[CATI UCase: One] "

[2] "[CATI UCase: Two] "
[3] "[CATI UCase: Three] "
[4] "[CATI UCase: Four] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Question SINGCHK
IF BORN = 1

USCITZN: RadioButton

"Now we would like to ask you about U.S. citizenship. Are you...[CATI TEXT:

IF RESPONDENT SAYS S/HE IS ""NATURALIZED,"" CODE ""A U.S. CITIZEN.""] "

MaxValue = 97

Codes:

[1] A U.S. Citizen

[2] Not a U.S. Citizen

[3] "[CATI UCase: A U.S. citizen born in Puerto Rico, the U.S. Virgin Islands, or the Northern Marianas Islands] [CATI TEXT: (VOLUNTEERED)] "

DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)

[4] "[CATI UCase: Born outside of the United States to parents who were U.S. citizens at that time] [CATI TEXT: (VOLUNTEERED)] "

DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo
Question YEARSUSA
IF USCITZN = 1

FUCITZN: RadioButton

Are you...

MaxValue = 97

Codes:

[1] Currently applying for U.S. citizenship

[2] " Planning to apply for U.S. citizenship, or"
[3] Not planning to apply for U.S. citizenship?
[4] "[CATI UCase: Not eligible to become a U.S. citizen] [CATI TEXT: (VOLUNTEERED)] "
DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

YEARSUSA: NumericAnswer

"How long have you lived in the United States? If less than a year, please specify the time in months. If you have lived in the United States for more than one period during your life, what is the total number of years you have lived in the United States?"

"

MinValue = 0 MaxValue = 99

Codes:

[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

MNTHSUSA: NumericAnswer

MinValue = 1 MaxValue = 11

Codes:

[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue
Variable: YEARSUSA
Value: 98
IF YEARSUSA Is Empty

POSTANSWERACTION: SetVariableValue
Variable: MNTHSUSA
Value: 98
IF MNTHSUSA Is Empty

SINGCHK: RadioButton

"[WEB TEXT: This question is just to make sure we have the correct information.] [CATI UCase: Is this a one-person household?] "

MaxValue = 11

Codes:

[1] "[CATI UCase: Yes, one person household] "
[2] "[CATI UCase: No, more than one person] "
[98] SKIPPED ON WEB

POSTANSWERACTION: BranchTo
Question EARNRS
IF SINGCHK = 1

UNRELAT1: RadioButton

"[CATI TEXT: Do not include college students who are living away at college, persons stationed away from here in the armed forces, or persons away in institutions.] Is everyone in this household related to you in some way?"

MaxValue = 11

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo
Question EARNRS
IF UNRELAT1 = 1

UNRELAT2: NumericAnswer

How many persons in this household are not related to you in any way?

MinValue = 1 MaxValue = 20

Codes:

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: UNRELAT2

Value: 98

IF UNRELAT2 Is Empty

EARNRS: NumericAnswer

Just thinking about your family now--those people in the household who are related to you...

How many persons in the family (including yourself) earned any money in 2019 from any job or employment?

MinValue = 0 MaxValue = 20

Codes:

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: EARNRS

Value: 98

IF EARNRS Is Empty

INCOME16: RadioButton

"[CATI TEXT: [HANDCARD A25]] In which of these groups did your total family income, from all sources, fall in 2019 before taxes, that is.

Your total income includes interest or dividends, rent, Social Security, other pensions, alimony or child support, unemployment compensation, public aid (welfare), armed forces or veteran's

allotment.[CAWI_FLOAT2]

"

MaxValue = 20

Codes:

- [1] "[CATI TEXT: A.] Under \$1,000"
- [2] "[CATI TEXT: B.] \$1,000 to 2,999"
- [3] "[CATI TEXT: C.] \$3,000 to 3,999"
- [4] "[CATI TEXT: D.] \$4,000 to 4,999"
- [5] "[CATI TEXT: E.] \$5,000 to 5,999"
- [6] "[CATI TEXT: F.] \$6,000 to 6,999"
- [7] "[CATI TEXT: G.] \$7,000 to 7,999"
- [8] "[CATI TEXT: H.] \$8,000 to 9,999"
- [9] "[CATI TEXT: I.] \$10,000 to 12,499"
- [10] "[CATI TEXT: J.] \$12,500 to 14,999"
- [11] "[CATI TEXT: K.] \$15,000 to 17,499"
- [12] "[CATI TEXT: L.] \$17,500 to 19,999"
- [13] "[CATI TEXT: M.] \$20,000 to 22,499"
- [14] "[CATI TEXT: N.] \$22,500 to 24,999"
- [15] "[CATI TEXT: O.] \$25,000 to 29,999"
- [16] "[CATI TEXT: P.] \$30,000 to 34,999"
- [17] "[CATI TEXT: Q.] \$35,000 to 39,999"
- [18] "[CATI TEXT: R.] \$40,000 to 49,999"
- [19] "[CATI TEXT: S.] \$50,000 to 59,999"
- [20] "[CATI TEXT: T.] \$60,000 to 74,999"
- [21] "[CATI TEXT: U.] \$75,000 to \$89,999"
- [22] "[CATI TEXT: V.] \$90,000 to \$109,999"
- [23] "[CATI TEXT: W.] \$110,000 to \$129,999"
- [24] "[CATI TEXT: X.] \$130,000 to \$149,999"
- [25] "[CATI TEXT: Y.] \$150,000 to \$169,999"
- [26] "[CATI TEXT: Z.] \$170,000 or over"
- [77] "[CATI UCase: Don't know] "
- [99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: RINCTEXT

Value: 3

IF QUEXMODE = 2

PRELOADACTION: BranchTo

Next question

IF QUEXMODE = 2

PRELOADACTION: SetVariableValue

Variable: RINCTEXT

Value: 2

IF OCCSLF Is Not Empty

Or OCCSLF <> 77

Or OCCSLF <> 99

Or OCCSLF <> 98

PRELOADACTION: SetVariableValue

Variable: RINTEXT
Value: 1
IF RINTEXT Is Empty

PRELOADACTION: BranchTo
Next question

RINTEXT: RadioButton

Single answer question using Radio Buttons

MaxValue = 20

Codes:

[1] [CATI UCase: the job you worked]
[2] [OCCSLF]
[3] [CATI UCase: your job or jobs]

PRELOADACTION: BranchTo
Question INCOM16
IF OCCSLF Is Empty
Or OCCSLF = 77
Or OCCSLF = 99
Or OCCSLF = 98

RINCOME1: RadioButton

Did you earn any income from [rinctext] in 2019?

MaxValue = 20

Codes:

[1] [CATI UCase: Yes]
[2] [CATI UCase: No]
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo
Question INCOM16
IF RINCOME1 = 2 OR 3 OR 4 OR 5
IF RINCOME1 = 2
IF RINCOME1 = 98
IF RINCOME1 = 77
IF RINCOME1 = 99

RINCOM16: RadioButton

"[CATI TEXT: [HANDCARD A25]] In which of these groups did your earnings from [rinctxtext] for 2019 fall? That is, before taxes or other deductions. [CATI TEXT: Just tell me the letter.[CAWI_FLOAT2]] "

MaxValue = 20

Codes:

[1] "[CATI TEXT: A.] Under \$1,000"
[2] "[CATI TEXT: B.] \$1,000 to 2,999"
[3] "[CATI TEXT: C.] \$3,000 to 3,999"
[4] "[CATI TEXT: D.] \$4,000 to 4,999"
[5] "[CATI TEXT: E.] \$5,000 to 5,999"
[6] "[CATI TEXT: F.] \$6,000 to 6,999"
[7] "[CATI TEXT: G.] \$7,000 to 7,999"
[8] "[CATI TEXT: H.] \$8,000 to 9,999"
[9] "[CATI TEXT: I.] \$10,000 to 12,499"
[10] "[CATI TEXT: J.] \$12,500 to 14,999"
[11] "[CATI TEXT: K.] \$15,000 to 17,499"
[12] "[CATI TEXT: L.] \$17,500 to 19,999"
[13] "[CATI TEXT: M.] \$20,000 to 22,499"
[14] "[CATI TEXT: N.] \$22,500 to 24,999"
[15] "[CATI TEXT: O.] \$25,000 to 29,999"
[16] "[CATI TEXT: P.] \$30,000 to 34,999"
[17] "[CATI TEXT: Q.] \$35,000 to 39,999"
[18] "[CATI TEXT: R.] \$40,000 to 49,999"
[19] "[CATI TEXT: S.] \$50,000 to 59,999"
[20] "[CATI TEXT: T.] \$60,000 to 74,999"
[21] "[CATI TEXT: U.] \$75,000 to \$89,999"
[22] "[CATI TEXT: V.] \$90,000 to \$109,999"
[23] "[CATI TEXT: W.] \$110,000 to \$129,999"
[24] "[CATI TEXT: X.] \$130,000 to \$149,999"
[25] "[CATI TEXT: Y.] \$150,000 to \$169,999"
[26] "[CATI TEXT: Z.] \$170,000 or over"
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

INCOM16: RadioButton

"Thinking about the time when you were 16 years old, compared with American families in general then, would you say your family income was -- far below average, below average, average, above average, or far above average?[CAWI_FLOAT2]"

MaxValue = 20

Codes:

[1] "[CATI UCase: Far below average] "
[2] "[CATI UCase: Below average] "

[3] "[CATI UCase: Average] "
[4] "[CATI UCase: Above average] "
[5] "[CATI UCase: Far above average] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

SEXBIRTH1: RadioButton

Was your sex recorded as male or female at birth?[CAWI_FLOAT2]

MaxValue = 20

Codes:

[1] "[CATI UCase: Male] "
[2] "[CATI UCase: Female] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

SEXNOW1: RadioButton

"Do you describe yourself as male, female, or transgender? [CAWI_FLOAT2]"

MaxValue = 20

Codes:

[1] "[CATI UCase: Male] "
[2] "[CATI UCase: Female] "
[3] "[CATI UCase: Transgender] "
[4] "[CATI UCase: None of these] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: TIMEA6
Value: [\$H]
IF TIMEA6 Is Empty

PRELOADACTION: BranchTo
Next question

TIMEA6: DateTimeAnswer

MaxAnswerLength = 20

MaxValue = 20

BRTHDATE: HybridGrid

"What is your date of birth?"

[CATI TEXT: TI INSTRUCTION: IF R REFUSES, ENTER 99/99/9999 OR 77/77/7777 AND SELECT CONTINUE.]

[DOB_VAL.Text]"

MaxValue = 20

Codes:

[1] "[CATI UCase: January] "
[2] "[CATI UCase: February] "
[3] "[CATI UCase: March] "
[4] "[CATI UCase: April] "
[5] "[CATI UCase: May] "
[6] "[CATI UCase: June] "
[7] "[CATI UCase: July] "
[8] "[CATI UCase: August] "
[9] "[CATI UCase: September] "
[10] "[CATI UCase: October] "
[11] "[CATI UCase: November] "
[12] "[CATI UCase: December] "
[77] "DON'T KNOW"

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

[01] 01
[02] 02
[03] 03
[04] 04
[05] 05
[06] 06
[07] 07
[08] 08
[09] 09
[10] 10
[11] 11
[12] 12
[13] 13
[14] 14

[15] 15
[16] 16
[17] 17
[18] 18
[19] 19
[20] 20
[21] 21
[22] 22
[23] 23
[24] 24
[25] 25
[26] 26
[27] 27
[28] 28
[29] 29
[30] 30
[31] 31

[77] DON'T KNOW

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

[99] REFUSED

DISPLAY IF: QUEXMODE =1

[2020] 2020
[2019] 2019
[2018] 2018
[2017] 2017
[2016] 2016
[2015] 2015
[2014] 2014
[2013] 2013
[2012] 2012
[2011] 2011
[2010] 2010
[2009] 2009
[2008] 2008
[2007] 2007
[2006] 2006
[2005] 2005
[2004] 2004
[2003] 2003
[2002] 2002
[2001] 2001
[2000] 2000
[1999] 1999
[1998] 1998
[1997] 1997
[1996] 1996
[1995] 1995
[1994] 1994
[1993] 1993
[1992] 1992
[1991] 1991
[1990] 1990
[1989] 1989
[1988] 1988
[1987] 1987
[1986] 1986
[1985] 1985

[1984] 1984
[1983] 1983
[1982] 1982
[1981] 1981
[1980] 1980
[1979] 1979
[1978] 1978
[1977] 1977
[1976] 1976
[1975] 1975
[1974] 1974
[1973] 1973
[1972] 1972
[1971] 1971
[1970] 1970
[1969] 1969
[1968] 1968
[1967] 1967
[1966] 1966
[1965] 1965
[1964] 1964
[1963] 1963
[1962] 1962
[1961] 1961
[1960] 1960
[1959] 1959
[1958] 1958
[1957] 1957
[1956] 1956
[1955] 1955
[1954] 1954
[1953] 1953
[1952] 1952
[1951] 1951
[1950] 1950
[1949] 1949
[1948] 1948
[1947] 1947
[1946] 1946
[1945] 1945
[1944] 1944
[1943] 1943
[1942] 1942
[1941] 1941
[1940] 1940
[1939] 1939
[1938] 1938
[1937] 1937
[1936] 1936
[1935] 1935
[1934] 1934
[1933] 1933
[1932] 1932
[1931] 1931
[1930] 1930
[1929] 1929
[1928] 1928
[1927] 1927
[1926] 1926

[1925] 1925
[1924] 1924
[1923] 1923
[1922] 1922
[1921] 1921
[1920] 1920
[7777] DON'T KNOW

DISPLAY IF: QUEXMODE =1

[9998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

[9999] REFUSED

DISPLAY IF: QUEXMODE =1

PRELOADACTION: SetVariableValue

Variable: FEBMOD

Value: "IF(((MOD(BRTHYR,4)==0)),1,2)"

PRELOADACTION: BranchTo

Next question

FEBMOD: RadioButton

Determine whether February as 28 or 29 days this year.

MaxValue = 20

Codes:

[1] "

Date of birth is not valid, February has 29 days.

"

[2] "

Date of birth is not valid, February has 28 days.

"

PRELOADACTION: SetVariableValue

Variable: DOB_VAL

Value: "IF(((BRTHMO==1 AND BRTHDY>31 AND BRTHDY>0)),03, IF((((BRTHMO==2 AND MOD(BRTHYR,4)==0 AND BRTHDY>29 AND BRTHDY>0) OR (BRTHMO==2 AND (NOT MOD(BRTHYR,4)==0) AND BRTHDY>28 AND BRTHDY>0))),04, IF(((BRTHMO==3 AND BRTHDY>31 AND BRTHDY>0)),05, IF(((BRTHMO==4 AND BRTHDY>30 AND BRTHDY>0)),06, IF(((BRTHMO==5 AND BRTHDY>31 AND BRTHDY>0)),07, IF(((BRTHMO==6 AND BRTHDY>30 AND BRTHDY>0)),08, IF(((BRTHMO==7 AND BRTHDY>31 AND BRTHDY>0)),09, IF(((BRTHMO==8 AND BRTHDY>31 AND BRTHDY>0)),10, IF(((BRTHMO==9 AND BRTHDY>30 AND BRTHDY>0)),11, IF(((BRTHMO==10 AND BRTHDY>31 AND BRTHDY>0)),12, IF(((BRTHMO==11 AND BRTHDY>30 AND BRTHDY>0)),13, IF(((BRTHMO==12 AND BRTHDY>31 AND BRTHDY>0)),14,00))))))))))"

PRELOADACTION: BranchTo

Question BRTHDATE

IF DOB_VAL = 1 OR 2 OR 3 OR 4 OR 5 OR 6 OR 7 OR 8 OR 9 OR 10 OR 11 OR 12

IF DOB_VAL = 04

IF DOB_VAL = 05

IF DOB_VAL = 06

IF DOB_VAL = 07

IF DOB_VAL = 08

```
IF DOB_VAL = 09
IF DOB_VAL = 10
IF DOB_VAL = 11
IF DOB_VAL = 12
IF DOB_VAL = 13
IF DOB_VAL = 14
IF DOB_VAL = 03
```

```
PRELOADACTION: BranchTo
Next question
IF DOB_VAL = 00
```

DOB_VAL: RadioButton

VALIDATION OF BIRTHDATE ENTRY

MaxValue = 20

Codes:

[3] "

Date of birth is not valid, January has 31 days.]

"

[4] [febmod.text]

[5] "

Date of birth is not valid, March has 31 days.]

"

[6] "

Date of birth is not valid, April has 30 days.]

"

[7] "

Date of birth is not valid, May has 31 days.]

"

[8] "

Date of birth is not valid, June has 30 days.]

"

[9] "

Date of birth is not valid, July has 31 days.]

"

[10] "

Date of birth is not valid, August has 31 days.]

"
[11] "

Date of birth is not valid, September has 30 days.]

"
[12] "

Date of birth is not valid, October has 31 days.]

"
[13] "

Date of birth is not valid, November has 30 days.]

"
[14] "

Date of birth is not valid, December has 31 days.]

"
[0]

PRELOADACTION: SetVariableValue
Variable: AGECALC
Value: ()

PRELOADACTION: BranchTo
Next question
IF BRTHYR = 7777
Or BRTHYR = 9998
Or BRTHYR = 9999

PRELOADACTION: SetVariableValue
Variable: AGECALC
Value: (CURRYR-BRTHYR)
IF (CURRMO>ABS(BRTHMO)) AND (ABS(BRTHMO)<=12) AND (ABS(BRTHMO)>=1)

PRELOADACTION: SetVariableValue
Variable: AGECALC
Value: (CURRYR-BRTHYR)
IF (CURRMO=ABS(BRTHMO)) AND (CURRDY>=BRTHDY) AND (BRTHDY<=31) AND (BRTHDY>=1)

PRELOADACTION: SetVariableValue
Variable: AGECALC
Value: (CURRYR-BRTHYR)
IF BRTHMO = 77
Or BRTHMO = 98
Or BRTHMO = 99

PRELOADACTION: SetVariableValue
Variable: AGECALC
Value: ((CURRYR-BRTHYR)-1)
IF AGECALC Is Empty

Or AGECALC = 0

PRELOADACTION: BranchTo
Next question

AGECALC: NumericAnswer

CALCULATE CURRENT AGE

MinValue = 0 MaxValue = 999

PRELOADACTION: SetVariableValue
Variable: TIMEA7
Value: [\$H]

PRELOADACTION: BranchTo
Next question

TIMEA7: DateTimeAnswer

MaxAnswerLength = 20

MaxValue = 999

OTHLANG: RadioButton

Can you speak a language other than [QUEXLANG]?

MaxValue = 999

Codes:

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo
Question VETYRS1
IF OTHLANG = 2 OR 3 OR 4 OR 5
IF OTHLANG = 2

```
IF OTHLANG = 98
IF OTHLANG = 77
IF OTHLANG = 99
```

OTHLANGS: HybridGrid

What other language(s) do you speak?

MaxValue = 999

```
PRELOADACTION: BranchTo
Question VETYRS1
IF OTHLANG1 Is Empty
```

```
PRELOADACTION: SetVariableValue
Variable: BETRLANG
Value: 1
IF OTHLANG2 Is Empty
```

```
PRELOADACTION: BranchTo
Next question
IF OTHLANG2 Is Empty
```

BETRLANG: RadioButton

Which language do you speak more fluently?

MaxValue = 999

Codes:

```
[1] [OTHLANG1]
[2] [OTHLANG2]
[77] "[CATI UCase: DON'T KNOW] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: BranchTo
Question VETYRS1
IF BETRLANG = 3 OR 4 OR 5
IF BETRLANG = 77
IF BETRLANG = 99
IF BETRLANG = 98
```

SPKLANG: RadioButton

How well do you speak that language ([BETRLANG])?

MaxValue = 999

Codes:

[1] [CATI UCase: Very well]

[2] [CATI UCase: Well]

[3] [CATI UCase: Not well]

[4] [CATI UCase: Poor/Hardly at all]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

VETYRS1: RadioButton

Have you ever been on active duty for military training or service for two consecutive months or more?

MaxValue = 999

Codes:

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question DISRSPCT

IF VETYRS1 = 2 OR 3 OR 4 OR 5

IF VETYRS1 = 2

IF VETYRS1 = 98

IF VETYRS1 = 77

IF VETYRS1 = 99

VETYRS2: RadioButton

What was your total time on active duty?

MaxValue = 999

Codes:

[1] [CATI UCase: Less than 2 years]
[2] [CATI UCase: 2 - 4 years]
[3] [CATI UCase: More than 4 years]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

DIRSPCT: RadioButton

"[CATI TEXT: [HANDCARD A26]] In your day-to-day life how often have any of the following things happened to you?

You are treated with less courtesy or respect than other people."

MaxValue = 999

Codes:

[1] Almost every day
[2] At least once a week
[3] A few times a month
[4] A few times a year
[5] Less than once a year
[6] Never
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POORSERV: RadioButton

"[CATI TEXT: [HANDCARD A26]] (In your day-to-day life how often have any of the following things happened to you?)

You receive poorer service than other people at restaurants or stores."

MaxValue = 999

Codes:

[1] Almost every day
[2] At least once a week
[3] A few times a month
[4] A few times a year

[5] Less than once a year
[6] Never
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

NOTSMART: RadioButton

"[CATI TEXT: [HANDCARD A26]] (In your day-to-day life how often have any of the following things happened to you?)

People act as if they think you are not smart."

MaxValue = 999

Codes:

[1] Almost every day
[2] At least once a week
[3] A few times a month
[4] A few times a year
[5] Less than once a year
[6] Never
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

AFRAIDOF: RadioButton

"[CATI TEXT: [HANDCARD A26]] (In your day-to-day life how often have any of the following things happened to you?)

People act as if they are afraid of you."

MaxValue = 999

Codes:

[1] Almost every day
[2] At least once a week
[3] A few times a month
[4] A few times a year
[5] Less than once a year
[6] Never
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

THREATEN: RadioButton

"[CATI TEXT: [HANDCARD A26]] (In your day-to-day life how often have any of the following things happened to you?)

You are threatened or harassed."

MaxValue = 999

Codes:

[1] Almost every day

[2] At least once a week

[3] A few times a month

[4] A few times a year

[5] Less than once a year

[6] Never

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: ETIMEA

Value: [\$H]

IF ETIMEA Is Empty

PRELOADACTION: BranchTo

Next question

ETIMEA: DateTimeAnswer

END TIME SECTION A

MaxAnswerLength = 20

MaxValue = 999

PRELOADACTION: SetVariableValue

Variable: ETIMEA_D

Value: [\$H]

PRELOADACTION: BranchTo

Next question

ETIMEA_D: DateTimeAnswer

DYNAMIC END TIME SECTION A

MaxAnswerLength = 20

MaxValue = 999

ELAPSEDTIMEA: NumericAnswer

MaxValue = 999

```
PRELOADACTION: SetVariableValue  
Variable: BTIMEB  
Value: [$H]  
IF BTIMEB Is Empty
```

```
PRELOADACTION: BranchTo  
Next question
```

BTIMEB: DateTimeAnswer

BEGIN TIME SECTION B

MaxAnswerLength = 20

MaxValue = 999

```
PRELOADACTION: SetVariableValue  
Variable: BTIMEB_D  
Value: [$H]
```

```
PRELOADACTION: BranchTo  
Next question
```

BTIMEB_D: DateTimeAnswer

DYNAMIC BEGIN TIME SECTION B

MaxAnswerLength = 20

MaxValue = 999

HHNAME1: HybridGrid

"Now [CATIFILL1] would like to ask some basic questions about your household. Here, we are interested in how adults, children, and babies living within households are related. Let's start with names, or nicknames - you can use whichever is easiest for you.

First, what is the name of the person (or one of the persons) who owns or rents this home?

"

MaxValue = 999

HASRELSP: RadioButton

Does [HHFNAME_1] [HHLNAME_1] have a spouse or unmarried partner who lives in the household?

MaxValue = 999

Codes:

[1] "[CATI UCase: Yes] "

[2] "[CATI UCase: No] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question WHOELSE_3

IF HASRELSP = 2 OR 3 OR 4 OR 5

IF HASRELSP = 2

IF HASRELSP = 98

IF HASRELSP = 77

IF HASRELSP = 99

HHNAME2: HybridGrid

What is the spouse or partner's name?

MaxValue = 999

WHOELSE_3: RadioButton

"Again, thinking about your household, who else lives here? Please include yourself if you haven't already.

Current Household Members:

[HHFNAME_1] [HHLNAME_1]
[HHFNAME_2] [HHLNAME_2]

"

MaxValue = 999

Codes:

[1] "[CATI UCase: Add another person] "
[2] "[CATI UCase: No one else lives here] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo
Question HHNAME3
IF WHOELSE_3 = 1

PROBE_3: RadioButton

"Again, thinking about your household, have we forgotten anyone, like babies or small children; roomers; or people who usually live here, but are away temporarily? Please count those on business trips, at school, or temporarily in a hospital.

Current Household Members:

[HHFNAME_1] [HHLNAME_1]
[HHFNAME_2] [HHLNAME_2]

"

MaxValue = 999

Codes:

[1] "[CATI UCase: Yes, add name] "
[2] "[CATI UCase: No one else] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

```
POSTANSWERACTION: BranchTo
Question WHOELSE_11
IF PROBE_3 = 2 OR 3 OR 4 OR 5
IF PROBE_3 = 2
IF PROBE_3 = 77
IF PROBE_3 = 99
IF PROBE_3 = 98
```

HHNAME3: HybridGrid

Who else lives here?

MaxValue = 999

WHOELSE_4: RadioButton

"Again, thinking about your household, who else lives here? Please include yourself if you haven't already.

Current Household Members:

```
[HHFNAME_1] [HHLNAME_1]
[HHFNAME_2] [HHLNAME_2]
[HHFNAME_3] [HHLNAME_3]
```

"

MaxValue = 999

Codes:

```
[1] "[CATI UCase: Add another person] "
[2] "[CATI UCase: No one else lives here] "
[77] "[CATI UCase: DON'T KNOW] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: BranchTo
Question HHNAME4
IF WHOELSE_4 = 1
```

PROBE_4: RadioButton

"Again, thinking about your household, have we forgotten anyone, like babies or small children; roomers; or people who usually live here, but are away temporarily? Please count those on business

trips, at school, or temporarily in a hospital.

Current Household Members:

[HHFNAME_1] [HHLNAME_1]
[HHFNAME_2] [HHLNAME_2]
[HHFNAME_3] [HHLNAME_3]

"

MaxValue = 999

Codes:

[1] "[CATI UCase: Yes, add name] "
[2] "[CATI UCase: No one else] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question WHOELSE_11

IF PROBE_4 = 2 OR 3 OR 4 OR 5

IF PROBE_4 = 2

IF PROBE_4 = 77

IF PROBE_4 = 99

IF PROBE_4 = 98

HHNAME4: HybridGrid

Who else lives here?

MaxValue = 999

WHOELSE_5: RadioButton

"Again, thinking about your household, who else lives here? Please include yourself if you haven't already.

Current Household Members:

[HHFNAME_1] [HHLNAME_1]
[HHFNAME_2] [HHLNAME_2]
[HHFNAME_3] [HHLNAME_3]
[HHFNAME_4] [HHLNAME_4]

"

MaxValue = 999

Codes:

[1] "[CATI UCase: Add another person] "
[2] "[CATI UCase: No one else lives here] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question HHNAME5

IF WHOELSE_5 = 1

PROBE_5: RadioButton

"Again, thinking about your household, have we forgotten anyone, like babies or small children; roomers; or people who usually live here, but are away temporarily? Please count those on business trips, at school, or temporarily in a hospital.

Current Household Members:

[HHFNAME_1] [HHLNAME_1]

[HHFNAME_2] [HHLNAME_2]

[HHFNAME_3] [HHLNAME_3]

[HHFNAME_4] [HHLNAME_4]

"

MaxValue = 999

Codes:

[1] "[CATI UCase: Yes, add name] "

[2] "[CATI UCase: No one else] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question WHOELSE_11

IF PROBE_5 = 2 OR 3 OR 4 OR 5

IF PROBE_5 = 2

IF PROBE_5 = 77

IF PROBE_5 = 99

IF PROBE_5 = 98

HHNAME5: HybridGrid

Who else lives here?

MaxValue = 999

WHOELSE_6: RadioButton

"Again, thinking about your household, who else lives here? Please include yourself if you haven't already.

Current Household Members:

[HHFNAME_1] [HHLNAME_1]
[HHFNAME_2] [HHLNAME_2]
[HHFNAME_3] [HHLNAME_3]
[HHFNAME_4] [HHLNAME_4]
[HHFNAME_5] [HHLNAME_5]

"

MaxValue = 999

Codes:

[1] "[CATI UCase: Add another person] "
[2] "[CATI UCase: No one else lives here] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo
Question HHNAME6
IF WHOELSE_6 = 1

PROBE_6: RadioButton

"Again, thinking about your household, have we forgotten anyone, like babies or small children; roomers; or people who usually live here, but are away temporarily? Please count those on business trips, at school, or temporarily in a hospital.

Current Household Members:

[HHFNAME_1] [HHLNAME_1]
[HHFNAME_2] [HHLNAME_2]
[HHFNAME_3] [HHLNAME_3]
[HHFNAME_4] [HHLNAME_4]
[HHFNAME_5] [HHLNAME_5]

"

MaxValue = 999

Codes:

[1] "[CATI UCase: Yes, add name] "

[2] "[CATI UCase: No one else] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question WHOELSE_11

IF PROBE_6 = 2 OR 3 OR 4 OR 5

IF PROBE_6 = 2

IF PROBE_6 = 77

IF PROBE_6 = 99

IF PROBE_6 = 98

HHNAME6: HybridGrid

Who else lives here?

MaxValue = 999

WHOELSE_7: RadioButton

"Again, thinking about your household, who else lives here? Please include yourself if you haven't already.

Current Household Members:

[HHFNAME_1] [HHLNAME_1]

[HHFNAME_2] [HHLNAME_2]

[HHFNAME_3] [HHLNAME_3]

[HHFNAME_4] [HHLNAME_4]

[HHFNAME_5] [HHLNAME_5]

[HHFNAME_6] [HHLNAME_6]

"

MaxValue = 999

Codes:

```
[1] "[CATI UCase: Add another person] "  
[2] "[CATI UCase: No one else lives here] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: BranchTo  
Question HHNAME7  
IF WHOELSE_7 = 1
```

PROBE_7: RadioButton

"Again, thinking about your household, have we forgotten anyone, like babies or small children; roomers; or people who usually live here, but are away temporarily? Please count those on business trips, at school, or temporarily in a hospital.

Current Household Members:

```
[HHFNAME_1] [HHLNAME_1]  
[HHFNAME_2] [HHLNAME_2]  
[HHFNAME_3] [HHLNAME_3]  
[HHFNAME_4] [HHLNAME_4]  
[HHFNAME_5] [HHLNAME_5]  
[HHFNAME_6] [HHLNAME_6]
```

"

MaxValue = 999

Codes:

```
[1] "[CATI UCase: Yes, add name] "  
[2] "[CATI UCase: No one else] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: BranchTo  
Question WHOELSE_11  
IF PROBE_7 = 2 OR 3 OR 4 OR 5  
IF PROBE_7 = 2  
IF PROBE_7 = 77  
IF PROBE_7 = 99  
IF PROBE_7 = 98
```

HHNAME7: HybridGrid

Who else lives here?

MaxValue = 999

WHOELSE_8: RadioButton

"Again, thinking about your household, who else lives here? Please include yourself if you haven't already.

Current Household Members:

[HHFNAME_1] [HHLNAME_1]
[HHFNAME_2] [HHLNAME_2]
[HHFNAME_3] [HHLNAME_3]
[HHFNAME_4] [HHLNAME_4]
[HHFNAME_5] [HHLNAME_5]
[HHFNAME_6] [HHLNAME_6]
[HHFNAME_7] [HHLNAME_7]

"

MaxValue = 999

Codes:

[1] "[CATI UCase: Add another person] "
[2] "[CATI UCase: No one else lives here] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question HHNAME8

IF WHOELSE_8 = 1

PROBE_8: RadioButton

"Again, thinking about your household, have we forgotten anyone, like babies or small children; roomers; or people who usually live here, but are away temporarily? Please count those on business trips, at school, or temporarily in a hospital.

Current Household Members:

[HHFNAME_1] [HHLNAME_1]
[HHFNAME_2] [HHLNAME_2]
[HHFNAME_3] [HHLNAME_3]

[HHFNAME_4] [HHLNAME_4]
[HHFNAME_5] [HHLNAME_5]
[HHFNAME_6] [HHLNAME_6]
[HHFNAME_7] [HHLNAME_7]

"

MaxValue = 999

Codes:

[1] "[CATI UCase: Yes, add name] "

[2] "[CATI UCase: No one else] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question WHOELSE_11

IF PROBE_8 = 2 OR 3 OR 4 OR 5

IF PROBE_8 = 2

IF PROBE_8 = 77

IF PROBE_8 = 99

IF PROBE_8 = 98

HHNAME8: HybridGrid

Who else lives here?

MaxValue = 999

WHOELSE_9: RadioButton

"Again, thinking about your household, who else lives here? Please include yourself if you haven't already.

Current Household Members:

[HHFNAME_1] [HHLNAME_1]

[HHFNAME_2] [HHLNAME_2]

[HHFNAME_3] [HHLNAME_3]

[HHFNAME_4] [HHLNAME_4]

[HHFNAME_5] [HHLNAME_5]

[HHFNAME_6] [HHLNAME_6]

[HHFNAME_7] [HHLNAME_7]

[HHFNAME_8] [HHLNAME_8]

"

MaxValue = 999

Codes:

[1] "[CATI UCase: Add another person] "

[2] "[CATI UCase: No one else lives here] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question HHNAME9

IF WHOELSE_9 = 1

PROBE_9: RadioButton

"Again, thinking about your household, have we forgotten anyone, like babies or small children; roomers; or people who usually live here, but are away temporarily? Please count those on business trips, at school, or temporarily in a hospital.

Current Household Members:

[HHFNAME_1] [HHLNAME_1]

[HHFNAME_2] [HHLNAME_2]

[HHFNAME_3] [HHLNAME_3]

[HHFNAME_4] [HHLNAME_4]

[HHFNAME_5] [HHLNAME_5]

[HHFNAME_6] [HHLNAME_6]

[HHFNAME_7] [HHLNAME_7]

[HHFNAME_8] [HHLNAME_8]

"

MaxValue = 999

Codes:

[1] "[CATI UCase: Yes, add name] "

[2] "[CATI UCase: No one else] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question WHOELSE_11

IF PROBE_9 = 2 OR 3 OR 4 OR 5

```
IF PROBE_9 = 2
IF PROBE_9 = 77
IF PROBE_9 = 99
IF PROBE_9 = 98
```

HHNAME9: HybridGrid

Who else lives here?

MaxValue = 999

WHOELSE_10: RadioButton

"Again, thinking about your household, who else lives here? Please include yourself if you haven't already.

Current Household Members:

```
[HHFNAME_1] [HHLNAME_1]
[HHFNAME_2] [HHLNAME_2]
[HHFNAME_3] [HHLNAME_3]
[HHFNAME_4] [HHLNAME_4]
[HHFNAME_5] [HHLNAME_5]
[HHFNAME_6] [HHLNAME_6]
[HHFNAME_7] [HHLNAME_7]
[HHFNAME_8] [HHLNAME_8]
[HHFNAME_9] [HHLNAME_9]
```

"

MaxValue = 999

Codes:

```
[1] "[CATI UCase: Add another person] "
[2] "[CATI UCase: No one else lives here] "
[77] "[CATI UCase: DON'T KNOW] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: BranchTo
Question HHNAME10
IF WHOELSE_10 = 1
```

PROBE_10: RadioButton

"Again, thinking about your household, have we forgotten anyone, like babies or small children; roomers; or people who usually live here, but are away temporarily? Please count those on business trips, at school, or temporarily in a hospital.

Current Household Members:

[HHFNAME_1] [HHLNAME_1]
[HHFNAME_2] [HHLNAME_2]
[HHFNAME_3] [HHLNAME_3]
[HHFNAME_4] [HHLNAME_4]
[HHFNAME_5] [HHLNAME_5]
[HHFNAME_6] [HHLNAME_6]
[HHFNAME_7] [HHLNAME_7]
[HHFNAME_8] [HHLNAME_8]
[HHFNAME_9] [HHLNAME_9]

"

MaxValue = 999

Codes:

[1] "[CATI UCase: Yes, add name] "

[2] "[CATI UCase: No one else] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo
Question WHOELSE_11
IF PROBE_10 = 2 OR 3 OR 4 OR 5
IF PROBE_10 = 2
IF PROBE_10 = 77
IF PROBE_10 = 99
IF PROBE_10 = 98

HHNAME10: HybridGrid

Who else lives here?

MaxValue = 999

WHOELSE_11: RadioButton

"Again, thinking about your household...Are there any people staying here, like visitors, friends, or relatives, who do not usually live here?"

("Visitors" are people who have stayed 4 or more of the previous 7 nights.)

Current Household Members:

[HHFNAME_1] [HHLNAME_1]
[HHFNAME_2] [HHLNAME_2]
[HHFNAME_3] [HHLNAME_3]
[HHFNAME_4] [HHLNAME_4]
[HHFNAME_5] [HHLNAME_5]
[HHFNAME_6] [HHLNAME_6]
[HHFNAME_7] [HHLNAME_7]
[HHFNAME_8] [HHLNAME_8]
[HHFNAME_9] [HHLNAME_9]
[HHFNAME_10] [HHLNAME_10]

"

MaxValue = 999

Codes:

[1] "[CATI UCase: Add another person] "
[2] "[CATI UCase: There are no visitors staying here] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question REMOVE

IF WHOELSE_11 = 2 OR 3 OR 4 OR 5

IF WHOELSE_11 = 2

IF WHOELSE_11 = 77

IF WHOELSE_11 = 99

IF WHOELSE_11 = 98

HHNAME11: HybridGrid

Who else is staying here?

MaxValue = 999

WHOELSE_12: RadioButton

"Again, thinking about your household...Are there any people staying here, like visitors, friends, or

relatives, who do not usually live here?

("Visitors" are people who have stayed 4 or more of the previous 7 nights.)

Current Household Members:

[HHFNAME_1] [HHLNAME_1]
[HHFNAME_2] [HHLNAME_2]
[HHFNAME_3] [HHLNAME_3]
[HHFNAME_4] [HHLNAME_4]
[HHFNAME_5] [HHLNAME_5]
[HHFNAME_6] [HHLNAME_6]
[HHFNAME_7] [HHLNAME_7]
[HHFNAME_8] [HHLNAME_8]
[HHFNAME_9] [HHLNAME_9]
[HHFNAME_10] [HHLNAME_10]
[HHFNAME_11] [HHLNAME_11]

"

MaxValue = 999

Codes:

[1] "[CATI UCase: Add another person] "
[2] "[CATI UCase: There are no other visitors staying here] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo
Question REMOVE
IF WHOELSE_12 = 2 OR 3 OR 4 OR 5
IF WHOELSE_12 = 2
IF WHOELSE_12 = 77
IF WHOELSE_12 = 99
IF WHOELSE_12 = 98

HHNAME12: HybridGrid

Who else is staying here?

MaxValue = 999

WHOELSE_13: RadioButton

"Again, thinking about your household...Are there any people staying here, like visitors, friends, or relatives, who do not usually live here?"

("Visitors" are people who have stayed 4 or more of the previous 7 nights.)

Current Household Members:

[HHFNAME_1] [HHLNAME_1]
[HHFNAME_2] [HHLNAME_2]
[HHFNAME_3] [HHLNAME_3]
[HHFNAME_4] [HHLNAME_4]
[HHFNAME_5] [HHLNAME_5]
[HHFNAME_6] [HHLNAME_6]
[HHFNAME_7] [HHLNAME_7]
[HHFNAME_8] [HHLNAME_8]
[HHFNAME_9] [HHLNAME_9]
[HHFNAME_10] [HHLNAME_10]
[HHFNAME_11] [HHLNAME_11]
[HHFNAME_12] [HHLNAME_12]

"

MaxValue = 999

Codes:

[1] "[CATI UCase: Add another person] "
[2] "[CATI UCase: There are no other visitors staying here] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo
Question REMOVE
IF WHOELSE_13 = 2 OR 3 OR 4 OR 5
IF WHOELSE_13 = 2
IF WHOELSE_13 = 77
IF WHOELSE_13 = 99
IF WHOELSE_13 = 98

HHNAME13: HybridGrid

Who else is staying here?

MaxValue = 999

WHOELSE_14: RadioButton

"Again, thinking about your household...Are there any people staying here, like visitors, friends, or relatives, who do not usually live here?"

("Visitors" are people who have stayed 4 or more of the previous 7 nights.)

Current Household Members:

[HHFNAME_1] [HHLNAME_1]
[HHFNAME_2] [HHLNAME_2]
[HHFNAME_3] [HHLNAME_3]
[HHFNAME_4] [HHLNAME_4]
[HHFNAME_5] [HHLNAME_5]
[HHFNAME_6] [HHLNAME_6]
[HHFNAME_7] [HHLNAME_7]
[HHFNAME_8] [HHLNAME_8]
[HHFNAME_9] [HHLNAME_9]
[HHFNAME_10] [HHLNAME_10]
[HHFNAME_11] [HHLNAME_11]
[HHFNAME_12] [HHLNAME_12]
[HHFNAME_13] [HHLNAME_13]

"

MaxValue = 999

Codes:

[1] "[CATI UCase: Add another person] "
[2] "[CATI UCase: There are no other visitors staying here] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question REMOVE

IF WHOELSE_14 = 2 OR 3 OR 4 OR 5

IF WHOELSE_14 = 2

IF WHOELSE_14 = 77

IF WHOELSE_14 = 99

IF WHOELSE_14 = 98

HHNAME14: HybridGrid

Who else is staying here?

MaxValue = 999

REMOVE: CheckBox

"FI: SHOULD ANY OF THE PEOPLE ROSTERED BE REMOVED FROM THE LIST BECAUSE OF RESPONDENT ERROR OR DATA ENTRY ERROR OR THE PERSON DOES NOT LIVE IN HH?"

MaxValue = 999

Codes:

[1] [HHFNAME_1] [HHLNAME_1]
[2] [HHFNAME_2] [HHLNAME_2]
[3] [HHFNAME_3] [HHLNAME_3]
[4] [HHFNAME_4] [HHLNAME_4]
[5] [HHFNAME_5] [HHLNAME_5]
[6] [HHFNAME_6] [HHLNAME_6]
[7] [HHFNAME_7] [HHLNAME_7]
[8] [HHFNAME_8] [HHLNAME_8]
[9] [HHFNAME_9] [HHLNAME_9]
[10] [HHFNAME_10] [HHLNAME_10]
[11] [HHFNAME_11] [HHLNAME_11]
[12] [HHFNAME_12] [HHLNAME_12]
[13] [HHFNAME_13] [HHLNAME_13]
[14] [HHFNAME_14] [HHLNAME_14]

RESPNUM: RadioButton

The next questions are about yourself and other members of your household. Which of these household members is you? (Please select the person on the list that refers to you.)

MaxValue = 999

Codes:

[1] [HHFNAME_1] [HHLNAME_1]
[2] [HHFNAME_2] [HHLNAME_2]
[3] [HHFNAME_3] [HHLNAME_3]
[4] [HHFNAME_4] [HHLNAME_4]
[5] [HHFNAME_5] [HHLNAME_5]
[6] [HHFNAME_6] [HHLNAME_6]
[7] [HHFNAME_7] [HHLNAME_7]
[8] [HHFNAME_8] [HHLNAME_8]
[9] [HHFNAME_9] [HHLNAME_9]
[10] [HHFNAME_10] [HHLNAME_10]
[11] [HHFNAME_11] [HHLNAME_11]
[12] [HHFNAME_12] [HHLNAME_12]
[13] [HHFNAME_13] [HHLNAME_13]
[14] [HHFNAME_14] [HHLNAME_14]

PRELOADACTION: SetVariableValue
Variable: SEXFILL_1

Value: 1
IF RESPNUM = 1

PRELOADACTION: SetVariableValue
Variable: SEXFILL_1
Value: 2
IF RESPNUM <> 1

PRELOADACTION: BranchTo
Next question

SEXFILL_1: RadioButton

MaxValue = 999

Codes:

[1] your
[2] [HHFNAME_1] [HHLNAME_1]'s

HHSEX_1: RadioButton

"What is [SEXFILL_1] sex, male or female?"

MaxValue = 999

Codes:

[1] [CATI UCase: Male]
[2] [CATI UCase: Female]
[3] [CATI UCase: Other]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: AGEFILL_1
Value: [SEXFILL_1]

PRELOADACTION: BranchTo
Next question

AGEFILL_1: RadioButton

MaxValue = 999

Codes:

[1] were you on your

[2] was [HHFNAME_1] [HHLNAME_1] on their

HHAGE_1: NumericAnswer

How old [AGEFILL_1] last birthday?

MinValue = 0 MaxValue = 150

Codes:

[777] DK

DISPLAY IF: QUEXMODE = 1

[999] REF

DISPLAY IF: QUEXMODE = 1

[998] SKIPPED ON WEB

POSTANSWERACTION: SetVariableValue

Variable: HHAGE_1

Value: 998

IF HHAGE_1 Is Empty

And QUEXMODE = 2

PRELOADACTION: BranchTo

Question RESPFLAG_1

IF HHAGE_1 <= 150

PRELOADACTION: SetVariableValue

Variable: OVER18FILL_1

Value: [SEXFILL_1]

PRELOADACTION: BranchTo

Next question

OVER18FILL_1: RadioButton

MaxValue = 150

Codes:

[1] Were you 18 or older on your
[2] Was [HHFNAME_1] [HHLNAME_1] 18 or older on their

HHOVER18_1: RadioButton

[OVER18FILL_1] last birthday?

MaxValue = 150

Codes:

[1] "[CATI UCase: 18 or older] "
[2] "[CATI UCase: Under 18] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: RESPFLAG_1
Value: 1
IF RESPNUM = 1

PRELOADACTION: BranchTo
Next question

RESPFLAG_1: NumericAnswer

Respondent flag

MaxValue = 150

PRELOADACTION: BranchTo
Question SEXFILL_3
IF HASRELSP <> 1

PRELOADACTION: SetVariableValue
Variable: SEXFILL_2
Value: 1
IF RESPNUM = 2

PRELOADACTION: SetVariableValue
Variable: SEXFILL_2
Value: 2
IF RESPNUM <> 2

PRELOADACTION: BranchTo

Next question

SEXFILL_2: RadioButton

MaxValue = 150

Codes:

[1] your
[2] [HHFNAME_2] [HHLNAME_2]'s

HHSEX_2: RadioButton

"What is [SEXFILL_2] sex, male or female?"

MaxValue = 150

Codes:

[1] [CATI UCase: Male]
[2] [CATI UCase: Female]
[3] [CATI UCase: Other]
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: AGEFILL_2
Value: [SEXFILL_2]

PRELOADACTION: BranchTo
Next question

AGEFILL_2: RadioButton

MaxValue = 150

Codes:

[1] were you on your

[2] was [HHFNAME_2] [HHLNAME_2] on their

HHAGE_2: NumericAnswer

How old [AGEFILL_2] last birthday?

MinValue = 0 MaxValue = 150

Codes:

[777] REF

DISPLAY IF: QUEXMODE = 1

[999] DK

DISPLAY IF: QUEXMODE = 1

[998] SKIPPED ON WEB

POSTANSWERACTION: SetVariableValue
Variable: HHAGE_2
Value: 998
IF HHAGE_2 Is Empty
And QUEXMODE = 2

PRELOADACTION: BranchTo
Question RESPFLAG_2
IF HHAGE_2 <= 150

PRELOADACTION: SetVariableValue
Variable: OVER18FILL_2
Value: [SEXFILL_2]

PRELOADACTION: BranchTo
Next question

OVER18FILL_2: RadioButton

MaxValue = 150

Codes:

[1] Were you 18 or older on your

[2] Was [HHFNAME_2] [HHLNAME_2] 18 or older on their

HHOVER18_2: RadioButton

[OVER18FILL_2] last birthday?

MaxValue = 150

Codes:

[1] "[CATI UCase: 18 or older] "
[2] "[CATI UCase: Under 18] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: RESPFLAG_2
Value: 1
IF RESPNUM = 2

PRELOADACTION: BranchTo
Next question

RESPFLAG_2: NumericAnswer

Respondent flag

MaxValue = 150

PRELOADACTION: BranchTo
Question SEXFILL_4
IF HHFNAME_3 Is Empty

PRELOADACTION: SetVariableValue
Variable: SEXFILL_3
Value: 1
IF RESPNUM = 3

PRELOADACTION: SetVariableValue
Variable: SEXFILL_3
Value: 2
IF RESPNUM <> 3

PRELOADACTION: BranchTo
Next question

SEXFILL_3: RadioButton

MaxValue = 150

Codes:

- [1] your
- [2] [HHFNAME_3] [HHLNAME_3]'s

HHSEX_3: RadioButton

"What is [SEXFILL_3] sex, male or female?"

MaxValue = 150

Codes:

- [1] [CATI UCase: Male]
- [2] [CATI UCase: Female]
- [3] [CATI UCase: Other]
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: AGEFILL_3
Value: [SEXFILL_3]

PRELOADACTION: BranchTo
Next question

AGEFILL_3: RadioButton

MaxValue = 150

Codes:

- [1] were you on your
- [2] was [HHFNAME_3] [HHLNAME_3] on their

HHAGE_3: NumericAnswer

How old [AGEFILL_3] last birthday?

MinValue = 0 MaxValue = 150

Codes:

[777] DK

DISPLAY IF: QUEXMODE =1

[999] REF

DISPLAY IF: QUEXMODE =1

[998] SKIPPED ON WEB

POSTANSWERACTION: SetVariableValue

Variable: HHAGE_3

Value: 998

IF HHAGE_3 Is Empty

And QUEXMODE = 2

PRELOADACTION: BranchTo

Question RESPFLAG_3

IF HHAGE_3 <= 150

PRELOADACTION: SetVariableValue

Variable: OVER18FILL_3

Value: [SEXFILL_3]

PRELOADACTION: BranchTo

Next question

OVER18FILL_3: RadioButton

MaxValue = 150

Codes:

[1] Were you 18 or older on your

[2] Was [HHFNAME_3] [HHLNAME_3] 18 or older on their

HHOVER18_3: RadioButton

[OVER18FILL_3] last birthday?

MaxValue = 150

Codes:

[1] [CATI UCase: 18 or older]

[2] [CATI UCase: Under 18]
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: RESPFLAG_3
Value: 1
IF RESPNUM = 3

PRELOADACTION: BranchTo
Next question

RESPFLAG_3: NumericAnswer

Respondent flag

MaxValue = 150

PRELOADACTION: BranchTo
Question SEXFILL_5
IF HHFNAME_4 Is Empty

PRELOADACTION: SetVariableValue
Variable: SEXFILL_4
Value: 1
IF RESPNUM = 4

PRELOADACTION: SetVariableValue
Variable: SEXFILL_4
Value: 2
IF RESPNUM <> 4

PRELOADACTION: BranchTo
Next question

SEXFILL_4: RadioButton

MaxValue = 150

Codes:

[1] your
[2] [HHFNAME_4] [HHLNAME_4]'s

HHSEX_4: RadioButton

"What is [SEXFILL_4] sex, male or female?"

MaxValue = 150

Codes:

[1] [CATI UCase: Male]

[2] [CATI UCase: Female]

[3] [CATI UCase: Other]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: AGEFILL_4

Value: [SEXFILL_4]

PRELOADACTION: BranchTo

Next question

AGEFILL_4: RadioButton

MaxValue = 150

Codes:

[1] were you on your

[2] was [HHFNAME_4] [HHLNAME_4] on their

HHAGE_4: NumericAnswer

How old [AGEFILL_4] last birthday?

MinValue = 0 MaxValue = 150

Codes:

[777] DK

DISPLAY IF: QUEXMODE =1

[999] REF
DISPLAY IF: QUEXMODE = 1
[998] SKIPPED ON WEB

POSTANSWERACTION: SetVariableValue
Variable: HHAGE_4
Value: 998
IF HHAGE_4 Is Empty
And QUEXMODE = 2

PRELOADACTION: BranchTo
Question RESPFLAG_4
IF HHAGE_4 <= 150

PRELOADACTION: SetVariableValue
Variable: OVER18FILL_4
Value: [SEXFILL_4]

PRELOADACTION: BranchTo
Next question

OVER18FILL_4: RadioButton

MaxValue = 150

Codes:

[1] Were you 18 or older on your
[2] Was [HHFNAME_4] [HHLNAME_4] 18 or older on their

HHOVER18_4: RadioButton

[OVER18FILL_4] last birthday?

MaxValue = 150

Codes:

[1] [CATI UCase: 18 or older]
[2] [CATI UCase: Under 18]
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE = 1
[99] "REFUSED"
DISPLAY IF: QUEXMODE = 1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE = 2

PRELOADACTION: SetVariableValue
Variable: RESPFLAG_4

Value: 1
IF RESPNUM = 4

PRELOADACTION: BranchTo
Next question

RESPFLAG_4: NumericAnswer

Respondent flag

MaxValue = 150

PRELOADACTION: BranchTo
Question SEXFILL_6
IF HHFNAME_5 Is Empty

PRELOADACTION: SetVariableValue
Variable: SEXFILL_5
Value: 1
IF RESPNUM = 5

PRELOADACTION: SetVariableValue
Variable: SEXFILL_5
Value: 2
IF RESPNUM <> 5

PRELOADACTION: BranchTo
Next question

SEXFILL_5: RadioButton

MaxValue = 150

Codes:

[1] your
[2] [HHFNAME_5] [HHLNAME_5]'s

HHSEX_5: RadioButton

"What is [SEXFILL_5] sex, male or female?"

MaxValue = 150

Codes:

[1] [CATI UCase: Male]
[2] [CATI UCase: Female]
[3] [CATI UCase: Other]
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: AGEFILL_5
Value: [SEXFILL_5]

PRELOADACTION: BranchTo
Next question

AGEFILL_5: RadioButton

MaxValue = 150

Codes:

[1] were you on your
[2] was [HHFNAME_5] [HHLNAME_5] on their

HHAGE_5: NumericAnswer

How old [AGEFILL_5] last birthday?

MinValue = 0 MaxValue = 150

Codes:

[777] DK
DISPLAY IF: QUEXMODE =1
[999] REF
DISPLAY IF: QUEXMODE =1
[998] SKIPPED ON WEB

POSTANSWERACTION: SetVariableValue
Variable: HHAGE_5
Value: 998
IF HHAGE_5 Is Empty
And QUEXMODE = 2

```
PRELOADACTION: BranchTo
Question RESPFLAG_5
IF HHAGE_5 <= 150
```

```
PRELOADACTION: SetVariableValue
Variable: OVER18FILL_5
Value: [SEXFILL_5]
```

```
PRELOADACTION: BranchTo
Next question
```

OVER18FILL_5: RadioButton

MaxValue = 150

Codes:

[1] Were you 18 or older on your
[2] Was [HHFNAME_5] [HHLNAME_5] 18 or older on their

HHOVER18_5: RadioButton

[OVER18FILL_5] last birthday?

MaxValue = 150

Codes:

[1] [CATI UCase: 18 or older]
[2] [CATI UCase: Under 18]
[77] "[CATI UCase: DON'T KNOW] "

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: SetVariableValue
Variable: RESPFLAG_5
Value: 1
IF RESPNUM = 5
```

```
PRELOADACTION: BranchTo
Next question
```

RESPFLAG_5: NumericAnswer

Respondent flag

MaxValue = 150

PRELOADACTION: BranchTo
Question SEXFILL_7
IF HHFNAME_6 Is Empty

PRELOADACTION: SetVariableValue
Variable: SEXFILL_6
Value: 1
IF RESPNUM = 6

PRELOADACTION: SetVariableValue
Variable: SEXFILL_6
Value: 2
IF RESPNUM <> 6

PRELOADACTION: BranchTo
Next question

SEXFILL_6: RadioButton

MaxValue = 150

Codes:

[1] your
[2] [HHFNAME_6] [HHLNAME_6]'s

HHSEX_6: RadioButton

"What is [SEXFILL_6] sex, male or female?"

MaxValue = 150

Codes:

[1] [CATI UCase: Male]
[2] [CATI UCase: Female]
[3] [CATI UCase: Other]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: AGEFILL_6
Value: [SEXFILL_6]

PRELOADACTION: BranchTo
Next question

AGEFILL_6: RadioButton

MaxValue = 150

Codes:

[1] were you on your
[2] was [HHFNAME_6] [HHLNAME_6] on their

HHAGE_6: NumericAnswer

How old [AGEFILL_6] last birthday?

MinValue = 0 MaxValue = 150

Codes:

[777] DK

DISPLAY IF: QUEXMODE = 1

[999] REF

DISPLAY IF: QUEXMODE = 1

[998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

POSTANSWERACTION: SetVariableValue
Variable: HHAGE_6
Value: 998
IF HHAGE_6 Is Empty
And QUEXMODE = 2

PRELOADACTION: BranchTo
Question RESPFLAG_6
IF HHAGE_6 <= 150

PRELOADACTION: SetVariableValue
Variable: OVER18FILL_6
Value: [SEXFILL_6]

PRELOADACTION: BranchTo
Next question

OVER18FILL_6: RadioButton

MaxValue = 150

Codes:

[1] Were you 18 or older on your
[2] Was [HHFNAME_6] [HHLNAME_6] 18 or older on their

HHOVER18_6: RadioButton

[OVER18FILL_6] last birthday?

MaxValue = 150

Codes:

[1] "[CATI UCase: 18 or older] "
[2] "[CATI UCase: Under 18] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: RESPFLAG_6
Value: 1
IF RESPNUM = 6

PRELOADACTION: BranchTo
Next question

RESPFLAG_6: NumericAnswer

Respondent flag

MaxValue = 150

PRELOADACTION: BranchTo
Question SEXFILL_8

IF HHFNAME_7 Is Empty

PRELOADACTION: SetVariableValue
Variable: SEXFILL_7
Value: 1
IF RESPNUM = 7

PRELOADACTION: SetVariableValue
Variable: SEXFILL_7
Value: 2
IF RESPNUM <> 7

PRELOADACTION: BranchTo
Next question

SEXFILL_7: RadioButton

MaxValue = 150

Codes:

[1] your
[2] [HHFNAME_7] [HHLNAME_7]'s

HHSEX_7: RadioButton

"What is [SEXFILL_7] sex, male or female?"

MaxValue = 150

Codes:

[1] [CATI UCase: Male]
[2] [CATI UCase: Female]
[3] [CATI UCase: Other]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: AGEFILL_7
Value: [SEXFILL_7]

PRELOADACTION: BranchTo
Next question

AGEFILL_7: RadioButton

MaxValue = 150

Codes:

[1] were you on your
[2] was [HHFNAME_7] [HHLNAME_7] on their

HHAGE_7: NumericAnswer

How old [AGEFILL_7] last birthday?

MinValue = 0 MaxValue = 150

Codes:

[777] DK

DISPLAY IF: QUEXMODE = 1

[999] REF

DISPLAY IF: QUEXMODE = 1

[998] SKIPPED ON WEB

POSTANSWERACTION: SetVariableValue

Variable: HHAGE_7

Value: 998

IF HHAGE_7 Is Empty

And QUEXMODE = 2

PRELOADACTION: BranchTo

Question RESPFLAG_7

IF HHAGE_7 <= 150

PRELOADACTION: SetVariableValue

Variable: OVER18FILL_7

Value: [SEXFILL_7]

PRELOADACTION: BranchTo

Next question

OVER18FILL_7: RadioButton

MaxValue = 150

Codes:

- [1] Were you 18 or older on your
- [2] Was [HHFNAME_7] [HHLNAME_7] 18 or older on their

HHOVER18_7: RadioButton

[OVER18FILL_7] last birthday?

MaxValue = 150

Codes:

- [1] "[CATI UCase: 18 or older] "
- [2] "[CATI UCase: Under 18] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: RESPFLAG_7

Value: 1

IF RESPNUM = 7

PRELOADACTION: BranchTo

Next question

RESPFLAG_7: NumericAnswer

Respondent flag

MaxValue = 150

PRELOADACTION: BranchTo

Question SEXFILL_9

IF HHFNAME_8 Is Empty

PRELOADACTION: SetVariableValue

Variable: SEXFILL_8

Value: 1

IF RESPNUM = 8

PRELOADACTION: SetVariableValue

Variable: SEXFILL_8

Value: 2

IF RESPNUM <> 8

PRELOADACTION: BranchTo
Next question

SEXFILL_8: RadioButton

MaxValue = 150

Codes:

[1] your
[2] [HHFNAME_8] [HHLNAME_8]'s

HHSEX_8: RadioButton

"What is [SEXFILL_8] sex, male or female?"

MaxValue = 150

Codes:

[1] [CATI UCase: Male]
[2] [CATI UCase: Female]
[3] [CATI UCase: Other]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: AGEFILL_8
Value: [SEXFILL_8]

PRELOADACTION: BranchTo
Next question

AGEFILL_8: RadioButton

MaxValue = 150

Codes:

[1] were you on your
[2] was [HHFNAME_8] [HHLNAME_8] on their

HHAGE_8: NumericAnswer

How old [AGEFILL_8] last birthday?

MinValue = 0 MaxValue = 150

Codes:

[777] DK

DISPLAY IF: QUEXMODE = 1

[999] REF

DISPLAY IF: QUEXMODE = 1

[998] SKIPPED ON WEB

POSTANSWERACTION: SetVariableValue

Variable: HHAGE_8

Value: 998

IF HHAGE_8 Is Empty

And QUEXMODE = 2

PRELOADACTION: BranchTo

Question RESPFLAG_8

IF HHAGE_8 <= 150

PRELOADACTION: SetVariableValue

Variable: OVER18FILL_8

Value: [SEXFILL_8]

PRELOADACTION: BranchTo

Next question

OVER18FILL_8: RadioButton

MaxValue = 150

Codes:

[1] Were you 18 or older on your

[2] Was [HHFNAME_8] [HHLNAME_8] 18 or older on their

HHOVER18_8: RadioButton

[OVER18FILL_8] last birthday?

MaxValue = 150

Codes:

[1] "[CATI UCase: 18 or older] "
[2] "[CATI UCase: Under 18] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: RESPFLAG_8
Value: 1
IF RESPNUM = 8

PRELOADACTION: BranchTo
Next question

RESPFLAG_8: NumericAnswer

Respondent flag

MaxValue = 150

PRELOADACTION: BranchTo
Question SEXFILL_10
IF HHFNAME_9 Is Empty

PRELOADACTION: SetVariableValue
Variable: SEXFILL_9
Value: 1
IF RESPNUM = 9

PRELOADACTION: SetVariableValue
Variable: SEXFILL_9
Value: 2
IF RESPNUM <> 9

PRELOADACTION: BranchTo
Next question

SEXFILL_9: RadioButton

MaxValue = 150

Codes:

- [1] your
- [2] [HHFNAME_9] [HHLNAME_9]'s

HHSEX_9: RadioButton

"What is [SEXFILL_9] sex, male or female?"

MaxValue = 150

Codes:

- [1] [CATI UCase: Male]
- [2] [CATI UCase: Female]
- [3] [CATI UCase: Other]
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: AGEFILL_9
Value: [SEXFILL_9]

PRELOADACTION: BranchTo
Next question

AGEFILL_9: RadioButton

MaxValue = 150

Codes:

- [1] were you on your
- [2] was [HHFNAME_9] [HHLNAME_9] on their

HHAGE_9: NumericAnswer

How old [AGEFILL_9] last birthday?

MinValue = 0 MaxValue = 150

Codes:

[777] DK

DISPLAY IF: QUEXMODE =1

[999] REF

DISPLAY IF: QUEXMODE =1

[998] SKIPPED ON WEB

POSTANSWERACTION: SetVariableValue

Variable: HHAGE_9

Value: 998

IF HHAGE_9 Is Empty

And QUEXMODE = 2

PRELOADACTION: BranchTo

Question RESPFLAG_9

IF HHAGE_9 <= 150

PRELOADACTION: SetVariableValue

Variable: OVER18FILL_9

Value: [SEXFILL_9]

PRELOADACTION: BranchTo

Next question

OVER18FILL_9: RadioButton

MaxValue = 150

Codes:

[1] Were you 18 or older on your

[2] Was [HHFNAME_9] [HHLNAME_9] 18 or older on their

HHOVER18_9: RadioButton

[OVER18FILL_9] last birthday?

MaxValue = 150

Codes:

[1] "[CATI UCase: 18 or older] "

[2] "[CATI UCase: Under 18] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: RESPFLAG_9
Value: 1
IF RESPNUM = 9

PRELOADACTION: BranchTo
Next question

RESPFLAG_9: NumericAnswer

Respondent flag

MaxValue = 150

PRELOADACTION: BranchTo
Question SEXFILL_11
IF HHFNAME_10 Is Empty

PRELOADACTION: SetVariableValue
Variable: SEXFILL_10
Value: 1
IF RESPNUM = 10

PRELOADACTION: SetVariableValue
Variable: SEXFILL_10
Value: 2
IF RESPNUM <> 10

PRELOADACTION: BranchTo
Next question

SEXFILL_10: RadioButton

MaxValue = 150

Codes:

[1] your
[2] [HHFNAME_10] [HHLNAME_10]'s

HHSEX_10: RadioButton

"What is [SEXFILL_10] sex, male or female?"

MaxValue = 150

Codes:

[1] [CATI UCase: Male]

[2] [CATI UCase: Female]

[3] [CATI UCase: Other]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: AGEFILL_10

Value: [SEXFILL_10]

PRELOADACTION: BranchTo

Next question

AGEFILL_10: RadioButton

MaxValue = 150

Codes:

[1] were you on your

[2] was [HHFNAME_10] [HHLNAME_10] on their

HHAGE_10: NumericAnswer

How old [AGEFILL_10] last birthday?

MinValue = 0 MaxValue = 150

Codes:

[777] DK

DISPLAY IF: QUEXMODE =1

[999] REF
DISPLAY IF: QUEXMODE = 1
[998] SKIPPED ON WEB

POSTANSWERACTION: SetVariableValue
Variable: HHAGE_10
Value: 998
IF HHAGE_10 Is Empty
And QUEXMODE = 2

PRELOADACTION: BranchTo
Question RESPFLAG_10
IF HHAGE_10 <= 150
PRELOADACTION: SetVariableValue
Variable: OVER18FILL_10
Value: [SEXFILL_10]

PRELOADACTION: BranchTo
Next question

OVER18FILL_10: RadioButton

MaxValue = 150

Codes:

[1] Were you 18 or older on your
[2] Was [HHFNAME_10] [HHLNAME_10] 18 or older on their

HHOVER18_10: RadioButton

[OVER18FILL_10] last birthday?

MaxValue = 150

Codes:

[1] [CATI UCase: 18 or older]
[2] [CATI UCase: Under 18]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE = 1

[99] "REFUSED"

DISPLAY IF: QUEXMODE = 1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

PRELOADACTION: SetVariableValue
Variable: RESPFLAG_10
Value: 1

IF RESPNUM = 10

PRELOADACTION: BranchTo
Next question

RESPFLAG_10: NumericAnswer

Respondent flag

MaxValue = 150

PRELOADACTION: BranchTo
Question SEXFILL_12
IF HHFNAME_11 Is Empty

PRELOADACTION: SetVariableValue
Variable: SEXFILL_11
Value: 1
IF RESPNUM = 11

PRELOADACTION: SetVariableValue
Variable: SEXFILL_11
Value: 2
IF RESPNUM <> 11

PRELOADACTION: BranchTo
Next question

SEXFILL_11: RadioButton

MaxValue = 150

Codes:

[1] your
[2] [HHFNAME_11] [HHLNAME_11]'s

HHSEX_11: RadioButton

"What is [SEXFILL_11] sex, male or female?"

MaxValue = 150

Codes:

[1] [CATI UCase: Male]
[2] [CATI UCase: Female]
[3] [CATI UCase: Other]
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: AGEFILL_11
Value: [SEXFILL_11]

PRELOADACTION: BranchTo
Next question

AGEFILL_11: RadioButton

MaxValue = 150

Codes:

[1] were you on your
[2] was [HHFNAME_11] [HHLNAME_11] on their

HHAGE_11: NumericAnswer

How old [AGEFILL_11] last birthday?

MinValue = 0 MaxValue = 150

Codes:

[777] DK
DISPLAY IF: QUEXMODE =1
[999] REF
DISPLAY IF: QUEXMODE =1
[998] SKIPPED ON WEB

POSTANSWERACTION: SetVariableValue
Variable: HHAGE_11
Value: 998
IF HHAGE_11 Is Empty
And QUEXMODE = 2

```
PRELOADACTION: BranchTo
Question RESPFLAG_11
IF HHAGE_11 <= 150
```

```
PRELOADACTION: SetVariableValue
Variable: OVER18FILL_11
Value: [SEXFILL_11]
```

```
PRELOADACTION: BranchTo
Next question
```

OVER18FILL_11: RadioButton

MaxValue = 150

Codes:

[1] Were you 18 or older on your
[2] Was [HHFNAME_11] [HHLNAME_11] 18 or older on their

HHOVER18_11: RadioButton

[OVER18FILL_11] last birthday?

MaxValue = 150

Codes:

[1] "[CATI UCase: 18 or older] "
[2] "[CATI UCase: Under 18] "
[77] "[CATI UCase: DON'T KNOW] "

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: SetVariableValue
Variable: RESPFLAG_11
Value: 1
IF RESPNUM = 11
```

```
PRELOADACTION: BranchTo
Next question
```

RESPFLAG_11: NumericAnswer

Respondent flag

MaxValue = 150

PRELOADACTION: BranchTo
Question SEXFILL_13
IF HHFNAME_12 Is Empty

PRELOADACTION: SetVariableValue
Variable: SEXFILL_12
Value: 1
IF RESPNUM = 12

PRELOADACTION: SetVariableValue
Variable: SEXFILL_12
Value: 2
IF RESPNUM <> 12

PRELOADACTION: BranchTo
Next question

SEXFILL_12: RadioButton

MaxValue = 150

Codes:

[1] your
[2] [HHFNAME_12] [HHLNAME_12]'s

HHSEX_12: RadioButton

"What is [SEXFILL_12] sex, male or female?"

MaxValue = 150

Codes:

[1] [CATI UCase: Male]
[2] [CATI UCase: Female]
[3] [CATI UCase: Other]
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: AGEFILL_12
Value: [SEXFILL_12]

PRELOADACTION: BranchTo
Next question

AGEFILL_12: RadioButton

MaxValue = 150

Codes:

[1] were you on your
[2] was [HHFNAME_12] [HHLNAME_12] on their

HHAGE_12: NumericAnswer

How old [AGEFILL_12] last birthday?

MinValue = 0 MaxValue = 150

Codes:

[777] DK

DISPLAY IF: QUEXMODE = 1

[999] REF

DISPLAY IF: QUEXMODE = 1

[998] SKIPPED ON WEB

POSTANSWERACTION: SetVariableValue
Variable: HHAGE_12
Value: 998
IF HHAGE_12 Is Empty
And QUEXMODE = 2

PRELOADACTION: BranchTo
Question RESPFLAG_12
IF HHAGE_12 <= 150

PRELOADACTION: SetVariableValue
Variable: OVER18FILL_12
Value: [SEXFILL_12]

PRELOADACTION: BranchTo

Next question

OVER18FILL_12: RadioButton

MaxValue = 150

Codes:

[1] Were you 18 or older on your
[2] Was [HHFNAME_12] [HHLNAME_12] 18 or older on their

HHOVER18_12: RadioButton

[OVER18FILL_12] last birthday?

MaxValue = 150

Codes:

[1] "[CATI UCase: 18 or older] "
[2] "[CATI UCase: Under 18] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: RESPFLAG_12
Value: 1
IF RESPNUM = 12

PRELOADACTION: BranchTo
Next question

RESPFLAG_12: NumericAnswer

Respondent flag

MaxValue = 150

PRELOADACTION: BranchTo
Question SEXFILL_14
IF HHFNAME_13 Is Empty

PRELOADACTION: SetVariableValue
Variable: SEXFILL_13
Value: 1
IF RESPNUM = 13

PRELOADACTION: SetVariableValue
Variable: SEXFILL_13
Value: 2
IF RESPNUM <> 13

PRELOADACTION: BranchTo
Next question

SEXFILL_13: RadioButton

MaxValue = 150

Codes:

[1] your
[2] [HHFNAME_13] [HHLNAME_13]'s

HHSEX_13: RadioButton

"What is [SEXFILL_13] sex, male or female?"

MaxValue = 150

Codes:

[1] [CATI UCase: Male]
[2] [CATI UCase: Female]
[3] [CATI UCase: Other]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: AGEFILL_13
Value: [SEXFILL_13]

PRELOADACTION: BranchTo
Next question

AGEFILL_13: RadioButton

MaxValue = 150

Codes:

[1] were you on your
[2] was [HHFNAME_13] [HHLNAME_13] on their

HHAGE_13: NumericAnswer

How old [AGEFILL_13] last birthday?

MinValue = 0 MaxValue = 150

Codes:

[777] DK

DISPLAY IF: QUEXMODE = 1

[999] REF

DISPLAY IF: QUEXMODE = 1

[998] SKIPPED ON WEB

POSTANSWERACTION: SetVariableValue

Variable: HHAGE_13

Value: 998

IF HHAGE_13 Is Empty

And QUEXMODE = 2

PRELOADACTION: BranchTo

Question RESPFLAG_13

IF HHAGE_13 <= 150

PRELOADACTION: SetVariableValue

Variable: OVER18FILL_13

Value: [SEXFILL_13]

PRELOADACTION: BranchTo

Next question

OVER18FILL_13: RadioButton

MaxValue = 150

Codes:

- [1] Were you 18 or older on your
- [2] Was [HHFNAME_13] [HHLNAME_13] 18 or older on their

HHOVER18_13: RadioButton

[OVER18FILL_13] last birthday?

MaxValue = 150

Codes:

- [1] "[CATI UCase: 18 or older] "
- [2] "[CATI UCase: Under 18] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: RESPFLAG_13
Value: 1
IF RESPNUM = 13

PRELOADACTION: BranchTo
Next question

RESPFLAG_13: NumericAnswer

Respondent flag

MaxValue = 150

PRELOADACTION: BranchTo
Question RELHHFILL_1
IF HHFNAME_14 Is Empty

PRELOADACTION: SetVariableValue
Variable: SEXFILL_14
Value: 1
IF RESPNUM = 14

PRELOADACTION: SetVariableValue
Variable: SEXFILL_14
Value: 2
IF RESPNUM <> 14

PRELOADACTION: BranchTo
Next question

SEXFILL_14: RadioButton

MaxValue = 150

Codes:

[1] your
[2] [HHFNAME_14] [HHLNAME_14]'s

HHSEX_14: RadioButton

"What is [SEXFILL_14] sex, male or female?"

MaxValue = 150

Codes:

[1] [CATI UCase: Male]
[2] [CATI UCase: Female]
[3] [CATI UCase: Other]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: AGEFILL_14
Value: [SEXFILL_14]

PRELOADACTION: BranchTo
Next question

AGEFILL_14: RadioButton

MaxValue = 150

Codes:

[1] were you on your
[2] was [HHFNAME_14] [HHLNAME_14] on their

HHAGE_14: NumericAnswer

How old [AGEFILL_14] last birthday?

MinValue = 0 MaxValue = 150

Codes:

[777] DK

DISPLAY IF: QUEXMODE = 1

[999] REF

DISPLAY IF: QUEXMODE = 1

[998] SKIPPED ON WEB

POSTANSWERACTION: SetVariableValue

Variable: HHAGE_14

Value: 998

IF HHAGE_14 Is Empty

And QUEXMODE = 2

PRELOADACTION: BranchTo

Question RESPFLAG_14

IF HHAGE_14 <= 150

PRELOADACTION: SetVariableValue

Variable: OVER18FILL_14

Value: [SEXFILL_14]

PRELOADACTION: BranchTo

Next question

OVER18FILL_14: RadioButton

MaxValue = 150

Codes:

[1] Were you 18 or older on your

[2] Was [HHFNAME_14] [HHLNAME_14] 18 or older on their

HHOVER18_14: RadioButton

[OVER18FILL_14] last birthday?

MaxValue = 150

Codes:

[1] "[CATI UCase: 18 or older] "

[2] "[CATI UCase: Under 18] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: RESPFLAG_14

Value: 1

IF RESPNUM = 14

PRELOADACTION: BranchTo

Next question

RESPFLAG_14: NumericAnswer

Respondent flag

MaxValue = 150

PRELOADACTION: SetVariableValue

Variable: RELHHFILL_1

Value: [SEXFILL_1]

PRELOADACTION: BranchTo

Next question

RELHHFILL_1: RadioButton

MaxValue = 150

Codes:

[1] your

[2] [HHFNAME_1] [HHLNAME_1]'s

PRELOADACTION: SetVariableValue

Variable: RESPFILL

Value: [SEXFILL_1]

PRELOADACTION: BranchTo
Next question

RESPFILL: RadioButton

MaxValue = 150

Codes:

[1] you

[2] [HHFNAME_1] [HHLNAME_1]

PRELOADACTION: SetVariableValue
Variable: RELHHA_1
Value: 1

PRELOADACTION: BranchTo
Next question

RELHHA_1: RadioButton

"[CATI TEXT: [HANDCARD B1]] The next questions are about the relationships between the first person you listed, who owns or rents this home and the other members of your household.

What is [RELHHFILL_1] relationship to [RESPFILL]?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Householder] "

[2] "[CATI UCase: Spouse or partner] "

[3] "[CATI UCase: Child] "

[4] "[CATI UCase: Parent] "

[5] "[CATI UCase: Sibling] "

[6] "[CATI UCase: Other relative] "

[7] "[CATI UCase: Non-relative] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: RELHHA_2
Value: 2

PRELOADACTION: BranchTo
Next question

RELHHA_2: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [RELHFFILL_2] relationship to [RESPFILL]?"

MaxValue = 150

Codes:

- [1] "[CATI UCase: Householder] "
- [2] "[CATI UCase: Spouse or partner] "
- [3] "[CATI UCase: Child] "
- [4] "[CATI UCase: Parent] "
- [5] "[CATI UCase: Sibling] "
- [6] "[CATI UCase: Other relative] "
- [7] "[CATI UCase: Non-relative] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: RELHHBFILL2
Value: 1
IF RESPNUM = 1

PRELOADACTION: SetVariableValue
Variable: RELHHBFILL2
Value: 2
IF RESPNUM <> 1

PRELOADACTION: BranchTo
Next question

RELHHBFILL2: RadioButton

MaxValue = 150

Codes:

- [1] your
- [2] [HHFNAME_1] [HHLNAME_1]'s

PRELOADACTION: BranchTo

Question RELHHFILL_3
IF HASRELSP <> 1

PRELOADACTION: SetVariableValue
Variable: RELHHBFILL1_2
Value: 1
IF RESPNUM = 2

PRELOADACTION: SetVariableValue
Variable: RELHHBFILL1_2
Value: 2
IF RESPNUM <> 2

PRELOADACTION: BranchTo
Next question

RELHHBFILL1_2: RadioButton

MaxValue = 150

Codes:

[1] you are
[2] [HHFNAME_2] [HHLNAME_2] is

RELHHB_2: RadioButton

"The next questions are about the relationships between the first person you listed, who owns or rents this home and the other members of your household.

Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_2] [RELHHBFILL2] married spouse, partner, fiancé(e), boyfriend/girlfriend, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Married spouse] "
[2] "[CATI UCase: Partner] "
[3] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "
[4] "[CATI UCase: Something else] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question
IF RELHHB_2 <> 4

RELHHH_2: TextAnswer

"What is [SEXFILL_2] relationship to [RESPFILL]?"

(For example, if [RESPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo
Question RELHHFILL_4
IF HHFNAME_3 Is Empty

PRELOADACTION: SetVariableValue
Variable: RELHHFILL_3
Value: [SEXFILL_3]

PRELOADACTION: BranchTo
Next question

RELHHFILL_3: RadioButton

MaxValue = 150

Codes:

[1] your

[2] [HHFNAME_3] [HHLNAME_3]'s

PRELOADACTION: SetVariableValue
Variable: RELHHA3INTRO
Value: 1
IF HASRELSP <> 1

PRELOADACTION: BranchTo
Next question

RELHHA3INTRO: RadioButton

MaxValue = 150

Codes:

[1] "The next questions are about the relationships between the first person you listed, who owns or rents this home and the other members of your household.

"

[2]

```
PRELOADACTION: BranchTo
Question RELHFFILL_4
IF HHFFNAME_3 Is Empty
```

RELHHA_3: RadioButton

"[CATI TEXT: [HANDCARD B1]] [RELHHA3INTRO]What is [RELHFFILL_3] relationship to [RESPFILL]?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Householder] "
[2] "[CATI UCase: Spouse or partner] "
[3] "[CATI UCase: Child] "
[4] "[CATI UCase: Parent] "
[5] "[CATI UCase: Sibling] "
[6] "[CATI UCase: Other relative] "
[7] "[CATI UCase: Non-relative] "
[77] "[CATI UCase: DON'T KNOW] "

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: SetVariableValue
Variable: RELHBBFILL1_3
Value: 1
IF RESPNUM = 3
```

```
PRELOADACTION: SetVariableValue
Variable: RELHBBFILL1_3
Value: 2
IF RESPNUM <> 3
```

```
PRELOADACTION: BranchTo
Next question
```

RELHBBFILL1_3: RadioButton

MaxValue = 150

Codes:

[1] you are

[2] [HHFNAME_3] [HHLNAME_3] is

```
PRELOADACTION: BranchTo
Next question
IF RELHHA_3 <> 3
```

RELHHC_3: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_3] [RELHHBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

Codes:

[1] [CATI UCase: Natural/biological child]

[2] [CATI UCase: Adopted child]

[3] [CATI UCase: Stepchild]

[4] [CATI UCase: Grandchild/great-grandchild]

[5] [CATI UCase: Son-in-law/daughter-in-law]

[6] [CATI UCase: Something else]

[77] "[CATI UCase: DON'T KNOW] "

```
DISPLAY IF: QUEXMODE =1
```

[99] "REFUSED"

```
DISPLAY IF: QUEXMODE =1
```

[98] SKIPPED ON WEB

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF RELHHA_3 <> 4
```

RELHHD_3: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_3] [RELHHBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

Codes:

[1] [CATI UCase: Parent]

[2] [CATI UCase: Parent-in-law]

[3] [CATI UCase: Something else]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_3 <> 5

RELHHE_3: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_3] [RELHHBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

Codes:

[1] " [CATI UCase: Brother or sister (full, half, or step sibling)] "

[2] [CATI UCase: Sibling-in-law]

[3] [CATI UCase: Something else]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_3 <> 6

RELHHF_3: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_3] [RELHHBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

Codes:

[1] [CATI UCase: Grandparent/great-grandparent]

[2] [CATI UCase: Uncle/aunt]

[3] [CATI UCase: Niece/nephew]

[4] [CATI UCase: Grandchild/great-grandchild]

[5] [CATI UCase: Cousin]

[6] " [CATI UCase: Other relative (great-aunt, grandniece, etc.)] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_3 <> 7

RELHHG_3: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_3] [RELHHBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

Codes:

[1] [CATI UCase: Fiancé(e)/boyfriend/girlfriend]

[2] [CATI UCase: Roommate/housemate]

[3] [CATI UCase: Friend]

[4] [CATI UCase: Child of a friend or other housemate]

[5] " [CATI UCase: Other non-relative (employee, boarder)] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHC_3 <> 6

And RELHHD_3 <> 3

And RELHHE_3 <> 3

And RELHHF_3 <> 6

And RELHHG_3 <> 5

RELHHH_3: TextAnswer

"What is [RELHHFILL_3] relationship to [RESPFILL]?"

(For example, if [RESPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo
Question RELHHFILL_5
IF HHFNAME_4 Is Empty

PRELOADACTION: SetVariableValue
Variable: RELHHFILL_4
Value: [SEXFILL_4]

PRELOADACTION: BranchTo
Next question

RELHHFILL_4: RadioButton

MaxValue = 150

Codes:

[1] your
[2] [HHFNAME_4] [HHLNAME_4]'s

RELHHA_4: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [RELHHFILL_4] relationship to [RESPFILL]?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Householder] "
[2] "[CATI UCase: Spouse or partner] "
[3] "[CATI UCase: Child] "
[4] "[CATI UCase: Parent] "
[5] "[CATI UCase: Sibling] "
[6] "[CATI UCase: Other relative] "
[7] "[CATI UCase: Non-relative] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE = 1

[99] "REFUSED"

DISPLAY IF: QUEXMODE = 1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

PRELOADACTION: SetVariableValue
Variable: RELHHBFILL1_4
Value: 1
IF RESPNUM = 4

PRELOADACTION: SetVariableValue
Variable: RELHHBFILL1_4

Value: 2
IF RESPNUM <> 4

PRELOADACTION: BranchTo
Next question

RELHHBFILL1_4: RadioButton

MaxValue = 150

Codes:

[1] you are
[2] [HHFNAME_4] [HHLNAME_4] is

PRELOADACTION: BranchTo
Next question
IF RELHHA_4 <> 3

RELHHC_4: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_4] [RELHHBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

Codes:

[1] [CATI UCase: Natural/biological child]
[2] [CATI UCase: Adopted child]
[3] [CATI UCase: Stepchild]
[4] [CATI UCase: Grandchild/great-grandchild]
[5] [CATI UCase: Son-in-law/daughter-in-law]
[6] [CATI UCase: Something else]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF RELHHA_4 <> 4

RELHHD_4: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_4] [RELHHBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

Codes:

- [1] [CATI UCase: Parent]
- [2] [CATI UCase: Parent-in-law]
- [3] [CATI UCase: Something else]
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_4 <> 5

RELHHE_4: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_4] [RELHHBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

Codes:

- [1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "
- [2] [CATI UCase: Sibling-in-law]
- [3] [CATI UCase: Something else]
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_4 <> 6

RELHHF_4: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_4] [RELHHBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

Codes:

- [1] [CATI UCase: Grandparent/great-grandparent]
- [2] [CATI UCase: Uncle/aunt]
- [3] [CATI UCase: Niece/nephew]
- [4] [CATI UCase: Grandchild/great-grandchild]
- [5] [CATI UCase: Cousin]
- [6] " [CATI UCase: Other relative (great-aunt, grandniece, etc.)] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_4 <> 7

RELHHG_4: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_4] [RELHHBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

Codes:

- [1] [CATI UCase: Fiancé(e)/boyfriend/girlfriend]
- [2] [CATI UCase: Roommate/housemate]
- [3] [CATI UCase: Friend]
- [4] [CATI UCase: Child of a friend or other housemate]
- [5] " [CATI UCase: Other non-relative (employee, boarder)] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHC_4 <> 6

And RELHHD_4 <> 3

And RELHHE_4 <> 3

And RELHHF_4 <> 6

And RELHHG_4 <> 5

RELHHH_4: TextAnswer

"What is [RELHFFILL_4] relationship to [RESPFILL]?"

(For example, if [RESPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)

MaxValue = 150

PRELOADACTION: BranchTo
Question RELHFFILL_6
IF HHFNAME_5 Is Empty

PRELOADACTION: SetVariableValue
Variable: RELHFFILL_5
Value: [SEXFILL_5]

PRELOADACTION: BranchTo
Next question

RELHFFILL_5: RadioButton

MaxValue = 150

Codes:

[1] your
[2] [HHFNAME_5] [HHLNAME_5]'s

RELHHA_5: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [RELHFFILL_5] relationship to [RESPFILL]?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Householder] "
[2] "[CATI UCase: Spouse or partner] "
[3] "[CATI UCase: Child] "
[4] "[CATI UCase: Parent] "
[5] "[CATI UCase: Sibling] "
[6] "[CATI UCase: Other relative] "
[7] "[CATI UCase: Non-relative] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: RELHHBFILL1_5
Value: 1
IF RESPNUM = 5

PRELOADACTION: SetVariableValue
Variable: RELHHBFILL1_5
Value: 2
IF RESPNUM <> 5

PRELOADACTION: BranchTo
Next question

RELHHBFILL1_5: RadioButton

MaxValue = 150

Codes:

[1] you are
[2] [HHFNAME_5] [HHLNAME_5] is

PRELOADACTION: BranchTo
Next question
IF RELHHA_5 <> 3

RELHHC_5: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_5] [RELHHBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

Codes:

[1] [CATI UCase: Natural/biological child]
[2] [CATI UCase: Adopted child]
[3] [CATI UCase: Stepchild]
[4] [CATI UCase: Grandchild/great-grandchild]
[5] [CATI UCase: Son-in-law/daughter-in-law]
[6] [CATI UCase: Something else]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF RELHHA_5 <> 4

RELHHD_5: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_5] [RELHHBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

Codes:

[1] [CATI UCase: Parent]
[2] [CATI UCase: Parent-in-law]
[3] [CATI UCase: Something else]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF RELHHA_5 <> 5

RELHHE_5: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_5] [RELHHBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

Codes:

[1] " [CATI UCase: Brother or sister (full, half, or step sibling)] "
[2] [CATI UCase: Sibling-in-law]
[3] [CATI UCase: Something else]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF RELHHA_5 <> 6

RELHHF_5: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_5] [RELHHBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

Codes:

- [1] [CATI UCase: Grandparent/great-grandparent]
- [2] [CATI UCase: Uncle/aunt]
- [3] [CATI UCase: Niece/nephew]
- [4] [CATI UCase: Grandchild/great-grandchild]
- [5] [CATI UCase: Cousin]
- [6] " [CATI UCase: Other relative (great-aunt, grandniece, etc.)] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE = 1

[99] "REFUSED"

DISPLAY IF: QUEXMODE = 1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

PRELOADACTION: BranchTo

Next question

IF RELHHA_5 <> 7

RELHHG_5: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_5] [RELHHBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

Codes:

- [1] [CATI UCase: Fiancé(e)/boyfriend/girlfriend]
- [2] [CATI UCase: Roommate/housemate]
- [3] [CATI UCase: Friend]
- [4] [CATI UCase: Child of a friend or other housemate]
- [5] " [CATI UCase: Other non-relative (employee, boarder)] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE = 1

[99] "REFUSED"

DISPLAY IF: QUEXMODE = 1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

PRELOADACTION: BranchTo

Next question
IF RELHHC_5 <> 6
And RELHHD_5 <> 3
And RELHHE_5 <> 3
And RELHHF_5 <> 6
And RELHHG_5 <> 5

RELHHH_5: TextAnswer

"What is [RELHHFILL_5] relationship to [RESPFILL]?"

(For example, if [RESPFILL] would say that this person is "my uncle", the answer would be "uncle or aunt".)

MaxValue = 150

PRELOADACTION: BranchTo
Question RELHHFILL_7
IF HHFNAME_6 Is Empty

PRELOADACTION: SetVariableValue
Variable: RELHHFILL_6
Value: [SEXFILL_6]

PRELOADACTION: BranchTo
Next question

RELHHFILL_6: RadioButton

MaxValue = 150

Codes:

[1] your
[2] [HHFNAME_6] [HHLNAME_6]'s

RELHHA_6: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [RELHHFILL_6] relationship to [RESPFILL]?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Householder] "

[2] "[CATI UCase: Spouse or partner] "
[3] "[CATI UCase: Child] "
[4] "[CATI UCase: Parent] "
[5] "[CATI UCase: Sibling] "
[6] "[CATI UCase: Other relative] "
[7] "[CATI UCase: Non-relative] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: RELHHBFILL1_6

Value: 1

IF RESPNUM = 6

PRELOADACTION: SetVariableValue

Variable: RELHHBFILL1_6

Value: 2

IF RESPNUM <> 6

PRELOADACTION: BranchTo

Next question

RELHHBFILL1_6: RadioButton

MaxValue = 150

Codes:

[1] you are

[2] [HHFNAME_6] [HHLNAME_6] is

PRELOADACTION: BranchTo

Next question

IF RELHHA_6 <> 3

RELHHC_6: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_6] [RELHHBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

Codes:

[1] [CATI UCase: Natural/biological child]
[2] [CATI UCase: Adopted child]
[3] [CATI UCase: Stepchild]
[4] [CATI UCase: Grandchild/great-grandchild]
[5] [CATI UCase: Son-in-law/daughter-in-law]
[6] [CATI UCase: Something else]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_6 <> 4

RELHHD_6: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_6] [RELHHBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

Codes:

[1] [CATI UCase: Parent]
[2] [CATI UCase: Parent-in-law]
[3] [CATI UCase: Something else]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_6 <> 5

RELHHE_6: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_6] [RELHHBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "
[2] [CATI UCase: Sibling-in-law]

[3] [CATI UCase: Something else]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_6 <> 6

RELHHF_6: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_6] [RELHHBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

Codes:

[1] [CATI UCase: Grandparent/great-grandparent]

[2] [CATI UCase: Uncle/aunt]

[3] [CATI UCase: Niece/nephew]

[4] [CATI UCase: Grandchild/great-grandchild]

[5] [CATI UCase: Cousin]

[6] " [CATI UCase: Other relative (great-aunt, grandniece, etc.)] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_6 <> 7

RELHHG_6: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_6] [RELHHBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

Codes:

[1] [CATI UCase: Fiancé(e)/boyfriend/girlfriend]

[2] [CATI UCase: Roommate/housemate]

[3] [CATI UCase: Friend]
[4] [CATI UCase: Child of a friend or other housemate]
[5] " [CATI UCase: Other non-relative (employee, boarder)] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF RELHHC_6 <> 6
And RELHHD_6 <> 3
And RELHHE_6 <> 3
And RELHHF_6 <> 6
And RELHHG_6 <> 5

RELHHH_6: TextAnswer

"What is [RELHHFILL_6] relationship to [RESPFILL]?"

(For example, if [RESPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo
Question RELHHFILL_8
IF HHFNAME_7 Is Empty

PRELOADACTION: SetVariableValue
Variable: RELHHFILL_7
Value: [SEXFILL_7]

PRELOADACTION: BranchTo
Next question

RELHHFILL_7: RadioButton

MaxValue = 150

Codes:

[1] your
[2] [HHFNAME_7] [HHLNAME_7]'s

RELHHA_7: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [RELHBFILL_7] relationship to [RESPFILL]?"

MaxValue = 150

Codes:

- [1] "[CATI UCase: Householder] "
- [2] "[CATI UCase: Spouse or partner] "
- [3] "[CATI UCase: Child] "
- [4] "[CATI UCase: Parent] "
- [5] "[CATI UCase: Sibling] "
- [6] "[CATI UCase: Other relative] "
- [7] "[CATI UCase: Non-relative] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: RELHBFILL1_7

Value: 1

IF RESPNUM = 7

PRELOADACTION: SetVariableValue

Variable: RELHBFILL1_7

Value: 2

IF RESPNUM <> 7

PRELOADACTION: BranchTo

Next question

RELHBFILL1_7: RadioButton

MaxValue = 150

Codes:

- [1] you are
- [2] [HHFNAME_7] [HHLNAME_7] is

PRELOADACTION: BranchTo

Next question

IF RELHHA_7 <> 3

RELHHC_7: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_7] [RELHHBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

Codes:

- [1] [CATI UCase: Natural/biological child]
- [2] [CATI UCase: Adopted child]
- [3] [CATI UCase: Stepchild]
- [4] [CATI UCase: Grandchild/great-grandchild]
- [5] [CATI UCase: Son-in-law/daughter-in-law]
- [6] [CATI UCase: Something else]
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_7 <> 4

RELHHD_7: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_7] [RELHHBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

Codes:

- [1] [CATI UCase: Parent]
- [2] [CATI UCase: Parent-in-law]
- [3] [CATI UCase: Something else]
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_7 <> 5

RELHHE_7: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_7] [RELHHBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "
[2] [CATI UCase: Sibling-in-law]
[3] [CATI UCase: Something else]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_7 <> 6

RELHHF_7: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_7] [RELHHBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

Codes:

[1] [CATI UCase: Grandparent/great-grandparent]
[2] [CATI UCase: Uncle/aunt]
[3] [CATI UCase: Niece/nephew]
[4] [CATI UCase: Grandchild/great-grandchild]
[5] [CATI UCase: Cousin]
[6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_7 <> 7

RELHHG_7: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_7] [RELHHBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

Codes:

- [1] [CATI UCase: Fiancé(e)/boyfriend/girlfriend]
- [2] [CATI UCase: Roommate/housemate]
- [3] [CATI UCase: Friend]
- [4] [CATI UCase: Child of a friend or other housemate]
- [5] " [CATI UCase: Other non-relative (employee, boarder)] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHC_7 <> 6

And RELHHD_7 <> 3

And RELHHE_7 <> 3

And RELHHF_7 <> 6

And RELHHG_7 <> 5

RELHHH_7: TextAnswer

"What is [RELHHFILL_7] relationship to [RESPFILL]?"

(For example, if [RESPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo

Question RELHHFILL_9

IF HHFNAME_8 Is Empty

PRELOADACTION: SetVariableValue

Variable: RELHHFILL_8

Value: [SEXFILL_8]

PRELOADACTION: BranchTo

Next question

RELHHFILL_8: RadioButton

MaxValue = 150

Codes:

- [1] your
- [2] [HHFNAME_8] [HHLNAME_8]'s

RELHHA_8: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [RELHFFILL_8] relationship to [RESPFILL]?"

MaxValue = 150

Codes:

- [1] "[CATI UCase: Householder] "
- [2] "[CATI UCase: Spouse or partner] "
- [3] "[CATI UCase: Child] "
- [4] "[CATI UCase: Parent] "
- [5] "[CATI UCase: Sibling] "
- [6] "[CATI UCase: Other relative] "
- [7] "[CATI UCase: Non-relative] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: RELHHBFILL1_8

Value: 1

IF RESPNUM = 8

PRELOADACTION: SetVariableValue

Variable: RELHHBFILL1_8

Value: 2

IF RESPNUM <> 8

PRELOADACTION: BranchTo

Next question

RELHHBFILL1_8: RadioButton

MaxValue = 150

Codes:

[1] you are
[2] [HHFNAME_8] [HHLNAME_8] is

PRELOADACTION: BranchTo
Next question
IF RELHHA_8 <> 3

RELHHC_8: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_8] [RELHHBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Natural/biological child] "
[2] "[CATI UCase: Adopted child] "
[3] "[CATI UCase: Stepchild] "
[4] "[CATI UCase: Grandchild/great-grandchild] "
[5] "[CATI UCase: Son-in-law/daughter-in-law] "
[6] "[CATI UCase: Something else] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE = 1

[99] "REFUSED"

DISPLAY IF: QUEXMODE = 1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

PRELOADACTION: BranchTo
Next question
IF RELHHA_8 <> 4

RELHHD_8: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_8] [RELHHBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Parent] "
[2] "[CATI UCase: Parent-in-law] "
[3] "[CATI UCase: Something else] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE = 1

[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF RELHHA_8 <> 5

RELHHE_8: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_8] [RELHHBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

Codes:

[1] " [CATI UCase: Brother or sister (full, half, or step sibling)] "
[2] [CATI UCase: Sibling-in-law]
[3] [CATI UCase: Something else]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF RELHHA_8 <> 6

RELHHF_8: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_8] [RELHHBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

Codes:

[1] [CATI UCase: Grandparent/great-grandparent]
[2] [CATI UCase: Uncle/aunt]
[3] [CATI UCase: Niece/nephew]
[4] [CATI UCase: Grandchild/great-grandchild]
[5] [CATI UCase: Cousin]
[6] " [CATI UCase: Other relative (great-aunt, grandniece, etc.)] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF RELHHA_8 <> 7

RELHHG_8: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_8] [RELHHBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

Codes:

- [1] [CATI UCase: Fiancé(e)/boyfriend/girlfriend]
- [2] [CATI UCase: Roommate/housemate]
- [3] [CATI UCase: Friend]
- [4] [CATI UCase: Child of a friend or other housemate]
- [5] " [CATI UCase: Other non-relative (employee, boarder)] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF RELHHC_8 <> 6
And RELHHD_8 <> 3
And RELHHE_8 <> 3
And RELHHF_8 <> 6
And RELHHG_8 <> 5

RELHHH_8: TextAnswer

"What is [RELHHFILL_8] relationship to [RESPFILL]?"

(For example, if [RESPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo
Question RELHHFILL_10
IF HHFNAME_9 Is Empty

PRELOADACTION: SetVariableValue
Variable: RELHHFILL_9
Value: [SEXFILL_9]

PRELOADACTION: BranchTo
Next question

RELHHFILL_9: RadioButton

MaxValue = 150

Codes:

[1] your
[2] [HHFNAME_9] [HHLNAME_9]'s

RELHHA_9: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [RELHHFILL_9] relationship to [RESPFILL]?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Householder] "
[2] "[CATI UCase: Spouse or partner] "
[3] "[CATI UCase: Child] "
[4] "[CATI UCase: Parent] "
[5] "[CATI UCase: Sibling] "
[6] "[CATI UCase: Other relative] "
[7] "[CATI UCase: Non-relative] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE = 1

[99] "REFUSED"

DISPLAY IF: QUEXMODE = 1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

PRELOADACTION: SetVariableValue
Variable: RELHHBFILL1_9
Value: 1
IF RESPNUM = 9

PRELOADACTION: SetVariableValue
Variable: RELHHBFILL1_9
Value: 2
IF RESPNUM <> 9

PRELOADACTION: BranchTo

Next question

RELHHBFILL1_9: RadioButton

MaxValue = 150

Codes:

[1] you are

[2] [HHFNAME_9] [HHLNAME_9] is

PRELOADACTION: BranchTo

Next question

IF RELHHA_9 <> 3

RELHHC_9: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_9] [RELHHBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

Codes:

[1] [CATI UCase: Natural/biological child]

[2] [CATI UCase: Adopted child]

[3] [CATI UCase: Stepchild]

[4] [CATI UCase: Grandchild/great-grandchild]

[5] [CATI UCase: Son-in-law/daughter-in-law]

[6] [CATI UCase: Something else]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_9 <> 4

RELHHD_9: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_9] [RELHHBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

Codes:

[1] [CATI UCase: Parent]
[2] [CATI UCase: Parent-in-law]
[3] [CATI UCase: Something else]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_9 <> 5

RELHHE_9: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_9] [RELHHBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

Codes:

[1] " [CATI UCase: Brother or sister (full, half, or step sibling)] "
[2] [CATI UCase: Sibling-in-law]
[3] [CATI UCase: Something else]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_9 <> 6

RELHHF_9: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_9] [RELHHBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

Codes:

[1] [CATI UCase: Grandparent/great-grandparent]
[2] [CATI UCase: Uncle/aunt]
[3] [CATI UCase: Niece/nephew]
[4] [CATI UCase: Grandchild/great-grandchild]
[5] [CATI UCase: Cousin]
[6] " [CATI UCase: Other relative (great-aunt, grandniece, etc.)] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_9 <> 7

RELHHG_9: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_9] [RELHHBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

Codes:

[1] [CATI UCase: Fiancé(e)/boyfriend/girlfriend]
[2] [CATI UCase: Roommate/housemate]
[3] [CATI UCase: Friend]
[4] [CATI UCase: Child of a friend or other housemate]
[5] " [CATI UCase: Other non-relative (employee, boarder)] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHC_9 <> 6

And RELHHD_9 <> 3

And RELHHE_9 <> 3

And RELHHF_9 <> 6

And RELHHG_9 <> 5

RELHHH_9: TextAnswer

"What is [RELHHFILL_9] relationship to [RESPFILL]?"

(For example, if [RESPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo
Question RELHFFILL_11
IF HHFNAME_10 Is Empty

PRELOADACTION: SetVariableValue
Variable: RELHFFILL_10
Value: [SEXFILL_10]

PRELOADACTION: BranchTo
Next question

RELHFFILL_10: RadioButton

MaxValue = 150

Codes:

[1] your
[2] [HHFNAME_10] [HHLNAME_10]'s

RELHHA_10: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [RELHFFILL_10] relationship to [RESPFILL]?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Householder] "
[2] "[CATI UCase: Spouse or partner] "
[3] "[CATI UCase: Child] "
[4] "[CATI UCase: Parent] "
[5] "[CATI UCase: Sibling] "
[6] "[CATI UCase: Other relative] "
[7] "[CATI UCase: Non-relative] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

```
PRELOADACTION: SetVariableValue
Variable: RELHHBFILL1_10
Value: 1
IF RESPNUM = 10
```

```
PRELOADACTION: SetVariableValue
Variable: RELHHBFILL1_10
Value: 2
IF RESPNUM <> 10
```

```
PRELOADACTION: BranchTo
Next question
```

RELHHBFILL1_10: RadioButton

MaxValue = 150

Codes:

[1] you are
[2] [HHFNAME_10] [HHLNAME_10] is

```
PRELOADACTION: BranchTo
Next question
IF RELHHA_10 <> 3
```

RELHHC_10: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_10] [RELHHBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

Codes:

[1] [CATI UCase: Natural/biological child]
[2] [CATI UCase: Adopted child]
[3] [CATI UCase: Stepchild]
[4] [CATI UCase: Grandchild/great-grandchild]
[5] [CATI UCase: Son-in-law/daughter-in-law]
[6] [CATI UCase: Something else]
[77] "[CATI UCase: DON'T KNOW] "

```
DISPLAY IF: QUEXMODE = 1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE = 1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE = 2
```

```
PRELOADACTION: BranchTo
Next question
IF RELHHA_10 <> 4
```

RELHHD_10: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_10] [RELHHBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

Codes:

```
[1] [CATI UCase: Parent]
[2] [CATI UCase: Parent-in-law]
[3] [CATI UCase: Something else]
[77] "[CATI UCase: DON'T KNOW] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF RELHHA_10 <> 5
```

RELHHE_10: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_10] [RELHHBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

Codes:

```
[1] " [CATI UCase: Brother or sister (full, half, or step sibling)] "
[2] [CATI UCase: Sibling-in-law]
[3] [CATI UCase: Something else]
[77] "[CATI UCase: DON'T KNOW] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF RELHHA_10 <> 6
```

RELHHF_10: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHBFILL1_10] [RELHBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

Codes:

[1] [CATI UCase: Grandparent/great-grandparent]
[2] [CATI UCase: Uncle/aunt]
[3] [CATI UCase: Niece/nephew]
[4] [CATI UCase: Grandchild/great-grandchild]
[5] [CATI UCase: Cousin]
[6] " [CATI UCase: Other relative (great-aunt, grandniece, etc.)] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE = 1
[99] "REFUSED"
DISPLAY IF: QUEXMODE = 1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE = 2

PRELOADACTION: BranchTo
Next question
IF RELHHA_10 <> 7

RELHHG_10: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHBFILL1_10] [RELHBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

Codes:

[1] [CATI UCase: Fiancé(e)/boyfriend/girlfriend]
[2] [CATI UCase: Roommate/housemate]
[3] [CATI UCase: Friend]
[4] [CATI UCase: Child of a friend or other housemate]
[5] " [CATI UCase: Other non-relative (employee, boarder)] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE = 1
[99] "REFUSED"
DISPLAY IF: QUEXMODE = 1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE = 2

PRELOADACTION: BranchTo
Next question
IF RELHHC_10 <> 6
And RELHHD_10 <> 3

```
And RELHHE_10 <> 3
And RELHHF_10 <> 6
And RELHHG_10 <> 5
```

RELHHH_10: TextAnswer

"What is [RELHHFILL_10] relationship to [RESPFILL]?"

(For example, if [RESPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

```
PRELOADACTION: BranchTo
Question RELHHFILL_12
IF HHFNAME_11 Is Empty
```

```
PRELOADACTION: SetVariableValue
Variable: RELHHFILL_11
Value: [SEXFILL_11]
```

```
PRELOADACTION: BranchTo
Next question
```

RELHHFILL_11: RadioButton

MaxValue = 150

Codes:

[1] your
[2] [HHFNAME_11] [HHLNAME_11]'s

RELHHA_11: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [RELHHFILL_11] relationship to [RESPFILL]?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Householder] "
[2] "[CATI UCase: Spouse or partner] "
[3] "[CATI UCase: Child] "
[4] "[CATI UCase: Parent] "

[5] "[CATI UCase: Sibling] "
[6] "[CATI UCase: Other relative] "
[7] "[CATI UCase: Non-relative] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: RELHHBFILL1_11
Value: 1
IF RESPNUM = 11

PRELOADACTION: SetVariableValue
Variable: RELHHBFILL1_11
Value: 2
IF RESPNUM <> 11

PRELOADACTION: BranchTo
Next question

RELHHBFILL1_11: RadioButton

MaxValue = 150

Codes:

[1] you are
[2] [HHFNAME_11] [HHLNAME_11] is

PRELOADACTION: BranchTo
Next question
IF RELHHA_11 <> 3

RELHHC_11: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_11] [RELHHBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

Codes:

[1] [CATI UCase: Natural/biological child]
[2] [CATI UCase: Adopted child]
[3] [CATI UCase: Stepchild]

[4] [CATI UCase: Grandchild/great-grandchild]

[5] [CATI UCase: Son-in-law/daughter-in-law]

[6] [CATI UCase: Something else]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_11 <> 4

RELHHD_11: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_11] [RELHHBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

Codes:

[1] [CATI UCase: Parent]

[2] [CATI UCase: Parent-in-law]

[3] [CATI UCase: Something else]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_11 <> 5

RELHHE_11: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_11] [RELHHBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

Codes:

[1] " [CATI UCase: Brother or sister (full, half, or step sibling)] "

[2] [CATI UCase: Sibling-in-law]

[3] [CATI UCase: Something else]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF RELHHA_11 <> 6

RELHHF_11: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_11] [RELHHBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

Codes:

- [1] [CATI UCase: Grandparent/great-grandparent]
- [2] [CATI UCase: Uncle/aunt]
- [3] [CATI UCase: Niece/nephew]
- [4] [CATI UCase: Grandchild/great-grandchild]
- [5] [CATI UCase: Cousin]
- [6] " [CATI UCase: Other relative (great-aunt, grandniece, etc.)] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF RELHHA_11 <> 7

RELHHG_11: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_11] [RELHHBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

Codes:

- [1] [CATI UCase: Fiancé(e)/boyfriend/girlfriend]
- [2] [CATI UCase: Roommate/housemate]
- [3] [CATI UCase: Friend]
- [4] [CATI UCase: Child of a friend or other housemate]

[5] " [CATI UCase: Other non-relative (employee, boarder)] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHC_11 <> 6

And RELHHD_11 <> 3

And RELHHE_11 <> 3

And RELHHF_11 <> 6

And RELHHG_11 <> 5

RELHHH_11: TextAnswer

"What is [RELHHFILL_11] relationship to [RESPFILL]?"

(For example, if [RESPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo

Question RELHHFILL_13

IF HHFNAME_12 Is Empty

PRELOADACTION: SetVariableValue

Variable: RELHHFILL_12

Value: [SEXFILL_12]

PRELOADACTION: BranchTo

Next question

RELHHFILL_12: RadioButton

MaxValue = 150

Codes:

[1] your

[2] [HHFNAME_12] [HHLNAME_12]'s

RELHHA_12: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [RELHBFILL_12] relationship to [RESPFILL]?"

MaxValue = 150

Codes:

- [1] "[CATI UCase: Householder] "
- [2] "[CATI UCase: Spouse or partner] "
- [3] "[CATI UCase: Child] "
- [4] "[CATI UCase: Parent] "
- [5] "[CATI UCase: Sibling] "
- [6] "[CATI UCase: Other relative] "
- [7] "[CATI UCase: Non-relative] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: RELHBFILL1_12

Value: 1

IF RESPNUM = 12

PRELOADACTION: SetVariableValue

Variable: RELHBFILL1_12

Value: 2

IF RESPNUM <> 12

PRELOADACTION: BranchTo

Next question

RELHBFILL1_12: RadioButton

MaxValue = 150

Codes:

- [1] you are
- [2] [HHFNAME_12] [HHLNAME_12] is

PRELOADACTION: BranchTo

Next question

IF RELHHA_12 <> 3

RELHHC_12: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_12] [RELHHBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

Codes:

- [1] [CATI UCase: Natural/biological child]
- [2] [CATI UCase: Adopted child]
- [3] [CATI UCase: Stepchild]
- [4] [CATI UCase: Grandchild/great-grandchild]
- [5] [CATI UCase: Son-in-law/daughter-in-law]
- [6] [CATI UCase: Something else]
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_12 <> 4

RELHHD_12: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_12] [RELHHBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

Codes:

- [1] [CATI UCase: Parent]
- [2] [CATI UCase: Parent-in-law]
- [3] [CATI UCase: Something else]
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_12 <> 5

RELHHE_12: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_12] [RELHHBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "

[2] [CATI UCase: Sibling-in-law]

[3] [CATI UCase: Something else]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_12 <> 6

RELHHF_12: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_12] [RELHHBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

Codes:

[1] [CATI UCase: Grandparent/great-grandparent]

[2] [CATI UCase: Uncle/aunt]

[3] [CATI UCase: Niece/nephew]

[4] [CATI UCase: Grandchild/great-grandchild]

[5] [CATI UCase: Cousin]

[6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_12 <> 7

RELHHG_12: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_12] [RELHHBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

Codes:

- [1] [CATI UCase: Fiancé(e)/boyfriend/girlfriend]
- [2] [CATI UCase: Roommate/housemate]
- [3] [CATI UCase: Friend]
- [4] [CATI UCase: Child of a friend or other housemate]
- [5] " [CATI UCase: Other non-relative (employee, boarder)] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHC_12 <> 6

And RELHHD_12 <> 3

And RELHHE_12 <> 3

And RELHHF_12 <> 6

And RELHHG_12 <> 5

RELHHH_12: TextAnswer

"What is [RELHHFILL_12] relationship to [RESPFILL]?"

(For example, if [RESPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo

Question RELHHFILL_14

IF HHFNAME_13 Is Empty

PRELOADACTION: SetVariableValue

Variable: RELHHFILL_13

Value: [SEXFILL_13]

PRELOADACTION: BranchTo

Next question

RELHHFILL_13: RadioButton

MaxValue = 150

Codes:

- [1] your
- [2] [HHFNAME_13] [HHLNAME_13]'s

RELHHA_13: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [RELHFFILL_13] relationship to [RESPFILL]?"

MaxValue = 150

Codes:

- [1] "[CATI UCase: Householder] "
- [2] "[CATI UCase: Spouse or partner] "
- [3] "[CATI UCase: Child] "
- [4] "[CATI UCase: Parent] "
- [5] "[CATI UCase: Sibling] "
- [6] "[CATI UCase: Other relative] "
- [7] "[CATI UCase: Non-relative] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: RELHBBFILL1_13

Value: 1

IF RESPNUM = 13

PRELOADACTION: SetVariableValue

Variable: RELHBBFILL1_13

Value: 2

IF RESPNUM <> 13

PRELOADACTION: BranchTo

Next question

RELHBBFILL1_13: RadioButton

MaxValue = 150

Codes:

[1] you are
[2] [HHFNAME_13] [HHLNAME_13] is

PRELOADACTION: BranchTo
Next question
IF RELHHA_13 <> 3

RELHHC_13: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_13] [RELHHBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

Codes:

[1] [CATI UCase: Natural/biological child]
[2] [CATI UCase: Adopted child]
[3] [CATI UCase: Stepchild]
[4] [CATI UCase: Grandchild/great-grandchild]
[5] [CATI UCase: Son-in-law/daughter-in-law]
[6] [CATI UCase: Something else]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF RELHHA_13 <> 4

RELHHD_13: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_13] [RELHHBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

Codes:

[1] [CATI UCase: Parent]
[2] [CATI UCase: Parent-in-law]
[3] [CATI UCase: Something else]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF RELHHA_13 <> 5

RELHHE_13: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_13] [RELHHBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

Codes:

[1] " [CATI UCase: Brother or sister (full, half, or step sibling)] "
[2] [CATI UCase: Sibling-in-law]
[3] [CATI UCase: Something else]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF RELHHA_13 <> 6

RELHHF_13: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_13] [RELHHBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

Codes:

[1] [CATI UCase: Grandparent/great-grandparent]
[2] [CATI UCase: Uncle/aunt]
[3] [CATI UCase: Niece/nephew]
[4] [CATI UCase: Grandchild/great-grandchild]
[5] [CATI UCase: Cousin]
[6] " [CATI UCase: Other relative (great-aunt, grandniece, etc.)] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF RELHHA_13 <> 7

RELHHG_13: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_13] [RELHHBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

Codes:

- [1] [CATI UCase: Fiancé(e)/boyfriend/girlfriend]
- [2] [CATI UCase: Roommate/housemate]
- [3] [CATI UCase: Friend]
- [4] [CATI UCase: Child of a friend or other housemate]
- [5] " [CATI UCase: Other non-relative (employee, boarder)] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF RELHHC_13 <> 6
And RELHHD_13 <> 3
And RELHHE_13 <> 3
And RELHHF_13 <> 6
And RELHHG_13 <> 5

RELHHH_13: TextAnswer

"What is [RELHHFILL_13] relationship to [RESPFILL]?"

(For example, if [RESPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo
Question SPFILL
IF HHFNAME_14 Is Empty

PRELOADACTION: SetVariableValue
Variable: RELHHFILL_14
Value: [SEXFILL_14]

PRELOADACTION: BranchTo
Next question

RELHHFILL_14: RadioButton

MaxValue = 150

Codes:

[1] your
[2] [HHFNAME_14] [HHLNAME_14]'s

RELHHA_14: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [RELHHFILL_14] relationship to [RESPFILL]?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Householder] "
[2] "[CATI UCase: Spouse or partner] "
[3] "[CATI UCase: Child] "
[4] "[CATI UCase: Parent] "
[5] "[CATI UCase: Sibling] "
[6] "[CATI UCase: Other relative] "
[7] "[CATI UCase: Non-relative] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: RELHHBFILL1_14
Value: 1
IF RESPNUM = 14

PRELOADACTION: SetVariableValue
Variable: RELHHBFILL1_14
Value: 2
IF RESPNUM <> 14

PRELOADACTION: BranchTo

Next question

RELHHBFILL1_14: RadioButton

MaxValue = 150

Codes:

[1] you are

[2] [HHFNAME_14] [HHLNAME_14] is

PRELOADACTION: BranchTo

Next question

IF RELHHA_14 <> 3

RELHHC_14: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_14] [RELHHBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

Codes:

[1] [CATI UCase: Natural/biological child]

[2] [CATI UCase: Adopted child]

[3] [CATI UCase: Stepchild]

[4] [CATI UCase: Grandchild/great-grandchild]

[5] [CATI UCase: Son-in-law/daughter-in-law]

[6] [CATI UCase: Something else]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_14 <> 4

RELHHD_14: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_14] [RELHHBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

Codes:

[1] [CATI UCase: Parent]
[2] [CATI UCase: Parent-in-law]
[3] [CATI UCase: Something else]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_14 <> 5

RELHHE_14: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_14] [RELHHBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

Codes:

[1] " [CATI UCase: Brother or sister (full, half, or step sibling)] "
[2] [CATI UCase: Sibling-in-law]
[3] [CATI UCase: Something else]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_14 <> 6

RELHHF_14: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_14] [RELHHBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

Codes:

[1] [CATI UCase: Grandparent/great-grandparent]
[2] [CATI UCase: Uncle/aunt]
[3] [CATI UCase: Niece/nephew]
[4] [CATI UCase: Grandchild/great-grandchild]
[5] [CATI UCase: Cousin]
[6] " [CATI UCase: Other relative (great-aunt, grandniece, etc.)] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA_14 <> 7

RELHHG_14: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1_14] [RELHHBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

Codes:

[1] [CATI UCase: Fiancé(e)/boyfriend/girlfriend]
[2] [CATI UCase: Roommate/housemate]
[3] [CATI UCase: Friend]
[4] [CATI UCase: Child of a friend or other housemate]
[5] " [CATI UCase: Other non-relative (employee, boarder)] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHC_14 <> 6

And RELHHD_14 <> 3

And RELHHE_14 <> 3

And RELHHF_14 <> 6

And RELHHG_14 <> 5

RELHHH_14: TextAnswer

"What is [RELHHFILL_14] relationship to [RESPFILL]?"

(For example, if [RESPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

```
PRELOADACTION: BranchTo  
Question MSTATFILL1_1  
IF HASRELSP <> 1
```

```
PRELOADACTION: SetVariableValue  
Variable: SPFILL  
Value: 1  
IF RESPNUM = 2
```

```
PRELOADACTION: SetVariableValue  
Variable: SPFILL  
Value: 2  
IF RESPNUM <> 2
```

```
PRELOADACTION: BranchTo  
Next question
```

SPFILL: RadioButton

MaxValue = 150

Codes:

[1] you
[2] [HHFNAME_2] [HHLNAME_2]

```
PRELOADACTION: SetVariableValue  
Variable: RELSPBFILL2  
Value: 1  
IF RESPNUM = 2
```

```
PRELOADACTION: SetVariableValue  
Variable: RELSPBFILL2  
Value: 2  
IF RESPNUM <> 2
```

```
PRELOADACTION: BranchTo  
Next question
```

RELSPBFILL2: RadioButton

MaxValue = 150

Codes:

[1] your

[2] [HHFNAME_2] [HHLNAME_2]'s

PRELOADACTION: SetVariableValue
Variable: RELSPA_1
Value: 2

PRELOADACTION: BranchTo
Next question

RELSPA_1: RadioButton

"[CATI TEXT: [HANDCARD B1]] Now, the next questions are about the relationships between the household head's spouse or partner and the other people in the household.

Please select the option that best describes this relationship. What is [RELSPFILL_1] relationship to [SPFILL]?"

MaxValue = 150

Codes:

[1] [CATI UCase: Householder]

[2] [CATI UCase: Spouse or partner]

[3] [CATI UCase: Child]

[4] [CATI UCase: Parent]

[5] [CATI UCase: Sibling]

[6] [CATI UCase: Other relative]

[7] [CATI UCase: Non-relative]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: RELSPB_1
Value: [RELHHB_2]

PRELOADACTION: BranchTo
Next question

RELSPB_1: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_1] [RELSPBFILL2] married spouse, partner, fiancé(e), boyfriend/girlfriend, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Married spouse] "
[2] "[CATI UCase: Partner] "
[3] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "
[4] "[CATI UCase: Something else] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: RELSPH_1

Value: [RELHHH_2]

PRELOADACTION: BranchTo

Next question

RELSPH_1: TextAnswer

"Please select the option that best describes this relationship. What is [rel2spfill] relationship to [spfill]?"

(For example, if [respfill] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: SetVariableValue

Variable: RELSPA_2

Value: 1

PRELOADACTION: BranchTo

Next question

RELSPA_2: RadioButton

"[CATI TEXT: [HANDCARD B1]] Please select the option that best describes this relationship. What is [RELSPFILL_2] relationship to [SPFILL]?"

MaxValue = 150

Codes:

[1] [CATI UCase: Householder]

[2] [CATI UCase: Spouse or partner]
[3] [CATI UCase: Child]
[4] [CATI UCase: Parent]
[5] [CATI UCase: Sibling]
[6] [CATI UCase: Other relative]
[7] [CATI UCase: Non-relative]
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Question REL2SPFILL_4
IF HHFNAME_3 Is Empty

PRELOADACTION: SetVariableValue
Variable: REL2SPFILL_3
Value: [SEXFILL_3]

PRELOADACTION: BranchTo
Next question

REL2SPFILL_3: RadioButton

MaxValue = 150

Codes:

[1] your
[2] [HHFNAME_3] [HHLNAME_3]'s

PRELOADACTION: SetVariableValue
Variable: RELSPBFILL1_3
Value: [SEXFILL_3]

PRELOADACTION: BranchTo
Next question

RELSPBFILL1_3: RadioButton

MaxValue = 150

Codes:

[1] you are

[2] [HHFNAME_3] [HHLNAME_3] is

RELSPA_3: RadioButton

"[CATI TEXT: [HANDCARD B1]] Now, the next questions are about the relationships between the household head's spouse or partner and the other people in the household.

What is [REL2SPFILL_3] relationship to [SPFILL]?"

MaxValue = 150

Codes:

- [1] "[CATI UCase: Householder] "
- [2] "[CATI UCase: Spouse or partner] "
- [3] "[CATI UCase: Child] "
- [4] "[CATI UCase: Parent] "
- [5] "[CATI UCase: Sibling] "
- [6] "[CATI UCase: Other relative] "
- [7] "[CATI UCase: Non-relative] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_3 <> 3

RELSPC_3: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_3] [RELSPBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

Codes:

- [1] "[CATI UCase: Natural/biological child] "
- [2] "[CATI UCase: Adopted child] "
- [3] "[CATI UCase: Stepchild] "
- [4] "[CATI UCase: Grandchild/great-grandchild] "
- [5] "[CATI UCase: Son-in-law/daughter-in-law] "
- [6] "[CATI UCase: Something else] "
- [77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF RELSPA_3 <> 4

RELSPD_3: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_3] [RELSPBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Parent] "
[2] "[CATI UCase: Parent-in-law] "
[3] "[CATI UCase: Something else] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF RELSPA_3 <> 5

RELSPE_3: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_3] [RELSPBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "
[2] "[CATI UCase: Sibling-in-law] "
[3] "[CATI UCase: Something else] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question

IF RELSPA_3 <> 6

RELSPF_3: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_3] [RELSPBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

Codes:

- [1] "[CATI UCase: Grandparent/great-grandparent] "
- [2] "[CATI UCase: Uncle/aunt] "
- [3] "[CATI UCase: Niece/nephew] "
- [4] "[CATI UCase: Grandchild/great-grandchild] "
- [5] "[CATI UCase: Cousin] "
- [6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "
- [77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_3 <> 7

RELSPG_3: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_3] [RELSPBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

Codes:

- [1] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "
- [2] "[CATI UCase: Roommate/housemate] "
- [3] "[CATI UCase: Friend] "
- [4] "[CATI UCase: Child of a friend or other housemate] "
- [5] "[CATI UCase: Other non-relative (employee, boarder)] "
- [77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

```
PRELOADACTION: BranchTo
Next question
IF RELSPC_3 <> 6
And RELSPD_3 <> 3
And RELSPE_3 <> 3
And RELSPF_3 <> 6
And RELSPG_3 <> 5
```

RELSPH_3: TextAnswer

"Please select the option that best describes this relationship. What is [REL2SPFILL_3] relationship to [SPFILL]?"

(For example, if [SPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

```
PRELOADACTION: BranchTo
Question REL2SPFILL_5
IF HHFNAME_4 Is Empty
```

```
PRELOADACTION: SetVariableValue
Variable: REL2SPFILL_4
Value: [SEXFILL_4]
```

```
PRELOADACTION: BranchTo
Next question
```

REL2SPFILL_4: RadioButton

MaxValue = 150

Codes:

[1] your
[2] [HHFNAME_4] [HHLNAME_4]'s

```
PRELOADACTION: SetVariableValue
Variable: RELSPBFILL1_4
Value: [SEXFILL_4]
```

```
PRELOADACTION: BranchTo
Next question
```

RELSPBFILL1_4: RadioButton

MaxValue = 150

Codes:

- [1] you are
- [2] [HHFNAME_4] [HHLNAME_4] is

RELSPA_4: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [REL2SPFILL_4] relationship to [SPFILL]?"

MaxValue = 150

Codes:

- [1] "[CATI UCase: Householder] "
- [2] "[CATI UCase: Spouse or partner] "
- [3] "[CATI UCase: Child] "
- [4] "[CATI UCase: Parent] "
- [5] "[CATI UCase: Sibling] "
- [6] "[CATI UCase: Other relative] "
- [7] "[CATI UCase: Non-relative] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_4 <> 3

RELSPC_4: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_4] [RELSPBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

Codes:

- [1] "[CATI UCase: Natural/biological child] "
- [2] "[CATI UCase: Adopted child] "
- [3] "[CATI UCase: Stepchild] "
- [4] "[CATI UCase: Grandchild/great-grandchild] "

[5] "[CATI UCase: Son-in-law/daughter-in-law] "

[6] "[CATI UCase: Something else] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_4 <> 4

RELSPD_4: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_4] [RELSPBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

Codes:

[1] [CATI UCase: Parent]

[2] [CATI UCase: Parent-in-law]

[3] [CATI UCase: Something else]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_4 <> 5

RELSPE_4: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_4] [RELSPBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "

[2] "[CATI UCase: Sibling-in-law] "

[3] "[CATI UCase: Something else] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF RELSPA_4 <> 6

RELSPF_4: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_4] [RELSPBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

Codes:

- [1] "[CATI UCase: Grandparent/great-grandparent] "
- [2] "[CATI UCase: Uncle/aunt] "
- [3] "[CATI UCase: Niece/nephew] "
- [4] "[CATI UCase: Grandchild/great-grandchild] "
- [5] "[CATI UCase: Cousin] "
- [6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "
- [77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF RELSPA_4 <> 7

RELSPG_4: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_4] [RELSPBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

Codes:

- [1] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "
- [2] "[CATI UCase: Roommate/housemate] "
- [3] "[CATI UCase: Friend] "
- [4] "[CATI UCase: Child of a friend or other housemate] "
- [5] "[CATI UCase: Other non-relative (employee, boarder)] "
- [77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPC_4 <> 6

And RELSPD_4 <> 3

And RELSPE_4 <> 3

And RELSPF_4 <> 6

And RELSPG_4 <> 5

RELSPH_4: TextAnswer

"Please select the option that best describes this relationship. What is [REL2SPFILL_4] relationship to [SPFILL]?"

(For example, if [SPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo

Question REL2SPFILL_6

IF HHFNAME_5 Is Empty

PRELOADACTION: SetVariableValue

Variable: REL2SPFILL_5

Value: [SEXFILL_5]

PRELOADACTION: BranchTo

Next question

REL2SPFILL_5: RadioButton

MaxValue = 150

Codes:

[1] your

[2] [HHFNAME_5] [HHLNAME_5]'s

PRELOADACTION: SetVariableValue

Variable: RELSPBFILL1_5

Value: [SEXFILL_5]

PRELOADACTION: BranchTo

Next question

RELSPBFILL1_5: RadioButton

MaxValue = 150

Codes:

[1] you are
[2] [HHFNAME_5] [HHLNAME_5] is

RELSPA_5: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [REL2SPFILL_5] relationship to [SPFILL]?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Householder] "
[2] "[CATI UCase: Spouse or partner] "
[3] "[CATI UCase: Child] "
[4] "[CATI UCase: Parent] "
[5] "[CATI UCase: Sibling] "
[6] "[CATI UCase: Other relative] "
[7] "[CATI UCase: Non-relative] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_5 <> 3

RELSPC_5: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_5] [RELSPBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Natural/biological child] "
[2] "[CATI UCase: Adopted child] "
[3] "[CATI UCase: Stepchild] "
[4] "[CATI UCase: Grandchild/great-grandchild] "
[5] "[CATI UCase: Son-in-law/daughter-in-law] "
[6] "[CATI UCase: Something else] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_5 <> 4

RELSPD_5: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_5] [RELSPBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Parent] "
[2] "[CATI UCase: Parent-in-law] "
[3] "[CATI UCase: Something else] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_5 <> 5

RELSPE_5: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_5] [RELSPBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "

[2] "[CATI UCase: Sibling-in-law] "
[3] "[CATI UCase: Something else] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_5 <> 6

RELSPF_5: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_5] [RELSPBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Grandparent/great-grandparent] "

[2] "[CATI UCase: Uncle/aunt] "

[3] "[CATI UCase: Niece/nephew] "

[4] "[CATI UCase: Grandchild/great-grandchild] "

[5] "[CATI UCase: Cousin] "

[6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_5 <> 7

RELSPG_5: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_5] [RELSPBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "

```
[2] "[CATI UCase: Roommate/housemate] "  
[3] "[CATI UCase: Friend] "  
[4] "[CATI UCase: Child of a friend or other housemate] "  
[5] "[CATI UCase: Other non-relative (employee, boarder)] "  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo  
Next question  
IF RELSPC_5 <> 6  
And RELSPD_5 <> 3  
And RELSPE_5 <> 3  
And RELSPF_5 <> 6  
And RELSPG_5 <> 5
```

RELSPH_5: TextAnswer

"Please select the option that best describes this relationship. What is [REL2SPFILL_5] relationship to [SPFILL]?"

(For example, if [SPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

```
PRELOADACTION: BranchTo  
Question REL2SPFILL_7  
IF HHFNAME_6 Is Empty
```

```
PRELOADACTION: SetVariableValue  
Variable: REL2SPFILL_6  
Value: [SEXFILL_6]
```

```
PRELOADACTION: BranchTo  
Next question
```

REL2SPFILL_6: RadioButton

MaxValue = 150

Codes:

```
[1] your  
[2] [HHFNAME_6] [HHLNAME_6]'s
```

```
PRELOADACTION: SetVariableValue  
Variable: RELSPBFILL1_6
```

Value: [SEXFILL_6]

PRELOADACTION: BranchTo
Next question

RELSPBFILL1_6: RadioButton

MaxValue = 150

Codes:

[1] you are
[2] [HHFNAME_6] [HHLNAME_6] is

RELSPA_6: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [REL2SPFILL_6] relationship to [SPFILL]?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Householder] "
[2] "[CATI UCase: Spouse or partner] "
[3] "[CATI UCase: Child] "
[4] "[CATI UCase: Parent] "
[5] "[CATI UCase: Sibling] "
[6] "[CATI UCase: Other relative] "
[7] "[CATI UCase: Non-relative] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF RELSPA_6 <> 3

RELSPC_6: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_6] [RELSPBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Natural/biological child] "
[2] "[CATI UCase: Adopted child] "
[3] "[CATI UCase: Stepchild] "
[4] "[CATI UCase: Grandchild/great-grandchild] "
[5] "[CATI UCase: Son-in-law/daughter-in-law] "
[6] "[CATI UCase: Something else] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_6 <> 4

RELSPD_6: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_6] [RELSPBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Parent] "
[2] "[CATI UCase: Parent-in-law] "
[3] "[CATI UCase: Something else] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_6 <> 5

RELSPE_6: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_6] [RELSPBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "

[2] "[CATI UCase: Sibling-in-law] "

[3] "[CATI UCase: Something else] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_6 <> 6

RELSPF_6: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_6] [RELSPBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Grandparent/great-grandparent] "

[2] "[CATI UCase: Uncle/aunt] "

[3] "[CATI UCase: Niece/nephew] "

[4] "[CATI UCase: Grandchild/great-grandchild] "

[5] "[CATI UCase: Cousin] "

[6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_6 <> 7

RELSPG_6: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_6] [RELSPBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "
[2] "[CATI UCase: Roommate/housemate] "
[3] "[CATI UCase: Friend] "
[4] "[CATI UCase: Child of a friend or other housemate] "
[5] "[CATI UCase: Other non-relative (employee, boarder)] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPC_6 <> 6

And RELSPD_6 <> 3

And RELSPE_6 <> 3

And RELSPF_6 <> 6

And RELSPG_6 <> 5

RELSPH_6: TextAnswer

"Please select the option that best describes this relationship. What is [REL2SPFILL_6] relationship to [SPFILL]?"

(For example, if [SPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo

Question REL2SPFILL_8

IF HHFNAME_7 Is Empty

PRELOADACTION: SetVariableValue

Variable: REL2SPFILL_7

Value: [SEXFILL_7]

PRELOADACTION: BranchTo

Next question

REL2SPFILL_7: RadioButton

MaxValue = 150

Codes:

[1] your
[2] [HHFNAME_7] [HHLNAME_7]'s

PRELOADACTION: SetVariableValue
Variable: RELSPBFILL1_7
Value: [SEXFILL_7]

PRELOADACTION: BranchTo
Next question

RELSPBFILL1_7: RadioButton

MaxValue = 150

Codes:

[1] you are
[2] [HHFNAME_7] [HHLNAME_7] is

RELSPA_7: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [REL2SPFILL_7] relationship to [SPFILL]?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Householder] "
[2] "[CATI UCase: Spouse or partner] "
[3] "[CATI UCase: Child] "
[4] "[CATI UCase: Parent] "
[5] "[CATI UCase: Sibling] "
[6] "[CATI UCase: Other relative] "
[7] "[CATI UCase: Non-relative] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE = 1

[99] "REFUSED"

DISPLAY IF: QUEXMODE = 1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

PRELOADACTION: BranchTo
Next question
IF RELSPA_7 <> 3

RELSPC_7: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_7] [RELSPBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

Codes:

- [1] "[CATI UCase: Natural/biological child] "
- [2] "[CATI UCase: Adopted child] "
- [3] "[CATI UCase: Stepchild] "
- [4] "[CATI UCase: Grandchild/great-grandchild] "
- [5] "[CATI UCase: Son-in-law/daughter-in-law] "
- [6] "[CATI UCase: Something else] "
- [77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_7 <> 4

RELSPD_7: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_7] [RELSPBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

Codes:

- [1] "[CATI UCase: Parent] "
- [2] "[CATI UCase: Parent-in-law] "
- [3] "[CATI UCase: Something else] "
- [77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_7 <> 5

RELSPE_7: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_7] [RELSPBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "
[2] "[CATI UCase: Sibling-in-law] "
[3] "[CATI UCase: Something else] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_7 <> 6

RELSPF_7: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_7] [RELSPBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Grandparent/great-grandparent] "
[2] "[CATI UCase: Uncle/aunt] "
[3] "[CATI UCase: Niece/nephew] "
[4] "[CATI UCase: Grandchild/great-grandchild] "
[5] "[CATI UCase: Cousin] "
[6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_7 <> 7

RELSPG_7: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_7] [RELSPBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

Codes:

- [1] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "
- [2] "[CATI UCase: Roommate/housemate] "
- [3] "[CATI UCase: Friend] "
- [4] "[CATI UCase: Child of a friend or other housemate] "
- [5] "[CATI UCase: Other non-relative (employee, boarder)] "
- [77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPC_7 <> 6

And RELSPD_7 <> 3

And RELSPE_7 <> 3

And RELSPF_7 <> 6

And RELSPG_7 <> 5

RELSPH_7: TextAnswer

"Please select the option that best describes this relationship. What is [REL2SPFILL_7] relationship to [SPFILL]?"

(For example, if [SPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo

Question REL2SPFILL_9

IF HHFNAME_8 Is Empty

PRELOADACTION: SetVariableValue

Variable: REL2SPFILL_8

Value: [SEXFILL_8]

PRELOADACTION: BranchTo

Next question

REL2SPFILL_8: RadioButton

MaxValue = 150

Codes:

[1] your

[2] [HHFNAME_8] [HHLNAME_8]'s

PRELOADACTION: SetVariableValue
Variable: RELSPBFILL1_8
Value: [SEXFILL_8]

PRELOADACTION: BranchTo
Next question

RELSPBFILL1_8: RadioButton

MaxValue = 150

Codes:

[1] you are

[2] [HHFNAME_8] [HHLNAME_8] is

RELSPA_8: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [REL2SPFILL_8] relationship to [SPFILL]?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Householder] "

[2] "[CATI UCase: Spouse or partner] "

[3] "[CATI UCase: Child] "

[4] "[CATI UCase: Parent] "

[5] "[CATI UCase: Sibling] "

[6] "[CATI UCase: Other relative] "

[7] "[CATI UCase: Non-relative] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

```
PRELOADACTION: BranchTo
Next question
IF RELSPA_8 <> 3
```

RELSPC_8: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_8] [RELSPBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

Codes:

```
[1] "[CATI UCase: Natural/biological child] "  
[2] "[CATI UCase: Adopted child] "  
[3] "[CATI UCase: Stepchild] "  
[4] "[CATI UCase: Grandchild/great-grandchild] "  
[5] "[CATI UCase: Son-in-law/daughter-in-law] "  
[6] "[CATI UCase: Something else] "  
[77] "[CATI UCase: Don't know] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF RELSPA_8 <> 4
```

RELSPD_8: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_8] [RELSPBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

Codes:

```
[1] "[CATI UCase: Parent] "  
[2] "[CATI UCase: Parent-in-law] "  
[3] "[CATI UCase: Something else] "  
[77] "[CATI UCase: Don't know] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
```

Next question
IF RELSPA_8 <> 5

RELSPE_8: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_8] [RELSPBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "

[2] "[CATI UCase: Sibling-in-law] "

[3] "[CATI UCase: Something else] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_8 <> 6

RELSPF_8: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_8] [RELSPBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Grandparent/great-grandparent] "

[2] "[CATI UCase: Uncle/aunt] "

[3] "[CATI UCase: Niece/nephew] "

[4] "[CATI UCase: Grandchild/great-grandchild] "

[5] "[CATI UCase: Cousin] "

[6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_8 <> 7

RELSPG_8: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_8] [RELSPBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "
[2] "[CATI UCase: Roommate/housemate] "
[3] "[CATI UCase: Friend] "
[4] "[CATI UCase: Child of a friend or other housemate] "
[5] "[CATI UCase: Other non-relative (employee, boarder)] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPC_8 <> 6

And RELSPD_8 <> 3

And RELSPE_8 <> 3

And RELSPF_8 <> 6

And RELSPG_8 <> 5

RELSPH_8: TextAnswer

"Please select the option that best describes this relationship. What is [REL2SPFILL_8] relationship to [SPFILL]?"

(For example, if [SPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo

Question REL2SPFILL_10

IF HHFNAME_9 Is Empty

PRELOADACTION: SetVariableValue

Variable: REL2SPFILL_9

Value: [SEXFILL_9]

PRELOADACTION: BranchTo

Next question

REL2SPFILL_9: RadioButton

MaxValue = 150

Codes:

[1] your

[2] [HHFNAME_9] [HHLNAME_9]'s

PRELOADACTION: SetVariableValue
Variable: RELSPBFILL1_9
Value: [SEXFILL_9]

PRELOADACTION: BranchTo
Next question

RELSPBFILL1_9: RadioButton

MaxValue = 150

Codes:

[1] you are

[2] [HHFNAME_9] [HHLNAME_9] is

RELSPA_9: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [REL2SPFILL_9] relationship to [SPFILL]?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Householder] "

[2] "[CATI UCase: Spouse or partner] "

[3] "[CATI UCase: Child] "

[4] "[CATI UCase: Parent] "

[5] "[CATI UCase: Sibling] "

[6] "[CATI UCase: Other relative] "

[7] "[CATI UCase: Non-relative] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_9 <> 3

RELSPC_9: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_9] [RELSPBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Natural/biological child] "

[2] "[CATI UCase: Adopted child] "

[3] "[CATI UCase: Stepchild] "

[4] "[CATI UCase: Grandchild/great-grandchild] "

[5] "[CATI UCase: Son-in-law/daughter-in-law] "

[6] "[CATI UCase: Something else] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_9 <> 4

RELSPD_9: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_9] [RELSPBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Parent] "

[2] "[CATI UCase: Parent-in-law] "

[3] "[CATI UCase: Something else] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"
DISPLAY IF: QUEXMODE = 1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE = 2

PRELOADACTION: BranchTo
Next question
IF RELSPA_9 <> 5

RELSPE_9: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_9] [RELSPBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "
[2] "[CATI UCase: Sibling-in-law] "
[3] "[CATI UCase: Something else] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE = 1
[99] "REFUSED"
DISPLAY IF: QUEXMODE = 1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE = 2

PRELOADACTION: BranchTo
Next question
IF RELSPA_9 <> 6

RELSPF_9: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_9] [RELSPBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Grandparent/great-grandparent] "
[2] "[CATI UCase: Uncle/aunt] "
[3] "[CATI UCase: Niece/nephew] "
[4] "[CATI UCase: Grandchild/great-grandchild] "
[5] "[CATI UCase: Cousin] "
[6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE = 1
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF RELSPA_9 <> 7

RELSPG_9: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_9] [RELSPBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "
[2] "[CATI UCase: Roommate/housemate] "
[3] "[CATI UCase: Friend] "
[4] "[CATI UCase: Child of a friend or other housemate] "
[5] "[CATI UCase: Other non-relative (employee, boarder)] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Next question
IF RELSPC_9 <> 6
And RELSPD_9 <> 3
And RELSPE_9 <> 3
And RELSPF_9 <> 6
And RELSPG_9 <> 5

RELSPH_9: TextAnswer

"Please select the option that best describes this relationship. What is [REL2SPFILL_9] relationship to [SPFILL]?"

(For example, if [SPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo
Question REL2SPFILL_11
IF HHFNAME_10 Is Empty

PRELOADACTION: SetVariableValue
Variable: REL2SPFILL_10
Value: [SEXFILL_10]

PRELOADACTION: BranchTo
Next question

REL2SPFILL_10: RadioButton

MaxValue = 150

Codes:

[1] your
[2] [HHFNAME_10] [HHLNAME_10]'s

PRELOADACTION: SetVariableValue
Variable: RELSPBFILL1_10
Value: [SEXFILL_10]

PRELOADACTION: BranchTo
Next question

RELSPBFILL1_10: RadioButton

MaxValue = 150

Codes:

[1] you are
[2] [HHFNAME_10] [HHLNAME_10] is

RELSPA_10: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [REL2SPFILL_10] relationship to [SPFILL]?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Householder] "
[2] "[CATI UCase: Spouse or partner] "

[3] "[CATI UCase: Child] "
[4] "[CATI UCase: Parent] "
[5] "[CATI UCase: Sibling] "
[6] "[CATI UCase: Other relative] "
[7] "[CATI UCase: Non-relative] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_10 <> 3

RELSPC_10: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_10] [RELSPBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Natural/biological child] "
[2] "[CATI UCase: Adopted child] "
[3] "[CATI UCase: Stepchild] "
[4] "[CATI UCase: Grandchild/great-grandchild] "
[5] "[CATI UCase: Son-in-law/daughter-in-law] "
[6] "[CATI UCase: Something else] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_10 <> 4

RELSPD_10: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_10] [RELSPBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Parent] "
[2] "[CATI UCase: Parent-in-law] "
[3] "[CATI UCase: Something else] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_10 <> 5

RELSPE_10: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFill1_10] [RELSPBFill2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "
[2] "[CATI UCase: Sibling-in-law] "
[3] "[CATI UCase: Something else] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_10 <> 6

RELSPF_10: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFill1_10] [RELSPBFill2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Grandparent/great-grandparent] "
[2] "[CATI UCase: Uncle/aunt] "
[3] "[CATI UCase: Niece/nephew] "

```
[4] "[CATI UCase: Grandchild/great-grandchild] "  
[5] "[CATI UCase: Cousin] "  
[6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo  
Next question  
IF RELSPA_10 <> 7
```

RELSPG_10: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_10] [RELSPBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

Codes:

```
[1] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "  
[2] "[CATI UCase: Roommate/housemate] "  
[3] "[CATI UCase: Friend] "  
[4] "[CATI UCase: Child of a friend or other housemate] "  
[5] "[CATI UCase: Other non-relative (employee, boarder)] "  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo  
Next question  
IF RELSPC_10 <> 6  
And RELSPD_10 <> 3  
And RELSPE_10 <> 3  
And RELSPF_10 <> 6  
And RELSPG_10 <> 5
```

RELSPH_10: TextAnswer

"Please select the option that best describes this relationship. What is [REL2SPFILL_10] relationship to [SPFILL]?"

(For example, if [SPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo
Question REL2SPFILL_12
IF HHFNAME_11 Is Empty

PRELOADACTION: SetVariableValue
Variable: REL2SPFILL_11
Value: [SEXFILL_11]

PRELOADACTION: BranchTo
Next question

REL2SPFILL_11: RadioButton

MaxValue = 150

Codes:

[1] your
[2] [HHFNAME_11] [HHLNAME_11]'s

PRELOADACTION: SetVariableValue
Variable: RELSPBFILL1_11
Value: [SEXFILL_11]

PRELOADACTION: BranchTo
Next question

RELSPBFILL1_11: RadioButton

MaxValue = 150

Codes:

[1] you are
[2] [HHFNAME_11] [HHLNAME_11] is

RELSPA_11: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [REL2SPFILL_11] relationship to [SPFILL]?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Householder] "
[2] "[CATI UCase: Spouse or partner] "
[3] "[CATI UCase: Child] "
[4] "[CATI UCase: Parent] "
[5] "[CATI UCase: Sibling] "
[6] "[CATI UCase: Other relative] "
[7] "[CATI UCase: Non-relative] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_11 <> 3

RELSPC_11: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_11] [RELSPBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Natural/biological child] "
[2] "[CATI UCase: Adopted child] "
[3] "[CATI UCase: Stepchild] "
[4] "[CATI UCase: Grandchild/great-grandchild] "
[5] "[CATI UCase: Son-in-law/daughter-in-law] "
[6] "[CATI UCase: Something else] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_11 <> 4

RELSPD_11: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_11]

[RELSPBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Parent] "

[2] "[CATI UCase: Parent-in-law] "

[3] "[CATI UCase: Something else] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_11 <> 5

RELSPE_11: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_11] [RELSPBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "

[2] "[CATI UCase: Sibling-in-law] "

[3] "[CATI UCase: Something else] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_11 <> 6

RELSPF_11: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_11] [RELSPBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Grandparent/great-grandparent] "
[2] "[CATI UCase: Uncle/aunt] "
[3] "[CATI UCase: Niece/nephew] "
[4] "[CATI UCase: Grandchild/great-grandchild] "
[5] "[CATI UCase: Cousin] "
[6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE = 1

[99] "REFUSED"

DISPLAY IF: QUEXMODE = 1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

PRELOADACTION: BranchTo

Next question

IF RELSPA_11 <> 7

RELSPG_11: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_11] [RELSPBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "
[2] "[CATI UCase: Roommate/housemate] "
[3] "[CATI UCase: Friend] "
[4] "[CATI UCase: Child of a friend or other housemate] "
[5] "[CATI UCase: Other non-relative (employee, boarder)] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE = 1

[99] "REFUSED"

DISPLAY IF: QUEXMODE = 1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

PRELOADACTION: BranchTo

Next question

IF RELSPC_11 <> 6

And RELSPD_11 <> 3

And RELSPE_11 <> 3

And RELSPF_11 <> 6

And RELSPG_11 <> 5

RELSPH_11: TextAnswer

"Please select the option that best describes this relationship. What is [REL2SPFILL_11] relationship to [SPFILL]?"

(For example, if [SPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo
Question REL2SPFILL_13
IF HHFNAME_12 Is Empty

PRELOADACTION: SetVariableValue
Variable: REL2SPFILL_12
Value: [SEXFILL_12]

PRELOADACTION: BranchTo
Next question

REL2SPFILL_12: RadioButton

MaxValue = 150

Codes:

[1] your

[2] [HHFNAME_12] [HHLNAME_12]'s

PRELOADACTION: SetVariableValue
Variable: RELSPBFILL1_12
Value: [SEXFILL_12]

PRELOADACTION: BranchTo
Next question

RELSPBFILL1_12: RadioButton

MaxValue = 150

Codes:

[1] you are

[2] [HHFNAME_12] [HHLNAME_12] is

RELSPA_12: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [REL2SPFILL_12] relationship to [SPFILL]?"

MaxValue = 150

Codes:

- [1] "[CATI UCase: Householder] "
- [2] "[CATI UCase: Spouse or partner] "
- [3] "[CATI UCase: Child] "
- [4] "[CATI UCase: Parent] "
- [5] "[CATI UCase: Sibling] "
- [6] "[CATI UCase: Other relative] "
- [7] "[CATI UCase: Non-relative] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_12 <> 3

RELSPC_12: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_12] [RELSPBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

Codes:

- [1] "[CATI UCase: Natural/biological child] "
- [2] "[CATI UCase: Adopted child] "
- [3] "[CATI UCase: Stepchild] "
- [4] "[CATI UCase: Grandchild/great-grandchild] "
- [5] "[CATI UCase: Son-in-law/daughter-in-law] "
- [6] "[CATI UCase: Something else] "
- [77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_12 <> 4

RELSPD_12: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_12] [RELSPBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Parent] "

[2] "[CATI UCase: Parent-in-law] "

[3] "[CATI UCase: Something else] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_12 <> 5

RELSPE_12: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_12] [RELSPBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "

[2] "[CATI UCase: Sibling-in-law] "

[3] "[CATI UCase: Something else] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_12 <> 6

RELSPF_12: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_12] [RELSPBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Grandparent/great-grandparent] "
[2] "[CATI UCase: Uncle/aunt] "
[3] "[CATI UCase: Niece/nephew] "
[4] "[CATI UCase: Grandchild/great-grandchild] "
[5] "[CATI UCase: Cousin] "
[6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_12 <> 7

RELSPG_12: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_12] [RELSPBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "
[2] "[CATI UCase: Roommate/housemate] "
[3] "[CATI UCase: Friend] "
[4] "[CATI UCase: Child of a friend or other housemate] "
[5] "[CATI UCase: Other non-relative (employee, boarder)] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPC_12 <> 6

And RELSPD_12 <> 3

And RELSPE_12 <> 3

And RELSPF_12 <> 6

And RELSPG_12 <> 5

RELSPH_12: TextAnswer

"Please select the option that best describes this relationship. What is [REL2SPFILL_12] relationship to [SPFILL]?"

(For example, if [SPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo
Question REL2SPFILL_14
IF HHFNAME_13 Is Empty

PRELOADACTION: SetVariableValue
Variable: REL2SPFILL_13
Value: [SEXFILL_13]

PRELOADACTION: BranchTo
Next question

REL2SPFILL_13: RadioButton

MaxValue = 150

Codes:

[1] your

[2] [HHFNAME_13] [HHLNAME_13]'s

PRELOADACTION: SetVariableValue
Variable: RELSPBFILL1_13
Value: [SEXFILL_13]

PRELOADACTION: BranchTo
Next question

RELSPBFILL1_13: RadioButton

MaxValue = 150

Codes:

[1] you are

[2] [HHFNAME_13] [HHLNAME_13] is

RELSPA_13: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [REL2SPFILL_13] relationship to [SPFILL]?"

MaxValue = 150

Codes:

- [1] "[CATI UCase: Householder] "
- [2] "[CATI UCase: Spouse or partner] "
- [3] "[CATI UCase: Child] "
- [4] "[CATI UCase: Parent] "
- [5] "[CATI UCase: Sibling] "
- [6] "[CATI UCase: Other relative] "
- [7] "[CATI UCase: Non-relative] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_13 <> 3

RELSPC_13: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_13] [RELSPBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

Codes:

- [1] "[CATI UCase: Natural/biological child] "
- [2] "[CATI UCase: Adopted child] "
- [3] "[CATI UCase: Stepchild] "
- [4] "[CATI UCase: Grandchild/great-grandchild] "
- [5] "[CATI UCase: Son-in-law/daughter-in-law] "
- [6] "[CATI UCase: Something else] "
- [77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_13 <> 4

RELSPD_13: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_13] [RELSPBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Parent] "

[2] "[CATI UCase: Parent-in-law] "

[3] "[CATI UCase: Something else] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_13 <> 5

RELSPE_13: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_13] [RELSPBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "

[2] "[CATI UCase: Sibling-in-law] "

[3] "[CATI UCase: Something else] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_13 <> 6

RELSPF_13: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_13] [RELSPBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or

great-grandchild, cousin, or other relative?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Grandparent/great-grandparent] "
[2] "[CATI UCase: Uncle/aunt] "
[3] "[CATI UCase: Niece/nephew] "
[4] "[CATI UCase: Grandchild/great-grandchild] "
[5] "[CATI UCase: Cousin] "
[6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_13 <> 7

RELSPG_13: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_13] [RELSPBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "
[2] "[CATI UCase: Roommate/housemate] "
[3] "[CATI UCase: Friend] "
[4] "[CATI UCase: Child of a friend or other housemate] "
[5] "[CATI UCase: Other non-relative (employee, boarder)] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPC_13 <> 6

And RELSPD_13 <> 3

And RELSPE_13 <> 3

And RELSPF_13 <> 6

And RELSPG_13 <> 5

RELSPH_13: TextAnswer

"Please select the option that best describes this relationship. What is [REL2SPFILL_13] relationship to [SPFILL]?"

(For example, if [SPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo
Question MSTATFILL1_1
IF HHFNAME_14 Is Empty

PRELOADACTION: SetVariableValue
Variable: REL2SPFILL_14
Value: [SEXFILL_14]

PRELOADACTION: BranchTo
Next question

REL2SPFILL_14: RadioButton

MaxValue = 150

Codes:

[1] your

[2] [HHFNAME_14] [HHLNAME_14]'s

PRELOADACTION: SetVariableValue
Variable: RELSPBFILL1_14
Value: [SEXFILL_14]

PRELOADACTION: BranchTo
Next question

RELSPBFILL1_14: RadioButton

MaxValue = 150

Codes:

[1] you are

[2] [HHFNAME_14] [HHLNAME_14] is

RELSPA_14: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [REL2SPFILL_14] relationship to [SPFILL]?"

MaxValue = 150

Codes:

- [1] "[CATI UCase: Householder] "
- [2] "[CATI UCase: Spouse or partner] "
- [3] "[CATI UCase: Child] "
- [4] "[CATI UCase: Parent] "
- [5] "[CATI UCase: Sibling] "
- [6] "[CATI UCase: Other relative] "
- [7] "[CATI UCase: Non-relative] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_14 <> 3

RELSPC_14: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_14] [RELSPBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

Codes:

- [1] "[CATI UCase: Natural/biological child] "
- [2] "[CATI UCase: Adopted child] "
- [3] "[CATI UCase: Stepchild] "
- [4] "[CATI UCase: Grandchild/great-grandchild] "
- [5] "[CATI UCase: Son-in-law/daughter-in-law] "
- [6] "[CATI UCase: Something else] "
- [77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

```
PRELOADACTION: BranchTo
Next question
IF RELSPA_14 <> 4
```

RELSPD_14: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_14] [RELSPBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

Codes:

```
[1] "[CATI UCase: Parent] "  
[2] "[CATI UCase: Parent-in-law] "  
[3] "[CATI UCase: Something else] "  
[77] "[CATI UCase: Don't know] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF RELSPA_14 <> 5
```

RELSPE_14: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_14] [RELSPBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

Codes:

```
[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "  
[2] "[CATI UCase: Sibling-in-law] "  
[3] "[CATI UCase: Something else] "  
[77] "[CATI UCase: Don't know] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF RELSPA_14 <> 6
```

RELSPF_14: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_14] [RELSPBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Grandparent/great-grandparent] "
[2] "[CATI UCase: Uncle/aunt] "
[3] "[CATI UCase: Niece/nephew] "
[4] "[CATI UCase: Grandchild/great-grandchild] "
[5] "[CATI UCase: Cousin] "
[6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA_14 <> 7

RELSPG_14: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1_14] [RELSPBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "
[2] "[CATI UCase: Roommate/housemate] "
[3] "[CATI UCase: Friend] "
[4] "[CATI UCase: Child of a friend or other housemate] "
[5] "[CATI UCase: Other non-relative (employee, boarder)] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPC_14 <> 6

And RELSPD_14 <> 3

```
And RELSPE_14 <> 3
And RELSPF_14 <> 6
And RELSPG_14 <> 5
```

RELSPH_14: TextAnswer

"Please select the option that best describes this relationship. What is [REL2SPFILL_14] relationship to [SPFILL]?"

(For example, if [SPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

```
PRELOADACTION: SetVariableValue
Variable: MSTATFILL1_1
Value: 1
IF RESPNUM = 1
```

```
PRELOADACTION: SetVariableValue
Variable: MSTATFILL1_1
Value: 2
IF RESPNUM <> 1
```

```
PRELOADACTION: BranchTo
Next question
```

MSTATFILL1_1: RadioButton

MaxValue = 150

Codes:

[1] Are you

[2] Is [HHFNAME_1] [HHLNAME_1]

```
PRELOADACTION: SetVariableValue
Variable: MSTATFILL2_1
Value: [MSTATFILL1_1]
```

```
PRELOADACTION: BranchTo
Next question
```

MSTATFILL2_1: RadioButton

MaxValue = 150

Codes:

[1] you
[2] they

MSTAT_1: RadioButton

"The next questions are about the marital status of the people in your household.

[CATI TEXT: IF ALREADY ANSWERED, CODE WITHOUT ASKING:
] [mstatfill1_1] now married, widowed, divorced, separated, or have [mstatfill2_1] never been married?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Married] "
[2] "[CATI UCase: Widowed] "
[3] "[CATI UCase: Divorced] "
[4] "[CATI UCase: Separated] "
[5] "[CATI UCase: Never married] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Question MSTATFILL1_3
IF HASRELSP <> 1

PRELOADACTION: SetVariableValue
Variable: MSTATFILL1_2
Value: 1
IF RESPNUM = 2

PRELOADACTION: SetVariableValue
Variable: MSTATFILL1_2
Value: 2
IF RESPNUM <> 2

PRELOADACTION: BranchTo
Next question

MSTATFILL1_2: RadioButton

MaxValue = 150

Codes:

[1] Are you

[2] Is [HHFNAME_2] [HHLNAME_2]

```
PRELOADACTION: SetVariableValue  
Variable: MSTATFILL2_2  
Value: 1  
IF RESPNUM = 2
```

```
PRELOADACTION: SetVariableValue  
Variable: MSTATFILL2_2  
Value: 2  
IF RESPNUM <> 2
```

```
PRELOADACTION: BranchTo  
Next question
```

MSTATFILL2_2: RadioButton

MaxValue = 150

Codes:

[1] you

[2] they

MSTAT_2: RadioButton

"[CATI TEXT: IF ALREADY ANSWERED, CODE WITHOUT ASKING:
] [mstatfill1_2] now married, widowed, divorced, separated, or have [mstatfill2_2] never been
married?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Married] "

[2] "[CATI UCase: Widowed] "

[3] "[CATI UCase: Divorced] "

[4] "[CATI UCase: Separated] "

[5] "[CATI UCase: Never married] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Question MSTATFILL1_4

IF HHAGE_3 < 13

Or HHFNAME_3 Is Empty

PRELOADACTION: SetVariableValue

Variable: MSTATFILL1_3

Value: 1

IF RESPNUM = 3

PRELOADACTION: SetVariableValue

Variable: MSTATFILL1_3

Value: 2

IF RESPNUM <> 3

PRELOADACTION: BranchTo

Next question

MSTATFILL1_3: RadioButton

MaxValue = 150

Codes:

[1] Are you

[2] Is [HHFNAME_3] [HHLNAME_3]

PRELOADACTION: SetVariableValue

Variable: MSTATFILL2_3

Value: 1

IF RESPNUM = 3

PRELOADACTION: SetVariableValue

Variable: MSTATFILL2_3

Value: 2

IF RESPNUM <> 3

PRELOADACTION: BranchTo

Next question

MSTATFILL2_3: RadioButton

MaxValue = 150

Codes:

[1] you
[2] they

MSTAT_3: RadioButton

"[mstatfill1_3] now married, widowed, divorced, separated, or have [mstatfill2_3] never been married?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Married] "
[2] "[CATI UCase: Widowed] "
[3] "[CATI UCase: Divorced] "
[4] "[CATI UCase: Separated] "
[5] "[CATI UCase: Never married] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Question MSTATFILL1_5
IF HHAGE_4 < 13
Or HHFNAME_4 Is Empty

PRELOADACTION: SetVariableValue
Variable: MSTATFILL1_4
Value: 1
IF RESPNUM = 4

PRELOADACTION: SetVariableValue
Variable: MSTATFILL1_4
Value: 2
IF RESPNUM <> 4

PRELOADACTION: BranchTo
Next question

MSTATFILL1_4: RadioButton

MaxValue = 150

Codes:

[1] Are you
[2] Is [HHFNAME_4] [HHLNAME_4]

PRELOADACTION: SetVariableValue
Variable: MSTATFILL2_4
Value: 1
IF RESPNUM = 4

PRELOADACTION: SetVariableValue
Variable: MSTATFILL2_4
Value: 2
IF RESPNUM <> 4

PRELOADACTION: BranchTo
Next question

MSTATFILL2_4: RadioButton

MaxValue = 150

Codes:

[1] you
[2] they

MSTAT_4: RadioButton

"[mstatfill1_4] now married, widowed, divorced, separated, or have [mstatfill2_4] never been married?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Married] "
[2] "[CATI UCase: Widowed] "
[3] "[CATI UCase: Divorced] "
[4] "[CATI UCase: Separated] "
[5] "[CATI UCase: Never married] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Question MSTATFILL1_6
IF HHAGE_5 < 13
Or HHFNAME_5 Is Empty

PRELOADACTION: SetVariableValue
Variable: MSTATFILL1_5
Value: 1
IF RESPNUM = 5

PRELOADACTION: SetVariableValue
Variable: MSTATFILL1_5
Value: 2
IF RESPNUM <> 5

PRELOADACTION: BranchTo
Next question

MSTATFILL1_5: RadioButton

MaxValue = 150

Codes:

[1] Are you
[2] Is [HHFNAME_5] [HHLNAME_5]

PRELOADACTION: SetVariableValue
Variable: MSTATFILL2_5
Value: 1
IF RESPNUM = 5

PRELOADACTION: SetVariableValue
Variable: MSTATFILL2_5
Value: 2
IF RESPNUM <> 5

PRELOADACTION: BranchTo
Next question

MSTATFILL2_5: RadioButton

MaxValue = 150

Codes:

[1] you
[2] they

MSTAT_5: RadioButton

"[mstatfill1_5] now married, widowed, divorced, separated, or have [mstatfill2_5] never been married?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Married] "
[2] "[CATI UCase: Widowed] "
[3] "[CATI UCase: Divorced] "
[4] "[CATI UCase: Separated] "
[5] "[CATI UCase: Never married] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Question MSTATFILL1_7
IF HHAGE_6 < 13
Or HHFNAME_6 Is Empty

PRELOADACTION: SetVariableValue
Variable: MSTATFILL1_6
Value: 1
IF RESPNUM = 6

PRELOADACTION: SetVariableValue
Variable: MSTATFILL1_6
Value: 2
IF RESPNUM <> 6

PRELOADACTION: BranchTo
Next question

MSTATFILL1_6: RadioButton

MaxValue = 150

Codes:

[1] Are you
[2] Is [HHFNAME_6] [HHLNAME_6]

PRELOADACTION: SetVariableValue
Variable: MSTATFILL2_6
Value: 1
IF RESPNUM = 6

PRELOADACTION: SetVariableValue
Variable: MSTATFILL2_6
Value: 2
IF RESPNUM <> 6

PRELOADACTION: BranchTo
Next question

MSTATFILL2_6: RadioButton

MaxValue = 150

Codes:

[1] you
[2] they

MSTAT_6: RadioButton

"[mstatfill1_6] now married, widowed, divorced, separated, or have [mstatfill2_6] never been married?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Married] "
[2] "[CATI UCase: Widowed] "
[3] "[CATI UCase: Divorced] "
[4] "[CATI UCase: Separated] "
[5] "[CATI UCase: Never married] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Question MSTATFILL1_8
IF HHAGE_7 < 13

Or HHFNAME_7 Is Empty

PRELOADACTION: SetVariableValue
Variable: MSTATFILL1_7
Value: 1
IF RESPNUM = 7

PRELOADACTION: SetVariableValue
Variable: MSTATFILL1_7
Value: 2
IF RESPNUM <> 7

PRELOADACTION: BranchTo
Next question

MSTATFILL1_7: RadioButton

MaxValue = 150

Codes:

[1] Are you
[2] Is [HHFNAME_7] [HHLNAME_7]

PRELOADACTION: SetVariableValue
Variable: MSTATFILL2_7
Value: 1
IF RESPNUM = 7

PRELOADACTION: SetVariableValue
Variable: MSTATFILL2_7
Value: 2
IF RESPNUM <> 7

PRELOADACTION: BranchTo
Next question

MSTATFILL2_7: RadioButton

MaxValue = 150

Codes:

[1] you
[2] they

MSTAT_7: RadioButton

"[mstatfill1_7] now married, widowed, divorced, separated, or have [mstatfill2_7] never been married?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Married] "
[2] "[CATI UCase: Widowed] "
[3] "[CATI UCase: Divorced] "
[4] "[CATI UCase: Separated] "
[5] "[CATI UCase: Never married] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Question MSTATFILL1_9
IF HHAGE_8 < 13
Or HHFNAME_8 Is Empty

PRELOADACTION: SetVariableValue
Variable: MSTATFILL1_8
Value: 1
IF RESPNUM = 8

PRELOADACTION: SetVariableValue
Variable: MSTATFILL1_8
Value: 2
IF RESPNUM <> 8

PRELOADACTION: BranchTo
Next question

MSTATFILL1_8: RadioButton

MaxValue = 150

Codes:

[1] Are you
[2] Is [HHFNAME_8] [HHLNAME_8]

PRELOADACTION: SetVariableValue
Variable: MSTATFILL2_8

Value: 1
IF RESPNUM = 8

PRELOADACTION: SetVariableValue
Variable: MSTATFILL2_8
Value: 2
IF RESPNUM <> 8

PRELOADACTION: BranchTo
Next question

MSTATFILL2_8: RadioButton

MaxValue = 150

Codes:

[1] you
[2] they

MSTAT_8: RadioButton

"[mstatfill1_8] now married, widowed, divorced, separated, or have [mstatfill2_8] never been married?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Married] "
[2] "[CATI UCase: Widowed] "
[3] "[CATI UCase: Divorced] "
[4] "[CATI UCase: Separated] "
[5] "[CATI UCase: Never married] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Question MSTATFILL1_10
IF HHAGE_9 < 13
Or HHFNAME_9 Is Empty

PRELOADACTION: SetVariableValue
Variable: MSTATFILL1_9
Value: 1

IF RESPNUM = 9

PRELOADACTION: SetVariableValue
Variable: MSTATFILL1_9
Value: 2
IF RESPNUM <> 9

PRELOADACTION: BranchTo
Next question

MSTATFILL1_9: RadioButton

MaxValue = 150

Codes:

[1] Are you
[2] Is [HHFNAME_9] [HHLNAME_9]

PRELOADACTION: SetVariableValue
Variable: MSTATFILL2_9
Value: 1
IF RESPNUM = 9

PRELOADACTION: SetVariableValue
Variable: MSTATFILL2_9
Value: 2
IF RESPNUM <> 9

PRELOADACTION: BranchTo
Next question

MSTATFILL2_9: RadioButton

MaxValue = 150

Codes:

[1] you
[2] they

MSTAT_9: RadioButton

"[mstatfill1_9] now married, widowed, divorced, separated, or have [mstatfill2_9] never been

married?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Married] "
[2] "[CATI UCase: Widowed] "
[3] "[CATI UCase: Divorced] "
[4] "[CATI UCase: Separated] "
[5] "[CATI UCase: Never married] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Question MSTATFILL1_11
IF HHAGE_10 < 13
Or HHFNAME_10 Is Empty

PRELOADACTION: SetVariableValue
Variable: MSTATFILL1_10
Value: 1
IF RESPNUM = 10

PRELOADACTION: SetVariableValue
Variable: MSTATFILL1_10
Value: 2
IF RESPNUM <> 10

PRELOADACTION: BranchTo
Next question

MSTATFILL1_10: RadioButton

MaxValue = 150

Codes:

[1] Are you
[2] Is [HHFNAME_10] [HHLNAME_10]

PRELOADACTION: SetVariableValue
Variable: MSTATFILL2_10
Value: 1
IF RESPNUM = 10

PRELOADACTION: SetVariableValue
Variable: MSTATFILL2_10

Value: 2
IF RESPNUM <> 10

PRELOADACTION: BranchTo
Next question

MSTATFILL2_10: RadioButton

MaxValue = 150

Codes:

[1] you
[2] they

MSTAT_10: RadioButton

"[mstatfill1_10] now married, widowed, divorced, separated, or have [mstatfill2_10] never been married?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Married] "
[2] "[CATI UCase: Widowed] "
[3] "[CATI UCase: Divorced] "
[4] "[CATI UCase: Separated] "
[5] "[CATI UCase: Never married] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Question MSTATFILL1_12
IF HHAGE_11 < 13
Or HHFNAME_11 Is Empty

PRELOADACTION: SetVariableValue
Variable: MSTATFILL1_11
Value: 1
IF RESPNUM = 11

PRELOADACTION: SetVariableValue
Variable: MSTATFILL1_11
Value: 2

IF RESPNUM <> 11

PRELOADACTION: BranchTo
Next question

MSTATFILL1_11: RadioButton

MaxValue = 150

Codes:

[1] Are you

[2] Is [HHFNAME_11] [HHLNAME_11]

PRELOADACTION: SetVariableValue
Variable: MSTATFILL2_11
Value: 1
IF RESPNUM = 11

PRELOADACTION: SetVariableValue
Variable: MSTATFILL2_11
Value: 2
IF RESPNUM <> 11

PRELOADACTION: BranchTo
Next question

MSTATFILL2_11: RadioButton

MaxValue = 150

Codes:

[1] you

[2] they

MSTAT_11: RadioButton

"[mstatfill1_11] now married, widowed, divorced, separated, or have [mstatfill2_11] never been married?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Married] "
[2] "[CATI UCase: Widowed] "
[3] "[CATI UCase: Divorced] "
[4] "[CATI UCase: Separated] "
[5] "[CATI UCase: Never married] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Question MSTATFILL1_13
IF HHAGE_12 < 13
Or HHFNAME_12 Is Empty

PRELOADACTION: SetVariableValue
Variable: MSTATFILL1_12
Value: 1
IF RESPNUM = 12

PRELOADACTION: SetVariableValue
Variable: MSTATFILL1_12
Value: 2
IF RESPNUM <> 12

PRELOADACTION: BranchTo
Next question

MSTATFILL1_12: RadioButton

MaxValue = 150

Codes:

[1] Are you
[2] Is [HHFNAME_12] [HHLNAME_12]

PRELOADACTION: SetVariableValue
Variable: MSTATFILL2_12
Value: 1
IF RESPNUM = 12

PRELOADACTION: SetVariableValue
Variable: MSTATFILL2_12
Value: 2
IF RESPNUM <> 12

PRELOADACTION: BranchTo
Next question

MSTATFILL2_12: RadioButton

MaxValue = 150

Codes:

[1] you
[2] they

MSTAT_12: RadioButton

"[mstatfill1_12] now married, widowed, divorced, separated, or have [mstatfill2_12] never been married?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Married] "
[2] "[CATI UCase: Widowed] "
[3] "[CATI UCase: Divorced] "
[4] "[CATI UCase: Separated] "
[5] "[CATI UCase: Never married] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Question MSTATFILL1_14

IF HHAGE_13 < 13

Or HHFNAME_13 Is Empty

PRELOADACTION: SetVariableValue

Variable: MSTATFILL1_13

Value: 1

IF RESPNUM = 13

PRELOADACTION: SetVariableValue

Variable: MSTATFILL1_13

Value: 2

IF RESPNUM <> 13

PRELOADACTION: BranchTo

Next question

MSTATFILL1_13: RadioButton

MaxValue = 150

Codes:

- [1] Are you
- [2] Is [HHFNAME_13] [HHLNAME_13]

```
PRELOADACTION: SetVariableValue  
Variable: MSTATFILL2_13  
Value: 1  
IF RESPNUM = 13
```

```
PRELOADACTION: SetVariableValue  
Variable: MSTATFILL2_13  
Value: 2  
IF RESPNUM <> 13
```

```
PRELOADACTION: BranchTo  
Next question
```

MSTATFILL2_13: RadioButton

MaxValue = 150

Codes:

- [1] you
- [2] they

MSTAT_13: RadioButton

"[mstatfill1_13] now married, widowed, divorced, separated, or have [mstatfill2_13] never been married?"

MaxValue = 150

Codes:

- [1] "[CATI UCase: Married] "
- [2] "[CATI UCase: Widowed] "
- [3] "[CATI UCase: Divorced] "
- [4] "[CATI UCase: Separated] "

[5] "[CATI UCase: Never married] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Question ETIMEB

IF HHAGE_14 < 13

Or HHFNAME_14 Is Empty

PRELOADACTION: SetVariableValue

Variable: MSTATFILL1_14

Value: 1

IF RESPNUM = 14

PRELOADACTION: SetVariableValue

Variable: MSTATFILL1_14

Value: 2

IF RESPNUM <> 14

PRELOADACTION: BranchTo

Next question

MSTATFILL1_14: RadioButton

MaxValue = 150

Codes:

[1] Are you

[2] Is [HHFNAME_14] [HHLNAME_14]

PRELOADACTION: SetVariableValue

Variable: MSTATFILL2_14

Value: 1

IF RESPNUM = 14

PRELOADACTION: SetVariableValue

Variable: MSTATFILL2_14

Value: 2

IF RESPNUM <> 14

PRELOADACTION: BranchTo

Next question

MSTATFILL2_14: RadioButton

MaxValue = 150

Codes:

[1] you
[2] they

MSTAT_14: RadioButton

"[mstatfill1_14] now married, widowed, divorced, separated, or have [mstatfill2_14] never been married?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Married] "
[2] "[CATI UCase: Widowed] "
[3] "[CATI UCase: Divorced] "
[4] "[CATI UCase: Separated] "
[5] "[CATI UCase: Never married] "
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: ETIMEB
Value: [\$H]
IF ETIMEB Is Empty

PRELOADACTION: BranchTo
Next question

ETIMEB: DateTimeAnswer

END TIME SECTION B

MaxAnswerLength = 20

MaxValue = 150

PRELOADACTION: SetVariableValue
Variable: ETIMEB_D
Value: [\$H]

PRELOADACTION: BranchTo

Next question

ETIMEB_D: DateTimeAnswer

DYNAMIC END TIME SECTION B

MaxAnswerLength = 20

MaxValue = 150

ELAPSEDTIMEB: NumericAnswer

MaxValue = 150

PRELOADACTION: SetVariableValue
Variable: BTIMEC
Value: [\$H]
IF BTIMEC Is Empty

PRELOADACTION: BranchTo
Next question

BTIMEC: DateTimeAnswer

BEGIN TIME SECTION C

MaxAnswerLength = 20

MaxValue = 150

PRELOADACTION: SetVariableValue
Variable: BTIMEC_D
Value: [\$H]

PRELOADACTION: BranchTo
Next question

BTIMEC_D: DateTimeAnswer

DYNAMIC BEGIN TIME SECTION C

MaxAnswerLength = 20

MaxValue = 150

```
PRELOADACTION: SetVariableValue  
Variable: CINTROTEXT  
Value: [QUEXMODE]
```

```
PRELOADACTION: BranchTo  
Next question
```

CINTROTEXT: RadioButton

Single answer question using Radio Buttons

MaxValue = 150

Codes:

[1] "There are a lot of issues in the news, and it is hard to keep up with every area. I'm going to read you a short list of issues, and for each one – as I read it – I would like you to tell me if you are very interested, moderately interested, or not at all interested. First..."

[2] "There are a lot of issues in the news, and it is hard to keep up with every area. We are going to show you some of these issues, and for each one, we would like you to tell us if you are very interested, moderately interested, or not at all interested. First..."

INTEduc: RadioButton

"[CINTROTEXT]

Local school issues. [CATI TEXT: (] Are you very interested, moderately interested, or not at all interested?[CATI TEXT:)] "

MaxValue = 150

Codes:

[1] "[CATI UCase: Very interested] "

[2] "[CATI UCase: Moderately interested] "

[3] "[CATI UCase: Not at all interested] "

[77] "[CATI UCase: DON'T KNOW] "

```
DISPLAY IF: QUEXMODE =1
```

[99] "REFUSED"

```
DISPLAY IF: QUEXMODE =1
```

[98] SKIPPED ON WEB

```
DISPLAY IF: QUEXMODE =2
```

INTSCI: RadioButton

"Issues about new scientific discoveries. (Are you very interested, moderately interested, or not at all interested?)"

MaxValue = 150

Codes:

[1] "[CATI UCase: Very interested] "
[2] "[CATI UCase: Moderately interested] "
[3] "[CATI UCase: Not at all interested] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

INTECON: RadioButton

"Economic issues and business conditions. (Are you very interested, moderately interested, or not at all interested?)"

MaxValue = 150

Codes:

[1] "[CATI UCase: Very interested] "
[2] "[CATI UCase: Moderately interested] "
[3] "[CATI UCase: Not at all interested] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

INTTECH: RadioButton

"Issues about the use of new inventions and technologies. (Are you very interested, moderately interested, or not at all interested?)"

MaxValue = 150

Codes:

[1] "[CATI UCase: Very interested] "
[2] "[CATI UCase: Moderately interested] "
[3] "[CATI UCase: Not at all interested] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: NEXTGENINTRO

Value: [QUEXMODE]

PRELOADACTION: BranchTo

Next question

NEXTGENINTRO: RadioButton

Single answer question using Radio Buttons

MaxValue = 150

Codes:

[1] "I'm going to read to you some statements like those you might find in a newspaper or magazine article. For each statement, please tell me if you strongly agree, agree, disagree, or strongly disagree."

[2] "We're going to show you some statements like those you might find in a newspaper or magazine article. For each statement, please tell us if you strongly agree, agree, disagree, or strongly disagree."

NEXTGEN: RadioButton

"[NEXTGENINTRO]

Because of science and technology, there will be more opportunities for the next generation.

[CATI TEXT: (Do you strongly agree, agree, disagree, or strongly disagree?)] "

MaxValue = 150

Codes:

[1] "[CATI UCase: Strongly agree] "

[2] "[CATI UCase: Agree] "

[3] "[CATI UCase: Disagree] "

[4] "[CATI UCase: Strongly disagree] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

TOOFAST: RadioButton

"Science makes our way of life change too fast. (Do you strongly agree, agree, disagree, or strongly disagree?)"

MaxValue = 150

Codes:

[1] "[CATI UCase: Strongly agree] "
[2] "[CATI UCase: Agree] "
[3] "[CATI UCase: Disagree] "
[4] "[CATI UCase: Strongly disagree] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

ADVFRONT: RadioButton

"Even if it brings no immediate benefits, scientific research that advances the frontiers of knowledge is necessary and should be supported by the federal government. (Do you strongly agree, agree, disagree, or strongly disagree?)"

MaxValue = 150

Codes:

[1] "[CATI UCase: Strongly agree] "
[2] "[CATI UCase: Agree] "
[3] "[CATI UCase: Disagree] "
[4] "[CATI UCase: Strongly disagree] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: SCIENTGOINTRO
Value: [QUEXMODE]

PRELOADACTION: BranchTo
Next question

SCIENTGOINTRO: RadioButton

Single answer question using Radio Buttons

MaxValue = 150

Codes:

[1] "Now I'd like to read you some statements about scientists. Please tell me if you agree or disagree with each one. If you feel especially strongly about a statement, please say that you strongly agree or strongly disagree."

[2] "Now we'd like to show you some statements about scientists. Please tell us if you agree or disagree with each one. If you feel especially strongly about a statement, please say that you strongly agree or strongly disagree."

SCIENTGO: RadioButton

"[SCIENTGOINTRO]

Scientific researchers are dedicated people who work for the good of humanity. Do you strongly agree, agree, disagree, or strongly disagree?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Strongly agree] "

[2] "[CATI UCase: Agree] "

[3] "[CATI UCase: Disagree] "

[4] "[CATI UCase: Strongly disagree] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

SCIENTBE: RadioButton

"Most scientists want to work on things that will make life better for the average person.

(Do you strongly agree, agree, disagree, or strongly disagree?)"

MaxValue = 150

Codes:

[1] "[CATI UCase: Strongly agree] "

[2] "[CATI UCase: Agree] "

[3] "[CATI UCase: Disagree] "

[4] "[CATI UCase: Strongly disagree] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

SCIENTHE: RadioButton

"Scientists are helping to solve challenging problems.

[CATI TEXT: (Do you strongly agree, agree, disagree, or strongly disagree?)] "

MaxValue = 150

Codes:

[1] "[CATI UCase: Strongly agree] "
[2] "[CATI UCase: Agree] "
[3] "[CATI UCase: Disagree] "
[4] "[CATI UCase: Strongly disagree] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

SCIBNFTS: RadioButton

"Now for another type of question. People have frequently noted that scientific research has produced benefits and harmful results. Would you say that, on balance, the benefits of scientific research have outweighed the harmful results, or have the harmful results of scientific research been greater than its benefits?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Benefits greater] "
[2] "[CATI UCase: About equal[CATI TEXT: (IF VOLUNTEERED)]] "
[3] "[CATI UCase: Harmful results greater] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question
IF SCIBNFTS <> 1

BALPOS: RadioButton

"Would you say that the balance has been strongly in favor of the benefits, or only slightly?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Strongly in favor] "

[2] "[CATI UCase: Slightly in favor] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF SCIBNFTS <> 3

BALNEG: RadioButton

"Would you say that the balance has been strongly in favor of the harmful results, or only slightly?"

MaxValue = 150

Codes:

[1] "[CATI UCase: Strongly in favor] "

[2] "[CATI UCase: Slightly in favor] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: TIMEC3

Value: [\$H]

IF TIMEC3 Is Empty

PRELOADACTION: BranchTo

Next question

TIMEC3: DateTimeAnswer

TIMESTAMP (TIMEB3)

MaxAnswerLength = 20

MaxValue = 150

VIRUSES: RadioButton

"Antibiotics kill viruses as well as bacteria. Is that true or false?"

[CATI TEXT: FI INSTRUCTION: DO NOT PROBE ""DON'T KNOW""]

MaxValue = 150

Codes:

[1] "[CATI UCase: True] "

[2] "[CATI UCase: False] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: ETIMEC

Value: [\$H]

IF ETIMEC Is Empty

PRELOADACTION: BranchTo

Next question

ETIMEC: DateTimeAnswer

END TIME SECTION C

MaxAnswerLength = 20

MaxValue = 150

PRELOADACTION: SetVariableValue

Variable: ETIMEC_D

Value: [\$H]

PRELOADACTION: BranchTo

Next question

ETIMEC_D: DateTimeAnswer

DYNAMIC END TIME SECTION C

MaxAnswerLength = 20

MaxValue = 150

ELAPSEDTIMEC: NumericAnswer

MaxValue = 150

```
PRELOADACTION: SetVariableValue  
Variable: BTIMEE  
Value: [$H]  
IF BTIMEE Is Empty
```

```
PRELOADACTION: BranchTo  
Next question
```

BTIMEE: DateTimeAnswer

BEGIN TIME SECTION E

MaxAnswerLength = 20

MaxValue = 150

```
PRELOADACTION: SetVariableValue  
Variable: BTIMEE_D  
Value: [$H]
```

```
PRELOADACTION: BranchTo  
Next question
```

BTIMEE_D: DateTimeAnswer

DYNAMIC BEGIN TIME SECTION E

MaxAnswerLength = 20

MaxValue = 150

PRELOADACTION: SetVariableValue
Variable: QUEXMODE_EBEG
Value: [QUEXMODE.Code]
IF QUEXMODE_EBEG Is Empty

PRELOADACTION: BranchTo
Next question

QUEXMODE_EBEG: RadioButton

MaxValue = 150

Codes:

[1] CATI
[2] CAWI

OPWLTH: RadioButton

"[CATI TEXT: [HANDCARD E1]]] Next is another topic.

To begin we have some questions about opportunities for getting ahead...

For each of these, please tell [CATIFILL3] how important you think it is for getting ahead in life...

...how important is coming from a wealthy family?"

MaxValue = 150

Codes:

[1] "[CATI TEXT: 1.] Essential"
[2] "[CATI TEXT: 2.] Very important"
[3] "[CATI TEXT: 3.] Fairly important"
[4] "[CATI TEXT: 4.] Not very important"
[5] "[CATI TEXT: 5.] Not important at all[CATI TEXT: , or] "
[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

OPPARED: RadioButton

"[CATI TEXT: [HANDCARD E1]]] (For each of these, please tell [CATIFILL3] how important you think

it is for getting ahead in life...)

...how important is having well-educated parents?"

MaxValue = 150

Codes:

[1] "[CATI TEXT: 1.] Essential"
[2] "[CATI TEXT: 2.] Very important"
[3] "[CATI TEXT: 3.] Fairly important"
[4] "[CATI TEXT: 4.] Not very important"
[5] "[CATI TEXT: 5.] Not important at all[CATI TEXT: , or] "
[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

OPEDUC: RadioButton

"[CATI TEXT: [HANDCARD E1]]] (For each of these, please tell [CATIFILL3] how important you think it is for getting ahead in life...)

...how important is having a good education yourself?"

MaxValue = 150

Codes:

[1] "[CATI TEXT: 1.] Essential"
[2] "[CATI TEXT: 2.] Very important"
[3] "[CATI TEXT: 3.] Fairly important"
[4] "[CATI TEXT: 4.] Not very important"
[5] "[CATI TEXT: 5.] Not important at all[CATI TEXT: , or] "
[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

OPHRDWRK: RadioButton

"[CATI TEXT: [HANDCARD E1]]] (For each of these, please tell [CATIFILL3] how important you think it is for getting ahead in life...)

...how important is hard work?"

MaxValue = 150

Codes:

- [1] "[CATI TEXT: 1.] Essential"
- [2] "[CATI TEXT: 2.] Very important"
- [3] "[CATI TEXT: 3.] Fairly important"
- [4] "[CATI TEXT: 4.] Not very important"
- [5] "[CATI TEXT: 5.] Not important at all[CATI TEXT: , or] "
- [6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

OPKNOW: RadioButton

"[CATI TEXT: [HANDCARD E1]]] (For each of these, please tell [CATIFILL3] how important you think it is for getting ahead in life...)

...how important is knowing the right people?"

MaxValue = 150

Codes:

- [1] "[CATI TEXT: 1.] Essential"
- [2] "[CATI TEXT: 2.] Very important"
- [3] "[CATI TEXT: 3.] Fairly important"
- [4] "[CATI TEXT: 4.] Not very important"
- [5] "[CATI TEXT: 5.] Not important at all[CATI TEXT: , or] "
- [6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

OPCLOUT: RadioButton

"[CATI TEXT: [HANDCARD E1]]] (For each of these, please tell [CATIFILL3] how important you think it is for getting ahead in life...)

...how important is having political connections?"

MaxValue = 150

Codes:

[1] "[CATI TEXT: 1.] Essential"
[2] "[CATI TEXT: 2.] Very important"
[3] "[CATI TEXT: 3.] Fairly important"
[4] "[CATI TEXT: 4.] Not very important"
[5] "[CATI TEXT: 5.] Not important at all[CATI TEXT: , or] "
[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

OPBRIBES: RadioButton

"[CATI TEXT: [HANDCARD E1]]] (For each of these, please tell [CATIFILL3] how important you think it is for getting ahead in life...)

...how important is giving bribes?"

MaxValue = 150

Codes:

[1] "[CATI TEXT: 1.] Essential"
[2] "[CATI TEXT: 2.] Very important"
[3] "[CATI TEXT: 3.] Fairly important"
[4] "[CATI TEXT: 4.] Not very important"
[5] "[CATI TEXT: 5.] Not important at all[CATI TEXT: , or] "
[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

OPRACE: RadioButton

"[CATI TEXT: [HANDCARD E1]]] (For each of these, please tell [CATIFILL3] how important you think it is for getting ahead in life...)

...how important is a person's race?"

MaxValue = 150

Codes:

[1] "[CATI TEXT: 1.] Essential"
[2] "[CATI TEXT: 2.] Very important"
[3] "[CATI TEXT: 3.] Fairly important"
[4] "[CATI TEXT: 4.] Not very important"
[5] "[CATI TEXT: 5.] Not important at all[CATI TEXT: , or] "
[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

OPRELIG: RadioButton

"[CATI TEXT: [HANDCARD E1]]] (For each of these, please tell [CATIFILL3] how important you think it is for getting ahead in life...)

...how important is a person's religion?"

MaxValue = 150

Codes:

[1] "[CATI TEXT: 1.] Essential"
[2] "[CATI TEXT: 2.] Very important"
[3] "[CATI TEXT: 3.] Fairly important"
[4] "[CATI TEXT: 4.] Not very important"
[5] "[CATI TEXT: 5.] Not important at all[CATI TEXT: , or] "
[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

OPSEX: RadioButton

"[CATI TEXT: [HANDCARD E1]]] (For each of these, please tell [CATIFILL3] how important you think it is for getting ahead in life...)

...how important is being born a man or a woman?"

MaxValue = 150

Codes:

[1] "[CATI TEXT: 1.] Essential"
[2] "[CATI TEXT: 2.] Very important"
[3] "[CATI TEXT: 3.] Fairly important"

[4] "[CATI TEXT: 4.] Not very important"
[5] "[CATI TEXT: 5.] Not important at all[CATI TEXT: , or] "
[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PAYDOC: NumericAnswer

"[CATI TEXT: [HANDCARD E1.2]] We would like to know what you think people in these jobs actually earn. Please tell [CATIFILL3] how much you think they usually earn each year, before taxes. Many people are not exactly sure about this, but your best guess will be close enough. This may be difficult, but it is very important. So please try.

Please tell [CATIFILL3] how much they ACTUALLY earn each year before taxes.

[CATI TEXT: IF ANSWERED WITH A RANGE, TAKE BEST ESTIMATE MIDPOINT
IF MULTIPLE ANSWERS, TAKE FIRST.] About how much do you think a doctor in general practice earns?"

MinValue = 0 MaxValue = 99999997

Codes:

[77777777] "[CATI UCase: DON'T KNOW
]"

DISPLAY IF: QUEXMODE =1

[99999999] "REFUSED"

DISPLAY IF: QUEXMODE =1

[99999998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue
Variable: PAYDOC
Value: 99999998
IF PAYDOC Is Empty

PAYEXEC: NumericAnswer

"[CATI TEXT: [HANDCARD E1.2]] (We would like to know what you think people in these jobs actually earn. Please tell [CATIFILL3] how much you think they usually earn each year, before taxes. Many people are not exactly sure about this, but your best guess will be close enough. This may be difficult, but it is very important. So please try.

Please tell [CATIFILL3] how much they ACTUALLY earn each year before taxes.)

[CATI TEXT: IF ANSWERED WITH A RANGE, TAKE BEST ESTIMATE MIDPOINT
IF MULTIPLE ANSWERS, TAKE FIRST.]] How much do you think a chairman of a large national corporation earns?"

MinValue = 0 MaxValue = 99999997

Codes:

[777777777] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[999999999] "REFUSED"

DISPLAY IF: QUEXMODE =1

[999999998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: PAYEXEC

Value: 999999998

IF PAYEXEC Is Empty

PAYCLERK: NumericAnswer

"(We would like to know what you think people in these jobs actually earn. Please tell [CATIFILL3] how much you think they usually earn each year, before taxes. Many people are not exactly sure about this, but your best guess will be close enough. This may be difficult, but it is very important. So please try.

[CATI TEXT: [HANDCARD E1.2]] Please tell [CATIFILL3] how much they ACTUALLY earn each year before taxes.)[CATI TEXT:

IF ANSWERED WITH A RANGE, TAKE BEST ESTIMATE MIDPOINT
IF MULTIPLE ANSWERS, TAKE FIRST.]

How much do you think a salesclerk earns?"

MinValue = 0 MaxValue = 99999997

Codes:

[777777777] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[999999999] "REFUSED"

DISPLAY IF: QUEXMODE =1

[999999998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: PAYCLERK

Value: 999999998

IF PAYCLERK Is Empty

PAYUNSKL: NumericAnswer

"[CATI TEXT: [HANDCARD E1.2]] (We would like to know what you think people in these jobs actually

earn. Please tell [CATIFILL3] how much you think they usually earn each year, before taxes. Many people are not exactly sure about this, but your best guess will be close enough. This may be difficult, but it is very important. So please try.

Please tell [CATIFILL3] how much they ACTUALLY earn each year before taxes.)

[CATI TEXT: IF ANSWERED WITH A RANGE, TAKE BEST ESTIMATE MIDPOINT
IF MULTIPLE ANSWERS, TAKE FIRST.] How much do you think an unskilled worker in a factory earns?"

MinValue = 0 MaxValue = 99999997

Codes:

[77777777] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99999999] "REFUSED"

DISPLAY IF: QUEXMODE =1

[99999998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: PAYUNSKL

Value: 99999998

IF PAYUNSKL Is Empty

PAYCABNT: NumericAnswer

"[CATI TEXT: [HANDCARD E1.2]] (We would like to know what you think people in these jobs actually earn. Please tell [CATIFILL3] how much you think they usually earn each year, before taxes. Many people are not exactly sure about this, but your best guess will be close enough. This may be difficult, but it is very important. So please try.

Please tell [CATIFILL3] how much they ACTUALLY earn each year before taxes.)

[CATI TEXT: IF ANSWERED WITH A RANGE, TAKE BEST ESTIMATE MIDPOINT
IF MULTIPLE ANSWERS, TAKE FIRST.] How much do you think a member of the cabinet in the federal government earns?"

MinValue = 0 MaxValue = 99999997

Codes:

[77777777] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99999999] "REFUSED"

DISPLAY IF: QUEXMODE =1

[99999998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: PAYCABNT

Value: 99999998

IF PAYCABNT Is Empty

GIVDOC: NumericAnswer

"[CATI TEXT: [HANDCARD E1.2]] Next, what do you think people in these jobs ought to be paid. How much do you think they should earn each year, before taxes, regardless of what they actually get ...

Please tell [CATIFILL3] how much they SHOULD earn each year before taxes.

[CATI TEXT: IF ANSWERED WITH A RANGE, TAKE BEST ESTIMATE MIDPOINT
IF MULTIPLE ANSWERS, TAKE FIRST.] About how much do you think a doctor in general practice should earn?"

MinValue = 0 MaxValue = 99999997

Codes:

[77777777] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99999999] "REFUSED"

DISPLAY IF: QUEXMODE =1

[99999998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: GIVDOC

Value: 99999998

IF GIVDOC Is Empty

GIVEXEC: NumericAnswer

"[CATI TEXT: [HANDCARD E1.2]] (Next, what do you think people in these jobs ought to be paid. How much do you think they should earn each year, before taxes, regardless of what they actually get ...

Please tell [CATIFILL3] how much they SHOULD earn each year before taxes.)

[CATI TEXT: IF ANSWERED WITH A RANGE, TAKE BEST ESTIMATE MIDPOINT
IF MULTIPLE ANSWERS, TAKE FIRST.] How much do you think a chairman of a large national corporation should earn?"

MinValue = 0 MaxValue = 99999997

Codes:

[77777777] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99999999] "REFUSED"

DISPLAY IF: QUEXMODE =1

[99999998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: GIVEXEC

Value: 99999998

IF GIVEXEC Is Empty

GIVCLERK: NumericAnswer

"[CATI TEXT: [HANDCARD E1.2]] (Next, what do you think people in these jobs ought to be paid. How much do you think they should earn each year, before taxes, regardless of what they actually get ...

Please tell [CATIFILL3] how much they SHOULD earn each year before taxes.)

[CATI TEXT: IF ANSWERED WITH A RANGE, TAKE BEST ESTIMATE MIDPOINT
IF MULTIPLE ANSWERS, TAKE FIRST.] How much do you think a salesclerk should earn?"

MinValue = 0 MaxValue = 99999997

Codes:

[777777777] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[999999999] "REFUSED"

DISPLAY IF: QUEXMODE =1

[999999998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: GIVCLERK

Value: 999999998

IF GIVCLERK Is Empty

GIVUNSKL: NumericAnswer

"[CATI TEXT: [HANDCARD E1.2]] (Next, what do you think people in these jobs ought to be paid. How much do you think they should earn each year, before taxes, regardless of what they actually get ...

Please tell [CATIFILL3] how much they SHOULD earn each year before taxes.)

[CATI TEXT: IF ANSWERED WITH A RANGE, TAKE BEST ESTIMATE MIDPOINT
IF MULTIPLE ANSWERS, TAKE FIRST.] How much do you think an unskilled worker in a factory should earn?"

MinValue = 0 MaxValue = 99999997

Codes:

[777777777] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[999999999] "REFUSED"

DISPLAY IF: QUEXMODE =1

[999999998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: GIVUNSKL

Value: 999999998
IF GIVUNSKL Is Empty

GIVCABNT: NumericAnswer

"[CATI TEXT: [HANDCARD E1.2]] (Next, what do you think people in these jobs ought to be paid. How much do you think they should earn each year, before taxes, regardless of what they actually get ...

Please tell [CATIFILL3] how much they SHOULD earn each year before taxes.)

[CATI TEXT: IF ANSWERED WITH A RANGE, TAKE BEST ESTIMATE MIDPOINT
IF MULTIPLE ANSWERS, TAKE FIRST.] How much do you think a member of the cabinet in the federal government should earn?"

MinValue = 0 MaxValue = 99999997

Codes:

[777777777] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[999999999] "REFUSED"

DISPLAY IF: QUEXMODE =1

[999999998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: GIVCABNT

Value: 999999998

IF GIVCABNT Is Empty

INCGAP: RadioButton

"[CATI TEXT: [HANDCARD E2]]] To what extent do you agree or disagree with the following statements?

Differences in income in America are too large."

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Strongly agree"

[2] "[CATI TEXT: 2.] Agree"

[3] "[CATI TEXT: 3.] Neither agree nor disagree"

[4] "[CATI TEXT: 4.] Disagree"

[5] "[CATI TEXT: 5.] Strongly disagree[CATI TEXT: , or] "

[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

GOVEQINC1: RadioButton

"[CATI TEXT: [HANDCARD E2]]] (To what extent do you agree or disagree with the following statements?)

It is the responsibility of the government to reduce the differences in income between people with high incomes and those with low incomes."

MaxValue = 99999997

Codes:

- [1] "[CATI TEXT: 1.] Strongly agree"
- [2] "[CATI TEXT: 2.] Agree"
- [3] "[CATI TEXT: 3.] Neither agree nor disagree"
- [4] "[CATI TEXT: 4.] Disagree"
- [5] "[CATI TEXT: 5.] Strongly disagree[CATI TEXT: , or] "
- [6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

GOVUNEMP: RadioButton

"[CATI TEXT: [HANDCARD E2]]] (To what extent do you agree or disagree with the following statements?)

The government should provide a decent standard of living for the unemployed."

MaxValue = 99999997

Codes:

- [1] "[CATI TEXT: 1.] Strongly agree"
- [2] "[CATI TEXT: 2.] Agree"
- [3] "[CATI TEXT: 3.] Neither agree nor disagree"
- [4] "[CATI TEXT: 4.] Disagree"
- [5] "[CATI TEXT: 5.] Strongly disagree[CATI TEXT: , or] "
- [6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

MKT1: RadioButton

"[CATI TEXT: [HANDCARD E2]]] (To what extent do you agree or disagree with the following statements?)

It is the responsibility of private companies to reduce the differences in pay between their employees with high pay and those with low pay."

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Strongly agree"
[2] "[CATI TEXT: 2.] Agree"
[3] "[CATI TEXT: 3.] Neither agree nor disagree"
[4] "[CATI TEXT: 4.] Disagree"
[5] "[CATI TEXT: 5.] Strongly disagree[CATI TEXT: , or] "
[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

RESPINEQ: RadioButton

"[CATI TEXT: [HANDCARD E3]]] From the following list, who do you think should have the greatest responsibility for reducing differences in income between people with high incomes and people with low incomes?"

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Private companies"
[2] "[CATI TEXT: 2.] Government"
[3] "[CATI TEXT: 3.] Trade unions"
[4] "[CATI TEXT: 4.] High-income individuals themselves"
[5] "[CATI TEXT: 5.] Low-income individuals themselves"
[6] "[CATI TEXT: 6.] Income differences do not need to be reduced[CATI TEXT: , or] "
[7] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

GOVINEQ1: RadioButton

"[CATI TEXT: [HANDCARD E4]]] To what extent do you agree or disagree with the following statement: Most politicians in America do not care about reducing the differences in income between people with high incomes and people with low incomes."

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Strongly agree"
[2] "[CATI TEXT: 2.] Agree"
[3] "[CATI TEXT: 3.] Neither agree nor disagree"
[4] "[CATI TEXT: 4.] Disagree"
[5] "[CATI TEXT: 5.] Strongly disagree[CATI TEXT: , or] "
[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE = 1
[99] "REFUSED"
DISPLAY IF: QUEXMODE = 1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE = 2

GOVINEQ2: RadioButton

"[CATI TEXT: [HANDCARD E5]]] How successful do you think the government in America is nowadays in reducing the differences in income between people with high incomes and people with low incomes?"

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Very successful"
[2] "[CATI TEXT: 2.] Quite successful"
[3] "[CATI TEXT: 3.] Neither successful nor unsuccessful"
[4] "[CATI TEXT: 4.] Quite unsuccessful"
[5] "[CATI TEXT: 5.] Very unsuccessful[CATI TEXT: , or] "
[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE = 1
[99] "REFUSED"
DISPLAY IF: QUEXMODE = 1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE = 2

TAXSHARE: RadioButton

"[CATI TEXT: [HANDCARD E6]]] Do you think people with high incomes should pay a larger share of their income in taxes than those with low incomes, the same share, or a smaller share?"

MaxValue = 99999997

Codes:

- [1] "[CATI TEXT: 1.] Much larger share"
- [2] "[CATI TEXT: 2.] Larger"
- [3] "[CATI TEXT: 3.] The same share"
- [4] "[CATI TEXT: 4.] Smaller"
- [5] "[CATI TEXT: 5.] Much smaller share[CATI TEXT: , or] "
- [6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

TAXRICH: RadioButton

"[CATI TEXT: [HANDCARD E7]]] Generally, how would you describe taxes in America today for those with high incomes? Taxes are ..."

MaxValue = 99999997

Codes:

- [1] "[CATI TEXT: 1.] Much too high"
- [2] "[CATI TEXT: 2.] Too high"
- [3] "[CATI TEXT: 3.] About right"
- [4] "[CATI TEXT: 4.] Too low[CATI TEXT: , or] "
- [5] "[CATI TEXT: 5.] Much too low[CATI TEXT: , or] "
- [6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

RICHLTH: RadioButton

"[CATI TEXT: [HANDCARD E8]]] Is it just or unjust -- right or wrong -- that people with higher incomes can buy better health care than people with lower incomes?"

MaxValue = 99999997

Codes:

- [1] "[CATI TEXT: 1.] Very just, definitely right"

[2] "[CATI TEXT: 2.] Somewhat just, right"
[3] "[CATI TEXT: 3.] Neither just nor unjust, mixed feelings"
[4] "[CATI TEXT: 4.] Somewhat unjust, wrong"
[5] "[CATI TEXT: 5.] Very unjust, definitely wrong[CATI TEXT: , or] "
[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

RICHEDUC: RadioButton

"[CATI TEXT: [HANDCARD E8]]] Is it just or unjust -- right or wrong -- that people with higher incomes can buy better education for their children than people with lower incomes?"

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Very just, definitely right"
[2] "[CATI TEXT: 2.] Somewhat just, right"
[3] "[CATI TEXT: 3.] Neither just nor unjust, mixed feelings"
[4] "[CATI TEXT: 4.] Somewhat unjust, wrong"
[5] "[CATI TEXT: 5.] Very unjust, definitely wrong[CATI TEXT: , or] "
[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

INEQMAD: RadioButton

"[CATI TEXT: [HANDCARD E9]]] Some people feel angry about differences in wealth between the rich and the poor, while others do not. How do you feel when you think about differences in wealth between the rich and the poor in America? Please place yourself on a scale of 0 to 10, where 0 means not angry at all and 10 means extremely angry."

MaxValue = 99999997

Codes:

[0] "[CATI UCase: 0 Not angry at all] "
[1] "[CATI UCase: 1] "
[2] "[CATI UCase: 2] "
[3] "[CATI UCase: 3] "
[4] "[CATI UCase: 4] "
[5] "[CATI UCase: 5] "

[6] "[CATI UCase: 6] "
[7] "[CATI UCase: 7] "
[8] "[CATI UCase: 8] "
[9] "[CATI UCase: 9] "
[10] "[CATI UCase: 10 Extremely angry] "
[11] "[CATI UCase: Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

LDCGAP: RadioButton

"[CATI TEXT: [HANDCARD E10]]] Turning to international differences, to what extent do you agree or disagree with the following statements?

Present economic differences between rich and poor countries are too large."

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Strongly agree"
[2] "[CATI TEXT: 2.] Agree"
[3] "[CATI TEXT: 3.] Neither agree nor disagree"
[4] "[CATI TEXT: 4.] Disagree"
[5] "[CATI TEXT: 5.] Strongly disagree[CATI TEXT: , or] "
[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

LDCTAX: RadioButton

"[CATI TEXT: [HANDCARD E10]]] (Turning to international differences, to what extent do you agree or disagree with the following statements?)

People in wealthy countries should make an additional tax contribution to help people in poor countries."

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Strongly agree"
[2] "[CATI TEXT: 2.] Agree"

[3] "[CATI TEXT: 3.] Neither agree nor disagree"
[4] "[CATI TEXT: 4.] Disagree"
[5] "[CATI TEXT: 5.] Strongly disagree[CATI TEXT: , or] "
[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

MIGRPOOR: RadioButton

"[CATI TEXT: [HANDCARD E10]]] (Turning to international differences, to what extent do you agree or disagree with the following statements?)

People from poor countries should be allowed to work in wealthy countries."

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Strongly agree"
[2] "[CATI TEXT: 2.] Agree"
[3] "[CATI TEXT: 3.] Neither agree nor disagree"
[4] "[CATI TEXT: 4.] Disagree"
[5] "[CATI TEXT: 5.] Strongly disagree[CATI TEXT: , or] "
[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

CONWLTH: RadioButton

"[CATI TEXT: [HANDCARD E11]]] In all countries, there are differences or even conflicts between different social groups. In your opinion, in America how much conflict is there between...

Poor people and rich people?"

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Very strong conflicts"
[2] "[CATI TEXT: 2.] Strong conflicts"
[3] "[CATI TEXT: 3.] Not very strong conflicts"
[4] "[CATI TEXT: 4.] There are no conflicts[CATI TEXT: , or] "

```
[5] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

CONCLASS: RadioButton

"[CATI TEXT: [HANDCARD E11]]] (In all countries, there are differences or even conflicts between different social groups. In your opinion, in America how much conflict is there between...)

The working class and the middle class?"

MaxValue = 99999997

Codes:

```
[1] "[CATI TEXT: 1. ] Very strong conflicts"
[2] "[CATI TEXT: 2. ] Strong conflicts"
[3] "[CATI TEXT: 3. ] Not very strong conflicts"
[4] "[CATI TEXT: 4. ] There are no conflicts[CATI TEXT: , or] "
[5] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

CONUNION: RadioButton

"[CATI TEXT: [HANDCARD E11]]] (In all countries, there are differences or even conflicts between different social groups. In your opinion, in America how much conflict is there between...)

Management and workers?"

MaxValue = 99999997

Codes:

```
[1] "[CATI TEXT: 1. ] Very strong conflicts"
[2] "[CATI TEXT: 2. ] Strong conflicts"
[3] "[CATI TEXT: 3. ] Not very strong conflicts"
[4] "[CATI TEXT: 4. ] There are no conflicts[CATI TEXT: , or] "
[5] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
```

[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

CONAGE: RadioButton

"[CATI TEXT: [HANDCARD E11]]] (In all countries, there are differences or even conflicts between different social groups. In your opinion, in America how much conflict is there between...)

Young people and older people?"

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Very strong conflicts"
[2] "[CATI TEXT: 2.] Strong conflicts"
[3] "[CATI TEXT: 3.] Not very strong conflicts"
[4] "[CATI TEXT: 4.] There are no conflicts[CATI TEXT: , or] "
[5] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

CONIMM: RadioButton

"[CATI TEXT: [HANDCARD E11]]] (In all countries, there are differences or even conflicts between different social groups. In your opinion, in America how much conflict is there between...)

People born in America and people from other countries who have come to live in America?"

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Very strong conflicts"
[2] "[CATI TEXT: 2.] Strong conflicts"
[3] "[CATI TEXT: 3.] Not very strong conflicts"
[4] "[CATI TEXT: 4.] There are no conflicts[CATI TEXT: , or] "
[5] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

RANK1: RadioButton

"[CATI TEXT: [HANDCARD E12]]] In our society there are groups which tend to be towards the top and groups which tend to be towards the bottom. [CATI TEXT: On the handcard is] [WEB TEXT: Below is] a scale that runs from top to bottom.

Where would you put yourself now on this scale?"

MaxValue = 99999997

Codes:

[1] "[CATI UCase: 1 Top] "
[2] "[CATI UCase: 2] "
[3] "[CATI UCase: 3] "
[4] "[CATI UCase: 4] "
[5] "[CATI UCase: 5] "
[6] "[CATI UCase: 6] "
[7] "[CATI UCase: 7] "
[8] "[CATI UCase: 8] "
[9] "[CATI UCase: 9] "
[10] "[CATI UCase: 10 Bottom] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

RANK16: RadioButton

"[CATI TEXT: [HANDCARD E12]]] (In our society there are groups which tend to be towards the top and groups which tend to be towards the bottom. [CATI TEXT: On the handcard is] [WEB TEXT: Below is] a scale that runs from top to bottom.)

If you think about the family that you grew up in, where did they fit in then?"

MaxValue = 99999997

Codes:

[1] "[CATI UCase: 1 Top] "
[2] "[CATI UCase: 2] "
[3] "[CATI UCase: 3] "
[4] "[CATI UCase: 4] "
[5] "[CATI UCase: 5] "
[6] "[CATI UCase: 6] "
[7] "[CATI UCase: 7] "
[8] "[CATI UCase: 8] "
[9] "[CATI UCase: 9] "
[10] "[CATI UCase: 10 Bottom] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

RANK10FUT: RadioButton

"[CATI TEXT: [HANDCARD E12]]] (In our society there are groups which tend to be towards the top and groups which tend to be towards the bottom. [CATI TEXT: On the handcard is] [WEB TEXT: Below is] a scale that runs from top to bottom.)

And thinking ahead 10 years from now, where do you think you will be on a scale of 1 to 10, where 1 is the top and 10 the bottom?"

MaxValue = 99999997

Codes:

[1] "[CATI UCase: 1 Top] "
[2] "[CATI UCase: 2] "
[3] "[CATI UCase: 3] "
[4] "[CATI UCase: 4] "
[5] "[CATI UCase: 5] "
[6] "[CATI UCase: 6] "
[7] "[CATI UCase: 7] "
[8] "[CATI UCase: 8] "
[9] "[CATI UCase: 9] "
[10] "[CATI UCase: 10 Bottom] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PAYRESP: RadioButton

"[CATI TEXT: [HANDCARD E13]]] In deciding how much people ought to earn, how important should each of these things be, in your opinion ...

How much responsibility goes with the job? How important do you think that ought to be in deciding pay?"

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Essential"
[2] "[CATI TEXT: 2.] Very important"
[3] "[CATI TEXT: 3.] Fairly important"
[4] "[CATI TEXT: 4.] Not very important"
[5] "[CATI TEXT: 5.] Not important at all[CATI TEXT: , or] "

[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PAYEDTRN: RadioButton

"[CATI TEXT: [HANDCARD E13]]] ...the number of years spent in education and training? (How important do you think that ought to be in deciding pay?)"

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Essential"

[2] "[CATI TEXT: 2.] Very important"

[3] "[CATI TEXT: 3.] Fairly important"

[4] "[CATI TEXT: 4.] Not very important"

[5] "[CATI TEXT: 5.] Not important at all[CATI TEXT: , or] "

[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PAYCHILD: RadioButton

"[CATI TEXT: [HANDCARD E13]]] ...whether the person has children to support? (How important should that be in deciding pay?)"

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Essential"

[2] "[CATI TEXT: 2.] Very important"

[3] "[CATI TEXT: 3.] Fairly important"

[4] "[CATI TEXT: 4.] Not very important"

[5] "[CATI TEXT: 5.] Not important at all[CATI TEXT: , or] "

[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PAYDOWEL: RadioButton

"[CATI TEXT: [HANDCARD E13]]] ...how well he or she does the job? (How important should that be in deciding pay?)"

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Essential"

[2] "[CATI TEXT: 2.] Very important"

[3] "[CATI TEXT: 3.] Fairly important"

[4] "[CATI TEXT: 4.] Not very important"

[5] "[CATI TEXT: 5.] Not important at all[CATI TEXT: , or] "

[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

SOCTYPE1: RadioButton

"[CATI TEXT: [HANDCARD E14]]

INTERVIEWER: REFER TO HANDCARD E14.]] These five diagrams show different types of society. Please read the descriptions and look at the diagrams and decide which you think best describes America ...


First, what type of society is America today -- which diagram comes closest?"

MaxValue = 99999997

Codes:


Codes:

[1] "Type A]



A small elite at the top, very few people in the middle and the great mass of people at the bottom.
"


[2] "Type B]



A society like a pyramid with a small elite at the top, more people in the middle, and most at the bottom.

"


[3] "Type C]



A pyramid except that just a few people are at the bottom.

"


[4] "Type D]



A society with most people in the middle.

"

[5] "Type E]



Many people near the top, and only a few near the bottom.

"

[6] "[CATI TEXT: 6.] Can't choose[CAWI_FLOAT3]"

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

SOCTYPE2: RadioButton

"[CATI TEXT: [HANDCARD E14]]

INTERVIEWER: REFER TO HANDCARD E14.]] (These five diagrams show different types of society. Please read the descriptions and look at the diagrams and decide which you think best describes America ...)


What do you think America ought to be like -- which would you prefer?"

MaxValue = 99999997

Codes:

Codes:


[1] "Type A]



A small elite at the top, very few people in the middle and the great mass of people at the bottom.

"


[2] "Type B]



A society like a pyramid with a small elite at the top, more people in the middle, and most at the bottom.

"


[3] "Type C]



A pyramid except that just a few people are at the bottom.

"


[4] "Type D]"



A society with most people in the middle.

"

[5] "Type E]"



[6] "[CATI TEXT: 6.] Can't choose[CAWI_FLOAT3]"

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

FAIRDIST: RadioButton

How fair or unfair do you think the income distribution is in America?

MaxValue = 99999997

Codes:

[1] Very fair

[2] Fair
[3] Unfair
[4] "Very unfair[CATI TEXT: , or] "
[5] "Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

CONTPOOR: RadioButton

"[CATI TEXT: [HANDCARD E15]]] How often do you have any contact with people who are a lot poorer than you when you are out and about? This might be in the street, on public transport, in shops, in your neighborhood, or at your workplace."

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Never"
[2] "[CATI TEXT: 2.] Less than once a month"
[3] "[CATI TEXT: 3.] Once a month"
[4] "[CATI TEXT: 4.] Several times a month"
[5] "[CATI TEXT: 5.] Once a week"
[6] "[CATI TEXT: 6.] Several times a week"
[7] "[CATI TEXT: 7.] Every day[CATI TEXT: , or] "
[8] "[CATI TEXT: 8.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

CONTRICH: RadioButton

"[CATI TEXT: [HANDCARD E15]]] How often do you have any contact with people who are a lot richer than you when you are out and about? This might be in the street, on public transport, in shops, in your neighborhood, or at your workplace."

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Never"
[2] "[CATI TEXT: 2.] Less than once a month"
[3] "[CATI TEXT: 3.] Once a month"
[4] "[CATI TEXT: 4.] Several times a month"
[5] "[CATI TEXT: 5.] Once a week"

[6] "[CATI TEXT: 6.] Several times a week"
[7] "[CATI TEXT: 7.] Every day[CATI TEXT: , or] "
[8] "[CATI TEXT: 8.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

ENDSMEET: RadioButton

"[CATI TEXT: [HANDCARD E16]]] Thinking of your household's total income, including all the sources of income of all the members who contribute to it, how difficult or easy is it currently for your household to make ends meet?"

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Very difficult"
[2] "[CATI TEXT: 2.] Fairly difficult"
[3] "[CATI TEXT: 3.] Neither easy nor difficult"
[4] "[CATI TEXT: 4.] Fairly easy"
[5] "[CATI TEXT: 5.] Very easy[CATI TEXT: , or] "
[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

ENDSME12: RadioButton

"[CATI TEXT: [HANDCARD E16]]] And during the next 12 months, how difficult or easy do you think it will be for your household to make ends meet?"

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Very difficult"
[2] "[CATI TEXT: 2.] Fairly difficult"
[3] "[CATI TEXT: 3.] Neither easy nor difficult"
[4] "[CATI TEXT: 4.] Fairly easy"
[5] "[CATI TEXT: 5.] Very easy[CATI TEXT: , or] "
[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

SKIPMEAL: RadioButton

"[CATI TEXT: [HANDCARD E17]]] How often do you or other members of your household skip a meal because there is not enough money for food?"

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Never"
[2] "[CATI TEXT: 2.] Less than once a month"
[3] "[CATI TEXT: 3.] Once a month"
[4] "[CATI TEXT: 4.] Several times a month"
[5] "[CATI TEXT: 5.] Once a week"
[6] "[CATI TEXT: 6.] Several times a week"
[7] "[CATI TEXT: 7.] Every day[CATI TEXT: , or] "
[8] "[CATI TEXT: 8.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

CANTRUST: RadioButton

"[CATI TEXT: [HANDCARD E18]]] Generally speaking, would you say that people can be trusted or that you can't be too careful in dealing with people?"

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] People can almost always be trusted"
[2] "[CATI TEXT: 2.] People can usually be trusted"
[3] "[CATI TEXT: 3.] You usually can't be too careful in dealing with people"
[4] "[CATI TEXT: 4.] You almost always can't be too careful in dealing with people[CATI TEXT: , or] "
[5] "[CATI TEXT: 5.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

CLASS1: RadioButton

"[CATI TEXT: [HANDCARD E19]]] Most people see themselves as belonging to a particular class. Please tell me which social class you would say you belong to?"

MaxValue = 99999997

Codes:

- [1] "[CATI TEXT: 1.] Lower class"
- [2] "[CATI TEXT: 2.] Working class"
- [3] "[CATI TEXT: 3.] Lower middle class"
- [4] "[CATI TEXT: 4.] Middle class"
- [5] "[CATI TEXT: 5.] Upper middle class[CATI TEXT: , or] "
- [6] "[CATI TEXT: 6.] Upper class[CATI TEXT: ?] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: QUEXMODE_EEND
Value: [QUEXMODE.Code]
IF QUEXMODE_EEND Is Empty

PRELOADACTION: BranchTo
Next question

QUEXMODE_EEND: RadioButton

MaxValue = 99999997

Codes:

- [1] CATI
- [2] CAWI

PRELOADACTION: SetVariableValue
Variable: ETIMEE
Value: [\$H]
IF ETIMEE Is Empty

PRELOADACTION: BranchTo
Next question

ETIMEE: DateTimeAnswer

END TIME SECTION E

MaxAnswerLength = 20

MaxValue = 99999997

```
PRELOADACTION: SetVariableValue  
Variable: ETIMEE_D  
Value: [$H]
```

```
PRELOADACTION: BranchTo  
Next question
```

ETIMEE_D: DateTimeAnswer

DYNAMIC END TIME SECTION E

MaxAnswerLength = 20

MaxValue = 99999997

ELAPSEDTIMEE: NumericAnswer

MaxValue = 99999997

```
PRELOADACTION: SetVariableValue  
Variable: BTIMEF  
Value: [$H]  
IF BTIMEF Is Empty
```

```
PRELOADACTION: BranchTo  
Next question
```

BTIMEF: DateTimeAnswer

BEGIN TIME SECTION F

MaxAnswerLength = 20

MaxValue = 99999997

```
PRELOADACTION: SetVariableValue  
Variable: BTIMEF_D  
Value: [$H]
```

PRELOADACTION: BranchTo
Next question

BTIMEF_D: DateTimeAnswer

DYNAMIC BEGIN TIME SECTION F

MaxAnswerLength = 20

MaxValue = 99999997

QUALLIFE: RadioButton

"[CATI TEXT: [HANDCARD F1]]] In general, would you say your quality of life is:"

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Excellent"
[2] "[CATI TEXT: 2.] Very good"
[3] "[CATI TEXT: 3.] Good"
[4] "[CATI TEXT: 4.] Fair[CATI TEXT: , or] "
[5] "[CATI TEXT: 5.] Poor[CATI TEXT: ?] "
[77] "DON'T KNOW"

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

HLTHPHYS: RadioButton

"[CATI TEXT: [HANDCARD F1]]] In general, how would you rate your physical health?"

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Excellent"
[2] "[CATI TEXT: 2.] Very good"
[3] "[CATI TEXT: 3.] Good"
[4] "[CATI TEXT: 4.] Fair[CATI TEXT: , or] "
[5] "[CATI TEXT: 5.] Poor[CATI TEXT: ?] "
[77] "DON'T KNOW"

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

HLTHMNTL: RadioButton

"[CATI TEXT: [HANDCARD F1]]] In general, how would you rate your mental health, including your mood and your ability to think?"

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Excellent"
[2] "[CATI TEXT: 2.] Very good"
[3] "[CATI TEXT: 3.] Good"
[4] "[CATI TEXT: 4.] Fair[CATI TEXT: , or] "
[5] "[CATI TEXT: 5.] Poor[CATI TEXT: ?] "
[77] "DON'T KNOW"

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

SATSOC: RadioButton

"[CATI TEXT: [HANDCARD F1]]] In general, how would you rate your satisfaction with your social activities and relationships?"

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Excellent"
[2] "[CATI TEXT: 2.] Very good"
[3] "[CATI TEXT: 3.] Good"
[4] "[CATI TEXT: 4.] Fair[CATI TEXT: , or] "
[5] "[CATI TEXT: 5.] Poor[CATI TEXT: ?] "
[77] "DON'T KNOW"

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

ACTSSOC: RadioButton

"[CATI TEXT: [HANDCARD F1]]] In general, please rate how well you carry out your usual social activities and roles. (This includes activities at home, at work and in your community, and

responsibilities as a parent, child, spouse, employee, friend, etc.)"

MaxValue = 99999997

Codes:

- [1] "[CATI TEXT: 1.] Excellent"
- [2] "[CATI TEXT: 2.] Very good"
- [3] "[CATI TEXT: 3.] Good"
- [4] "[CATI TEXT: 4.] Fair[CATI TEXT: , or] "
- [5] "[CATI TEXT: 5.] Poor[CATI TEXT: ?] "
- [77] "DON'T KNOW"

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PHYSACTS: RadioButton

"[CATI TEXT: [HANDCARD F2]]] To what extent are you able to carry out your everyday physical activities such as walking, climbing stairs, carrying groceries, or moving a chair?"

MaxValue = 99999997

Codes:

- [1] "[CATI TEXT: 1.] Completely"
- [2] "[CATI TEXT: 2.] Mostly"
- [3] "[CATI TEXT: 3.] Moderately"
- [4] "[CATI TEXT: 4.] A little[CATI TEXT: , or] "
- [5] "[CATI TEXT: 5.] Not at all[CATI TEXT: ?] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

EMOPROBS: RadioButton

"[CATI TEXT: [HANDCARD F3]]] In the past 7 days...
How often have you been bothered by emotional problems such as feeling anxious, depressed or irritable?"

MaxValue = 99999997

Codes:

- [1] "[CATI TEXT: 1.] Never"

[2] "[CATI TEXT: 2.] Rarely"
[3] "[CATI TEXT: 3.] Sometimes"
[4] "[CATI TEXT: 4.] Often[CATI TEXT: , or] "
[5] "[CATI TEXT: 5.] Always[CATI TEXT: ?] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

FATIGUE: RadioButton

"[CATI TEXT: [HANDCARD F4]]] In the past 7 days...
How would you rate your fatigue on average?"

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] None"
[2] "[CATI TEXT: 2.] Mild"
[3] "[CATI TEXT: 3.] Moderate"
[4] "[CATI TEXT: 4.] Severe[CATI TEXT: , or] "
[5] "[CATI TEXT: 5.] Very severe[CATI TEXT: ?] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

RATEPAIN1: ChoiceGrid

"[CATI TEXT: [HANDCARD F5]]] In the past 7 days...
[CATI TEXT: On a scale from 0 to 10, with 0 meaning no pain and 10 being the worst imaginable pain,
h] [WEB TEXT: H] ow would you rate your pain on average?
[CATI TEXT:
ENTER THE RESPONDENT'S ANSWER, 0-10:] "

MaxValue = 99999997

Codes:

[0] "
0
"
[1] "
1
"
[2] "

2
"
[3] "
3
"
[4] "
4
"
[5] "
5
"
[6] "
6
"
[7] "
7
"
[8] "
8
"
[9] "
9
"
[10] "
10
"
[77] "
[CATI UCase: DON'T KNOW]
"

DISPLAY IF: QUEXMODE =1

[99] "
REFUSED
"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: ETIMEF
Value: [\$H]
IF ETIMEF Is Empty

PRELOADACTION: BranchTo
Next question

ETIMEF: DateTimeAnswer

END TIME SECTION F

MaxAnswerLength = 20

MaxValue = 99999997

PRELOADACTION: SetVariableValue
Variable: ETIMEF_D

Value: [\$H]

PRELOADACTION: BranchTo
Next question

ETIMEF_D: DateTimeAnswer

DYNAMIC END TIME SECTION F

MaxAnswerLength = 20

MaxValue = 99999997

ELAPSEDTIMEF: NumericAnswer

"[CATI TEXT: [HAND CARD F5]]] En los últimos 7 días...
[CATI TEXT: En una escala del 0 al 10, donde 0 quiere decir que usted no tiene ningún dolor y 10 quiere decir que tiene el peor dolor que puede imaginarse,¿c] [WEB TEXT: C] ómo calificaría el nivel de dolor que usted siente, en promedio?

[CATI TEXT:
ENTER THE RESPONDENT'S ANSWER, 0-10:] "

MaxValue = 99999997

PRELOADACTION: SetVariableValue
Variable: BTIMEH
Value: [\$H]
IF BTIMEH Is Empty

PRELOADACTION: BranchTo
Next question

BTIMEH: DateTimeAnswer

BEGIN TIME SECTION H

MaxAnswerLength = 20

MaxValue = 99999997

PRELOADACTION: SetVariableValue
Variable: BTIMEH_D
Value: [\$H]

PRELOADACTION: BranchTo
Next question

BTIMEH_D: DateTimeAnswer

DYNAMIC BEGIN TIME SECTION H

MaxAnswerLength = 20

MaxValue = 99999997

```
PRELOADACTION: BranchTo  
Next question  
IF RELIG <> 4
```

NORELGSP: RadioButton

"Do you consider yourself to be atheist, agnostic, something else, or nothing in particular?"

MaxValue = 99999997

Codes:

```
[1] "[CATI UCase: Atheist] "  
[2] "[CATI UCase: Agnostic] "  
[3] "[CATI UCase: Something else] "  
[4] "[CATI UCase: Nothing in particular] "  
[77] "[CATI UCase: DON'T KNOW] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo  
Next question  
IF VERXY = Y
```

```
PRELOADACTION: BranchTo  
Next question  
IF V01(RELIG=1 OR IVQRELIG=1 OR CHRISTCH=1)==0
```

EVANGCLX: RadioButton

"Would you describe yourself as a ""born again"" or evangelical Christian, or not?"

MaxValue = 99999997

Codes:

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = X

PRELOADACTION: BranchTo

Next question

IF V01(RELIG=1 OR IVQRELIG=1 OR CHRISTCH=1)==0

EVANGCLY: RadioButton

"Would you describe yourself as an evangelical Christian, or not?"

MaxValue = 99999997

Codes:

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

RELIGIMP: RadioButton

"How important is religion in your life[CATI TEXT: -- very important, somewhat important, not too important, or not at all important] ?"

MaxValue = 99999997

Codes:

[1] "[CATI UCase: Very important] "

[2] "[CATI UCase: Somewhat important] "

[3] "[CATI UCase: Not too important] "

[4] "[CATI UCase: Not at all important] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: H2AFILL
Value: 10
PRELOADACTION: SetVariableValue
Variable: H2AFILL
Value: 1
IF RELIG = 1
Or IVQRELIG = 1
Or RELIG = 5
Or CHRISTCH = 1

PRELOADACTION: SetVariableValue
Variable: H2AFILL
Value: 2
IF RELIG = 2

PRELOADACTION: SetVariableValue
Variable: H2AFILL
Value: 3
IF RELIG = 3

PRELOADACTION: SetVariableValue
Variable: H2AFILL
Value: 4
IF RELIG = 6

PRELOADACTION: SetVariableValue
Variable: H2AFILL
Value: 5
IF RELIG = 7

PRELOADACTION: SetVariableValue
Variable: H2AFILL
Value: 6
IF RELIG = 8

PRELOADACTION: SetVariableValue
Variable: H2AFILL
Value: 7
IF NORELGSP = 1

PRELOADACTION: SetVariableValue
Variable: H2AFILL
Value: 8
IF NORELGSP = 2

PRELOADACTION: SetVariableValue
Variable: H2AFILL
Value: 9
IF "NORELGSP=3,4,77,99,98

PRELOADACTION: BranchTo
Next question

H2AFILL: RadioButton

MaxValue = 99999997

Codes:

- [1] a Christian
- [2] a Catholic
- [3] a Jew
- [4] a Buddhist
- [5] a Hindu
- [6] a Muslim
- [7] an atheist
- [8] an agnostic
- [9] someone who does not identify with a religion
- [10] a member of your religion

```
PRELOADACTION: SetVariableValue  
Variable: H2BFILL  
Value: [H2AFILL.Code]
```

```
PRELOADACTION: BranchTo  
Next question
```

H2BFILL: RadioButton

MaxValue = 99999997

Codes:

- [1] Christian
- [2] Catholic
- [3] Jew
- [4] Buddhist
- [5] Hindu
- [6] Muslim
- [7] atheist
- [8] agnostic
- [9] non-religious
- [10]

```
PRELOADACTION: SetVariableValue  
Variable: H2CFILL  
Value: [H2AFILL.Code]
```

```
PRELOADACTION: BranchTo  
Next question
```

H2CFILL: RadioButton

MaxValue = 99999997

Codes:

- [1] Christians
- [2] Catholics
- [3] Jews
- [4] Buddhists
- [5] Hindus
- [6] Muslims
- [7] atheists
- [8] agnostics
- [9] people who do not identify with a religion
- [10] your religion

RELIDIMP: RadioButton

"[CATI TEXT: [HANDCARD H1]]] When thinking about religion, how important is being [h2afill] to you?"

MaxValue = 99999997

Codes:

- [1] "[CATI TEXT: 1.] Extremely important"
- [2] "[CATI TEXT: 2.] Very important"
- [3] "[CATI TEXT: 3.] Somewhat important"
- [4] "[CATI TEXT: 4.] Not very important[CATI TEXT: , or] "
- [5] "[CATI TEXT: 5.] Not important at all[CATI TEXT: ?] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Question RELIDWE

IF H2AFILL = 10

RELIDESC: RadioButton

"[CATI TEXT: [HANDCARD H2]]] How well does the term [h2bfill] describe you?"

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Extremely well"
[2] "[CATI TEXT: 2.] Very well"
[3] "[CATI TEXT: 3.] Somewhat well"
[4] "[CATI TEXT: 4.] Not very well[CATI TEXT: , or] "
[5] "[CATI TEXT: 5.] Not at all[CATI TEXT: ?] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

RELIDWE: RadioButton

"[CATI TEXT: [HANDCARD H3]]] When talking about [h2cfill], how often do you say ""we"" instead of ""they""?"

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Never"
[2] "[CATI TEXT: 2.] Rarely"
[3] "[CATI TEXT: 3.] Some of the time"
[4] "[CATI TEXT: 4.] Most of the time[CATI TEXT: , or] "
[5] "[CATI TEXT: 5.] All of the time[CATI TEXT: ?] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

RELIDINS: RadioButton

"If someone criticized [h2cfill], to what extent would it feel like a personal insult?"

MaxValue = 99999997

Codes:

[1] A great deal
[2] Somewhat
[3] "Very little[CATI TEXT: , or] "
[4] "Not at all[CATI TEXT: ?] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Question H4ORDER
IF V01(RELIG=1 OR IVQRELIG=1 OR CHRISTCH=1)==0

PRELOADACTION: Selection

PRELOADACTION: Selection

PRELOADACTION: Selection

PRELOADACTION: Selection

PRELOADACTION: BranchTo
Next question

H3ORDER: CheckBox

Order of CHRST questions based on RANDORDER2

MaxValue = 99999997

Codes:

[1] The Bible is the highest authority for what I believe.

[2] It is very important for me personally to encourage non-Christians to accept Jesus Christ as their Savior.

[3] Jesus Christ's death on the cross is the only sacrifice that could remove the penalty of my sin.

[4] Only those who accept Jesus Christ alone as their Savior can achieve eternal salvation.

H3_Q1: RadioButton

"[CATI TEXT: [HANDCARD H4]]] Please indicate how much you agree or disagree with the following statement.

[H3ORDER(1)]"

MaxValue = 99999997

Codes:

[1] "[CATI UCase: [CATI TEXT: 1.] Strongly agree] "

[2] "[CATI UCase: [CATI TEXT: 2.] Agree] "

[3] "[CATI UCase: [CATI TEXT: 3.] Neither agree nor disagree] "

[4] "[CATI UCase: [CATI TEXT: 4.] Disagree[CATI TEXT: , or] "

[5] "[CATI UCase: [CATI TEXT: 5.] Strongly disagree[CATI TEXT: ?] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

H3_Q2: RadioButton

"[CATI TEXT: [HANDCARD H4]]] (Please indicate how much you agree or disagree with the following statement.)

[H3ORDER(2)]"

MaxValue = 99999997

Codes:

[1] "[CATI UCase: [CATI TEXT: 1.] Strongly agree] "
[2] "[CATI UCase: [CATI TEXT: 2.] Agree] "
[3] "[CATI UCase: [CATI TEXT: 3.] Neither agree nor disagree] "
[4] "[CATI UCase: [CATI TEXT: 4.] Disagree[CATI TEXT: , or] "
[5] "[CATI UCase: [CATI TEXT: 5.] Strongly disagree[CATI TEXT: ?] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

H3_Q3: RadioButton

"[CATI TEXT: [HANDCARD H4]]] (Please indicate how much you agree or disagree with the following statement.)

[H3ORDER(3)]"

MaxValue = 99999997

Codes:

[1] "[CATI UCase: [CATI TEXT: 1.] Strongly agree] "
[2] "[CATI UCase: [CATI TEXT: 2.] Agree] "
[3] "[CATI UCase: [CATI TEXT: 3.] Neither agree nor disagree] "
[4] "[CATI UCase: [CATI TEXT: 4.] Disagree[CATI TEXT: , or] "
[5] "[CATI UCase: [CATI TEXT: 5.] Strongly disagree[CATI TEXT: ?] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

H3_Q4: RadioButton

"[CATI TEXT: [HANDCARD H4]]] (Please indicate how much you agree or disagree with the following statement.)

[H3ORDER(4)]"

MaxValue = 99999997

Codes:

[1] "[CATI UCase: [CATI TEXT: 1.] Strongly agree] "
[2] "[CATI UCase: [CATI TEXT: 2.] Agree] "
[3] "[CATI UCase: [CATI TEXT: 3.] Neither agree nor disagree] "
[4] "[CATI UCase: [CATI TEXT: 4.] Disagree[CATI TEXT: , or] "
[5] "[CATI UCase: [CATI TEXT: 5.] Strongly disagree[CATI TEXT: ?] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: BIBLAUTH

Value: [H3_Q1]

IF "MNB(H3ORDER,1)==1"

PRELOADACTION: SetVariableValue

Variable: BIBLAUTH

Value: [H3_Q2]

IF "MNB(H3ORDER,1)==2"

PRELOADACTION: SetVariableValue

Variable: BIBLAUTH

Value: [H3_Q3]

IF "MNB(H3ORDER,1)==3"

PRELOADACTION: SetVariableValue

Variable: BIBLAUTH

Value: [H3_Q4]

IF "MNB(H3ORDER,1)==4"

PRELOADACTION: BranchTo

Next question

BIBLAUTH: RadioButton

"[CATI TEXT: [HANDCARD H4]]] The Bible is the highest authority for what I believe."

MaxValue = 99999997

Codes:

[1] "[CATI UCase: [CATI TEXT: 1.] Strongly agree] "
[2] "[CATI UCase: [CATI TEXT: 2.] Agree] "
[3] "[CATI UCase: [CATI TEXT: 3.] Neither agree nor disagree] "
[4] "[CATI UCase: [CATI TEXT: 4.] Disagree[CATI TEXT: , or] "
[5] "[CATI UCase: [CATI TEXT: 5.] Strongly disagree[CATI TEXT: ?] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: EVNGELZE

Value: [H3_Q1]

IF "MNB(H3ORDER,2)==1"

PRELOADACTION: SetVariableValue

Variable: EVNGELZE

Value: [H3_Q2]

IF "MNB(H3ORDER,2)==2"

PRELOADACTION: SetVariableValue

Variable: EVNGELZE

Value: [H3_Q3]

IF "MNB(H3ORDER,2)==3"

PRELOADACTION: SetVariableValue

Variable: EVNGELZE

Value: [H3_Q4]

IF "MNB(H3ORDER,2)==4"

PRELOADACTION: BranchTo

Next question

EVNGELZE: RadioButton

"[CATI TEXT: [HANDCARD H4]]] It is very important for me personally to encourage non-Christians to accept Jesus Christ as their Savior."

MaxValue = 99999997

Codes:

[1] "[CATI UCase: [CATI TEXT: 1.] Strongly agree] "
[2] "[CATI UCase: [CATI TEXT: 2.] Agree] "
[3] "[CATI UCase: [CATI TEXT: 3.] Neither agree nor disagree] "
[4] "[CATI UCase: [CATI TEXT: 4.] Disagree[CATI TEXT: , or] "
[5] "[CATI UCase: [CATI TEXT: 5.] Strongly disagree[CATI TEXT: ?] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: SINSACRI
Value: [H3_Q1]
IF "MNB(H3ORDER,3)==1"

PRELOADACTION: SetVariableValue
Variable: SINSACRI
Value: [H3_Q2]
IF "MNB(H3ORDER,3)==2"

PRELOADACTION: SetVariableValue
Variable: SINSACRI
Value: [H3_Q3]
IF "MNB(H3ORDER,3)==3"

PRELOADACTION: SetVariableValue
Variable: SINSACRI
Value: [H3_Q4]
IF "MNB(H3ORDER,3)==4"

PRELOADACTION: BranchTo
Next question

SINSACRI: RadioButton

"[CATI TEXT: [HANDCARD H4]]] Jesus Christ's death on the cross is the only sacrifice that could remove the penalty of my sin."

MaxValue = 99999997

Codes:

[1] "[CATI UCase: [CATI TEXT: 1.] Strongly agree] "
[2] "[CATI UCase: [CATI TEXT: 2.] Agree] "
[3] "[CATI UCase: [CATI TEXT: 3.] Neither agree nor disagree] "
[4] "[CATI UCase: [CATI TEXT: 4.] Disagree[CATI TEXT: , or] "
[5] "[CATI UCase: [CATI TEXT: 5.] Strongly disagree[CATI TEXT: ?] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: CHRSTSAV
Value: [H3_Q1]
IF "MNB(H3ORDER,4)==1"

PRELOADACTION: SetVariableValue
Variable: CHRSTSAV
Value: [H3_Q2]
IF "MNB(H3ORDER,4)==2"

PRELOADACTION: SetVariableValue
Variable: CHRSTSAV
Value: [H3_Q3]
IF "MNB(H3ORDER,4)==3"

PRELOADACTION: SetVariableValue
Variable: CHRSTSAV
Value: [H3_Q4]
IF "MNB(H3ORDER,4)==4"

PRELOADACTION: BranchTo
Next question

CHRSTSAV: RadioButton

"[CATI TEXT: [HANDCARD H4]]

] Only those who accept Jesus Christ alone as their Savior can achieve eternal salvation. "

MaxValue = 99999997

Codes:

[1] "[CATI UCase: [CATI TEXT: 1.] Strongly agree] "
[2] "[CATI UCase: [CATI TEXT: 2.] Agree] "
[3] "[CATI UCase: [CATI TEXT: 3.] Neither agree nor disagree] "
[4] "[CATI UCase: [CATI TEXT: 4.] Disagree[CATI TEXT: , or] "
[5] "[CATI UCase: [CATI TEXT: 5.] Strongly disagree[CATI TEXT: ?] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: Selection

PRELOADACTION: Selection

PRELOADACTION: Selection

PRELOADACTION: BranchTo
Next question

H4ORDER: CheckBox

Order of SPRT questions based on RANDORDER1

MaxValue = 99999997

Codes:

- [1] Felt particularly connected to the world around you.
- [2] Felt like you were part of something much larger than yourself.
- [3] Felt a sense of a larger meaning or purpose in life.

H4_Q1: RadioButton

"[CATI TEXT: [HANDCARD H5]] Some people say they have experiences of being personally moved, touched, or inspired, while others say they do not have these experiences at all. How often, if at all, do you experience each of the following?

[H4ORDER(1)]"

MaxValue = 99999997

Codes:

- [1] "[CATI TEXT: 1.] At least once a day"
- [2] "[CATI TEXT: 2.] Almost every day"
- [3] "[CATI TEXT: 3.] Once or twice a week"
- [4] "[CATI TEXT: 4.] Once or twice a month"
- [5] "[CATI TEXT: 5.] A few times per year"
- [6] "[CATI TEXT: 6.] Once a year or less[CATI TEXT: , or] "
- [7] "[CATI TEXT: 7.] Never[CATI TEXT: ?] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

H4_Q2: RadioButton

"[CATI TEXT: [HANDCARD H5]] (Some people say they have experiences of being personally moved, touched, or inspired, while others say they do not have these experiences at all. How often, if at all, do you experience each of the following?)

[H4ORDER(2)]"

MaxValue = 99999997

Codes:

- [1] "[CATI TEXT: 1.] At least once a day"
- [2] "[CATI TEXT: 2.] Almost every day"
- [3] "[CATI TEXT: 3.] Once or twice a week"
- [4] "[CATI TEXT: 4.] Once or twice a month"
- [5] "[CATI TEXT: 5.] A few times per year"
- [6] "[CATI TEXT: 6.] Once a year or less[CATI TEXT: , or] "

```
[7] "[CATI TEXT: 7. ] Never[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

H4_Q3: RadioButton

"[CATI TEXT: [HANDCARD H5]] (Some people say they have experiences of being personally moved, touched, or inspired, while others say they do not have these experiences at all. How often, if at all, do you experience each of the following?)

[H4ORDER(3)]"

MaxValue = 99999997

Codes:

```
[1] "[CATI TEXT: 1. ] At least once a day"  
[2] "[CATI TEXT: 2. ] Almost every day"  
[3] "[CATI TEXT: 3. ] Once or twice a week"  
[4] "[CATI TEXT: 4. ] Once or twice a month"  
[5] "[CATI TEXT: 5. ] A few times per year"  
[6] "[CATI TEXT: 6. ] Once a year or less[CATI TEXT: , or] "  
[7] "[CATI TEXT: 7. ] Never[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: SetVariableValue  
Variable: SPRTCONNCT  
Value: [H4_Q1]  
IF "MNB(H4ORDER,1)=1"
```

```
PRELOADACTION: SetVariableValue  
Variable: SPRTCONNCT  
Value: [H4_Q2]  
IF "MNB(H4ORDER,1)=2"
```

```
PRELOADACTION: SetVariableValue  
Variable: SPRTCONNCT  
Value: [H4_Q3]  
IF "MNB(H4ORDER,1)=3"
```

```
PRELOADACTION: BranchTo  
Next question
```

SPRTCONNCT: RadioButton

"[CATI TEXT: [HANDCARD H5]]] Some people say they have experiences of being personally moved, touched, or inspired, while others say they do not have these experiences at all. How often, if at all, do you experience each of the following?

Felt particularly connected to the world around you."

MaxValue = 99999997

Codes:

- [1] "[CATI UCase: At least once a day] "
- [2] "[CATI UCase: Almost every day] "
- [3] "[CATI UCase: Once or twice a week] "
- [4] "[CATI UCase: Once or twice a month] "
- [5] "[CATI UCase: A few times per year] "
- [6] "[CATI UCase: Once a year or less] "
- [7] "[CATI UCase: Never] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: SPRTLGR

Value: [H4_Q1]

IF "MNB(H4ORDER,2)==1"

PRELOADACTION: SetVariableValue

Variable: SPRTLGR

Value: [H4_Q2]

IF "MNB(H4ORDER,2)==2"

PRELOADACTION: SetVariableValue

Variable: SPRTLGR

Value: [H4_Q3]

IF "MNB(H4ORDER,2)==3"

PRELOADACTION: BranchTo

Next question

SPRTLGR: RadioButton

"[CATI TEXT: [HANDCARD H5]]] Some people say they have experiences of being personally moved, touched, or inspired, while others say they do not have these experiences at all. How often, if at all, do you experience each of the following?

Felt like you were part of something much larger than yourself."

MaxValue = 99999997

Codes:

[1] "[CATI UCase: At least once a day] "
[2] "[CATI UCase: Almost every day] "
[3] "[CATI UCase: Once or twice a week] "
[4] "[CATI UCase: Once or twice a month] "
[5] "[CATI UCase: A few times per year] "
[6] "[CATI UCase: Once a year or less] "
[7] "[CATI UCase: Never] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: SP RTPURP

Value: [H4_Q1]

IF "MNB(H4ORDER,3)==1"

PRELOADACTION: SetVariableValue

Variable: SP RTPURP

Value: [H4_Q2]

IF "MNB(H4ORDER,3)==2"

PRELOADACTION: SetVariableValue

Variable: SP RTPURP

Value: [H4_Q3]

IF "MNB(H4ORDER,3)==3"

PRELOADACTION: BranchTo

Next question

SP RTPURP: RadioButton

"[CATI TEXT: [HANDCARD H5]]] Some people say they have experiences of being personally moved, touched, or inspired, while others say they do not have these experiences at all. How often, if at all, do you experience each of the following?

Felt a sense of a larger meaning or purpose in life."

MaxValue = 99999997

Codes:

[1] "[CATI UCase: At least once a day] "
[2] "[CATI UCase: Almost every day] "
[3] "[CATI UCase: Once or twice a week] "
[4] "[CATI UCase: Once or twice a month] "
[5] "[CATI UCase: A few times per year] "
[6] "[CATI UCase: Once a year or less] "
[7] "[CATI UCase: Never] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

MDITATE1: RadioButton

"[CATI TEXT: [HANDCARD H5]]] How often do you meditate?

"

MaxValue = 99999997

Codes:

[1] At least once a day
[2] Almost every day
[3] Once or twice a week
[4] Once or twice a month
[5] A few times per year
[6] Once a year or less
[7] Never
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: Selection

PRELOADACTION: Selection

PRELOADACTION: Selection

PRELOADACTION: Selection

PRELOADACTION: BranchTo
Next question

H5ORDER: CheckBox

Order of H5 questions based on RANDORDER2

MaxValue = 99999997

Codes:

[1] "The great works of philosophy and science are the best source of truth, wisdom, and ethics."
[2] "To understand the world, we must free our minds from old traditions and beliefs."
[3] "When I make important decisions in my life, I rely mostly on reason and evidence."

[4] All of the greatest advances for humanity have come from science and technology.

H5_Q1: RadioButton

"[CATI TEXT: [HANDCARD H6]]] Please indicate to what extent you agree or disagree with each of the following statements:

[H5ORDER(1)]"

MaxValue = 99999997

Codes:

[1] [CATI TEXT: 1.] Strongly agree

[2] [CATI TEXT: 2.] Agree

[3] [CATI TEXT: 3.] Neither agree nor disagree

[4] "[CATI TEXT: 4.] Disagree[CATI TEXT: , or] "

[5] "[CATI TEXT: 5.] Strongly disagree[CATI TEXT: ?] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

H5_Q2: RadioButton

"[CATI TEXT: [HANDCARD H6]]] (Please indicate to what extent you agree or disagree with each of the following statements:)

[H5ORDER(2)]"

MaxValue = 99999997

Codes:

[1] [CATI TEXT: 1.] Strongly agree

[2] [CATI TEXT: 2.] Agree

[3] [CATI TEXT: 3.] Neither agree nor disagree

[4] "[CATI TEXT: 4.] Disagree[CATI TEXT: , or] "

[5] "[CATI TEXT: 5.] Strongly disagree[CATI TEXT: ?] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

H5_Q3: RadioButton

"[CATI TEXT: [HANDCARD H6]] (Please indicate to what extent you agree or disagree with each of the following statements:)

[H5ORDER(3)]"

MaxValue = 99999997

Codes:

[1] [CATI TEXT: 1.] Strongly agree
[2] [CATI TEXT: 2.] Agree
[3] [CATI TEXT: 3.] Neither agree nor disagree
[4] "[CATI TEXT: 4.] Disagree[CATI TEXT: , or] "
[5] "[CATI TEXT: 5.] Strongly disagree[CATI TEXT: ?] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

H5_Q4: RadioButton

"[CATI TEXT: [HANDCARD H6]] (Please indicate to what extent you agree or disagree with each of the following statements:)

[H5ORDER(4)]"

MaxValue = 99999997

Codes:

[1] [CATI TEXT: 1.] Strongly agree
[2] [CATI TEXT: 2.] Agree
[3] [CATI TEXT: 3.] Neither agree nor disagree
[4] "[CATI TEXT: 4.] Disagree[CATI TEXT: , or] "
[5] "[CATI TEXT: 5.] Strongly disagree[CATI TEXT: ?] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: GRTWRKS
Value: [H5_Q1]
IF "MNB(H5ORDER,1)=1"

PRELOADACTION: SetVariableValue
Variable: GRTWRKS
Value: [H5_Q2]
IF "MNB(H5ORDER,1)=2"

```
PRELOADACTION: SetVariableValue
Variable: GRTWRKS
Value: [H5_Q3]
IF "MNB(H5ORDER,1)==3"
```

```
PRELOADACTION: SetVariableValue
Variable: GRTWRKS
Value: [H5_Q4]
IF "MNB(H5ORDER,1)==4"
```

```
PRELOADACTION: BranchTo
Next question
```

GRTWRKS: RadioButton

"[CATI TEXT: [HANDCARD H6]]] Please indicate to what extent you agree or disagree with each of the following statements:

The great works of philosophy and science are the best source of truth, wisdom, and ethics."

MaxValue = 99999997

Codes:

```
[1] "[CATI UCase: [CATI TEXT: 1. ] Strongly agree] "  
[2] "[CATI UCase: [CATI TEXT: 2. ] Agree] "  
[3] "[CATI UCase: [CATI TEXT: 3. ] Neither agree nor disagree] "  
[4] "[CATI UCase: [CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "  
[5] "[CATI UCase: [CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: SetVariableValue
Variable: FREEMIND
Value: [H5_Q1]
IF "MNB(H5ORDER,2)==1"
```

```
PRELOADACTION: SetVariableValue
Variable: FREEMIND
Value: [H5_Q2]
IF "MNB(H5ORDER,2)==2"
```

```
PRELOADACTION: SetVariableValue
Variable: FREEMIND
Value: [H5_Q3]
IF "MNB(H5ORDER,2)==3"
```

```
PRELOADACTION: SetVariableValue
Variable: FREEMIND
Value: [H5_Q4]
```

```
IF "MNB(H5ORDER,2)==4"
```

```
PRELOADACTION: BranchTo  
Next question
```

FREEMIND: RadioButton

"[CATI TEXT: [HANDCARD H6]]] Please indicate to what extent you agree or disagree with each of the following statements:

To understand the world, we must free our minds from old traditions and beliefs."

MaxValue = 99999997

Codes:

```
[1] "[CATI UCase: [CATI TEXT: 1. ] Strongly agree] "  
[2] "[CATI UCase: [CATI TEXT: 2. ] Agree] "  
[3] "[CATI UCase: [CATI TEXT: 3. ] Neither agree nor disagree] "  
[4] "[CATI UCase: [CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "  
[5] "[CATI UCase: [CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: SetVariableValue  
Variable: DECEVIDC  
Value: [H5_Q1]  
IF "MNB(H5ORDER,3)==1"
```

```
PRELOADACTION: SetVariableValue  
Variable: DECEVIDC  
Value: [H5_Q2]  
IF "MNB(H5ORDER,3)==2"
```

```
PRELOADACTION: SetVariableValue  
Variable: DECEVIDC  
Value: [H5_Q3]  
IF "MNB(H5ORDER,3)==3"
```

```
PRELOADACTION: SetVariableValue  
Variable: DECEVIDC  
Value: [H5_Q4]  
IF "MNB(H5ORDER,3)==4"
```

```
PRELOADACTION: BranchTo  
Next question
```

DECEVIDC: RadioButton

"[CATI TEXT: [HANDCARD H6]]] Please indicate to what extent you agree or disagree with each of the following statements:

When I make important decisions in my life, I rely mostly on reason and evidence."

MaxValue = 99999997

Codes:

- [1] "[CATI UCase: [CATI TEXT: 1.] Strongly agree] "
- [2] "[CATI UCase: [CATI TEXT: 2.] Agree] "
- [3] "[CATI UCase: [CATI TEXT: 3.] Neither agree nor disagree] "
- [4] "[CATI UCase: [CATI TEXT: 4.] Disagree[CATI TEXT: , or] "
- [5] "[CATI UCase: [CATI TEXT: 5.] Strongly disagree[CATI TEXT: ?] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: ADVFMSCI

Value: [H5_Q1]

IF "MNB(H5ORDER,4)==1"

PRELOADACTION: SetVariableValue

Variable: ADVFMSCI

Value: [H5_Q2]

IF "MNB(H5ORDER,4)==2"

PRELOADACTION: SetVariableValue

Variable: ADVFMSCI

Value: [H5_Q3]

IF "MNB(H5ORDER,4)==3"

PRELOADACTION: SetVariableValue

Variable: ADVFMSCI

Value: [H5_Q4]

IF "MNB(H5ORDER,4)==4"

PRELOADACTION: BranchTo

Next question

ADVFMSCI: RadioButton

"[CATI TEXT: [HANDCARD H6]]] Please indicate to what extent you agree or disagree with each of the following statements:

All of the greatest advances for humanity have come from science and technology."

MaxValue = 99999997

Codes:

[1] "[CATI UCase: [CATI TEXT: 1.] Strongly agree] "
[2] "[CATI UCase: [CATI TEXT: 2.] Agree] "
[3] "[CATI UCase: [CATI TEXT: 3.] Neither agree nor disagree] "
[4] "[CATI UCase: [CATI TEXT: 4.] Disagree[CATI TEXT: , or] "
[5] "[CATI UCase: [CATI TEXT: 5.] Strongly disagree[CATI TEXT: ?] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: Selection

PRELOADACTION: Selection

PRELOADACTION: BranchTo
Next question

H6ORDER: CheckBox

MaxValue = 99999997

Codes:

[1] I consider myself pro-choice.
[2] I consider myself pro-life.

H6_Q1: RadioButton

"[CATI TEXT: [HANDCARD H6]] We hear a lot of talk these days about abortion. Please indicate to what extent you agree or disagree with each of the following statements:

[H6ORDER(1)]

[CATI TEXT: INTERVIEWER INSTRUCTION: RE-READ QUESTION AS SCRIPTED IF R ASKS FOR CLARIFICATION.] "

MaxValue = 99999997

Codes:

[1] [CATI TEXT: 1.] Strongly agree
[2] [CATI TEXT: 2.] Agree
[3] [CATI TEXT: 3.] Neither agree nor disagree
[4] "[CATI TEXT: 4.] Disagree[CATI TEXT: , or] "

[5] "[CATI TEXT: 5.] Strongly disagree[CATI TEXT: ?] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

H6_Q2: RadioButton

"[CATI TEXT: [HANDCARD H6]] (We hear a lot of talk these days about abortion. Please indicate to what extent you agree or disagree with each of the following statements:)

[H6ORDER(2)]

[CATI TEXT: INTERVIEWER INSTRUCTION: RE-READ QUESTION AS SCRIPTED IF R ASKS FOR CLARIFICATION.] "

MaxValue = 99999997

Codes:

[1] [CATI TEXT: 1.] Strongly agree
[2] [CATI TEXT: 2.] Agree
[3] [CATI TEXT: 3.] Neither agree nor disagree
[4] "[CATI TEXT: 4.] Disagree[CATI TEXT: , or] "
[5] "[CATI TEXT: 5.] Strongly disagree[CATI TEXT: ?] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: PROCHOIC
Value: [H6_Q1]
IF "MNB(H6ORDER,1)==1"

PRELOADACTION: SetVariableValue
Variable: PROCHOIC
Value: [H6_Q2]
IF "MNB(H6ORDER,1)==2"

PRELOADACTION: BranchTo
Next question

PROCHOIC: RadioButton

"[CATI TEXT: [HANDCARD H6]]] We hear a lot of talk these days about abortion. Please indicate to what extent you agree or disagree with each of the following statements:

I consider myself pro-choice.

FI INSTRUCTION: RE-READ QUESTION AS SCRIPTED IF R ASKS FOR CLARIFICATION.] "

MaxValue = 99999997

Codes:

[1] "[CATI UCase: [CATI TEXT: 1.] Strongly agree] "
[2] "[CATI UCase: [CATI TEXT: 2.] Agree] "
[3] "[CATI UCase: [CATI TEXT: 3.] Neither agree nor disagree] "
[4] "[CATI UCase: [CATI TEXT: 4.] Disagree[CATI TEXT: , or] "
[5] "[CATI UCase: [CATI TEXT: 5.] Strongly disagree[CATI TEXT: ?] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: PROLIFE
Value: [H6_Q1]
IF "MNB(H6ORDER,2)=1"

PRELOADACTION: SetVariableValue
Variable: PROLIFE
Value: [H6_Q2]
IF "MNB(H6ORDER,2)=2"

PRELOADACTION: BranchTo
Next question

PROLIFE: RadioButton

"[CATI TEXT: [HANDCARD H6]]] We hear a lot of talk these days about abortion. Please indicate to what extent you agree or disagree with each of the following statements:

I consider myself pro-life.

[CATI TEXT: FI INSTRUCTION: RE-READ QUESTION AS SCRIPTED IF R ASKS FOR CLARIFICATION.] "

MaxValue = 99999997

Codes:

[1] "[CATI UCase: [CATI TEXT: 1.] Strongly agree] "
[2] "[CATI UCase: [CATI TEXT: 2.] Agree] "
[3] "[CATI UCase: [CATI TEXT: 3.] Neither agree nor disagree] "
[4] "[CATI UCase: [CATI TEXT: 4.] Disagree[CATI TEXT: , or] "
[5] "[CATI UCase: [CATI TEXT: 5.] Strongly disagree[CATI TEXT: ?] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: Selection

PRELOADACTION: Selection

PRELOADACTION: Selection

PRELOADACTION: BranchTo
Next question

H7ORDER: CheckBox

Order of H7 questions based on RANDORDER1

MaxValue = 99999997

Codes:

- [1] The success of the United States is part of God's plan.]
- [2] The federal government should advocate Christian values.]
- [3] The U.S. would be a better country if religion had less influence.]

H7_Q1: RadioButton

"[CATI TEXT: [HANDCARD H6]] Please indicate to what extent you agree or disagree with each of the following statements.

[H7ORDER(1)]"

MaxValue = 99999997

Codes:

- [1] [CATI TEXT: 1.] Strongly agree
- [2] [CATI TEXT: 2.] Agree
- [3] [CATI TEXT: 3.] Neither agree nor disagree
- [4] "[CATI TEXT: 4.] Disagree[CATI TEXT: , or] "
- [5] "[CATI TEXT: 5.] Strongly disagree[CATI TEXT: ?] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

H7_Q2: RadioButton

"[CATI TEXT: [HANDCARD H6]] (Please indicate to what extent you agree or disagree with each of the following statements.)

[H7ORDER(2)]"

MaxValue = 99999997

Codes:

[1] [CATI TEXT: 1.] Strongly agree
[2] [CATI TEXT: 2.] Agree
[3] [CATI TEXT: 3.] Neither agree nor disagree
[4] "[CATI TEXT: 4.] Disagree[CATI TEXT: , or] "
[5] "[CATI TEXT: 5.] Strongly disagree[CATI TEXT: ?] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

H7_Q3: RadioButton

"[CATI TEXT: [HANDCARD H6]] (Please indicate to what extent you agree or disagree with each of the following statements.)

[H7ORDER(3)]"

MaxValue = 99999997

Codes:

[1] [CATI TEXT: 1.] Strongly agree
[2] [CATI TEXT: 2.] Agree
[3] [CATI TEXT: 3.] Neither agree nor disagree
[4] "[CATI TEXT: 4.] Disagree[CATI TEXT: , or] "
[5] "[CATI TEXT: 5.] Strongly disagree[CATI TEXT: ?] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: GODUSA
Value: [H7_Q1]
IF "MNB(H7ORDER,1)=1"

PRELOADACTION: SetVariableValue
Variable: GODUSA
Value: [H7_Q2]
IF "MNB(H7ORDER,1)=2"

```
PRELOADACTION: SetVariableValue
Variable: GODUSA
Value: [H7_Q3]
IF "MNB(H7ORDER,1)==3"
```

```
PRELOADACTION: BranchTo
Next question
```

GODUSA: RadioButton

"[CATI TEXT: [HANDCARD H6]]] Please indicate to what extent you agree or disagree with each of the following statements.

The success of the United States is part of God's plan."

MaxValue = 99999997

Codes:

[1] "[CATI UCase: [CATI TEXT: 1.] Strongly agree] "
[2] "[CATI UCase: [CATI TEXT: 2.] Agree] "
[3] "[CATI UCase: [CATI TEXT: 3.] Neither agree nor disagree] "
[4] "[CATI UCase: [CATI TEXT: 4.] Disagree[CATI TEXT: , or] "
[5] "[CATI UCase: [CATI TEXT: 5.] Strongly disagree[CATI TEXT: ?] "
[77] "[CATI UCase: DON'T KNOW] "

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: SetVariableValue
Variable: GOVCHRST
Value: [H7_Q1]
IF "MNB(H7ORDER,2)==1"
```

```
PRELOADACTION: SetVariableValue
Variable: GOVCHRST
Value: [H7_Q2]
IF "MNB(H7ORDER,2)==2"
```

```
PRELOADACTION: SetVariableValue
Variable: GOVCHRST
Value: [H7_Q3]
IF "MNB(H7ORDER,2)==3"
```

```
PRELOADACTION: BranchTo
Next question
```

GOVCHRST: RadioButton

"[CATI TEXT: [HANDCARD H6]]] Please indicate to what extent you agree or disagree with each of the following statements.

The federal government should advocate Christian values."

MaxValue = 99999997

Codes:

- [1] "[CATI UCase: [CATI TEXT: 1.] Strongly agree] "
- [2] "[CATI UCase: [CATI TEXT: 2.] Agree] "
- [3] "[CATI UCase: [CATI TEXT: 3.] Neither agree nor disagree] "
- [4] "[CATI UCase: [CATI TEXT: 4.] Disagree[CATI TEXT: , or] "
- [5] "[CATI UCase: [CATI TEXT: 5.] Strongly disagree[CATI TEXT: ?] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: RELIGINF

Value: [H7_Q1]

IF "MNB(H7ORDER,3)==1"

PRELOADACTION: SetVariableValue

Variable: RELIGINF

Value: [H7_Q2]

IF "MNB(H7ORDER,3)==2"

PRELOADACTION: SetVariableValue

Variable: RELIGINF

Value: [H7_Q3]

IF "MNB(H7ORDER,3)==3"

PRELOADACTION: BranchTo

Next question

RELIGINF: RadioButton

"[CATI TEXT: [HANDCARD H6]]] Please indicate to what extent you agree or disagree with each of the following statements.

The U.S. would be a better country if religion had less influence."

MaxValue = 99999997

Codes:

- [1] "[CATI UCase: [CATI TEXT: 1.] Strongly agree] "
- [2] "[CATI UCase: [CATI TEXT: 2.] Agree] "
- [3] "[CATI UCase: [CATI TEXT: 3.] Neither agree nor disagree] "

[4] "[CATI UCase: [CATI TEXT: 4.] Disagree[CATI TEXT: , or] "
[5] "[CATI UCase: [CATI TEXT: 5.] Strongly disagree[CATI TEXT: ?] "
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: ETIMEH
Value: [\$H]
IF ETIMEH Is Empty

PRELOADACTION: BranchTo
Next question

ETIMEH: DateTimeAnswer

END TIME SECTION H

MaxAnswerLength = 20

MaxValue = 99999997

PRELOADACTION: SetVariableValue
Variable: ETIMEH_D
Value: [\$H]

PRELOADACTION: BranchTo
Next question

ETIMEH_D: DateTimeAnswer

DYNAMIC END TIME SECTION H

MaxAnswerLength = 20

MaxValue = 99999997

ELAPSEDTIMEH: NumericAnswer

"[CATI TEXT: [HANDCARD H5]]] (Some people say they have experiences of being personally moved, touched, or inspired, while others say they do not have these experiences at all. How often, if at all, do you experience each of the following?[CATI TEXT:]]

[H4ORDER(3)]"

MaxValue = 99999997

PRELOADACTION: SetVariableValue
Variable: BTIMEI
Value: [\$H]
IF BTIMEI Is Empty

PRELOADACTION: BranchTo
Next question

BTIMEI: DateTimeAnswer

BEGIN TIME SECTION I

MaxAnswerLength = 20

MaxValue = 99999997

PRELOADACTION: SetVariableValue
Variable: BTIMEI_D
Value: [\$H]

PRELOADACTION: BranchTo
Next question

BTIMEI_D: DateTimeAnswer

DYNAMIC BEGIN TIME SECTION I

MaxAnswerLength = 20

MaxValue = 99999997

BUSEQINC: RadioButton

"[CATI TEXT: [HANDCARD I1]]] Some people think that major companies ought to reduce the pay differences between employees with high pay and those with low pay, perhaps by reducing the pay of executives or by increasing the pay of unskilled workers. Others think that major companies should not concern themselves with reducing this pay difference between employees with high pay and those with low pay.

Think of a score of 1 as meaning that major companies ought to reduce the pay differences between employees with high pay and those with low pay, and a score of 7 meaning that major companies should not concern themselves with reducing pay differences. What score between 1 and 7 comes closest to the way you feel?"

MaxValue = 99999997

Codes:

[1] [CATI UCase: 1 Major companies should do something to reduce pay differences between employees with high pay and those with low pay]

[2] [CATI UCase: 2]

[3] [CATI UCase: 3]

[4] [CATI UCase: 4]

[5] [CATI UCase: 5]

[6] [CATI UCase: 6]

[7] 7 Major companies should not concern themselves with pay differences

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

TRDUNIO1: RadioButton

"[CATI TEXT: [HANDCARD I2]]] To what extent do you agree or disagree with the following statements?

Workers need strong trade unions to protect their interests."

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Strongly agree"

[2] "[CATI TEXT: 2.] Agree"

[3] "[CATI TEXT: 3.] Neither agree nor disagree"

[4] "[CATI TEXT: 4.] Disagree"

[5] "[CATI TEXT: 5.] Strongly disagree[CATI TEXT: , or] "

[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

BOARDREP: RadioButton

"[CATI TEXT: [HANDCARD I2]]] (To what extent do you agree or disagree with the following statements?)

Workers should be represented on the board of directors at major companies."

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Strongly agree"
[2] "[CATI TEXT: 2.] Agree"
[3] "[CATI TEXT: 3.] Neither agree nor disagree"
[4] "[CATI TEXT: 4.] Disagree"
[5] "[CATI TEXT: 5.] Strongly disagree[CATI TEXT: , or] "
[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

UPWAGES: RadioButton

"[CATI TEXT: [HANDCARD I2]]] (To what extent do you agree or disagree with the following statements?)

The government should ensure that the wages of low-paying jobs increase as the economy grows."

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Strongly agree"
[2] "[CATI TEXT: 2.] Agree"
[3] "[CATI TEXT: 3.] Neither agree nor disagree"
[4] "[CATI TEXT: 4.] Disagree"
[5] "[CATI TEXT: 5.] Strongly disagree[CATI TEXT: , or] "
[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

LIMITPAY: RadioButton

"[CATI TEXT: [HANDCARD I2]]] (To what extent do you agree or disagree with the following statements?)

The government should take steps to limit the pay of executives at major companies."

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Strongly agree"
[2] "[CATI TEXT: 2.] Agree"
[3] "[CATI TEXT: 3.] Neither agree nor disagree"
[4] "[CATI TEXT: 4.] Disagree"
[5] "[CATI TEXT: 5.] Strongly disagree[CATI TEXT: , or] "
[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRFTIMPV: RadioButton

"[CATI TEXT: [HANDCARD I2]]] (To what extent do you agree or disagree with the following statements?)

Allowing business to make good profits is the best way to improve everyone's standard of living."

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Strongly agree"
[2] "[CATI TEXT: 2.] Agree"
[3] "[CATI TEXT: 3.] Neither agree nor disagree"
[4] "[CATI TEXT: 4.] Disagree"
[5] "[CATI TEXT: 5.] Strongly disagree[CATI TEXT: , or] "
[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

GOVFNANC: RadioButton

"[CATI TEXT: [HANDCARD I2]]] (To what extent do you agree or disagree with the following statements?)

The government should finance projects to create new jobs, even if it might require a tax increase to pay for it."

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Strongly agree"
[2] "[CATI TEXT: 2.] Agree"

[3] "[CATI TEXT: 3.] Neither agree nor disagree"
[4] "[CATI TEXT: 4.] Disagree"
[5] "[CATI TEXT: 5.] Strongly disagree[CATI TEXT: , or] "
[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

DCLINDUS: RadioButton

"[CATI TEXT: [HANDCARD I2]]] (To what extent do you agree or disagree with the following statements?)

The government should support declining industries to protect jobs, even if it might require a tax increase to pay for it."

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Strongly agree"
[2] "[CATI TEXT: 2.] Agree"
[3] "[CATI TEXT: 3.] Neither agree nor disagree"
[4] "[CATI TEXT: 4.] Disagree"
[5] "[CATI TEXT: 5.] Strongly disagree[CATI TEXT: , or] "
[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

GOVFNAID: RadioButton

"[CATI TEXT: [HANDCARD I2]]] (To what extent do you agree or disagree with the following statements?)

The government should give financial assistance to college students from low-income families, even if it might require a tax increase to pay for it."

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Strongly agree"
[2] "[CATI TEXT: 2.] Agree"
[3] "[CATI TEXT: 3.] Neither agree nor disagree"

[4] "[CATI TEXT: 4.] Disagree"
[5] "[CATI TEXT: 5.] Strongly disagree[CATI TEXT: , or] "
[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

LGINCDIF: RadioButton

"[CATI TEXT: [HANDCARD I2]]] (To what extent do you agree or disagree with the following statements?)

Large differences in income are necessary for America's prosperity."

MaxValue = 99999997

Codes:

[1] "[CATI TEXT: 1.] Strongly agree"
[2] "[CATI TEXT: 2.] Agree"
[3] "[CATI TEXT: 3.] Neither agree nor disagree"
[4] "[CATI TEXT: 4.] Disagree"
[5] "[CATI TEXT: 5.] Strongly disagree[CATI TEXT: , or] "
[6] "[CATI TEXT: 6.] Can't choose[CATI TEXT: ?] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue
Variable: ETIMEI
Value: [\$H]
IF ETIMEI Is Empty

PRELOADACTION: BranchTo
Next question

ETIMEI: DateTimeAnswer

END TIME SECTION I

MaxAnswerLength = 20

MaxValue = 99999997

PRELOADACTION: SetVariableValue

Variable: ETIMEI_D
Value: [\$H]

PRELOADACTION: BranchTo
Next question

ETIMEI_D: DateTimeAnswer

DYNAMIC END TIME SECTION I

MaxAnswerLength = 20

MaxValue = 99999997

ELAPSEDTIMEI: NumericAnswer

MaxValue = 99999997

PRELOADACTION: SetVariableValue
Variable: BTIMEJ
Value: [\$H]
IF BTIMEJ Is Empty

PRELOADACTION: BranchTo
Next question

BTIMEJ: DateTimeAnswer

BEGIN TIME SECTION J

MaxAnswerLength = 20

MaxValue = 99999997

PRELOADACTION: SetVariableValue
Variable: BTIMEJ_D
Value: [\$H]

PRELOADACTION: BranchTo
Next question

BTIMEJ_D: DateTimeAnswer

DYNAMIC BEGIN TIME SECTION J

MaxAnswerLength = 20

MaxValue = 99999997

```
PRELOADACTION: BranchTo
Next question
IF VERXY = Y
```

JINTRO_X: Description

"There is a great deal of concern today about the AIDS epidemic and how to deal with it. Because of the grave nature of this problem, we are going to ask you some personal questions and we need your frank and honest responses. Your answers are confidential and will be used only for statistical reports.

[CATI TEXT: PRESS 'NEXT' TO CONTINUE] [WEB TEXT: Please press 'Next' to continue] "

MaxValue = 99999997

```
PRELOADACTION: BranchTo
Next question
IF VERXY = X
```

JINTRO_Y: Description

"There is a great deal of concern today about the HIV epidemic and how to deal with it. Therefore, we are going to ask you some personal questions and we need your frank and honest responses. Your answers are confidential and will be used only for statistical reports.

[CATI TEXT: PRESS 'NEXT' TO CONTINUE] [WEB TEXT: Please press 'Next' to continue] "

MaxValue = 99999997

PARTNERS: RadioButton

How many sex partners have you had in the last 12 months?[CAWI_FLOAT2]

MaxValue = 99999997

Codes:

[0] "[CATI UCase: No partners] "
[1] "[CATI UCase: 1 partner] "
[2] "[CATI UCase: 2 partners] "

[3] "[CATI UCase: 3 partners] "
[4] "[CATI UCase: 4 partners] "
[5] "[CATI UCase: 5-10 partners] "
[6] "[CATI UCase: 11-20 partners] "
[7] "[CATI UCase: 21-100 partners] "
[8] "[CATI UCase: More than 100 partners] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question SEXFREQ

IF PARTNERS = 0

MATESEX: RadioButton

Was one of the partners your husband or wife or regular sex partner?[CAWI_FLOAT2]

MaxValue = 99999997

Codes:

[1] "[CATI UCase: Yes] "

[2] "[CATI UCase: No] "

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Question SEXSEX

IF PARTNERS = 1

And MATESEX = 1

FRNDSEX: RadioButton

"If you had other partners, does this describe any of them?"

Close personal friend [CAWI_FLOAT2]"

MaxValue = 99999997

Codes:

[1] "[CATI UCase: Yes] "

[2] "[CATI UCase: No] "

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

ACQNTSEX: RadioButton

"(If you had other partners, does this describe any of them?)

Neighbor, co-worker, or long-term acquaintance [CAWI_FLOAT2]"

MaxValue = 99999997

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PIKUPSEX: RadioButton

"(If you had other partners, does this describe any of them?)

Casual date or pick-up [CAWI_FLOAT2]"

MaxValue = 99999997

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PAIDSEX: RadioButton

"(If you had other partners, does this describe any of them?)

Person you paid or paid you for sex [CAWI_FLOAT2]"

MaxValue = 99999997

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

OTHERSEX: RadioButton

"(If you had other partners, does this describe any of them?)

Other [CATI UCase: (Please specify) [CAWI_FLOAT2]
]"

MaxValue = 99999997

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo
Question SEXSEX
IF OTHERSEX = 2 OR 6 OR 7 OR 8
IF OTHERSEX = 2
IF OTHERSEX = 77
IF OTHERSEX = 99
IF OTHERSEX = 98

SEXSPEC: TextAnswer

Please specify other sexual partner. [CAWI_FLOAT1]

MaxAnswerLength = 40

MaxValue = 99999997

Codes:

[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue
Variable: SEXSPEC
Value: 98
IF SEXSPEC Is Empty

SEXSEX: RadioButton

Have your sex partners in the last 12 months been...[CAWI_FLOAT2]

MaxValue = 99999997

Codes:

[1] Exclusively male
[2] Both male and female
[3] Exclusively female
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

SEXFREQ: RadioButton

About how often did you have sex during the past 12 months?[CAWI_FLOAT2]

MaxValue = 99999997

Codes:

[1] "[CATI UCase: Not at all] "
[2] "[CATI UCase: Once or twice] "
[3] "[CATI UCase: About once a month] "
[4] "[CATI UCase: Two or three times a month] "
[5] "[CATI UCase: About once a week] "
[6] "[CATI UCase: Two or three times a week] "
[7] "[CATI UCase: Four or more times a week] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PARTNRS5: RadioButton

"Now thinking about the past five years--the time since [currmotxt] 2015, and including the past 12

months.

How many sex partners have you had in that five year period?[CAWI_FLOAT2]"

MaxValue = 99999997

Codes:

- [0] "[CATI UCase: No partners] "
- [1] "[CATI UCase: 1 partner] "
- [2] "[CATI UCase: 2 partners] "
- [3] "[CATI UCase: 3 partners] "
- [4] "[CATI UCase: 4 partners] "
- [5] "[CATI UCase: 5-10 partners] "
- [6] "[CATI UCase: 11-20 partners] "
- [7] "[CATI UCase: 21-100 partners] "
- [8] "[CATI UCase: More than 100 partners] "
- [77] "[CATI UCase: Don't know] "
- [99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF PARTNRS5 = 0

SEXSEX5: RadioButton

Have your sex partners in the last five years been...[CAWI_FLOAT2]

MaxValue = 99999997

Codes:

- [1] Exclusively male
- [2] Both male and female
- [3] Exclusively female
- [77] "[CATI UCase: Don't know] "
- [99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

NUMWOMEN: TextAnswer

"Now thinking about the time since your 18th birthday, (again, including the recent past that you have already told us about) how many female partners have you ever had sex with?

[CAWI_FLOAT1]

"

MaxAnswerLength = 40

MaxValue = 99999997

Codes:

[777] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[999] "REFUSED"

DISPLAY IF: QUEXMODE =1

[998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: NUMWOMEN

Value: 998

IF NUMWOMEN Is Empty

NUMMEN: TextAnswer

"Again, thinking about the time since your 18th birthday, (including the recent past that you have already told us about) how many male partners have you ever had sex with? [CAWI_FLOAT1]

"

MaxAnswerLength = 40

MaxValue = 99999997

Codes:

[777] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[999] "REFUSED"

DISPLAY IF: QUEXMODE =1

[998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: NUMMEN

Value: 998

IF NUMMEN Is Empty

EVPAIDSX: RadioButton

"Thinking about the time since your 18th birthday, have you ever had sex with a person you paid or who paid you for sex? [CAWI_FLOAT2]"

MaxValue = 99999997

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

EVSTRAY: RadioButton

Have you ever had sex with someone other than your husband or wife while you were married?

[CAWI_FLOAT2]

MaxValue = 99999997

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[3] "[CATI UCase: Never married] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

CONDOM: RadioButton

"The last time you had sex, was a condom used? By ""sex"" we mean vaginal, oral or anal sex.

[CAWI_FLOAT2]"

MaxValue = 99999997

Codes:

[1] "[CATI UCase: Yes, the last time I had sex a condom was used] "
[2] "[CATI UCase: No, the last time I had sex a condom was not used] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

RELATSEX: RadioButton

"The last time you had sex, was it with someone you were in an on-going relationship with, or was it with someone else? Remember that by 'sex' we mean only vaginal, oral or anal sex. [CAWI_FLOAT2]"

MaxValue = 99999997

Codes:

[1] "[CATI UCase: Yes, the last time I had sex, it was with someone I was in an on-going relationship with] "

[2] "[CATI UCase: No, the last time I had sex, it was not with someone I was in an on-going relationship with] "

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

EVIDU: RadioButton

"Have you ever, even once, taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) ...DO NOT include anything you took under a doctor's orders. [CAWI_FLOAT2]"

MaxValue = 99999997

Codes:

[1] "[CATI UCase: Yes] "

[2] "[CATI UCase: No] "

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF EVIDU <> 1

IDU30: RadioButton

How long has it been since you last used a needle to inject drugs? [CAWI_FLOAT2]

MaxValue = 99999997

Codes:

[1] "[CATI UCase: Within the past 30 days] "

[2] "[CATI UCase: More than 30 days ago but within the past 12 months] "

```
[3] "[CATI UCase: More than 12 months ago but within the past 3 years] "  
[4] "[CATI UCase: More than 3 years ago] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

EVCRAK: RadioButton

"Have you ever, even once, used ""crack"" cocaine in chunk or rock form?[CAWI_FLOAT2]"

MaxValue = 99999997

Codes:

```
[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo  
Next question  
IF EVCRAK <> 1
```

CRACK30: RadioButton

"How long has it been since you last used ""crack"" cocaine in chunk or rock form?[CAWI_FLOAT2]"

MaxValue = 99999997

Codes:

```
[1] "[CATI UCase: Within the past 30 days] "  
[2] "[CATI UCase: More than 30 days ago but within the past 12 months] "  
[3] "[CATI UCase: More than 12 months ago but within the past 3 years] "  
[4] "[CATI UCase: More than 3 years ago] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

HIVTEST: RadioButton

Have you ever been tested for HIV?

Do not count tests you may have had as part of a blood donation. Include oral test (where they take a swab from your mouth.)[CAWI_FLOAT2]

MaxValue = 99999997

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question HIVAFRAID

IF HIVTEST = 2 OR 6 OR 7 OR 8

IF HIVTEST = 2

IF HIVTEST = 77

IF HIVTEST = 99

IF HIVTEST = 98

HIVTESTDATE: HybridGrid

"Not including blood donations, in what month and year was your last HIV test?"

[CATI TEXT: TI INSTRUCTION: IF R REFUSES, ENTER 99/9999 OR 77/7777 AND SELECT CONTINUE.]

"

MaxValue = 99999997

Codes:

[1] "[CATI UCase: January] "
[2] "[CATI UCase: February] "
[3] "[CATI UCase: March] "
[4] "[CATI UCase: April] "
[5] "[CATI UCase: May] "
[6] "[CATI UCase: June] "
[7] "[CATI UCase: July] "
[8] "[CATI UCase: August] "
[9] "[CATI UCase: September] "
[10] "[CATI UCase: October] "
[11] "[CATI UCase: November] "
[12] "[CATI UCase: December] "
[77] "DON'T KNOW"
[99] "REFUSED"
[98] SKIPPED ON WEB

[2021] 2021

DISPLAY IF: CURRYR >=2021

[2020] 2020
[2019] 2019
[2018] 2018
[2017] 2017
[2016] 2016
[2015] 2015
[2014] 2014
[2013] 2013
[2012] 2012
[2011] 2011
[2010] 2010
[2009] 2009
[2008] 2008
[2007] 2007
[2006] 2006
[2005] 2005
[2004] 2004
[2003] 2003
[2002] 2002
[2001] 2001
[2000] 2000
[1999] 1999
[1998] 1998
[1997] 1997
[1996] 1996
[1995] 1995
[1994] 1994
[1993] 1993
[1992] 1992
[1991] 1991
[1990] 1990
[1989] 1989
[1988] 1988
[1987] 1987
[1986] 1986
[1985] 1985
[1984] 1984
[1983] 1983
[1982] 1982
[1981] 1981
[1980] 1980
[7777] DON'T KNOW
[9998] SKIPPED ON WEB
[9999] REFUSED

HIVTESTLOC: RadioButton

"Where did you have your last HIV test - at a private doctor or HMO office, at a counseling and testing site, at an emergency room, as an inpatient at a hospital, at a clinic, in a jail or prison, at a drug treatment facility, at home, or somewhere else? [CAWI_FLOAT2]"

MaxValue = 99999997

Codes:

[1] "[CATI UCase: Private doctor or HMO office] "
[2] "[CATI UCase: Counseling and testing site] "
[3] "[CATI UCase: Emergency room] "
[4] "[CATI UCase: Hospital inpatient] "
[5] "[CATI UCase: Clinic] "
[6] "[CATI UCase: Jail or prison] "
[7] "[CATI UCase: Drug treatment facility] "
[8] "[CATI UCase: Home] "
[9] "[CATI UCase: Somewhere else] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

HIVAFRAID: RadioButton

Please indicate how much you agree or disagree with each of the following comments.

I would be afraid to be around a person with HIV because I would be worried I could get infected.[CAWI_FLOAT2]

MaxValue = 99999997

Codes:

[1] Strongly disagree
[2] Somewhat disagree
[3] Somewhat agree
[4] Strongly agree
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

HIVIMMRL: RadioButton

(Please indicate how much you agree or disagree with each of the following comments.)

People who have HIV have participated in immoral activities.[CAWI_FLOAT2]

MaxValue = 99999997

Codes:

[1] Strongly disagree
[2] Somewhat disagree
[3] Somewhat agree
[4] Strongly agree

[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

HIVDSCRM: RadioButton

(Please indicate how much you agree or disagree with each of the following comments.)

There is a lot of discrimination against people with HIV in this country today.[CAWI_FLOAT2]

MaxValue = 99999997

Codes:

[1] Strongly disagree

[2] Somewhat disagree

[3] Somewhat agree

[4] Strongly agree

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

SEXORNT: RadioButton

Which of the following best describes you?[CAWI_FLOAT2]

MaxValue = 99999997

Codes:

[1] "Gay, lesbian, or homosexual"

[2] Bisexual

[3] Heterosexual or straight

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: SEXCONFTXT1

Value: [SEXBIRTH1]

PRELOADACTION: SetVariableValue

Variable: SEXCONFTXT1

Value: 98

IF SEXBIRTH1 Is Empty

PRELOADACTION: BranchTo
Next question

SEXCONFTXT1: RadioButton

MaxValue = 99999997

Codes:

[1] your sex was recorded as male
[2] your sex was recorded as female
[77] you don't know your sex recorded
[99] you would rather not share your sex recorded
[98] you would rather not share your sex recorded

PRELOADACTION: SetVariableValue
Variable: SEXCONFTXT2
Value: [SEXNOW1]

PRELOADACTION: SetVariableValue
Variable: SEXCONFTXT2
Value: 98
IF SEXNOW1 Is Empty

PRELOADACTION: BranchTo
Next question

SEXCONFTXT2: RadioButton

MaxValue = 99999997

Codes:

[1] "[CATI UCase: now describe yourself as male] "
[2] "[CATI UCase: now describe yourself as female] "
[3] "[CATI UCase: now describe yourself as transgender] "
[4] "[CATI UCase: now describe yourself as neither male, female, nor transgender] "
[77] "[CATI UCase: don't know how you describe yourself now] "
[99] "[CATI UCase: would rather not share how you describe yourself now] "
[98] "[CATI UCase: would rather not share how you describe yourself now] "

SEXCNFRM: RadioButton

"Just to confirm, earlier in this survey you indicated that [sexconftxt1] at birth and you [sexconftxt2].
Is that correct?[CAWI_FLOAT2]"

MaxValue = 99999997

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: Birth sex incorrect] "
[3] "[CATI UCase: Current sex incorrect] "
[4] "[CATI UCase: Both incorrect] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF SEXCNFRM <> 2

And SEXCNFRM <> 4

SEXBIRTH1J: RadioButton

Was your sex recorded as male or female at birth?[CAWI_FLOAT2]

MaxValue = 99999997

Codes:

[1] "[CATI UCase: Male] "
[2] "[CATI UCase: Female] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF SEXCNFRM <> 3

And SEXCNFRM <> 4

SEXNOW1J: RadioButton

"Do you describe yourself as male, female, or transgender?[CAWI_FLOAT2]"

MaxValue = 99999997

Codes:

[1] "[CATI UCase: Male] "
[2] "[CATI UCase: Female] "
[3] "[CATI UCase: Transgender] "
[4] "[CATI UCase: None of these] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PTNRORNT: RadioButton

"To the best of your knowledge, which of the following best describes how your most recent sexual partner thinks of themselves?[CAWI_FLOAT2]"

MaxValue = 99999997

Codes:

[1] "Gay, lesbian, or homosexual"
[2] Bisexual
[3] Heterosexual or straight
[4] I have never had a sexual partner
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question ETIMEJ

IF PTNRORNT = 4

PTNRSXBRTH: RadioButton

"To the best of your knowledge, was your most recent sexual partner's sex recorded as male or female at birth?[CAWI_FLOAT2]"

MaxValue = 99999997

Codes:

[1] "[CATI UCase: Male] "
[2] "[CATI UCase: Female] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PTNRSXNOW: RadioButton

"To the best of your knowledge, does your most recent sexual partner describe themselves as male, female, or transgender?[CAWI_FLOAT2]"

MaxValue = 99999997

Codes:

[1] "[CATI UCase: Male] "
[2] "[CATI UCase: Female] "
[3] "[CATI UCase: Transgender] "
[4] "[CATI UCase: None of these] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: PTSEXCONFTXT1

Value: [PTNRSXBIRTH]

PRELOADACTION: BranchTo

Next question

PTSEXCONFTXT1: RadioButton

MaxValue = 99999997

Codes:

[1] "[CATI UCase: your most recent sexual partner's sex was recorded as male] "
[2] "[CATI UCase: your most recent sexual partner's sex was recorded as female] "
[77] "[CATI UCase: you don't know your most recent sexual partner's sex recorded] "
[99] "[CATI UCase: you would rather not share your most recent sexual partner's sex recorded] "
[98] "[CATI UCase: you would rather not share your most recent sexual partner's sex recorded] "

PRELOADACTION: SetVariableValue

Variable: PTSEXCONFTXT2

Value: [PTNRSXNOW]

PRELOADACTION: BranchTo

Next question

PTSEXCONFTXT2: RadioButton

MaxValue = 99999997

Codes:

- [1] "[CATI UCase: your most recent sexual partner now describes himself as male] "
- [2] "[CATI UCase: your most recent sexual partner now describes herself as female] "
- [3] "[CATI UCase: your most recent sexual partner now describes themselves as transgender] "
- [4] "[CATI UCase: your most recent sexual partner now describes themselves as neither male, female, nor transgender] "
- [77] "[CATI UCase: you don't know how your most recent sexual partner describes themselves now] "
- [99] "[CATI UCase: you would rather not share how your most recent sexual partner describes themselves now] "
- [98] "[CATI UCase: you would rather not share how your most recent sexual partner describes themselves now] "

PTNRSXCNFRM: RadioButton

"Just to confirm, [ptsexconftxt1] at birth and [ptsexconftxt2]. Is that correct?[CAWI_FLOAT2]"

MaxValue = 99999997

Codes:

- [1] "[CATI UCase: Yes] "
- [2] "[CATI UCase: Birth sex incorrect] "
- [3] "[CATI UCase: Current sex incorrect] "
- [4] "[CATI UCase: Both incorrect] "
- [77] "[CATI UCase: Don't know] "
- [99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question PTNRSXBRTH

IF PTNRSXCNFRM = 2 OR 4

IF PTNRSXCNFRM = 2

IF PTNRSXCNFRM = 4

POSTANSWERACTION: BranchTo

Question PTNRSXNOW

IF PTNRSXCNFRM = 3

PRELOADACTION: SetVariableValue

Variable: ETIMEJ

Value: [\$H]

IF ETIMEJ Is Empty

PRELOADACTION: BranchTo

Next question

ETIMEJ: DateTimeAnswer

END TIME SECTION J

MaxAnswerLength = 20

MaxValue = 99999997

```
PRELOADACTION: SetVariableValue  
Variable: ETIMEJ_D  
Value: [$H]
```

```
PRELOADACTION: BranchTo  
Next question
```

ETIMEJ_D: DateTimeAnswer

DYNAMIC END TIME SECTION J

MaxAnswerLength = 20

MaxValue = 99999997

ELAPSEDTIMEJ: NumericAnswer

MaxValue = 99999997

```
PRELOADACTION: SetVariableValue  
Variable: BTIMEK  
Value: [$H]  
IF BTIMEK Is Empty
```

```
PRELOADACTION: BranchTo  
Next question
```

BTIMEK: DateTimeAnswer

BEGIN TIME SECTION K

MaxAnswerLength = 20

MaxValue = 99999997

```
PRELOADACTION: SetVariableValue
Variable: BTIMEK_D
Value: [$H]
```

```
PRELOADACTION: BranchTo
Next question
```

BTIMEK_D: DateTimeAnswer

DYNAMIC BEGIN TIME SECTION K

MaxAnswerLength = 20

MaxValue = 99999997

```
PRELOADACTION: BranchTo
Next question
IF QUEXLANG <> es
```

SPANSELF: RadioButton

"If this interview had only been available in English, would you...[WEB TEXT: ?] "

MaxValue = 99999997

Codes:

[1] "Have been able to do the interview easily in English[CATI TEXT: ,] "

[2] "Have been able to do the interview with difficulty[CATI TEXT: , or] "

[3] Not have been able to do the interview[CATI TEXT: ?]

[77] "[CATI UCase: DON'T KNOW] "

```
DISPLAY IF: QUEXMODE =1
```

[99] "REFUSED"

```
DISPLAY IF: QUEXMODE =1
```

[98] SKIPPED ON WEB

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF QUEXMODE <> 2
```

VALINTRO_WEB: Description

Some participants may be contacted for a follow up interview. The following questions will help us locate you if you are selected. Your answers will remain confidential.

MaxValue = 99999997

PRELOADACTION: BranchTo
Next question
IF QUEXMODE <> 1

VALINTRO_CATI: Description

"My office sometimes needs to confirm that interviews were conducted, and some participants may be contacted for a follow up interview. The following questions will help us locate you if you are selected. Your answers will remain confidential."

MaxValue = 99999997

PLHUTYPE1: RadioButton

Are you currently living in a household or an institution?

MaxValue = 99999997

Codes:

[1] "[CATI UCase: Living in a household (such as a house, apartment or similar residence)] "
[2] "[CATI UCase: Living in an institution (such as a college dorm, military barrack, work camp, shelter, residential treatment, long-term medical care facility, or nursing home)] "
[3] "[CATI UCase: Other (please specify)] "
[77] "DON'T KNOW"

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

RNAME: HybridGrid

"What is your name?"

[CATI TEXT: FI INFO: CONFIRM SPELLING OF FIRST AND LAST NAME.

ENTER 77 FOR DON'T KNOW AND 99 FOR REFUSALS] "

MaxValue = 99999997

PHONE: TextAnswer

"What is your phone number?"

[WEB TEXT: *Please enter your phone number without any dashes or spaces between numbers.*]
[CATI TEXT: FI INFO: CONFIRM PHONE NUMBER.] FI INFO: IF R INDICATES THEY DON'T HAVE PHONE, TYPE IN 999999999]

Phone:] "

MaxAnswerLength = 10

MaxValue = 99999997

Codes:

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: PHONE

Value: 98

IF PHONE Is Empty

POSTANSWERACTION: BranchTo

Question CROSSINTRO

IF PHONE = 98

Or PHONE = 77

Or PHONE = 99

Or PHONE = 9999999999

PHONNAM: RadioButton

In whose name is your phone listed?

MaxValue = 99999997

Codes:

[1] [CATI UCase: Your name]

[2] [CATI UCase: Someone else's name]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question PHNETYPE

IF PHONNAM = 1 OR 3 OR 4 OR 5

```
IF PHONNAM = 1
IF PHONNAM = 98
IF PHONNAM = 77
IF PHONNAM = 99
```

PHONNMOT: TextAnswer

In whose name is your phone listed?

MaxAnswerLength = 30

MaxValue = 99999997

Codes:

```
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

PHNETYPE: RadioButton

"Is that number for a cellular phone or for a regular, landline phone?"

MaxValue = 99999997

Codes:

```
[1] [CATI UCase: Cellular]
[2] " [CATI UCase: Regular, landline] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Question CELPHONE
IF V01(PHNETYPE=1)==0
```

REGPHONE: RadioButton

"Do you also have a regular, landline phone number for your residence?"

MaxValue = 99999997

Codes:

```
[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo  
Next question  
IF REGPHONE <> 1
```

NEWREGPH: TextAnswer

What is it? *Please enter your phone number without any dashes or spaces between numbers.*

MaxAnswerLength = 10

MaxValue = 99999997

Codes:

```
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: SetVariableValue  
Variable: NEWREGPH  
Value: 98  
IF NEWREGPH Is Empty
```

```
PRELOADACTION: BranchTo  
Question CALLTYPE  
IF PHNETYPE <> 2
```

CELPHONE: RadioButton

Do you or any other members of your household have a working cellular phone number?

MaxValue = 99999997

Codes:

```
[1] "[CATI UCase: Yes] "
```

```
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo  
Next question  
IF CELPHONE <> 1
```

NEWCELPH: TextAnswer

What is that phone number? *Please enter your phone number without any dashes or spaces between numbers.*

MaxAnswerLength = 10

MaxValue = 99999997

Codes:

```
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: SetVariableValue  
Variable: NEWCELPH  
Value: 98  
IF NEWCELPH Is Empty
```

```
PRELOADACTION: BranchTo  
Next question  
IF V01((PHNETYPE=1 And REGPHONE=1) Or (PHNETYPE=2 And CELPHONE=1))=0
```

CALLTYPE: RadioButton

"Please think about the voice calls that you and your family receive. Excluding all fax, modem, and non-voice calls, what situation best describes the telephone calls that your and your family receive?"

MaxValue = 99999997

Codes:

```
[1] "[CATI UCase: All or almost all calls received are on cell phones] "  
[2] "[CATI UCase: Some calls are received on cell phones and some on regular phones] "
```

[3] "[CATI UCase: Very few or none are received on cell phones] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

CROSSINTRO: Description

"As we mentioned earlier, some GSS participants may be contacted for a follow up interview. The following questions will help us locate you if you are selected for this interview.

[CATI TEXT: FI INFO, READ IF NEEDED:] Participation in this round of the survey does not obligate you to participate in any future rounds of the General Social Survey or any other survey we might conduct. Any future participation on your part will again require us to gain your consent."

MaxValue = 99999997

PRELOADACTION: SetVariableValue
Variable: F_VERADDR
Value: 1
IF P_ADD2 Is Empty

PRELOADACTION: SetVariableValue
Variable: F_VERADDR
Value: 2
IF P_ADD2 Is Not Empty

PRELOADACTION: BranchTo
Next question

F_VERADDR: RadioButton

COMPUTED TEXT FILL AT VERADDR

MaxValue = 99999997

Codes:

[1] Address: [P_ADD1]

City: [P_CITY]

State: [P_STATE]

Zip: [P_ZIP]

[2] Address: [P_ADD1]

Apt: [P_ADD2]

City: [P_CITY]

State: [P_STATE]

Zip: [P_ZIP]

VERADDR: RadioButton

Is your mailing address...

[F_VERADDR.Text]

MaxValue = 99999997

Codes:

[1] "[CATI UCase: Yes] "

[2] "[CATI UCase: No] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question EXPTMOVE

IF VERADDR = 1 OR 3 OR 4 OR 5

IF VERADDR = 1

IF VERADDR = 77

IF VERADDR = 99

IF VERADDR = 98

MAILADDR: TextAnswer

"What is your mailing address?

Address:] "

MaxAnswerLength = 40

MaxValue = 99999997

Codes:

[77] "[CATI UCase: DK] "

[97] "[CATI UCase: REF] "

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

MAILAPT: TextAnswer

"Apt:] "

MaxAnswerLength = 40

MaxValue = 99999997

Codes:

[77] "[CATI UCase: DK] "

[97] "[CATI UCase: REF] "

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

[3]

MAILCITY: TextAnswer

"City:] "

MaxAnswerLength = 30

MaxValue = 99999997

Codes:

[77] "[CATI UCase: DK] "

[97] "[CATI UCase: REF] "

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

MAILSTAE: TextAnswer

"State:] "

MaxAnswerLength = 2

MaxValue = 99999997

Codes:

[77] "[CATI UCase: DK] "

[97] "[CATI UCase: REF] "

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

MAILZIP: TextAnswer

"Zip:] "

MaxAnswerLength = 5

MaxValue = 99999997

Codes:

[77] "[CATI UCase: DK] "

[97] "[CATI UCase: REF] "

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

EXPTMOVE: RadioButton

Do you expect your address to change in the near future?

MaxValue = 99999997

Codes:

[1] "[CATI UCase: Yes] "

[2] "[CATI UCase: No] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question EMAIL

IF EXPTMOVE = 2 OR 3 OR 4 OR 5

IF EXPTMOVE = 2

IF EXPTMOVE = 77

IF EXPTMOVE = 99

IF EXPTMOVE = 98

PRELOADACTION: BranchTo

Question EMAIL

IF EXPTMOVE <> 1

NEWADDR: TextAnswer

"What will your new address be?

Address:] "

MaxAnswerLength = 40

MaxValue = 99999997

Codes:

[77] "[CATI UCase: DK] "
[97] "[CATI UCase: REF] "
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

NEWAPT: TextAnswer

"Apt:]"

MaxAnswerLength = 40

MaxValue = 99999997

Codes:

[77] "[CATI UCase: DK] "
[97] "[CATI UCase: REF] "
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
[3] [CATI UCase: NA]

NEWCITY: TextAnswer

"City:]"

MaxAnswerLength = 30

MaxValue = 99999997

Codes:

[77] "[CATI UCase: DK] "
[97] "[CATI UCase: REF] "
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

NEWSTAE: TextAnswer

"State:]"

MaxAnswerLength = 2

MaxValue = 99999997

Codes:

[77] "[CATI UCase: DK] "
[97] "[CATI UCase: REF] "
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

NEWZIP: TextAnswer

"Zip:] "

MaxAnswerLength = 5

MaxValue = 99999997

Codes:

[77] "[CATI UCase: DK] "
[97] "[CATI UCase: REF] "
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

EMAIL: TextAnswer

Do you have an email address? What is it?

MaxAnswerLength = 50

MaxValue = 99999997

Codes:

[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

SSNUM: NumericAnswer

"What are the last four digits of your social security number? If you would rather not give us the last four digits of your social security number, please enter 9999.] [CATI TEXT:

IF REFUSED STRESS SURVEY CONFIDENTIALITY.] "

MinValue = 1000 MaxValue = 9999

Codes:

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: SSNUM

Value: 98

IF SSNUM Is Empty

CONTFNAM: TextAnswer

"Thinking of all the people you know, either around here or elsewhere, who would be the one person you keep in touch with who would be most likely to know where you are? Do not include anyone who lives in your household.

[CATI UCase: First name:] "

MaxAnswerLength = 30

MaxValue = 9999

Codes:

[77] "[CATI UCase: DK] "

[97] "[CATI UCase: REF] "

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

[3] [CATI UCase: NA]

CONTMNAM: TextAnswer

"[CATI UCase: Middle name:] "

MaxAnswerLength = 30

MaxValue = 9999

Codes:

[77] "[CATI UCase: DK] "
[97] "[CATI UCase: REF] "
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
[3] [CATI UCase: NA]

CONTLNAM: TextAnswer

"[CATI UCase: Last name:] "

MaxAnswerLength = 30

MaxValue = 9999

Codes:

[77] "[CATI UCase: DK] "
[97] "[CATI UCase: REF] "
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
[3] [CATI UCase: NA]

CONTPHON: TextAnswer

"What is their phone number? Please enter your phone number without any dashes or spaces between numbers.] "

MaxAnswerLength = 10

MaxValue = 9999

Codes:

[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

CONTADDR: TextAnswer

"Address:] "

MaxAnswerLength = 40

MaxValue = 9999

Codes:

[77] "[CATI UCase: DK] "

[97] "[CATI UCase: REF] "

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

CONTCITY: TextAnswer

"City:] "

MaxAnswerLength = 30

MaxValue = 9999

Codes:

[77] "[CATI UCase: DK] "

[97] "[CATI UCase: REF] "

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

CONTSTAE: TextAnswer

"State:] "

MaxAnswerLength = 2

MaxValue = 9999

Codes:

[77] "[CATI UCase: DK] "

[97] "[CATI UCase: REF] "

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

CONTZIP: TextAnswer

"Zip:] "

MaxAnswerLength = 5

MaxValue = 9999

Codes:

[77] "[CATI UCase: DK] "

[97] "[CATI UCase: REF] "

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

CNTEMAIL: TextAnswer

Do they have an email address? What is it?

MaxAnswerLength = 50

MaxValue = 9999

Codes:

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

ADMINCONSENT: RadioButton

"One important purpose of our survey is to gather information about our society in order to explain trends in attitudes and behaviors. The GSS seeks to support the study of opinion data with more behavioral, fact-based information. To do this, we need your permission to search government records that may exist now or in the future such as Census data, unemployment or social security information, Medicaid and Medicare, health records and other sources. We would link your interview with that information upon completion of the survey. Also, we would like to be able to continue combining these data for the foreseeable future. Each time, in the future, we will remove personally identifiable information after the linking process, and store anonymous data for the duration of our study. The best way for us to get this information without taking up any more of your time is to conduct the work in a secure data facility meeting strict Federal Information Security Management Act requirements, and we need your permission to proceed. All identifying information will be kept confidential as required by law. If at any time you change your mind, you can contact us at the toll-free number 888-837-8988.

May we try to link government records with your survey answers?

If you would like to learn more about this, you can review Frequently Asked Questions at <http://gss.norc.org/Documents/MyGSS/AdminConsent.pdf>.] "

MaxValue = 9999

Codes:

[1] [CATI UCase: Yes]
[2] [CATI UCase: No]

```
POSTANSWERACTION: BranchTo  
Question TIMEQUEX  
IF ADMINCONSENT = 2
```

CHNGNAME: RadioButton

"Over the course of their lives, people may change their first or last name, use a nickname, or go by initials, especially in their daily lives. To help obtain accurate information, have you changed your name at all during your life?"

MaxValue = 9999

Codes:

[1] "[CATI UCase: Yes] "
[2] "[CATI UCase: No] "
[77] "DON'T KNOW"

```
DISPLAY IF: QUEXMODE = 1
```

[99] "REFUSED"

```
DISPLAY IF: QUEXMODE = 1
```

[98] SKIPPED ON WEB

```
DISPLAY IF: QUEXMODE = 2
```

```
POSTANSWERACTION: BranchTo  
Question TIMEQUEX  
IF CHNGNAME = 2 OR 3 OR 4 OR 5  
IF CHNGNAME = 2  
IF CHNGNAME = 77  
IF CHNGNAME = 99  
IF CHNGNAME = 98
```

FPREVNAME: TextAnswer

"What was the name you were given at birth?"

FI INFO: CONFIRM SPELLING OF FIRST AND LAST NAME.]
First name:] "

MaxAnswerLength = 30

MaxValue = 9999

Codes:

[77] "[CATI UCase: DK] "
[97] "[CATI UCase: REF] "

```
DISPLAY IF: QUEXMODE = 1
```

[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
[3] [CATI UCase: NA]

MPREVNAME: TextAnswer

"[CATI UCase: Middle name:] "

MaxAnswerLength = 30

MaxValue = 9999

Codes:

[77] "[CATI UCase: DK] "
[97] "[CATI UCase: REF] "
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
[3] [CATI UCase: NA]

LPREVNAME: TextAnswer

"[CATI UCase: Last name:] "

MaxAnswerLength = 30

MaxValue = 9999

Codes:

[77] "[CATI UCase: DK] "
[97] "[CATI UCase: REF] "
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
[3] [CATI UCase: NA]

PRELOADACTION: SetVariableValue
Variable: TIMEQUEX
Value: [\$H]
IF TIMEQUEX Is Empty

PRELOADACTION: BranchTo
Next question

TIMEQUEX: DateTimeAnswer

MaxAnswerLength = 20

MaxValue = 9999

```
PRELOADACTION: SetVariableValue  
Variable: ETIMEK  
Value: [$H]  
IF ETIMEK Is Empty
```

```
PRELOADACTION: BranchTo  
Next question
```

ETIMEK: DateTimeAnswer

END TIME SECTION K

MaxAnswerLength = 20

MaxValue = 9999

```
PRELOADACTION: SetVariableValue  
Variable: ETIMEK_D  
Value: [$H]
```

```
PRELOADACTION: BranchTo  
Question CO_DATE
```

ETIMEK_D: DateTimeAnswer

DYNAMIC END TIME SECTION K

MaxAnswerLength = 20

MaxValue = 9999

ELAPSEDTIMEK: NumericAnswer

MaxValue = 9999

SAVE_EXIT: RadioButton

"Are you sure you want to exit the survey?"

Click NEXT to exit.

If you reached this page by mistake, please click BACK to return to the survey."

MaxValue = 9999

Codes:

[1]

[2] EXIT SURVEY

PRELOADACTION: ExitSurvey
IF ENV_RUN = 2

PRELOADACTION: ExitSurvey
IF ENV_RUN = 3

Z_SAVE_EXIT: TextAnswer

Exit the survey - Interrupted

MaxValue = 9999

PRELOADACTION: SetVariableValue
Variable: CO_DATE
Value: \$D

PRELOADACTION: BranchTo
Next question

CO_DATE: DateTimeAnswer

DATE STAMP: Date the interview was completed

MaxAnswerLength = 20

MaxValue = 9999

PRELOADACTION: SetVariableValue
Variable: CO_TIME
Value: \$H

PRELOADACTION: BranchTo
Next question

CO_TIME: TextAnswer

TIME STAMP: Time the interview was completed

MaxAnswerLength = 4

MaxValue = 9999

PRELOADACTION: BranchTo
Next question

R_SUPPORTCALL: NumericAnswer

Temporary storage of Support Call

MaxValue = 9999

PRELOADACTION: SetVariableValue
Variable: R_URLIMPORT
Value: "IF((FIMODE=1),3,QUEXMODE)"

PRELOADACTION: BranchTo
Next question

R_URLIMPORT: RadioButton

1 = cati
2 = cawi

MaxValue = 9999

Codes:

[1] SUPPORT_CALL;VOXCOC&SUPPORT_CALL=[R_SUPPORTCALL]&VOXCOC=1

[2] SUPPORT_CALL;VOXCOC&SUPPORT_CALL=0&VOXCOC=1

[3] FIENTER;SUPPORT_CALL;VOXCOC&FIENTER=1&SUPPORT_CALL=0&VOXCOC=1

PRELOADACTION: SetVariableValue
Variable: TM_EXIT
Value: \$T

PRELOADACTION: ExitSurvey
IF ENV_RUN = 2

PRELOADACTION: ExitSurvey
IF ENV_RUN = 3

PRELOADACTION: ExitSurvey

TM_EXIT: TextAnswer

TIMER STAMP: This is a variable to capture the value of the call timer just before closing the case out.

MaxAnswerLength = 5

MaxValue = 9999

RSUPPORTCALL: NumericAnswer

Roster Copy of SUPPORT_CALL

MaxValue = 9999

INTERVIEWER: TextAnswer

Roster Copy of Employee ID of the Telephone Interviewer who completed the case

MaxValue = 9999