

PRELOADACTION: SetVariableValue  
Variable: ENV\_RUN  
Value: 3

PRELOADACTION: BranchTo  
Next question

### **ENV\_RUN: RadioButton**

ENVIRONMENT: Defines which Environment the project is currently running in

- 1 = DEV Environment
- 2 = TEST Environment
- 3 = PROD Environment

#### **Codes:**

- [0] NO DEFINED SQL MASKS
- [1] DEV Environment
- [2] TEST Environment
- [3] PROD Environment

### **RESPONDENT\_METADATA: RespondentMetaData**

"Hidden question used to collect metadata information about the respondent such as its IP address, Browser, etc."

PRELOADACTION: BranchTo  
Next question

### **SU\_ID: TextAnswer**

MaxAnswerLength = 8

PRELOADACTION: SetVariableValue  
Variable: SAMPTYPE  
Value: XSEC

PRELOADACTION: BranchTo  
Next question

### **SAMPTYPE: TextAnswer**

SAMPLE TYPE (AREA OR PANL)

MaxAnswerLength = 4

PRELOADACTION: SetVariableValue  
Variable: BALLOT  
Value: 1

PRELOADACTION: BranchTo  
Next question

### **BALLOT: TextAnswer**

"ENTER BALLOT NUMBER (1, 2 OR 3)"

MaxAnswerLength = 1

PRELOADACTION: SetVariableValue  
Variable: FIMODE  
Value: V01(FIENTER=1)

PRELOADACTION: SetVariableValue  
Variable: FIENTER  
Value: ()

PRELOADACTION: BranchTo  
Next question

### **FIENTER: RadioButton**

"FLAG THAT AN FI ENTERED THE CASE, OPERATES LIKE SUPPORT CALL. WIPE IT OUT AFTER SET.

0=not in mode

1=in FI mode

IF FIENTER=1, SET FIEVER=1

IF FIENTER=1, SET FIMODE=1

AFTERWARDS, CLEAR FIENTER VIA: SET EQUAL TO FORMULA ()

"

### **Codes:**

[0]

[1]

PRELOADACTION: BranchTo  
Next question

## **FIMODE: RadioButton**

ARE WE CURRENTLY IN FI MODE?  
DETERMINED BY FIENTER

### **Codes:**

[0] 0 NO

[1] 1 YES

PRELOADACTION: BranchTo  
Question SIM\_START

## **VERXY: RadioButton**

ENTER X OR Y

### **Codes:**

[X] X

[Y] Y

PRELOADACTION: SetVariableValue  
Variable: PANEL  
Value: 2

PRELOADACTION: BranchTo  
Next question

## **PANEL: NumericAnswer**

"ENTER 1 IF PANEL CASE, 2 IF NOT"

MinValue = 1 MaxValue = 9

## **RANDOM: TextAnswer**

RANDOM: ENTER 1 OR 2

MaxAnswerLength = 1

MaxValue = 9

**RANDORDER1: NumericAnswer**

RANDORDER1: ENTER NUMBER 1-6

MaxValue = 9

**RANDORDER2: NumericAnswer**

RANDORDER2: ENTER NUMBER 1-24

MaxValue = 9

**PREADMIN: NumericAnswer**

PREADMIN (ENTER 1 OR 2)

MaxValue = 9

**P\_INCAMT: NumericAnswer**

P\_INCAMT

MaxValue = 9

**P\_SUID: TextAnswer**

"PRELOAD: SU\_ID (This is also the CASE ID, which contains two preceding zeros and the 8 digit SU\_ID)"

MaxAnswerLength = 10

MaxValue = 9

**NFA: NumericAnswer**

MaxValue = 9

**SEGMENT: NumericAnswer**

MaxValue = 9

**TRACT: NumericAnswer**

MaxValue = 9

**BLOCK: NumericAnswer**

MaxValue = 9

**LINE: NumericAnswer**

MaxValue = 9

**BLOCK\_LINE: NumericAnswer**

MaxValue = 9

**FORM: TextAnswer**

MaxValue = 9

### **P\_ADD1: TextAnswer**

PRELOAD: Advance letter address - address 1

MaxAnswerLength = 64

MaxValue = 9

### **P\_ADD2: TextAnswer**

PRELOAD: Advance letter address - address 2

MaxAnswerLength = 64

MaxValue = 9

### **P\_CITY: TextAnswer**

PRELOAD: P\_CITY

MaxValue = 9

### **P\_STATE: RadioButton**

MaxValue = 9

#### **Codes:**

[AL] AL  
[AK] AK  
[AZ] AZ  
[AR] AR  
[CA] CA  
[CO] CO  
[CT] CT  
[DE] DE  
[DC] DC  
[FL] FL  
[GA] GA  
[GU] GU

[HI] HI  
[ID] ID  
[IL] IL  
[IN] IN  
[IA] IA  
[KS] KS  
[KY] KY  
[LA] LA  
[ME] ME  
[MD] MD  
[MA] MA  
[MI] MI  
[MN] MN  
[MS] MS  
[MO] MO  
[MT] MT  
[NE] NE  
[NV] NV  
[NH] NH  
[NJ] NJ  
[NM] NM  
[NY] NY  
[NC] NC  
[ND] ND  
[OH] OH  
[OK] OK  
[OE] OR  
[PA] PA  
[PR] PR  
[RI] RI  
[SC] SC  
[SD] SD  
[TN] TN  
[TX] TX  
[UT] UT  
[VT] VT  
[VI] VI  
[VA] VA  
[WA] WA  
[WV] WV  
[WI] WI  
[WY] WY  
[77]  
[99]

**P\_ZIP: TextAnswer**

PRELOAD: P\_ZIP

MaxValue = 9

**P\_BATCH: TextAnswer**

PRELOAD: Batch Number

MaxAnswerLength = 3

MaxValue = 9

**P\_REPLIC: TextAnswer**

PRELOAD: Replicate

MaxAnswerLength = 4

MaxValue = 9

**STAT\_SUID: TextAnswer**

MaxValue = 9

**P\_VOXREL: RadioButton**

PRELOAD: Used to release specific pieces of sample based on the P\_VOXREL strata.

MaxValue = 9

**Codes:**

[1] Live Sample

[0] Smoke Test Sample

**LAT: TextAnswer**

MaxValue = 9

**LONG: TextAnswer**



MaxValue = 9

PRELOADACTION: BranchTo  
Question SKIPTOEND

**ADDRESS: TextAnswer**

ADDRESS:

MaxValue = 9

**APRTMNT: TextAnswer**

APARTMENT:

MaxValue = 9

**CITY: TextAnswer**

CITY:

MaxValue = 9

**STATE: TextAnswer**

STATE:

MaxValue = 9

**ZIP: TextAnswer**

ZIP:

MaxValue = 9

## **PPHONE: TextAnswer**

PPHONE

MaxValue = 9

```
PRELOADACTION: BranchTo  
Question SIM_END  
IF 1>0
```

```
PRELOADACTION: SetVariableValue  
Variable: SIM_START  
Value: 1
```

```
PRELOADACTION: BranchTo  
Next question
```

## **SIM\_START: RadioButton**

1. Export this survey file
2. Import into GSS\_TEST\_Simulation
3. Remove the 1>0 skip here at SIM\_START
4. Run simulation.

MaxValue = 9

### **Codes:**

[1] START

## **SIM\_CASE: RadioButton**

SIM\_CASE FLAG

MaxValue = 9

### **Codes:**

[1] SIMULATION

## **SIM\_BALLOT: RadioButton**

BALLOT

MaxValue = 9

**Codes:**

[1] 1

POSTANSWERACTION: SetVariableValue  
Variable: BALLOT  
Value: [SIM\_BALLOT.Code]

**SIM\_VERXY: RadioButton**

ENTER X OR Y

MaxValue = 9

**Codes:**

[X] X

[Y] Y

POSTANSWERACTION: SetVariableValue  
Variable: VERXY  
Value: [SIM\_VERXY.Code]

**SIM\_RANDORDER1: RadioButton**

RANDORDER1

MaxValue = 9

**Codes:**

[1] 1

[2] 2

[3] 3

[4] 4

[5] 5

[6] 6

POSTANSWERACTION: SetVariableValue  
Variable: RANDORDER1  
Value: [SIM\_RANDORDER1.Code]

**SIM\_RANDORDER2: RadioButton**

RANDORDER2

MaxValue = 9

**Codes:**

[1] 1  
[2] 2  
[3] 3  
[4] 4  
[5] 5  
[6] 6  
[7] 7  
[8] 8  
[9] 9  
[10] 10  
[11] 11  
[12] 12  
[13] 13  
[14] 14  
[15] 15  
[16] 16  
[17] 17  
[18] 18  
[19] 19  
[20] 20  
[21] 21  
[22] 22  
[23] 23  
[24] 24

POSTANSWERACTION: SetVariableValue  
Variable: RANDORDER2  
Value: [SIM\_RANDORDER2.Code]

**SIM\_QUEXMODE: RadioButton**

QUEXMODE

MaxValue = 9

**Codes:**

[1] CATI/CAPI  
[2] WEB

POSTANSWERACTION: SetVariableValue  
Variable: QUEXMODE  
Value: [SIM\_QUEXMODE.Code]

PRELOADACTION: BranchTo  
Next question

**SIM\_END: RadioButton**

END POINT FOR SIMS

MaxValue = 9

**Codes:**

[1] DONE

**SKIPTOEND: RadioButton**

FOR TESTING ONLY:

DO YOU WANT TO SKIP?

MaxValue = 9

**Codes:**

[1] "NO, CONTINUE"

[2] "YES, SKIP TO END"

[3] "YES, SKIP TO SECTION K"

PRELOADACTION: BranchTo  
Next question

**LASTSECT: TextAnswer**

LAST SECTION ASKED

MaxAnswerLength = 2

MaxValue = 9

PRELOADACTION: BranchTo  
Next question

**BREAKOFF: RadioButton**

BREAKOFF SECTION

MaxValue = 9

**Codes:**

[1] SECTION A - CORE (2020)

- [2] SECTION B - HOUSEHOLD COMPOSITION
- [3] SECTION G - ANES
- [4] SECTION H - RELIGION
- [5] SECTION J - CDC RISKY BEHAVIORS
- [6] SECTION K - CONTACT
- [7] SECTION L -
- [8] SECTION M -
- [9] SECTION N -
- [10] SECTION O -
- [11] SECTION P -
- [12] SECTION Q -
- [13] SECTION R

PRELOADACTION: SetVariableValue  
Variable: CURRMO  
Value: MON(\$D)

PRELOADACTION: BranchTo  
Next question

### **CURRMO: NumericAnswer**

MinValue = 0 MaxValue = 99

PRELOADACTION: SetVariableValue  
Variable: CURRDY  
Value: [\$D.Day]

PRELOADACTION: BranchTo  
Next question

### **CURRDY: NumericAnswer**

MinValue = 0 MaxValue = 99

PRELOADACTION: SetVariableValue  
Variable: CURRYR  
Value: [\$D.Year]

PRELOADACTION: BranchTo  
Next question

### **CURRYR: NumericAnswer**

MinValue = 0 MaxValue = 9999

PRELOADACTION: SetVariableValue  
Variable: CURRMOTXT  
Value: [CURRMO]

PRELOADACTION: BranchTo  
Next question

### **CURRMOTXT: RadioButton**

MaxValue = 9999

#### **Codes:**

- [1] January
- [2] February
- [3] March
- [4] April
- [5] May
- [6] June
- [7] July
- [8] August
- [9] September
- [10] October
- [11] November
- [12] December

PRELOADACTION: BranchTo  
Next question

### **QUEXMODE: RadioButton**

MaxValue = 9999

#### **Codes:**

- [1] CATI/CAPI
- [2] WEB

PRELOADACTION: SetVariableValue  
Variable: INTERVIEWER  
Value: [TINTERVIEWER]

IF TINTERVIEWER Is Not Empty

PRELOADACTION: SetVariableValue  
Variable: INTERVIEWER  
Value: \*\*\*  
IF TINTERVIEWER Is Empty

PRELOADACTION: SetVariableValue  
Variable: TINTERVIEWER  
Value: ()

PRELOADACTION: BranchTo  
Next question

### **TINTERVIEWER: TextAnswer**

Employee ID of the Telephone Interviewer or \*\*\* if no Telephone interviewer utilized

MaxValue = 9999

PRELOADACTION: SetVariableValue  
Variable: RSUPPORTCALL  
Value: [SUPPORT\_CALL]  
IF SUPPORT\_CALL > 0

PRELOADACTION: SetVariableValue  
Variable: R\_SUPPORTCALL  
Value: [SUPPORT\_CALL]  
IF SUPPORT\_CALL > 0

PRELOADACTION: SetVariableValue  
Variable: SUPPORT\_CALL  
Value: ()

PRELOADACTION: BranchTo  
Next question

### **SUPPORT\_CALL: NumericAnswer**

Captures Support Survey Call Value

MaxValue = 9999

PRELOADACTION: SetVariableValue  
Variable: MODE\_JS  
Value: V01(QUEXMODE=1 OR FIMODE=1)

PRELOADACTION: BranchTo  
Next question



## **MODE\_JS: RadioButton**

"COMPUTATION: This question indicates the mode of survey execution where:

0=CAWI  
1=CATI

It is used throughout the template and questionnaires to customize the survey by mode including capitalization in CATI choice text, show/hide questions and/or choices, display options for question text and/or choice text. It is set according to a value from SUPPORT\_CALL."

MaxValue = 9999

### **Codes:**

[0]  
[1]

```
PRELOADACTION: SetVariableValue  
Variable: CATI_TXT  
Value: V01(MODE_JS=1)
```

```
PRELOADACTION: BranchTo  
Next question
```

## **CATI\_TXT: RadioButton**

"If this is CATI, use choice 1 to display the text.  
If not CATI, we want choice 0 to hide the text."

MaxValue = 9999

### **Codes:**

[0] "style=""display: none;""  
[1] "style=""display: inline;""

```
PRELOADACTION: SetVariableValue  
Variable: CATI_UP  
Value: V01(MODE_JS=1)
```

```
PRELOADACTION: BranchTo  
Next question
```

## **CATI\_UP: RadioButton**

"If this is CATI, use choice 1 to display the text.  
If not CATI, we want choice 0 to hide the text."

MaxValue = 9999

**Codes:**

[0]  
[1] "style=""text-transform: uppercase;""

PRELOADACTION: SetVariableValue  
Variable: CAWI\_TXT  
Value: V01(MODE\_JS=0)

PRELOADACTION: BranchTo  
Next question

**CAWI\_TXT: RadioButton**

"If this is CAWI, use choice 1 to display the text.  
If not CAWI, we want choice 0 to hide the text."

MaxValue = 9999

**Codes:**

[0] "style=""display: none;""  
[1] "style=""display: inline;""

PRELOADACTION: SetVariableValue  
Variable: CAWI\_FLOAT1  
Value: V01(MODE\_JS=0)

PRELOADACTION: BranchTo  
Next question

**CAWI\_FLOAT1: RadioButton**

Used in CAWI to move the last VISIBLE choice down 1 space

MaxValue = 9999

**Codes:**

[0]  
[1] " "

PRELOADACTION: SetVariableValue  
Variable: CAWI\_FLOAT2  
Value: V01(MODE\_JS=0)

PRELOADACTION: BranchTo  
Next question

## **CAWI\_FLOAT2: RadioButton**

Used in CAWI to move the last 2 VISIBLE choice down 1 space

MaxValue = 9999

### **Codes:**

[0]  
[1] " "

```
PRELOADACTION: SetVariableValue  
Variable: CAWI_FLOAT3  
Value: V01(MODE_JS=0)
```

```
PRELOADACTION: BranchTo  
Next question
```

## **CAWI\_FLOAT3: RadioButton**

Used in CAWI to move the last 3 VISIBLE choice down 1 space

MaxValue = 9999

### **Codes:**

[0]  
[1] " "

```
PRELOADACTION: SetVariableValue  
Variable: P_KEYPAD  
Value: [MODE_JS.code]
```

```
PRELOADACTION: BranchTo  
Next question
```

## **P\_KEYPAD: RadioButton**

Single answer question using Radio Buttons

MaxValue = 9999

### **Codes:**

[1] "  
"  
[0]

```
PRELOADACTION: SetVariableValue
```

Variable: CATIFILL1  
Value: [QUEXMODE]

PRELOADACTION: BranchTo  
Next question

### **CATIFILL1: RadioButton**

Single answer question using Radio Buttons

MaxValue = 9999

#### **Codes:**

[1] I  
[2] we

PRELOADACTION: SetVariableValue  
Variable: CATIFILL2  
Value: [QUEXMODE]

PRELOADACTION: BranchTo  
Next question

### **CATIFILL2: RadioButton**

Single answer question using Radio Buttons

MaxValue = 9999

#### **Codes:**

[1] I am  
[2] We are

PRELOADACTION: SetVariableValue  
Variable: CATIFILL3  
Value: [QUEXMODE]

PRELOADACTION: BranchTo  
Next question

### **CATIFILL3: RadioButton**

Single answer question using Radio Buttons

MaxValue = 9999

**Codes:**

[1] me  
[2] us

```
PRELOADACTION: SetVariableValue  
Variable: CATIFILL4  
Value: [QUEXMODE]
```

```
PRELOADACTION: BranchTo  
Next question
```

**CATIFILL4: RadioButton**

Single answer question using Radio Buttons

MaxValue = 9999

**Codes:**

[1] I  
[2] We

```
PRELOADACTION: SetVariableValue  
Variable: BTIMEA  
Value: [$H]  
IF BTIMEA Is Empty
```

```
PRELOADACTION: BranchTo  
Next question
```

**BTIMEA: DateTimeAnswer**

BEGIN TIME SECTION A

MaxAnswerLength = 20

MaxValue = 9999

```
PRELOADACTION: SetVariableValue  
Variable: BTIMEA_D  
Value: [$H]
```

```
PRELOADACTION: BranchTo  
Next question
```

**BTIMEA\_D: DateTimeAnswer**

DYNAMIC BEGIN TIME SECTION A

MaxAnswerLength = 20

MaxValue = 9999

PRELOADACTION: BranchTo  
Next question

### **QUEXLANGOLD: RadioButton**

Please select the language in which you would like to complete the questionnaire:

Seleccione el idioma en el que desea completar el cuestionario:

MaxValue = 9999

#### **Codes:**

[EN] English

[ES] Español

PRELOADACTION: BranchTo  
Next question

### **QUEXLANG: RespondentLanguage**

Single answer question used to display and update the respondent's language

MaxValue = 9999

#### **Codes:**

[en] English

[es] español

PRELOADACTION: SetVariableValue  
Variable: \_SPFILL2  
Value: 3

PRELOADACTION: BranchTo  
Next question

### **\_SPFILL2: RadioButton**

MaxValue = 9999

**Codes:**

- [1] he
- [2] she
- [3] they

```
PRELOADACTION: BranchTo  
Next question  
IF ENV_RUN <> 2
```

**SKIPSECTION: RadioButton**

CHOOSE NEXT SECTION TO TEST OR CLICK [NEXT]

MaxValue = 9999

**Codes:**

- [1] A - Core
- [2] B - Household Composition
- [3] C - NSF Science
- [4] D -ISSP Environment
- [5] E - ISSP Social Inequity
- [6] F - Healthy People
- [7] H - Wilde-Religion
- [8] I - McCall Social Inequity
- [9] J - CDC Risky Behaviors
- [14] JJ New Board Questions
- [10] Section K - Contact/Validation
- [11] R - REMARKS (PHONE ONLY)
- [12] SKIP TO END
- [13] DO NOT SKIP

```
POSTANSWERACTION: BranchTo  
Question BTIMEA  
IF SKIPSECTION = 1
```

```
POSTANSWERACTION: BranchTo  
Question BTIMEB  
IF SKIPSECTION = 2
```

```
POSTANSWERACTION: BranchTo  
Question BTIMED  
IF SKIPSECTION = 4
```

```
POSTANSWERACTION: BranchTo  
Question BTIMEF  
IF SKIPSECTION = 6
```

```
POSTANSWERACTION: BranchTo  
Question BTIMEH
```

```
IF SKIPSECTION = 7
```

```
POSTANSWERACTION: BranchTo  
Question BTIMEJJ  
IF SKIPSECTION = 14
```

```
POSTANSWERACTION: BranchTo  
Question BTIMEK  
IF SKIPSECTION = 10
```

```
POSTANSWERACTION: BranchTo  
Question TIMEQUEX  
IF SKIPSECTION = 12
```

```
PRELOADACTION: BranchTo  
Question NATSPACY  
IF VERXY = Y
```

### **NATSPAC: RadioButton**

"[WEB TEXT: Let's begin with]  
[CATI TEXT: First I would like to talk to you about] some things people think about today. We are faced with many problems in this country, none of which can be solved easily or inexpensively. [WEB TEXT: For each of the following problems, please indicate]  
[CATI TEXT: I'm going to name some of these problems, and for each one I'd like you to tell me] whether you think we're spending too much money on it, too little money, or about the right amount.

First: The space exploration program

... are we spending too much, too little, or about the right amount on

The space exploration program?"

MaxValue = 9999

#### **Codes:**

```
[1] "[CATI UCase: Too little] "  
[2] "[CATI UCase: About right] "  
[3] "[CATI UCase: Too much] "  
[77] "[CATI UCase: Don't know] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

### **NATENVIR: RadioButton**

"Improving and protecting the environment

... are we spending too much, too little, or about the right amount on

Improving and protecting the environment?"



MaxValue = 9999

**Codes:**

[1] [CATI UCase: Too little]  
[2] [CATI UCase: About right]  
[3] [CATI UCase: Too much]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**NATHEAL: RadioButton**

"Improving and protecting the nation's health

... are we spending too much, too little, or about the right amount on

Improving and protecting the nation's health?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Too little]  
[2] [CATI UCase: About right]  
[3] [CATI UCase: Too much]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**NATCITY: RadioButton**

"Solving the problems of the big cities

... are we spending too much, too little, or about the right amount on

Solving the problems of the big cities?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Too little]

[2] [CATI UCase: About right]  
[3] [CATI UCase: Too much]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **NATCRIME: RadioButton**

"Halting the rising crime rate

... are we spending too much, too little, or about the right amount on

Halting the rising crime rate?"

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Too little]  
[2] [CATI UCase: About right]  
[3] [CATI UCase: Too much]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **NATDRUG: RadioButton**

"Dealing with drug addiction

... are we spending too much, too little, or about the right amount on

Dealing with drug addiction?"

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Too little]  
[2] [CATI UCase: About right]  
[3] [CATI UCase: Too much]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **NATEDUC: RadioButton**

"Improving the nation's education system

... are we spending too much, too little, or about the right amount on

Improving the nation's education system?"

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Too little]

[2] [CATI UCase: About right]

[3] [CATI UCase: Too much]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **NATRACE: RadioButton**

"Improving the conditions of Blacks

... are we spending too much, too little, or about the right amount on

Improving the conditions of Blacks?"

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Too little]

[2] [CATI UCase: About right]

[3] [CATI UCase: Too much]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **NATARMS: RadioButton**

"The military, armaments and defense

... are we spending too much, too little, or about the right amount on  
The military, armaments and defense?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Too little]  
[2] [CATI UCase: About right]  
[3] [CATI UCase: Too much]  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**NATAID: RadioButton**

"Foreign aid

... are we spending too much, too little, or about the right amount on

Foreign aid?"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Too little] "  
[2] "[CATI UCase: About right] "  
[3] "[CATI UCase: Too much] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**NATFARE: RadioButton**

"Welfare

... are we spending too much, too little, or about the right amount on

Welfare?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Too little]  
[2] [CATI UCase: About right]  
[3] [CATI UCase: Too much]  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Question NATROAD

IF VERXY <> Y

**NATSPACY: RadioButton**

"[WEB TEXT: Let's begin with]

[CATI TEXT: First I would like to talk to you about] some things people think about today. We are faced with many problems in this country, none of which can be solved easily or inexpensively. [WEB TEXT: For each of the following problems, please indicate]

[CATI TEXT: I'm going to name some of these problems, and for each one I'd like you to tell me] whether you think we're spending too much money on it, too little money, or about the right amount.

First: Space exploration

... are we spending too much, too little, or about the right amount on

Space exploration?"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Too little] "  
[2] "[CATI UCase: About right] "  
[3] "[CATI UCase: Too much] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**NATENVIY: RadioButton**

"The environment

... are we spending too much, too little, or about the right amount on

The environment?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Too little]  
[2] [CATI UCase: About right]  
[3] [CATI UCase: Too much]  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**NATHEALY: RadioButton**

"Health

... are we spending too much, too little, or about the right amount on

Health?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Too little]  
[2] [CATI UCase: About right]  
[3] [CATI UCase: Too much]  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**NATCITYY: RadioButton**

"Assistance to big cities

... are we spending too much, too little, or about the right amount on

Assistance to big cities?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Too little]  
[2] [CATI UCase: About right]  
[3] [CATI UCase: Too much]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **NATCRIMY: RadioButton**

"Law enforcement

... are we spending too much, too little, or about the right amount on

Law enforcement?"

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Too little]  
[2] [CATI UCase: About right]  
[3] [CATI UCase: Too much]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **NATDRUGY: RadioButton**

"Drug rehabilitation

... are we spending too much, too little, or about the right amount on

Drug rehabilitation?"

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Too little]  
[2] [CATI UCase: About right]  
[3] [CATI UCase: Too much]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **NATEDUCY: RadioButton**

"Education

... are we spending too much, too little, or about the right amount on  
Education?"

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Too little]  
[2] [CATI UCase: About right]  
[3] [CATI UCase: Too much]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **NATRACEY: RadioButton**

"Assistance to Blacks

... are we spending too much, too little, or about the right amount on  
Assistance to Blacks?"

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Too little]  
[2] [CATI UCase: About right]  
[3] [CATI UCase: Too much]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **NATARMSY: RadioButton**



"National defense

... are we spending too much, too little, or about the right amount on

National defense?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Too little]

[2] [CATI UCase: About right]

[3] [CATI UCase: Too much]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**NATAIDY: RadioButton**

"Assistance to other countries

... are we spending too much, too little, or about the right amount on

Assistance to other countries?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Too little]

[2] [CATI UCase: About right]

[3] [CATI UCase: Too much]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**NATFAREY: RadioButton**

"Assistance for the poor

... are we spending too much, too little, or about the right amount on

Assistance for the poor?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Too little]  
[2] [CATI UCase: About right]  
[3] [CATI UCase: Too much]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**NATROAD: RadioButton**

"Highways and bridges

... are we spending too much, too little, or about the right amount on

Highways and bridges?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Too little]  
[2] [CATI UCase: About right]  
[3] [CATI UCase: Too much]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**NATSOC: RadioButton**

"Social Security

... are we spending too much, too little, or about the right amount on

Social Security?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Too little]  
[2] [CATI UCase: About right]

```
[3] [CATI UCase: Too much]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

### **NATMASS: RadioButton**

"Mass transportation

... are we spending too much, too little, or about the right amount on

Mass transportation?"

MaxValue = 9999

#### **Codes:**

```
[1] [CATI UCase: Too little]
[2] [CATI UCase: About right]
[3] [CATI UCase: Too much]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

### **NATPARK: RadioButton**

"Parks and recreation

... are we spending too much, too little, or about the right amount on

Parks and recreation?"

MaxValue = 9999

#### **Codes:**

```
[1] [CATI UCase: Too little]
[2] [CATI UCase: About right]
[3] [CATI UCase: Too much]
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

## **NATCHLD: RadioButton**

"Assistance for childcare

... are we spending too much, too little, or about the right amount on

Assistance for childcare?"

MaxValue = 9999

### **Codes:**

[1] [CATI UCase: Too little]

[2] [CATI UCase: About right]

[3] [CATI UCase: Too much]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## **NATSCI: RadioButton**

"Supporting scientific research

... are we spending too much, too little, or about the right amount on

Supporting scientific research?"

MaxValue = 9999

### **Codes:**

[1] [CATI UCase: Too little]

[2] [CATI UCase: About right]

[3] [CATI UCase: Too much]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## **NATENRGY: RadioButton**

"Developing alternative energy sources

... are we spending too much, too little, or about the right amount on

Developing alternative energy sources?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Too little]

[2] [CATI UCase: About right]

[3] [CATI UCase: Too much]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**USWARY: RadioButton**

Do you expect the United States to fight in another world war within the next ten years?

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Yes] "

[2] "[CATI UCase: No] "

[3] "[CATI UCase: No opinion] [CATI TEXT: (VOLUNTEERED)] "

DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**PRAYER: RadioButton**

The United States Supreme Court has ruled that no state or local government may require the reading of the Lord's Prayer or Bible verses in public schools.

What are your views on this--do you approve or disapprove of the court ruling?

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Approve] "

[2] "[CATI UCase: Disapprove] "  
[3] "[CATI UCase: No opinion] [CATI TEXT: (VOLUNTEERED)] "  
DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

## **COURTS: RadioButton**

"In general, do you think the courts in your area deal too harshly or not harshly enough with criminals?"

MaxValue = 9999

### **Codes:**

[1] "[CATI UCase: Too harshly] "  
[2] "[CATI UCase: Not harshly enough] "  
[3] "[CATI UCase: About right] [CATI TEXT: (VOLUNTEERED)] "  
DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: FEPOLFILL  
Value: [QUEXMODE]

PRELOADACTION: BranchTo  
Next question

## **FEPOLFILL: RadioButton**

MaxValue = 9999

### **Codes:**

[1] Tell me  
[2] Please indicate

## **FEPOL: RadioButton**

[fepolfill] if you agree or disagree with this statement:

Most men are better suited emotionally for politics than are most women.

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Agree] "

[2] "[CATI UCase: Disagree] "

[3] "[CATI UCase: Not sure] [CATI TEXT: (VOLUNTEERED)] "

DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: FECHLDFILL

Value: [QUEXMODE]

PRELOADACTION: BranchTo

Next question

**FECHLDFILL: RadioButton**

MaxValue = 9999

**Codes:**

[1] "Now I'm going to read several more statements. As I read each one, please tell me"

[2] Please read the following statements and indicate

**FECHLD: RadioButton**

"[FECHLDFILL] whether you strongly agree, agree, disagree, or strongly disagree with [WEB TEXT: each statement:] [CATI TEXT: it. For example, here is the statement:]

A working mother can establish just as warm and secure a relationship with her children as a mother who does not work."

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Strongly agree]  
[2] [CATI UCase: Agree]  
[3] [CATI UCase: Disagree]  
[4] [CATI UCase: Strongly disagree]  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **FEPRESCH: RadioButton**

"[CATI TEXT: (Please tell me whether you strongly agree, agree, disagree, or strongly disagree with this statement.)] A preschool child is likely to suffer if his or her mother works."

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Strongly agree]  
[2] [CATI UCase: Agree]  
[3] [CATI UCase: Disagree]  
[4] [CATI UCase: Strongly disagree]  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **FEFAM: RadioButton**

"[CATI TEXT: (Please tell me whether you strongly agree, agree, disagree, or strongly disagree with this statement.)] It is much better for everyone involved if the man is the achiever outside the home and the woman takes care of the home and family."

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Strongly agree]  
[2] [CATI UCase: Agree]  
[3] [CATI UCase: Disagree]  
[4] [CATI UCase: Strongly disagree]  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2



PRELOADACTION: SetVariableValue  
Variable: \_MEOVTEXT  
Value: [QUEXMODE]

PRELOADACTION: BranchTo  
Next question

## **\_MEOVTEXT: RadioButton**

MaxValue = 9999

### **Codes:**

[1] "Now, please tell me whether you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree that..."

[2] "Please read the following statement and indicate whether you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree with it:"

## **MEOVRWRK: RadioButton**

[\_meovtxt]

Family life often suffers because men concentrate too much on their work.

MaxValue = 9999

### **Codes:**

[1] [CATI UCase: Strongly agree]

[2] [CATI UCase: Agree]

[3] [CATI UCase: Neither agree nor disagree]

[4] [CATI UCase: Disagree]

[5] [CATI UCase: Strongly disagree]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Question FEHIRE  
IF VERXY = Y

## **FEJOB1: RadioButton**

"Some people say that because of past discrimination, women should be given preference in hiring and promotion. Others say that such preference in hiring and promotion of women is wrong because it discriminates against men. What about your opinion - are you for or against preferential hiring and promotion of women?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: For]

[2] [CATI UCase: Against]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF FEJOB1 <> 1

**FEJOB2: RadioButton**

Do you favor preference in hiring and promotion strongly or not strongly?

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Strongly]

[2] [CATI UCase: Not strongly]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF FEJOB1 <> 2

**FEJOB3: RadioButton**

Do you oppose preference in hiring and promotion strongly or not strongly?

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Strongly]  
[2] [CATI UCase: Not strongly]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF VERXY = Y

**DISCAFFM: RadioButton**

"What do you think the chances are these days that a man won't get a job or promotion while an equally or less qualified woman gets one instead. Is this very likely, somewhat likely, somewhat unlikely, or very unlikely these days?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Very likely]  
[2] [CATI UCase: Somewhat likely]  
[3] [CATI UCase: Somewhat unlikely]  
[4] [CATI UCase: Very unlikely]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**FEHIRE: RadioButton**

"[FEPOLFILL] whether you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree that...

Because of past discrimination, employers should make special efforts to hire and promote qualified women."

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Strongly agree]  
[2] [CATI UCase: Agree]  
[3] [CATI UCase: Neither agree nor disagree]

[4] [CATI UCase: Disagree]  
[5] [CATI UCase: Strongly disagree]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **DISCAFFW: RadioButton**

"What do you think the chances are these days that a woman won't get a job or promotion while an equally or less qualified man gets one instead. Is this very likely, somewhat likely, somewhat unlikely, or very unlikely these days?"

MaxValue = 9999

#### **Codes:**

[1] "[CATI UCase: Very likely] "  
[2] "[CATI UCase: Somewhat likely] "  
[3] "[CATI UCase: Somewhat unlikely] "  
[4] "[CATI UCase: Very unlikely] "  
[5] "[CATI UCase: No opinion]  
[CATI TEXT: (VOLUNTEERED)] "  
DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **RES16: RadioButton**

"[CATI TEXT: [HANDCARD A1]] Next, we have a few factual questions about yourself. Which of the categories [CATI TEXT: on this card ] comes closest to the type of place you were living in when you were 16 years old?"

MaxValue = 9999

#### **Codes:**

[1] "[CATI TEXT: 1. ] In open country but not on a farm"  
[2] "[CATI TEXT: 2. ] On a farm"  
[3] "[CATI TEXT: 3. ] In a small city or town (under 50,000)"  
[4] "[CATI TEXT: 4. ] In a medium-size city (50,000-250,000)"  
[5] "[CATI TEXT: 5. ] In a suburb near a large city"  
[6] "[CATI TEXT: 6. ] In a large city (over 250,000)"  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## REG16: DropDownList

In what state or foreign country were you living when you were 16 years old?

MaxValue = 9999

### **Codes:**

[63] "[CATI UCase: Alabama] "  
[94] "[CATI UCase: Alaska] "  
[87] "[CATI UCase: Arizona] "  
[71] "[CATI UCase: Arkansas] "  
[93] "[CATI UCase: California] "  
[86] "[CATI UCase: Colorado] "  
[15] "[CATI UCase: Connecticut] "  
[51] "[CATI UCase: Delaware] "  
[55] "[CATI UCase: District of Columbia] "  
[59] "[CATI UCase: Florida] "  
[58] "[CATI UCase: Georgia] "  
[95] "[CATI UCase: Hawaii] "  
[82] "[CATI UCase: Idaho] "  
[32] "[CATI UCase: Illinois] "  
[33] "[CATI UCase: Indiana] "  
[42] "[CATI UCase: Iowa] "  
[47] "[CATI UCase: Kansas] "  
[61] "[CATI UCase: Kentucky] "  
[73] "[CATI UCase: Louisiana] "  
[11] "[CATI UCase: Maine] "  
[52] "[CATI UCase: Maryland] "  
[14] "[CATI UCase: Massachusetts] "  
[34] "[CATI UCase: Michigan] "  
[41] "[CATI UCase: Minnesota] "  
[64] "[CATI UCase: Mississippi] "  
[43] "[CATI UCase: Missouri] "  
[81] "[CATI UCase: Montana] "  
[46] "[CATI UCase: Nebraska] "  
[84] "[CATI UCase: Nevada] "  
[13] "[CATI UCase: New Hampshire] "  
[22] "[CATI UCase: New Jersey] "  
[88] "[CATI UCase: New Mexico] "  
[21] "[CATI UCase: New York] "  
[56] "[CATI UCase: North Carolina] "  
[44] "[CATI UCase: North Dakota] "  
[35] "[CATI UCase: Ohio] "  
[72] "[CATI UCase: Oklahoma] "  
[92] "[CATI UCase: Oregon] "  
[23] "[CATI UCase: Pennsylvania] "  
[16] "[CATI UCase: Rhode Island] "  
[57] "[CATI UCase: South Carolina] "  
[45] "[CATI UCase: South Dakota] "

```
[62] "[CATI UCase: Tennessee] "  
[74] "[CATI UCase: Texas] "  
[85] "[CATI UCase: Utah] "  
[12] "[CATI UCase: Vermont] "  
[54] "[CATI UCase: Virginia] "  
[96] "[CATI UCase: Virgin Islands] "  
[91] "[CATI UCase: Washington] "  
[53] "[CATI UCase: West Virginia] "  
[31] "[CATI UCase: Wisconsin] "  
[83] "[CATI UCase: Wyoming] "  
[97] Foreign country  
[777] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[999] "[CATI UCase: REFUSED] "  
DISPLAY IF: QUEXMODE =1  
[998] "[CATI UCase: SKIPPED ON WEB] "  
DISPLAY IF: QUEXMODE =2  
  
PRELOADACTION: BranchTo  
Next question  
IF REG16 <> 97
```

### **REG16SPC: TextAnswer**

In what state or foreign country were you living when you were 16 years old?

MaxAnswerLength = 20

MaxValue = 9999

#### **Codes:**

```
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: SetVariableValue  
Variable: REG16SPC  
Value: 98  
IF REG16SPC Is Empty
```

### **STSAME: DropDownList**

In what state do you currently live?

MaxValue = 9999

**Codes:**

[63] "[CATI UCase: Alabama] "  
[94] "[CATI UCase: Alaska] "  
[87] "[CATI UCase: Arizona] "  
[71] "[CATI UCase: Arkansas] "  
[93] "[CATI UCase: California] "  
[86] "[CATI UCase: Colorado] "  
[15] "[CATI UCase: Connecticut] "  
[51] "[CATI UCase: Delaware] "  
[55] "[CATI UCase: District of Columbia] "  
[59] "[CATI UCase: Florida] "  
[58] "[CATI UCase: Georgia] "  
[95] "[CATI UCase: Hawaii] "  
[82] "[CATI UCase: Idaho] "  
[32] "[CATI UCase: Illinois] "  
[33] "[CATI UCase: Indiana] "  
[42] "[CATI UCase: Iowa] "  
[47] "[CATI UCase: Kansas] "  
[61] "[CATI UCase: Kentucky] "  
[73] "[CATI UCase: Louisiana] "  
[11] "[CATI UCase: Maine] "  
[52] "[CATI UCase: Maryland] "  
[14] "[CATI UCase: Massachusetts] "  
[34] "[CATI UCase: Michigan] "  
[41] "[CATI UCase: Minnesota] "  
[64] "[CATI UCase: Mississippi] "  
[43] "[CATI UCase: Missouri] "  
[81] "[CATI UCase: Montana] "  
[46] "[CATI UCase: Nebraska] "  
[84] "[CATI UCase: Nevada] "  
[13] "[CATI UCase: New Hampshire] "  
[22] "[CATI UCase: New Jersey] "  
[88] "[CATI UCase: New Mexico] "  
[21] "[CATI UCase: New York] "  
[56] "[CATI UCase: North Carolina] "  
[44] "[CATI UCase: North Dakota] "  
[35] "[CATI UCase: Ohio] "  
[72] "[CATI UCase: Oklahoma] "  
[92] "[CATI UCase: Oregon] "  
[23] "[CATI UCase: Pennsylvania] "  
[16] "[CATI UCase: Rhode Island] "  
[57] "[CATI UCase: South Carolina] "  
[45] "[CATI UCase: South Dakota] "  
[62] "[CATI UCase: Tennessee] "  
[74] "[CATI UCase: Texas] "  
[85] "[CATI UCase: Utah] "  
[12] "[CATI UCase: Vermont] "  
[54] "[CATI UCase: Virginia] "  
[96] "[CATI UCase: Virgin Islands] "  
[91] "[CATI UCase: Washington] "  
[53] "[CATI UCase: West Virginia] "  
[31] "[CATI UCase: Wisconsin] "  
[83] "[CATI UCase: Wyoming] "  
[97] Foreign country  
[777] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUExMODE = 1  
[999] "[CATI UCase: REFUSED] "  
DISPLAY IF: QUExMODE = 1  
[998] "[CATI UCase: SKIPPED ON WEB] "

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Question FAMILY16A  
IF STSAME<>REG16

### **CITYSAME: RadioButton**

Do you currently live in the same city or town you lived in when you were 16 years old?

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **FAMILY16A: RadioButton**

Were you living with both your own mother and father around the time you were 16?

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo  
Question DADFILL  
IF FAMILY16A = 1

### **FAMILY16B: RadioButton**

With whom were you living around that time?

MaxValue = 9999



**Codes:**

[1] "[CATI UCase: Both own mother and father] "  
[2] "[CATI UCase: Father and stepmother] "  
[3] "[CATI UCase: Mother and stepfather] "  
[4] "[CATI UCase: Father--no mother or stepmother] "  
[5] "[CATI UCase: Mother--no father or stepfather] "  
[6] "[CATI UCase: Some other male relative (no female head)] "  
[7] "[CATI UCase: Some other female relative (no male head)] "  
[8] "[CATI UCase: Other arrangement with both male and female relatives (e.g. aunt and uncle, grandparents)] "  
[9] "[CATI UCase: Other (specify)] "  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo  
Question DADFILL  
IF FAMILY16B = 4 OR 5  
IF FAMILY16B = 4  
IF FAMILY16B = 5

PRELOADACTION: BranchTo  
Question FAMSPECF  
IF "V01(FAMILY16B=6,8,9)=0"

**FAMSPECM: TextAnswer**

"Who was the male relative you were living with at age 16? Please tell us his relationship to you, e.g. uncle, grandfather, cousin."

MaxValue = 9999

**Codes:**

[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue  
Variable: FAMSPECM  
Value: 98  
IF FAMSPECM Is Empty

PRELOADACTION: BranchTo  
Question FAMDIF16  
IF "V01(FAMILY16B=7,8,9)=0"

## FAMSPECF: TextAnswer

"Who was the female relative you were living with at age 16? Please tell us her relationship to you, e.g. aunt, grandmother, cousin."

MaxValue = 9999

### **Codes:**

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: FAMSPECF

Value: 98

IF FAMSPECF Is Empty

PRELOADACTION: BranchTo

Question FAMDIF16Y

IF VERXY = Y

## FAMDIF16: RadioButton

Which of the following best describes your situation?

MaxValue = 9999

### **Codes:**

[1] "[CATI UCase: One or both parents died] "

[2] "[CATI UCase: Parents divorced or separated] "

[3] "[CATI UCase: Father absent in armed forces] "

[4] "[CATI UCase: One or both parents in institution] "

[5] "[CATI UCase: Other (specify)] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Question FDIFSPEC

IF VERXY = X

## FAMDIF16Y: RadioButton

Which of the following best describes your situation?

MaxValue = 9999

### **Codes:**

[1] "[CATI UCase: One or both parents died] "  
[2] "[CATI UCase: Parents divorced or separated] "  
[3] "[CATI UCase: Parent absent in armed forces] "  
[4] "[CATI UCase: One or both parents in institution] "  
[5] "[CATI UCase: Other (specify)] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF FAMDIF16 <> 5

And FAMDIF16Y <> 5

## FDIFSPEC: TextAnswer

"[CATI UCase: Please specify other circumstances.  
]"

MaxAnswerLength = 100

MaxValue = 9999

### **Codes:**

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: FDIFSPEC

Value: 98

IF FDIFSPEC Is Empty

PRELOADACTION: SetVariableValue

Variable: DADFILL

Value: 1

IF FAMILY16A = 1

Or FAMILY16B = 9

Or FAMILY16B = 1  
Or FAMILY16B = 2  
Or FAMILY16B = 4  
Or FAMILY16B = 5  
Or FAMILY16B = 7

PRELOADACTION: SetVariableValue  
Variable: DADFILL  
Value: 2  
IF FAMILY16B = 3

PRELOADACTION: SetVariableValue  
Variable: DADFILL  
Value: 4  
IF FAMILY16B = 8  
Or FAMILY16B = 99  
Or FAMILY16B = 77  
Or FAMILY16B = 98

PRELOADACTION: SetVariableValue  
Variable: DADFILL  
Value: 3  
IF FAMILY16B = 6  
And FAMSPECM Is Not Empty  
And FAMSPECM <> 77  
And FAMSPECM <> 99  
And FAMSPECM <> 98

PRELOADACTION: BranchTo  
Next question  
IF DADFILL > 0

PRELOADACTION: SetVariableValue  
Variable: DADFILL  
Value: 5

PRELOADACTION: BranchTo  
Next question

## **DADFILL: RadioButton**

MaxValue = 9999

### **Codes:**

- [1] your father
- [2] your stepfather
- [3] your [FAMSPECM]
- [4] the male relative you were living with at 16
- [5] your (FATHER SUBSTITUTE)

PRELOADACTION: SetVariableValue  
Variable: DADFILL\_2

Value: [DADFILL]

PRELOADACTION: BranchTo  
Next question

## DADFILL\_2: RadioButton

MaxValue = 9999

### **Codes:**

- [1] your father
- [2] your stepfather
- [3] [FAMSPECM]
- [4] the male relative you were living with at 16
- [5] your (FATHER SUBSTITUTE)

PRELOADACTION: SetVariableValue  
Variable: MOMFILL  
Value: 1  
IF FAMILY16A = 1  
Or FAMILY16B = 9  
Or FAMILY16B = 1  
Or FAMILY16B = 3  
Or FAMILY16B = 5  
Or FAMILY16B = 4  
Or FAMILY16B = 6

PRELOADACTION: SetVariableValue  
Variable: MOMFILL  
Value: 2  
IF FAMILY16B = 2

PRELOADACTION: SetVariableValue  
Variable: MOMFILL  
Value: 4  
IF FAMILY16B = 8  
Or FAMILY16B = 99  
Or FAMILY16B = 77  
Or FAMILY16B = 98

PRELOADACTION: SetVariableValue  
Variable: MOMFILL  
Value: 3  
IF FAMILY16B = 7  
And FAMSPECF Is Not Empty  
And FAMSPECF <> 77  
And FAMSPECF <> 99  
And FAMSPECF <> 98

PRELOADACTION: BranchTo  
Next question  
IF MOMFILL > 0

PRELOADACTION: SetVariableValue  
Variable: MOMFILL  
Value: 5

PRELOADACTION: BranchTo  
Next question

### **MOMFILL: RadioButton**

MaxValue = 9999

#### **Codes:**

- [1] your mother
- [2] your stepmother
- [3] your [FAMSPECF]
- [4] the female relative you were living with at 16
- [5] your (MOTHER SUBSTITUTE)

PRELOADACTION: SetVariableValue  
Variable: MOMFILL\_2  
Value: [MOMFILL]

PRELOADACTION: BranchTo  
Next question

### **MOMFILL\_2: RadioButton**

MaxValue = 9999

#### **Codes:**

- [1] your mother
- [2] your stepmother
- [3] [FAMSPECF]
- [4] the female relative you were living with at 16
- [5] your (MOTHER SUBSTITUTE)

PRELOADACTION: SetVariableValue  
Variable: OCCINST  
Value: [QUEXMODE]

PRELOADACTION: BranchTo  
Next question

## **OCCINST: RadioButton**

Single answer question using Radio Buttons

MaxValue = 9999

### **Codes:**

[1] "

FI INFO: PROBE FOR A PRECISE AND DETAILED DESCRIPTION OF JOB AND INDUSTRY. AVOID ONE WORD RESPONSES. USE NEUTRAL PROBES TO OBTAIN MORE INFORMATION. DO NOT ASSUME NOR SUGGEST CERTAIN CHARACTERISTICS.

REPEAT R'S VERBATIM RESPONSE AND/OR PROBE TO ENSURE YOU HAVE A COMPLETE, CLEAR, AND COHERENT UNDERSTANDING OF THE JOB AND INDUSTRY. ENTER R'S VERBATIM RESPONSE BELOW.]  
"

[2]

PRELOADACTION: BranchTo  
Question MAGRADE  
IF FAMILY16B = 5  
Or FAMILY16B = 7

## **OCCPA: TextAnswer**

"What kind of work did [dadfill] usually do while you were growing up?

[WEB TEXT:

(*What was his job called?*)] [CATI TEXT: That is, what was his job called?] [OCCINST]"

MaxValue = 9999

### **Codes:**

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## **MAINPA: TextAnswer**

"What did he actually do in that job? [WEB TEXT:

(*What were some of his main duties?*)] [CATI TEXT: Tell me, what were some of his main duties?] "

MaxValue = 9999

**Codes:**

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: MAINPA

Value: 98

IF MAINPA Is Empty

POSTANSWERACTION: SetVariableValue

Variable: OCCPA

Value: 98

IF OCCPA Is Empty

**INDPA: TextAnswer**

"What kind of place did he work for? [WEB TEXT:  
(*What would you call that business or industry?*)] [CATI TEXT: What would you call that business or industry?] [OCCINST]"

MaxValue = 9999

**Codes:**

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**WHATPA: TextAnswer**

"What did they make or do? [WEB TEXT:  
(*What they mainly did*)] [CATI TEXT: What did they mainly do?] "

MaxValue = 9999

**Codes:**

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2



POSTANSWERACTION: SetVariableValue  
Variable: INDPA  
Value: 98  
IF INDPA Is Empty

POSTANSWERACTION: SetVariableValue  
Variable: WHATPA  
Value: 98  
IF WHATPA Is Empty

## **WHATPA2: RadioButton**

How would you classify the place where [DADFILL] worked? Was this mainly....? [CAWI\_FLOAT2]

MaxValue = 9999

### **Codes:**

[1] Manufacturing  
[2] Wholesale trade  
[3] Retail trade  
[4] "Other (Agriculture, Construction, Service, Government, Etc.)"  
[77] "[CATI UCase: Don't know/Can't remember] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## **PAWRKSLF2: RadioButton**

"[CATI TEXT: IF ALREADY ANSWERED, CODE WITHOUT ASKING: ] At this job, was [dadfill] an employee, self-employed without employees, or self-employed with employees?[CAWI\_FLOAT2]"

MaxValue = 9999

### **Codes:**

[1] [CATI UCase: Employee]  
[2] [CATI UCase: Self-employed without employees]  
[3] [CATI UCase: Self-employed with employees]  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## **PAWRKSLFFAM: RadioButton**

"[CATI TEXT: IF ALREADY ANSWERED, CODE WITHOUT ASKING: ] At this job, was he working for his

own family business or family farm?"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Yes] "

[2] "[CATI UCase: No] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**PAGRADE: RadioButton**

What is the highest grade in elementary school or high school that [dadfill] finished and got credit for?

[CAWI\_FLOAT2]

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: No formal school] "

[2] "[CATI UCase: 1st grade] "

[3] "[CATI UCase: 2nd grade] "

[4] "[CATI UCase: 3rd grade] "

[5] "[CATI UCase: 4th grade] "

[6] "[CATI UCase: 5th grade] "

[7] "[CATI UCase: 6th grade] "

[8] "[CATI UCase: 7th grade] "

[9] "[CATI UCase: 8th grade] "

[10] "[CATI UCase: 9th grade] "

[11] "[CATI UCase: 10th grade] "

[12] "[CATI UCase: 11th grade] "

[13] "[CATI UCase: 12th grade] "

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question IQ5

IF PAGRADE = 1 OR 2 OR 3 OR 4 OR 5 OR 6 OR 7 OR 8 OR 9

IF PAGRADE = 1

IF PAGRADE = 2

IF PAGRADE = 3

IF PAGRADE = 4

IF PAGRADE = 5

IF PAGRADE = 6

IF PAGRADE = 7

```
IF PAGRADE = 8
IF PAGRADE = 9
```

### **PADIPLMA: RadioButton**

Did he ever get a high school diploma or a GED certificate?[CAWI\_FLOAT2]

MaxValue = 9999

#### **Codes:**

```
[1] [CATI UCase: Yes]
[2] [CATI UCase: No]
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

### **PACOL: RadioButton**

"Did he ever complete one or more years of college for credit--not including schooling such as business college, technical or vocational school?[CAWI\_FLOAT2]"

MaxValue = 9999

#### **Codes:**

```
[1] [CATI UCase: Yes]
[2] [CATI UCase: No]
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: BranchTo
```

```
Question IQ5
```

```
IF PACOL = 2 OR 3 OR 4 OR 5
```

```
IF PACOL = 2
```

```
IF PACOL = 98
```

```
IF PACOL = 99
```

```
IF PACOL = 77
```

### **PACOLCOM: RadioButton**

How many years did he complete?[CAWI\_FLOAT2]

MaxValue = 9999

**Codes:**

[1] [CATI UCase: 1 year]  
[2] [CATI UCase: 2 years]  
[3] [CATI UCase: 3 years]  
[4] [CATI UCase: 4 years]  
[5] [CATI UCase: 5 years]  
[6] [CATI UCase: 6 years]  
[7] "[CATI UCase: 7 years] "  
[8] [CATI UCase: 8 or more years]  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**PACOLDEG: RadioButton**

Does he have any college degrees?[CAWI\_FLOAT2]

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Yes]  
[2] [CATI UCase: No]  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo  
Question IQ5  
IF PACOLDEG = 2 OR 3 OR 4 OR 5  
IF PACOLDEG = 2  
IF PACOLDEG = 98  
IF PACOLDEG = 77  
IF PACOLDEG = 99

**PADEGHI: RadioButton**

"[CATI TEXT: What degree or degrees?

CODE HIGHEST DEGREE EARNED] [WEB TEXT: What was the highest degree he earned?]  
[CAWI\_FLOAT2]"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Associate/junior college]  
[2] [CATI UCase: Bachelor's]  
[3] [CATI UCase: Graduate]  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: IQ5

Value: 2

IF FAMILY16B = 4

Or FAMILY16B = 6

PRELOADACTION: BranchTo

Question TIMEA1

IF IQ5 = 2

PRELOADACTION: SetVariableValue

Variable: IQ5

Value: 1

PRELOADACTION: BranchTo

Next question

**IQ5: RadioButton**

**"CHECK Q.14 IS A MOTHER, STEPMOTHER, OR OTHER FEMALE SPECIFIED?"**

MaxValue = 9999

**Codes:**

[1] **"YES, MOTHER OR SUBSTITUTION IS SPECIFIED (CODES 1, 2, 3, 5, 7, OR 8) (ASK Qs. 18-20 FOR THAT PERSON)"**

[2] **"NO MOTHER, STEPMOTHER, OR OTHER FEMALE IS SPECIFIED (CODES 4 OR 6) (SKIP TO Q.22)"**

**MAGRADE: RadioButton**

What is the highest grade in elementary school or high school that [momfill] finished and got credit for?[CAWI\_FLOAT2]

MaxValue = 9999

**Codes:**

[1] [CATI UCase: No formal school]

[2] [CATI UCase: 1st grade]  
[3] [CATI UCase: 2nd grade]  
[4] [CATI UCase: 3rd grade]  
[5] [CATI UCase: 4th grade]  
[6] [CATI UCase: 5th grade]  
[7] [CATI UCase: 6th grade]  
[8] [CATI UCase: 7th grade]  
[9] [CATI UCase: 8th grade]  
[10] [CATI UCase: 9th grade]  
[11] [CATI UCase: 10th grade]  
[12] [CATI UCase: 11th grade]  
[13] [CATI UCase: 12th grade]  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question MAWRKGRW

IF MAGRADE = 1 OR 2 OR 3 OR 4 OR 5 OR 6 OR 7 OR 8 OR 9

IF MAGRADE = 1

IF MAGRADE = 2

IF MAGRADE = 3

IF MAGRADE = 4

IF MAGRADE = 5

IF MAGRADE = 6

IF MAGRADE = 7

IF MAGRADE = 8

IF MAGRADE = 9

### **MADIPLMA: RadioButton**

Did she ever get a high school diploma or a GED certificate?[CAWI\_FLOAT2]

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **MACOL: RadioButton**

"Did she ever complete one or more years of college for credit--not including schooling such as business college, technical or vocational school?[CAWI\_FLOAT2]"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Yes]  
[2] [CATI UCase: No]  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question MAWRKGRW

IF MACOL = 2 OR 3 OR 4 OR 5

IF MACOL = 2

IF MACOL = 98

IF MACOL = 77

IF MACOL = 99

**MACOLCOM: RadioButton**

How many years did she complete?[CAWI\_FLOAT2]

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: 1 year] "  
[2] "[CATI UCase: 2 years] "  
[3] "[CATI UCase: 3 years] "  
[4] "[CATI UCase: 4 years] "  
[5] "[CATI UCase: 5 years] "  
[6] "[CATI UCase: 6 years] "  
[7] "[CATI UCase: 7 years] "  
[8] "[CATI UCase: 8 or more years] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**MACOLDEG: RadioButton**

Does she have any college degrees?[CAWI\_FLOAT2]

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo  
Question MAWRKGRW  
IF MACOLDEG = 2 OR 3 OR 4 OR 5  
IF MACOLDEG = 2  
IF MACOLDEG = 98  
IF MACOLDEG = 77  
IF MACOLDEG = 99

### **MADEGHI: RadioButton**

"[CATI TEXT: What degree or degrees?

CODE HIGHEST DEGREE EARNED] [WEB TEXT: What was the highest degree she earned?]  
[CAWI\_FLOAT2]"

MaxValue = 9999

#### **Codes:**

[1] "[CATI UCase: Associate/junior college] "  
[2] "[CATI UCase: Bachelor's] "  
[3] "[CATI UCase: Graduate] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **MAWRKGRW: RadioButton**

Did [momfill] ever work for pay for as long as a year while you were growing up?[CAWI\_FLOAT2]

MaxValue = 9999

#### **Codes:**

[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2



```
POSTANSWERACTION: BranchTo
Question TIMEA1
IF MAWRKGRW = 2 OR 3 OR 4 OR 5
IF MAWRKGRW = 2
IF MAWRKGRW = 98
IF MAWRKGRW = 77
IF MAWRKGRW = 99
```

### **OCCMA: TextAnswer**

"What kind of work did [momfill] usually do while you were growing up? [WEB TEXT:  
(*What was her job called?*)] [CATI TEXT: That is, what was her job called?] [OCCINST]"

MaxValue = 9999

#### **Codes:**

```
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

### **MAINMA: TextAnswer**

"What did she actually do in that job? [WEB TEXT:  
(*What were some of her main duties?*)] [CATI TEXT: Tell me, what were some of her main duties?>]"

MaxValue = 9999

#### **Codes:**

```
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: SetVariableValue  
Variable: OCCPA  
Value: 98  
IF OCCMA Is Empty
```

```
POSTANSWERACTION: SetVariableValue  
Variable: MAINMA  
Value: 98  
IF MAINMA Is Empty
```

## INDMA: TextAnswer

"What kind of place did she work for? [WEB TEXT:  
(*What would you call that business or industry?*)] [CATI TEXT: What would you call that business or industry?] [OCCINST]"

MaxValue = 9999

### **Codes:**

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## WHATMA: TextAnswer

"What did they make or do? [WEB TEXT:  
(*What they mainly did*)] [CATI TEXT: What did they mainly do?] "

MaxValue = 9999

### **Codes:**

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: INDMA

Value: 98

IF INDMA Is Empty

POSTANSWERACTION: SetVariableValue

Variable: WHATMA

Value: 98

IF WHATMA Is Empty

## WHATMA2: RadioButton

How would you classify the place where [MOMFILL] worked? Was this mainly....? [CAWI\_FLOAT2]

MaxValue = 9999

**Codes:**

[1] Manufacturing  
[2] Wholesale trade  
[3] Retail trade  
[4] "Other (Agriculture, Construction, Service, Government, Etc.)"  
[77] "[CATI UCase: Don't know/Can't remember] "  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**MAWRKSLF2: RadioButton**

"At this job, was [momfill] an employee, self-employed without employees, or self-employed with employees?[CAWI\_FLOAT2]"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Employee]  
[2] [CATI UCase: Self-employed without employees]  
[3] [CATI UCase: Self-employed with employees]  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**MAWRKSLFFAM: RadioButton**

"[CATI TEXT: IF ALREADY ANSWERED, CODE WITHOUT ASKING: ] At this job, was she working for her own family business or family farm?"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: TIMEA1  
Value: [\$H]

PRELOADACTION: BranchTo  
Next question

### **TIMEA1: DateTimeAnswer**

MaxAnswerLength = 20

MaxValue = 9999

### **MARITAL: RadioButton**

"Are you currently married, widowed, divorced, separated, or have you never been married?"

MaxValue = 9999

#### **Codes:**

[1] "[CATI UCase: Married] "  
[2] "[CATI UCase: Widowed] "  
[3] "[CATI UCase: Divorced] "  
[4] "[CATI UCase: Separated] "  
[5] "[CATI UCase: Never married] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo  
Question WIDOWED  
IF MARITAL = 3 OR 4  
IF MARITAL = 3  
IF MARITAL = 4

POSTANSWERACTION: BranchTo  
Question POSSLQ  
IF MARITAL = 5

PRELOADACTION: BranchTo  
Next question  
IF QUEXMODE = 2

PRELOADACTION: BranchTo  
Next question  
IF MARITAL <> 1

## **MARTYPE: RadioButton**

"[CATI TEXT: (INTERVIEWER: DO NOT READ ALOUD

THIS IS A...] [WEB TEXT: This is a...] "

MaxValue = 9999

### **Codes:**

[1] "[CATI UCase: Marriage between a man and a woman] "

[2] "[CATI UCase: Same-gender marriage, a man married to a man or a woman married to a woman]

"

[3] "[CATI UCase: Not sure] "

```
PRELOADACTION: BranchTo
Question WIDOWED
IF MARITAL = 3
And MARITAL = 4
And MARITAL = 5
And MARITAL = 99
```

## **DIVORCE: RadioButton**

Have you ever been divorced or legally separated?

MaxValue = 9999

### **Codes:**

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: Don't know] "

```
DISPLAY IF: QUEXMODE =1
```

[99] "REFUSED"

```
DISPLAY IF: QUEXMODE =1
```

[98] SKIPPED ON WEB

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF MARITAL = 2
```

## **WIDOWED: RadioButton**

Have you ever been widowed?

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Question POSSLQY

IF VERXY = Y

**POSSLQ: RadioButton**

"[CATI TEXT: [HANDCARD A1.2a]] Which of these statements applies to you?"

MaxValue = 9999

**Codes:**

[1] I am married and living in the same household as my husband or wife.

[2] I am living as married and my partner and I together live in the same household.

[3] "I have a husband or wife or steady partner, but we don't live in the same household."

[4] I don't have a steady partner.

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = X

**POSSLQY: RadioButton**

"[CATI TEXT: [HANDCARD A1.2b]] Which of these statements applies to you?"

MaxValue = 9999

**Codes:**

[1] I am married and living in the same household as my husband or wife.

[2] "I have a steady partner, and we live in the same household."

[3] "I have a husband or wife or steady partner, but we don't live in the same household."

[4] I don't have a steady partner.

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: \_SPFILL1

Value: 3

PRELOADACTION: SetVariableValue

Variable: \_SPFILL1

Value: 4

IF "MARITAL<>1 AND (POSSLQ=2,3 OR POSSLQY=2,3)"

PRELOADACTION: BranchTo

Next question

### **\_SPFILL1: RadioButton**

MaxValue = 9999

#### **Codes:**

[1] husband

[2] wife

[3] spouse

[4] partner

PRELOADACTION: SetVariableValue

Variable: \_SPFILL3

Value: 3

PRELOADACTION: BranchTo

Next question

### **\_SPFILL3: RadioButton**

MaxValue = 9999

#### **Codes:**

[1] his

[2] her

[3] their

PRELOADACTION: SetVariableValue

Variable: \_SPFILL4  
Value: 3

PRELOADACTION: BranchTo  
Next question

### **\_SPFILL4: RadioButton**

MaxValue = 9999

#### **Codes:**

[1] him  
[2] her  
[3] them

### **ETHWORLD: CheckBox**

"From what part of the world did your ancestors come? [CATI TEXT: (CHECK ALL THAT APPLY)] [WEB TEXT: (Check all that apply)] [CAWI\_FLOAT2]"

MaxValue = 9999

#### **Codes:**

[1] "[CATI UCase: Europe] "  
[2] "[CATI UCase: Africa] "  
[3] "[CATI UCase: Asia] "  
[4] "[CATI UCase: Middle East] "  
[5] "[CATI UCase: South America] "  
[6] "[CATI UCase: Central America] "  
[7] "[CATI UCase: North America] "  
[8] "[CATI UCase: Caribbean] "  
[9] "[CATI UCase: Oceania] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo  
Question WRKSTAT  
IF ETHWORLD = 11 OR 12  
IF ETHWORLD = 99  
IF ETHWORLD = 98

### **ETHREGION: CheckBox**



"From what country or countries did your ancestors come? [CATI TEXT: (CHECK ALL THAT APPLY)]  
[WEB TEXT: (Check all that apply)] [CATI TEXT:

DO NOT READ RESPONSE CATEGORIES] "

MaxValue = 9999

**Codes:**

**Header: "[CATI UCase: Europe] "**

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[1] "[CATI UCase: Austria] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[2] "[CATI UCase: Belgium] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[3] "[CATI UCase: Czechoslovakia] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[4] "[CATI UCase: Denmark] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[5] "[CATI UCase: England and Wales] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[6] "[CATI UCase: Finland] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[7] "[CATI UCase: France] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[8] "[CATI UCase: Germany] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[9] "[CATI UCase: Greece] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[10] "[CATI UCase: Hungary] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[11] "[CATI UCase: Ireland] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[12] "[CATI UCase: Italy] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[13] "[CATI UCase: Lithuania] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[14] "[CATI UCase: Netherlands (Dutch/Holland)] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[15] "[CATI UCase: Norway] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[16] "[CATI UCase: Poland] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[17] "[CATI UCase: Portugal] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[18] "[CATI UCase: Romania] "

DISPLAY IF: ETHWORLD =1

[19] "[CATI UCase: Russia (USSR)] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[20] "[CATI UCase: Scotland] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[21] "[CATI UCase: Spain] "

DISPLAY IF: ETHWORLD =1

[22] "[CATI UCase: Sweden] "

DISPLAY IF: "V01(ETHWORLD=1,77)==1"

[23] "[CATI UCase: Switzerland] "

DISPLAY IF: ETHWORLD =1  
[24] "[CATI UCase: Turkey] "  
DISPLAY IF: "V01(ETHWORLD=1,77)==1"  
[25] "[CATI UCase: Yugoslavia] "  
DISPLAY IF: "V01(ETHWORLD=1,77)==1"  
[26] "[CATI UCase: Other] "  
DISPLAY IF: "V01(ETHWORLD=1,77)==1"

**Header: "**  
**[CATI UCase: Africa]**  
"

DISPLAY IF: "V01(ETHWORLD=2,77)==1"  
[27] "[CATI UCase: Algeria] "  
DISPLAY IF: "V01(ETHWORLD=2,77)==1"  
[28] "[CATI UCase: Democratic Republic of the Congo] "  
DISPLAY IF: "V01(ETHWORLD=2,77)==1"  
[29] "[CATI UCase: Egypt] "  
DISPLAY IF: "V01(ETHWORLD=2,77)==1"  
[30] "[CATI UCase: Ethiopia] "  
DISPLAY IF: "V01(ETHWORLD=2,77)==1"  
[31] "[CATI UCase: Kenya] "  
DISPLAY IF: "V01(ETHWORLD=2,77)==1"  
[32] "[CATI UCase: Nigeria] "  
DISPLAY IF: "V01(ETHWORLD=2,77)==1"  
[33] "[CATI UCase: South Africa] "  
DISPLAY IF: "V01(ETHWORLD=2,77)==1"  
[34] "[CATI UCase: Sudan] "  
DISPLAY IF: "V01(ETHWORLD=2,77)==1"  
[35] "[CATI UCase: Tanzania] "  
DISPLAY IF: "V01(ETHWORLD=2,77)==1"  
[36] "[CATI UCase: Uganda] "  
DISPLAY IF: "V01(ETHWORLD=2,77)==1"  
[37] "[CATI UCase: Other] "  
DISPLAY IF: "V01(ETHWORLD=2,77)==1"

**Header: "[CATI UCase: Asia] "**

DISPLAY IF: "V01(ETHWORLD=3,77)==1"  
[38] "[CATI UCase: Bangladesh] "  
DISPLAY IF: "V01(ETHWORLD=3,77)==1"  
[39] "[CATI UCase: China] "  
DISPLAY IF: "V01(ETHWORLD=3,77)==1"  
[40] "[CATI UCase: India] "  
DISPLAY IF: "V01(ETHWORLD=3,77)==1"  
[41] "[CATI UCase: Indonesia] "  
DISPLAY IF: ETHWORLD =3  
[42] "[CATI UCase: Japan] "  
DISPLAY IF: "V01(ETHWORLD=3,77)==1"  
[43] "[CATI UCase: Pakistan] "  
DISPLAY IF: "V01(ETHWORLD=3,77)==1"  
[44] "[CATI UCase: Philippines] "  
DISPLAY IF: "V01(ETHWORLD=3,77)==1"  
[45] "[CATI UCase: South Korea] "  
DISPLAY IF: "V01(ETHWORLD=3,77)==1"  
[46] "[CATI UCase: Thailand] "  
DISPLAY IF: "V01(ETHWORLD=3,77)==1"  
[47] "[CATI UCase: Vietnam] "  
DISPLAY IF: "V01(ETHWORLD=3,77)==1"  
[48] "[CATI UCase: Other] "  
DISPLAY IF: "V01(ETHWORLD=3,77)==1"

**Header: "[CATI UCase: Middle East] "**

DISPLAY IF: "V01(ETHWORLD=4,77)==1"  
[129] "[CATI UCase: Egypt] "  
DISPLAY IF: "V01(ETHWORLD=4,77)==1"  
[49] "[CATI UCase: Iran] "  
DISPLAY IF: "V01(ETHWORLD=4,77)==1"  
[50] "[CATI UCase: Iraq] "  
DISPLAY IF: "V01(ETHWORLD=4,77)==1"  
[51] "[CATI UCase: Israel] "  
DISPLAY IF: "V01(ETHWORLD=4,77)==1"  
[52] "[CATI UCase: Jordan] "  
DISPLAY IF: "V01(ETHWORLD=4,77)==1"  
[53] "[CATI UCase: Saudi Arabia] "  
DISPLAY IF: "V01(ETHWORLD=4,77)==1"  
[54] "[CATI UCase: Syria] "  
DISPLAY IF: "V01(ETHWORLD=4,77)==1"  
[124] "[CATI UCase: Turkey] "  
DISPLAY IF: "V01(ETHWORLD=4,77)==1"  
[55] "[CATI UCase: United Arab Emirates] "  
DISPLAY IF: "V01(ETHWORLD=4,77)==1"  
[56] "[CATI UCase: Yemen] "  
DISPLAY IF: "V01(ETHWORLD=4,77)==1"  
[57] "[CATI UCase: Other] "  
DISPLAY IF: "V01(ETHWORLD=4,77)==1"

**Header: "[CATI UCase: South America] "**

DISPLAY IF: "V01(ETHWORLD=5,77)==1"  
[58] "[CATI UCase: Argentina] "  
DISPLAY IF: "V01(ETHWORLD=5,77)==1"  
[59] "[CATI UCase: Bolivia] "  
DISPLAY IF: "V01(ETHWORLD=5,77)==1"  
[60] "[CATI UCase: Brazil] "  
DISPLAY IF: "V01(ETHWORLD=5,77)==1"  
[61] "[CATI UCase: Chile] "  
DISPLAY IF: "V01(ETHWORLD=5,77)==1"  
[62] "[CATI UCase: Colombia] "  
DISPLAY IF: "V01(ETHWORLD=5,77)==1"  
[63] "[CATI UCase: Ecuador] "  
DISPLAY IF: "V01(ETHWORLD=5,77)==1"  
[64] "[CATI UCase: French Guiana] "  
DISPLAY IF: "V01(ETHWORLD=5,77)==1"  
[65] "[CATI UCase: Guyana] "  
DISPLAY IF: "V01(ETHWORLD=5,77)==1"  
[66] "[CATI UCase: Paraguay] "  
DISPLAY IF: "V01(ETHWORLD=5,77)==1"  
[67] "[CATI UCase: Peru] "  
DISPLAY IF: "V01(ETHWORLD=5,77)==1"  
[68] "[CATI UCase: Suriname] "  
DISPLAY IF: "V01(ETHWORLD=5,77)==1"  
[69] "[CATI UCase: Uruguay] "  
DISPLAY IF: "V01(ETHWORLD=5,77)==1"  
[70] "[CATI UCase: Venezuela] "  
DISPLAY IF: "V01(ETHWORLD=5,77)==1"  
[71] "[CATI UCase: Other] "  
DISPLAY IF: "V01(ETHWORLD=5,77)==1"

**Header: "[CATI UCase: Central America] "**

DISPLAY IF: "V01(ETHWORLD=6,77)==1"

[72] "[CATI UCase: Belize] "  
DISPLAY IF: "V01(ETHWORLD=6,77)==1"  
[73] "[CATI UCase: Costa Rica] "  
DISPLAY IF: "V01(ETHWORLD=6,77)==1"  
[74] "[CATI UCase: El Salvador] "  
DISPLAY IF: "V01(ETHWORLD=6,77)==1"  
[75] "[CATI UCase: Guatemala] "  
DISPLAY IF: "V01(ETHWORLD=6,77)==1"  
[76] "[CATI UCase: Honduras] "  
DISPLAY IF: "V01(ETHWORLD=6,77)==1"  
[77] "[CATI UCase: Mexico] "  
DISPLAY IF: "V01(ETHWORLD=6,77)==1"  
[78] "[CATI UCase: Nicaragua] "  
DISPLAY IF: "V01(ETHWORLD=6,77)==1"  
[79] "[CATI UCase: Panama] "  
DISPLAY IF: "V01(ETHWORLD=6,77)==1"  
[80] "[CATI UCase: Other] "  
DISPLAY IF: "V01(ETHWORLD=6,77)==1"

**Header: "[CATI UCase: North America] "**

DISPLAY IF: "V01(ETHWORLD=7,77)==1"  
[81] "[CATI UCase: American Indian] "  
DISPLAY IF: "V01(ETHWORLD=7,77)==1"  
[82] "[CATI UCase: Canada] "  
DISPLAY IF: "V01(ETHWORLD=7,77)==1"  
[83] "[CATI UCase: Canada (French)] "  
DISPLAY IF: "V01(ETHWORLD=7,77)==1"  
[177] "[CATI UCase: Mexico] "  
DISPLAY IF: "V01(ETHWORLD=7,77)==1"  
[84] "[CATI UCase: Puerto Rico] "  
DISPLAY IF: "V01(ETHWORLD=7,77)==1"  
[85] "[CATI UCase: Other] "  
DISPLAY IF: "V01(ETHWORLD=7,77)==1"

**Header: "[CATI UCase: Caribbean] "**

DISPLAY IF: "V01(ETHWORLD=8,77)==1"  
[86] "[CATI UCase: Cuba] "  
DISPLAY IF: "V01(ETHWORLD=8,77)==1"  
[87] "[CATI UCase: Haiti] "  
DISPLAY IF: "V01(ETHWORLD=8,77)==1"  
[88] "[CATI UCase: Dominican Republic] "  
DISPLAY IF: "V01(ETHWORLD=8,77)==1"  
[184] "[CATI UCase: Puerto Rico] "  
DISPLAY IF: "V01(ETHWORLD=8,77)==1"  
[89] "[CATI UCase: Jamaica] "  
DISPLAY IF: "V01(ETHWORLD=8,77)==1"  
[90] "[CATI UCase: Other] "  
DISPLAY IF: "V01(ETHWORLD=8,77)==1"

**Header: "[CATI UCase: Oceania] "**

DISPLAY IF: "V01(ETHWORLD=9,77)==1"  
[91] "[CATI UCase: Australia] "  
DISPLAY IF: "V01(ETHWORLD=9,77)==1"  
[92] "[CATI UCase: Papua New Guinea] "  
DISPLAY IF: "V01(ETHWORLD=9,77)==1"  
[93] "[CATI UCase: New Zealand] "  
DISPLAY IF: "V01(ETHWORLD=9,77)==1"  
[94] "[CATI UCase: Samoa] "  
DISPLAY IF: "V01(ETHWORLD=9,77)==1"

```
[95] "[CATI UCase: Jamaica] "  
DISPLAY IF: "V01(ETHWORLD=9,77)==1"  
[96] "[CATI UCase: Other] "  
DISPLAY IF: "V01(ETHWORLD=9,77)==1"  
[777] "[CATI UCase: Don't know] "  
[999] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[998] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo  
Next question  
IF NBR(ETHREGION)==1
```

## **ETHPICK: RadioButton**

Which one of these countries do you feel closer to?

MaxValue = 9999

### **Codes:**

```
Eliminate Choices Not Answered at ETHREGION
```

### **Header: "[CATI UCase: Europe] "**

```
[1] "[CATI UCase: Austria] "  
[2] "[CATI UCase: Belgium] "  
[3] "[CATI UCase: Czechoslovakia] "  
[4] "[CATI UCase: Denmark] "  
[5] "[CATI UCase: England and Wales] "  
[6] "[CATI UCase: Finland] "  
[7] "[CATI UCase: France] "  
[8] "[CATI UCase: Germany] "  
[9] "[CATI UCase: Greece] "  
[10] "[CATI UCase: Hungary] "  
[11] "[CATI UCase: Ireland] "  
[12] "[CATI UCase: Italy] "  
[13] "[CATI UCase: Lithuania] "  
[14] "[CATI UCase: Netherlands (Dutch/Holland)] "  
[15] "[CATI UCase: Norway] "  
[16] "[CATI UCase: Poland] "  
[17] "[CATI UCase: Portugal] "  
[18] "[CATI UCase: Romania] "  
[19] "[CATI UCase: Russia (USSR)] "  
[20] "[CATI UCase: Scotland] "  
[21] "[CATI UCase: Spain] "  
[22] "[CATI UCase: Sweden] "  
[23] "[CATI UCase: Switzerland] "  
[24] "[CATI UCase: Turkey] "  
[25] "[CATI UCase: Yugoslavia] "  
[26] [ETHREGION.Choices(26).OpenEnd]
```

**Header: "**  
**[CATI UCase: Africa] "**

"

[27] "[CATI UCase: Algeria] "  
[28] "[CATI UCase: Democratic Republic of the Congo] "  
[29] "[CATI UCase: Egypt] "  
[30] "[CATI UCase: Ethiopia] "  
[31] "[CATI UCase: Kenya] "  
[32] "[CATI UCase: Nigeria] "  
[33] "[CATI UCase: South Africa] "  
[34] "[CATI UCase: Sudan] "  
[35] "[CATI UCase: Tanzania] "  
[36] "[CATI UCase: Uganda] "  
[37] [ETHREGION.Choices(37).OpenEnd]

**Header: "[CATI UCase: Asia]"**

[38] "[CATI UCase: Bangladesh] "  
[39] "[CATI UCase: China] "  
[40] "[CATI UCase: India] "  
[41] "[CATI UCase: Indonesia] "  
[42] "[CATI UCase: Japan] "  
[43] "[CATI UCase: Pakistan] "  
[44] "[CATI UCase: Philippines] "  
[45] "[CATI UCase: South Korea] "  
[46] "[CATI UCase: Thailand] "  
[47] "[CATI UCase: Vietnam] "  
[48] [ETHREGION.Choices(48).OpenEnd]

**Header: "[CATI UCase: Middle East]"**

[129] "[CATI UCase: Egypt] "  
[49] "[CATI UCase: Iran] "  
[50] "[CATI UCase: Iraq] "  
[51] "[CATI UCase: Israel] "  
[52] "[CATI UCase: Jordan] "  
[53] "[CATI UCase: Saudi Arabia] "  
[54] "[CATI UCase: Syria] "  
[124] "[CATI UCase: Turkey] "  
[55] "[CATI UCase: United Arab Emirates] "  
[56] "[CATI UCase: Yemen] "  
[57] [ETHREGION.Choices(57).OpenEnd]

**Header: "[CATI UCase: South America]"**

[58] "[CATI UCase: Argentina] "  
[59] "[CATI UCase: Bolivia] "  
[60] "[CATI UCase: Brazil] "  
[61] "[CATI UCase: Chile] "  
[62] "[CATI UCase: Colombia] "  
[63] "[CATI UCase: Ecuador] "  
[64] "[CATI UCase: French Guiana] "  
[65] "[CATI UCase: Guyana] "  
[66] "[CATI UCase: Paraguay] "  
[67] "[CATI UCase: Peru] "  
[68] "[CATI UCase: Suriname] "  
[69] "[CATI UCase: Uruguay] "  
[70] "[CATI UCase: Venezuela] "  
[71] [ETHREGION.Choices(71).OpenEnd]

**Header: "[CATI UCase: Central America]"**

[72] "[CATI UCase: Belize] "  
[73] "[CATI UCase: Costa Rica] "  
[74] "[CATI UCase: El Salvador] "

[75] "[CATI UCase: Guatemala] "  
[76] "[CATI UCase: Honduras] "  
[77] "[CATI UCase: Mexico] "  
[78] "[CATI UCase: Nicaragua] "  
[79] "[CATI UCase: Panama] "  
[80] [ETHREGION.Choices(80).OpenEnd]

**Header: "[CATI UCase: North America]"**

[81] "[CATI UCase: American Indian] "  
[82] "[CATI UCase: Canada] "  
[83] "[CATI UCase: Canada (French)] "  
[177] "[CATI UCase: Mexico] "  
[84] "[CATI UCase: Puerto Rico] "  
[85] [ETHREGION.Choices(85).OpenEnd]

**Header: "[CATI UCase: Caribbean]"**

[86] "[CATI UCase: Cuba] "  
[87] "[CATI UCase: Haiti] "  
[88] "[CATI UCase: Dominican Republic] "  
[184] "[CATI UCase: Puerto Rico] "  
[89] "[CATI UCase: Jamaica] "  
[90] [ETHREGION.Choices(90).OpenEnd]

**Header: "[CATI UCase: Oceania]"**

[91] "[CATI UCase: Australia] "  
[92] "[CATI UCase: Papua New Guinea] "  
[93] "[CATI UCase: New Zealand] "  
[94] "[CATI UCase: Samoa] "  
[95] "[CATI UCase: Jamaica] "  
[96] [ETHREGION.Choices(96).OpenEnd]  
[777] "[CATI UCase: Don't know] "  
[999] "REFUSED"

DISPLAY IF: QUEXMODE =1

[998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**SIBS: NumericAnswer**

"How many brothers and sisters did you have? (Count those born alive, but no longer living, as well as those alive now. Also include stepbrothers and stepsisters, and children adopted by your parents.)[CAWI\_FLOAT1]

"

MinValue = 0 MaxValue = 99

**Codes:**

[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue  
Variable: SIBS  
Value: 98  
IF SIBS Is Empty

### **WRKSTAT: RadioButton**

"[CATI TEXT: [HANDCARD A2]] Last week were you working full time, part time, going to school, keeping house, or what? [WEB TEXT: ]  
[WEB TEXT: ]  
[WEB TEXT: Please provide one response only. If you were doing more than one of these last week, select the one closest to the top of the list.] [CATI TEXT:

IF MORE THAN ONE RESPONSE, GIVE PREFERENCE TO SMALLEST CODE NUMBER THAT APPLIES.] "

MaxValue = 99

#### **Codes:**

[1] "[CATI UCase: Working full time] "  
[2] "[CATI UCase: Working part time] "  
[3] "[CATI UCase: With a job, but not at work because of temporary illness, vacation, strike] "  
[4] "[CATI UCase: Unemployed, laid off, looking for work] "  
[5] "[CATI UCase: Retired] "  
[6] "[CATI UCase: In school] "  
[7] "[CATI UCase: Keeping house] "  
[8] "[CATI UCase: Other (Please specify)] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **WRKSPEC: TextAnswer**

Please specify other activity.

MaxAnswerLength = 30

MaxValue = 99

#### **Codes:**

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2



```
POSTANSWERACTION: SetVariableValue
Variable: WRKSPEC
Value: 98
IF WRKSPEC Is Empty
```

```
PRELOADACTION: BranchTo
Question HRS2
IF WRKSTAT <> 1
And WRKSTAT <> 2
```

### **HRS1: NumericAnswer**

"How many hours did you work last week, at all jobs?

"

MinValue = 0 MaxValue = 168

#### **Codes:**

```
[777] "[CATI UCase: Don't know] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[999] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[998] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: SetVariableValue
Variable: HRS1
Value: 98
IF HRS1 Is Empty
```

```
PRELOADACTION: BranchTo
Question EVWORK
IF WRKSTAT <> 3
```

### **HRS2: NumericAnswer**

"How many hours a week do you usually work, at all jobs?

"

MinValue = 1 MaxValue = 168

#### **Codes:**

```
[777] "[CATI UCase: Don't know] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[999] "REFUSED"
```

DISPLAY IF: QUEXMODE =1  
[998] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue  
Variable: HRS2  
Value: 998  
IF HRS2 Is Empty

PRELOADACTION: BranchTo  
Next question  
IF WRKSTAT <> 5  
And WRKSTAT <> 6  
And WRKSTAT <> 7  
And WRKSTAT <> 8

## **EVWORK: RadioButton**

Did you ever work for as long as one year?

MaxValue = 168

### **Codes:**

[1] [CATI UCase: Yes]  
[2] [CATI UCase: No]  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Question LOCALNUM  
IF "WRKSTAT=5,6,7,8 AND EVWORK=2"

PRELOADACTION: SetVariableValue  
Variable: OCCSLFFILL  
Value: 1  
IF WRKSTAT = 1  
Or WRKSTAT = 2  
Or WRKSTAT = 3

PRELOADACTION: SetVariableValue  
Variable: OCCSLFFILL  
Value: 2  
IF WRKSTAT <> 1  
And WRKSTAT <> 2  
And WRKSTAT <> 3

PRELOADACTION: BranchTo  
Next question

## OCCSLFFILL: RadioButton

MaxValue = 168

### Codes:

[1] "What kind of work do you normally do? [WEB TEXT:  
(*What is your occupation called?*)] [CATI TEXT: That is, what is your occupation called?] "  
[2] "What kind of work did you normally do? [WEB TEXT:  
(*What was your occupation called?*)] [CATI TEXT: That is, what was your occupation called?] "

```
PRELOADACTION: SetVariableValue  
Variable: MAINSLFFILL  
Value: 1  
IF WRKSTAT = 1  
Or WRKSTAT = 2  
Or WRKSTAT = 3
```

```
PRELOADACTION: SetVariableValue  
Variable: MAINSLFFILL  
Value: 2  
IF WRKSTAT <> 1  
And WRKSTAT <> 2  
And WRKSTAT <> 3
```

```
PRELOADACTION: BranchTo  
Next question
```

## MAINSLFFILL: RadioButton

MaxValue = 168

### Codes:

[1] "What do you actually do in that job? [WEB TEXT:  
(*What are some of your main duties?*)] [CATI TEXT: Tell me, what are some of your main duties?] "  
[2] "What did you actually do in that job? [WEB TEXT:  
(*What were some of your main duties?*)] [CATI TEXT: Tell me, what were some of your main duties?]  
"

## OCCSLF: TextAnswer

[occslffill][OCCINST]

MaxValue = 168

**Codes:**

[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**MAINSLF: TextAnswer**

[mainslffill]

MaxValue = 168

**Codes:**

[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue  
Variable: OCCSLF  
Value: 98  
IF OCCSLF Is Empty

POSTANSWERACTION: SetVariableValue  
Variable: MAINSLF  
Value: 98  
IF MAINSLF Is Empty

PRELOADACTION: SetVariableValue  
Variable: INSTFILL  
Value: [QUEXMODE]

PRELOADACTION: BranchTo  
Next question

**INSTFILL: RadioButton**

Single answer question using Radio Buttons

MaxValue = 168

**Codes:**

[1] "PROMPT, IF NEEDED: ] "  
[2]

```
PRELOADACTION: SetVariableValue  
Variable: INDSLFFILL  
Value: 1  
IF WRKSTAT = 1  
Or WRKSTAT = 2  
Or WRKSTAT = 3
```

```
PRELOADACTION: SetVariableValue  
Variable: INDSLFFILL  
Value: 2  
IF WRKSTAT <> 1  
And WRKSTAT <> 2  
And WRKSTAT <> 3
```

```
PRELOADACTION: BranchTo  
Next question
```

### **INDSLFFILL: RadioButton**

MaxValue = 168

#### **Codes:**

[1] What kind of place do you work for?  
[2] What kind of place did you work for?

```
PRELOADACTION: SetVariableValue  
Variable: WHATSLFFILL  
Value: 1  
IF WRKSTAT = 1  
Or WRKSTAT = 2  
Or WRKSTAT = 3
```

```
PRELOADACTION: SetVariableValue  
Variable: WHATSLFFILL  
Value: 2  
IF WRKSTAT <> 1  
And WRKSTAT <> 2  
And WRKSTAT <> 3
```

```
PRELOADACTION: BranchTo  
Next question
```

### **WHATSLFFILL: RadioButton**

MaxValue = 168

**Codes:**

[1] "What do they make or do? [WEB TEXT:  
(*What they mainly do*)] [CATI TEXT: What do they mainly do?] "  
[2] "What did they make or do? [WEB TEXT:  
(*What they mainly did*)] [CATI TEXT: What did they mainly do?] "

**INDSLF: TextAnswer**

"[indslffill] [WEB TEXT:  
(*What would you call that business or industry?*)] [CATI TEXT: What would you call that business or  
industry?] [OCCINST]"

MaxValue = 168

**Codes:**

[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**WHATSLF: TextAnswer**

[whatslffill]

MaxValue = 168

**Codes:**

[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue  
Variable: WHATSLF  
Value: 98  
IF WHATSLF Is Empty

POSTANSWERACTION: SetVariableValue  
Variable: INDSLFF  
Value: 98  
IF INDSLFF Is Empty

```
PRELOADACTION: SetVariableValue
Variable: WHATSLF2FILL
Value: 1
IF WRKSTAT = 1
Or WRKSTAT = 2
Or WRKSTAT = 3
```

```
PRELOADACTION: SetVariableValue
Variable: WHATSLF2FILL
Value: 2
IF WRKSTAT <> 1
And WRKSTAT <> 2
And WRKSTAT <> 3
```

```
PRELOADACTION: BranchTo
Next question
```

### **WHATSLF2FILL: RadioButton**

MaxValue = 168

#### **Codes:**

[1] work  
[2] worked

### **WHATSLF2: RadioButton**

How would you classify the place where you [whatslf2fill]? Was this mainly...?

MaxValue = 168

#### **Codes:**

[1] Manufacturing  
[2] Wholesale trade  
[3] Retail trade  
[4] " Other (Agriculture, Construction, Service, Government, Etc.) "  
[77] "[CATI UCase: Don't know] "

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: SetVariableValue
Variable: WRKSLFFILL
Value: 1
```

```
IF WRKSTAT = 1
Or WRKSTAT = 2
Or WRKSTAT = 3
```

```
PRELOADACTION: SetVariableValue
Variable: WRKSLFFILL
Value: 2
IF WRKSTAT <> 1
And WRKSTAT <> 2
And WRKSTAT <> 3
```

```
PRELOADACTION: BranchTo
Next question
```

### **WRKSLFFILL: RadioButton**

MaxValue = 168

#### **Codes:**

- [1] Are you self-employed or do you work for someone else?
- [2] Were you self-employed or did you work for someone else?

### **WRKSLF: RadioButton**

[wrkslffill]

MaxValue = 168

#### **Codes:**

- [1] "[CATI UCase: Self-employed] "
- [2] "[CATI UCase: Someone else] "
- [77] "[CATI UCase: Don't know] "

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: BranchTo
Question WRKSLFFAMFILL
IF WRKSLF = 2 OR 3 OR 4 OR 5
IF WRKSLF = 2
IF WRKSLF = 77
IF WRKSLF = 99
IF WRKSLF = 98
```

```
PRELOADACTION: SetVariableValue
```



```
Variable: SELFEMSFILL
Value: 1
IF WRKSTAT = 1
Or WRKSTAT = 2
Or WRKSTAT = 3
```

```
PRELOADACTION: SetVariableValue
Variable: SELFEMSFILL
Value: 2
IF WRKSTAT <> 1
And WRKSTAT <> 2
And WRKSTAT <> 3
```

```
PRELOADACTION: BranchTo
Next question
```

### **SELFEMSFILL: RadioButton**

MaxValue = 168

#### **Codes:**

[1] Do you have any employees?  
[2] Did you have any employees?

### **SELFEMS: RadioButton**

[selfemsfill]

MaxValue = 168

#### **Codes:**

[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

```
POSTANSWERACTION: BranchTo
Question WRKSLFFAMFILL
IF SELFEMS = 2 OR 3 OR 4 OR 5
IF SELFEMS = 2
IF SELFEMS = 77
IF SELFEMS = 99
IF SELFEMS = 98
```

```
PRELOADACTION: SetVariableValue
Variable: NUMEMPSFILL
Value: 1
IF WRKSTAT = 1
Or WRKSTAT = 2
Or WRKSTAT = 3
```

```
PRELOADACTION: SetVariableValue
Variable: NUMEMPSFILL
Value: 2
IF WRKSTAT <> 1
And WRKSTAT <> 2
And WRKSTAT <> 3
```

```
PRELOADACTION: BranchTo
Next question
```

### **NUMEMPSFILL: RadioButton**

MaxValue = 168

#### **Codes:**

- [1] How many employees do you have?
- [2] How many employees did you have?

### **NUMEMPS: NumericAnswer**

[numempsfill]

MinValue = 1 MaxValue = 99999

#### **Codes:**

```
[777777] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[999999] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[999998] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: SetVariableValue
Variable: NUMEMPS
Value: 999998
IF NUMEMPS Is Empty
```

```
PRELOADACTION: SetVariableValue
Variable: WRKSLFFAMFILL
Value: 1
IF WRKSTAT = 1
Or WRKSTAT = 2
Or WRKSTAT = 3
```

```
PRELOADACTION: SetVariableValue
Variable: WRKSLFFAMFILL
Value: 2
IF WRKSTAT <> 1
And WRKSTAT <> 2
And WRKSTAT <> 3
```

```
PRELOADACTION: BranchTo
Next question
```

### **WRKSLFFAMFILL: RadioButton**

MaxValue = 99999

#### **Codes:**

[1] do  
[2] did

### **WRKSLFFAM: RadioButton**

"For this job, [wrkslffamfill] you work in your own family business or farm?"

MaxValue = 99999

#### **Codes:**

[1] [CATI UCase: Yes]  
[2] [CATI UCase: No]  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

```
PRELOADACTION: SetVariableValue
Variable: AREWERE
Value: 1
IF WRKSTAT = 1
Or WRKSTAT = 2
```

Or WRKSTAT = 3

PRELOADACTION: SetVariableValue  
Variable: AREWERE  
Value: 2  
IF WRKSTAT <> 1  
And WRKSTAT <> 2  
And WRKSTAT <> 3

PRELOADACTION: BranchTo  
Next question

### **AREWERE: RadioButton**

MaxValue = 99999

#### **Codes:**

[1] Are  
[2] Were

### **WRKGOVT1: RadioButton**

"[arewere] you employed by the government? (Please consider federal, state, or local government.)"

MaxValue = 99999

#### **Codes:**

[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **WRKGOVT2: RadioButton**

[arewere] you employed by a private employer (including non-profit organizations)?

MaxValue = 99999

#### **Codes:**

```
[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo  
Next question  
IF "V01(WRKSTAT=1,2,3)==0"
```

### **LOCALNUM: RadioButton**

"[CATI TEXT: [HANDCARD A3]] About how many people work at the location where you work? Count part-time as well as full-time employees in all areas, departments, and buildings. If the location where you work is temporarily closed, please tell us how many people usually work there.[CAWI\_FLOAT1]"

MaxValue = 99999

#### **Codes:**

```
[1] 1-9  
[2] 10-49  
[3] 50-99  
[4] 100-499  
[5] 500-999  
[6] "1,000-1,999"  
[7] "[CATI UCase: More than 2,000] "  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[77] "[CATI UCase: Don't know] "  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

### **WEEKWRK: NumericAnswer**

"Now we would like to ask you about 2019. In 2019 how many weeks did you work, either full-time or part-time, not counting work around the house? Please include paid vacations and paid sick leave."

MinValue = 0 MaxValue = 52

#### **Codes:**

```
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: SetVariableValue
Variable: WEEKWRK
Value: 98
IF WEEKWRK Is Empty
```

```
PRELOADACTION: BranchTo
Next question
IF WEEKWRK = 0
Or WEEKWRK = 77
Or WEEKWRK = 99
Or WEEKWRK = 98
```

### **PARTFULL: RadioButton**

"When you worked in 2019, was it usually full or part time?"

MaxValue = 52

#### **Codes:**

```
[1] [CATI UCase: Full-time]
[2] [CATI UCase: Part-time]
[77] "[CATI UCase: Don't know] "
```

```
DISPLAY IF: QUEXMODE = 1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE = 1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE = 2
```

```
PRELOADACTION: BranchTo
Next question
IF "V01(WRKSTAT=1,2,3)==0"
```

### **JOBLOSE: RadioButton**

"Thinking about the next 12 months, how likely do you think it is that you will lose your job or be laid off--very likely, fairly likely, not too likely, or not at all likely?"

MaxValue = 52

#### **Codes:**

```
[1] [CATI UCase: Very likely]
[2] [CATI UCase: Fairly likely]
[3] [CATI UCase: Not too likely]
[4] [CATI UCase: Not at all likely]
[77] "[CATI UCase: Don't know] "
```

```
DISPLAY IF: QUEXMODE = 1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE = 1
```

[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF "V01(WRKSTAT=1,2,3)==0"

### **JOBFIND: RadioButton**

"About how easy would it be for you to find a job with another employer with approximately the same income and fringe benefits you now have? Would you say very easy, somewhat easy, or not easy at all?"

MaxValue = 52

#### **Codes:**

[1] [CATI UCase: Very easy]  
[2] [CATI UCase: Somewhat easy]  
[3] [CATI UCase: Not easy at all]  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF "V01(WRKSTAT=1,2,3,4)==0"

### **RICHWORK: RadioButton**

"If you were to get enough money to live as comfortably as you would like for the rest of your life, would you continue to work or would you stop working?"

MaxValue = 52

#### **Codes:**

[1] [CATI UCase: Continue to work]  
[2] [CATI UCase: Stop working]  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question

```
IF "V01(WRKSTAT=1,2,3,4,7)==0"
```

### **SATJOB: RadioButton**

"On the whole, how satisfied are you with the work you do -- would you say you are very satisfied, moderately satisfied, a little dissatisfied, or very dissatisfied?"

MaxValue = 52

#### **Codes:**

[1] [CATI UCase: Very satisfied]  
[2] [CATI UCase: Moderately satisfied]  
[3] [CATI UCase: A little dissatisfied]  
[4] [CATI UCase: Very dissatisfied]  
[77] "[CATI UCase: Don't know] "

```
DISPLAY IF: QUEXMODE =1
```

[99] "REFUSED"

```
DISPLAY IF: QUEXMODE =1
```

[98] SKIPPED ON WEB

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
```

```
Question WKSUBFILL
```

```
IF MARITAL <> 1
```

```
And POSSLQ <> 1
```

```
And POSSLQ <> 2
```

```
And POSSLQY <> 1
```

```
And POSSLQY <> 2
```

### **SPWRKSTA: RadioButton**

"[CATI TEXT: [HANDCARD A4]] Last week was your [\_spfill1] working full time, part time, going to school, keeping house, or what?"

Please provide one response only. If your [\_spfill1] was doing more than one of these last week, select the one closest to the top of the list.[CATI TEXT:

IF MORE THAN ONE RESPONSE, GIVE PREFERENCE TO SMALLEST CODE NUMBER THAT APPLIES.] "

MaxValue = 52

#### **Codes:**

[1] "[CATI UCase: Working full time] "  
[2] "[CATI UCase: Working part time] "  
[3] "[CATI UCase: With a job, but not at work because of temporary illness, vacation, strike] "  
[4] "[CATI UCase: Unemployed, laid off, looking for work] "  
[5] "[CATI UCase: Retired] "  
[6] "[CATI UCase: In school] "  
[7] "[CATI UCase: Keeping house] "



[8] "[CATI UCase: Other (Please specify)] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## **SWRKSPEC: TextAnswer**

Please specify other activity:

MaxAnswerLength = 30

MaxValue = 52

### **Codes:**

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: SWRKSPEC

Value: 98

IF SWRKSPEC Is Empty

PRELOADACTION: BranchTo

Question SPHRS2

IF SPWRKSTA <> 1

And SPWRKSTA <> 2

## **SPHRS1: NumericAnswer**

"How many hours did your [\_spfill1] work last week, at all jobs?

"

MinValue = 0 MaxValue = 168

### **Codes:**

[777] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[999] "REFUSED"

DISPLAY IF: QUEXMODE =1

[998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue  
Variable: SPHRS1  
Value: 998  
IF SPHRS1 Is Empty

PRELOADACTION: BranchTo  
Question SPEVWORK  
IF SPWRKSTA <> 3

## SPHRS2: NumericAnswer

"How many hours a week does your [\_spfill1] usually work, at all jobs?

"

MinValue = 1 MaxValue = 168

### Codes:

[777] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[999] "REFUSED"

DISPLAY IF: QUEXMODE =1

[998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue  
Variable: SPHRS2  
Value: 998  
IF SPHRS2 Is Empty

PRELOADACTION: BranchTo  
Next question  
IF SPWRKSTA <> 5  
And SPWRKSTA <> 6  
And SPWRKSTA <> 7  
And SPWRKSTA <> 8

## SPEVWORK: RadioButton

Did your [\_spfill1] ever work for as long as one year?[CAWI\_FLOAT2]

MaxValue = 168

### Codes:

[1] "[CATI UCase: Yes] "

[2] "[CATI UCase: No] "

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question WKSUBFILL

IF SPEVWORK = 2 OR 3 OR 4 OR 5

IF SPEVWORK = 2

IF SPEVWORK = 77

IF SPEVWORK = 99

IF SPEVWORK = 98

PRELOADACTION: SetVariableValue

Variable: OCCSPFILL

Value: 1

IF SPWRKSTA = 1

Or SPWRKSTA = 2

Or SPWRKSTA = 3

PRELOADACTION: SetVariableValue

Variable: OCCSPFILL

Value: 2

IF SPWRKSTA <> 1

And SPWRKSTA <> 2

And SPWRKSTA <> 3

PRELOADACTION: BranchTo

Next question

## **OCCSPFILL: RadioButton**

Single answer question using Radio Buttons

MaxValue = 168

### **Codes:**

[1] "What kind of work does your [\_spfill1] normally do? [WEB TEXT:  
(*What is their occupation called?*)] [CATI TEXT: That is, what is their occupation called?] "

[2] "What kind of work did your [\_spfill1] normally do? [WEB TEXT:  
(*What was their occupation called?*)] [CATI TEXT: That is, what was their occupation called?] "

PRELOADACTION: SetVariableValue

Variable: MAINSPFILL

Value: 1

IF SPWRKSTA = 1

Or SPWRKSTA = 2

Or SPWRKSTA = 3

PRELOADACTION: SetVariableValue

Variable: MAINSPFILL

Value: 2

IF SPWRKSTA <> 1

And SPWRKSTA <> 2  
And SPWRKSTA <> 3

PRELOADACTION: BranchTo  
Next question

### **MAINSPFILL: RadioButton**

MaxValue = 168

#### **Codes:**

[1] "What does your [\_spfill1] actually do in that job? [WEB TEXT:  
(What are some of their main duties?)] [CATI TEXT: Tell me, what are some of their main duties?] "  
[2] "What did your [\_spfill1] actually do in that job? [WEB TEXT:  
(What] [CATI TEXT: Tell me, what] were some of their main duties?[WEB TEXT: )] "

### **OCCSP: TextAnswer**

[occspfill][OCCINST]

MaxValue = 168

#### **Codes:**

[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **MAINSP: TextAnswer**

[mainspfill]

MaxValue = 168

#### **Codes:**

[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue  
Variable: OCCSP  
Value: 98  
IF OCCSP Is Empty

POSTANSWERACTION: SetVariableValue  
Variable: MAINSP  
Value: 98  
IF MAINSP Is Empty

PRELOADACTION: SetVariableValue  
Variable: INDSPFILL  
Value: 1  
IF SPWRKSTA = 1  
Or SPWRKSTA = 2  
Or SPWRKSTA = 3

PRELOADACTION: SetVariableValue  
Variable: INDSPFILL  
Value: 2  
IF SPWRKSTA <> 1  
And SPWRKSTA <> 2  
And SPWRKSTA <> 3

PRELOADACTION: BranchTo  
Next question

## **INDSPFILL: RadioButton**

MaxValue = 168

### **Codes:**

[1] "What kind of place does your [\_spfill1] work for? [WEB TEXT:  
(What would you call that business or industry?)] [CATI TEXT: What would you call that business or  
industry?] [OCCINST]"

[2] "What kind of place did your [\_spfill1] work for? [WEB TEXT:  
(What would you call that business or industry?)] [CATI TEXT: What would you call that business or  
industry?] [OCCINST]"

PRELOADACTION: SetVariableValue  
Variable: WHATSPFILL  
Value: 1  
IF SPWRKSTA = 1  
Or SPWRKSTA = 2  
Or SPWRKSTA = 3

PRELOADACTION: SetVariableValue  
Variable: WHATSPFILL  
Value: 2  
IF SPWRKSTA <> 1  
And SPWRKSTA <> 2

And SPWRKSTA <> 3

PRELOADACTION: BranchTo  
Next question

### **WHATSPFILL: RadioButton**

MaxValue = 168

#### **Codes:**

[1] "What do they make or do? [WEB TEXT:  
(*What they mainly do*)] [CATI TEXT: What do they mainly do?] "  
[2] "What did they make or do? [WEB TEXT:  
(*What they mainly did*)] [CATI TEXT: What did they mainly do?] "

### **INDSP: TextAnswer**

[indspfill]

MaxValue = 168

#### **Codes:**

[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **WHATSP: TextAnswer**

[whatspfill]

MaxValue = 168

#### **Codes:**

[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue  
Variable: INDSP  
Value: 98  
IF INDSP Is Empty

POSTANSWERACTION: SetVariableValue  
Variable: WHATSP  
Value: 98  
IF WHATSP Is Empty

PRELOADACTION: SetVariableValue  
Variable: WHATSP2FILL  
Value: 1  
IF SPWRKSTA = 1  
Or SPWRKSTA = 2  
Or SPWRKSTA = 3

PRELOADACTION: SetVariableValue  
Variable: WHATSP2FILL  
Value: 2  
IF SPWRKSTA <> 1  
And SPWRKSTA <> 2  
And SPWRKSTA <> 3

PRELOADACTION: BranchTo  
Next question

### **WHATSP2FILL: RadioButton**

MaxValue = 168

#### **Codes:**

[1] works  
[2] worked

### **WHATSP2: RadioButton**

How would you classify the place where your [\_spfill1] [whatsp2fill]? Was this mainly...?

MaxValue = 168

#### **Codes:**

[1] Manufacturing  
[2] Wholesale trade  
[3] Retail trade  
[4] " Other (Agriculture, Construction, Service, Government, Etc.) "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: SPWRKSLFFILL

Value: 1

IF SPWRKSTA = 1

Or SPWRKSTA = 2

Or SPWRKSTA = 3

PRELOADACTION: SetVariableValue

Variable: SPWRKSLFFILL

Value: 2

IF SPWRKSTA <> 1

And SPWRKSTA <> 2

And SPWRKSTA <> 3

PRELOADACTION: BranchTo

Next question

## **SPWRKSLFFILL: RadioButton**

MaxValue = 168

### **Codes:**

[1] "At this job, is your [\_spfill1] self-employed or does your [\_spfill1] work for someone else?"

[2] "At this job, was your [\_spfill1] self-employed or did your [\_spfill1] work for someone else?"

## **SPWRKSLF: RadioButton**

[spwrkslffill][CAWI\_FLOAT2]

MaxValue = 168

### **Codes:**

[1] "[CATI UCase: Self-employed] "

[2] "[CATI UCase: Someone else] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2



```
POSTANSWERACTION: BranchTo
Question WKSUBFILL
IF SPWRKSLF = 2 OR 3 OR 4 OR 5
IF SPWRKSLF = 2
IF SPWRKSLF = 77
IF SPWRKSLF = 99
IF SPWRKSLF = 98
```

```
PRELOADACTION: SetVariableValue
Variable: SPWRKSLF1FILL
Value: 1
IF SPWRKSTA = 1
Or SPWRKSTA = 2
Or SPWRKSTA = 3
```

```
PRELOADACTION: SetVariableValue
Variable: SPWRKSLF1FILL
Value: 2
IF SPWRKSTA <> 1
And SPWRKSTA <> 2
And SPWRKSTA <> 3
```

```
PRELOADACTION: BranchTo
Next question
```

### **SPWRKSLF1FILL: RadioButton**

MaxValue = 168

#### **Codes:**

[1] Does your [\_spfill1] work without employees or do they have employees?  
[2] Did your [\_spfill1] work without employees or did they have employees?

### **SPWRKSLF1: RadioButton**

[spwrkslf1fill][CAWI\_FLOAT2]

MaxValue = 168

#### **Codes:**

[1] "[CATI UCase: Yes, employees] "  
[2] "[CATI UCase: No, no employees] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: SetVariableValue
```

```
Variable: SPWRKSLF2FILL
Value: 1
IF SPWRKSTA = 1
Or SPWRKSTA = 2
Or SPWRKSTA = 3
```

```
PRELOADACTION: SetVariableValue
Variable: SPWRKSLF2FILL
Value: 2
IF SPWRKSTA <> 1
And SPWRKSTA <> 2
And SPWRKSTA <> 3
```

```
PRELOADACTION: BranchTo
Next question
```

### **SPWRKSLF2FILL: RadioButton**

MaxValue = 168

#### **Codes:**

[1] Does your [\_spfill1] work in their own family business or farm?  
[2] Did your [\_spfill1] work in their own family business or farm?

### **SPWRKSLF2: RadioButton**

[spwrkslf2fill][CAWI\_FLOAT2]

MaxValue = 168

#### **Codes:**

[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Question TIMEA2
IF "V01(WRKSTAT=1,2,3 OR SPWRKSTA=1,2,3)==0"
```

```
PRELOADACTION: SetVariableValue
Variable: WKSUBFILL
Value: 2
IF SPWRKSTA = 1
```

```
Or SPWRKSTA = 2  
Or SPWRKSTA = 3
```

```
PRELOADACTION: SetVariableValue  
Variable: WKSUBFILL  
Value: 1  
IF WRKSTAT = 1  
Or WRKSTAT = 2  
Or WRKSTAT = 3
```

```
PRELOADACTION: BranchTo  
Next question
```

### **WKSUBFILL: RadioButton**

MaxValue = 168

#### **Codes:**

[1] "We have some more questions about your job. At work, do you have a supervisor to whom you are directly responsible?"  
[2] "At work, does your [\_spfill1] have a supervisor to whom he or she is directly responsible?"

### **WKSUB: RadioButton**

[wksubfill][CAWI\_FLOAT2]

MaxValue = 168

#### **Codes:**

[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

```
DISPLAY IF: QUEXMODE =1
```

[98] SKIPPED ON WEB

```
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: BranchTo  
Question WKSUPFILL  
IF WKSUB = 2 OR 6 OR 7 OR 8  
IF WKSUB = 2  
IF WKSUB = 77  
IF WKSUB = 99  
IF WKSUB = 98
```

### **WKSUBS: RadioButton**

Does that supervisor have a supervisor to whom he or she is directly responsible?[CAWI\_FLOAT2]

MaxValue = 168

**Codes:**

[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: WKSUPFILL

Value: 2

IF SPWRKSTA = 1

Or SPWRKSTA = 2

Or SPWRKSTA = 3

PRELOADACTION: SetVariableValue

Variable: WKSUPFILL

Value: 1

IF WRKSTAT = 1

Or WRKSTAT = 2

Or WRKSTAT = 3

PRELOADACTION: BranchTo

Next question

**WKSUPFILL: RadioButton**

MaxValue = 168

**Codes:**

[1] "At work, do you supervise anyone who is directly responsible to you?"

[2] "At work, does your [\_spfill1] supervise anyone who is directly responsible to your [\_spfill1]?"

**WKSUP: RadioButton**

[wksupfill][CAWI\_FLOAT2]

MaxValue = 168

**Codes:**

[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question SPWKSUP

IF WKSUP = 2 OR 6 OR 7 OR 8

IF WKSUP = 2

IF WKSUP = 98

IF WKSUP = 77

IF WKSUP = 99

PRELOADACTION: SetVariableValue

Variable: WKSUPSFILL

Value: 2

IF SPWRKSTA = 1

Or SPWRKSTA = 2

Or SPWRKSTA = 3

PRELOADACTION: SetVariableValue

Variable: WKSUPSFILL

Value: 1

IF WRKSTAT = 1

Or WRKSTAT = 2

Or WRKSTAT = 3

PRELOADACTION: BranchTo

Next question

**WKSUPSFILL: RadioButton**

MaxValue = 168

**Codes:**

[1] you supervise

[2] your [\_spfill1] supervises

**WKSUPS: RadioButton**

"[WEB TEXT: Is anyone that [wksupsfill] the direct supervisor of somebody else?] [CATI TEXT: Do any of those persons supervise anyone else?[CAWI\_FLOAT2]] "

MaxValue = 168

**Codes:**

[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Question SPWKSUP

IF WRKSTAT <> 1

And WRKSTAT <> 2

And WRKSTAT <> 3

**YOUSUP: NumericAnswer**

How many people do you supervise directly?

MinValue = 0 MaxValue = 9999

**Codes:**

[77777] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99999] "REFUSED"

DISPLAY IF: QUEXMODE =1

[99998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: YOUSUP

Value: 99998

IF YOUSUP Is Empty

PRELOADACTION: BranchTo

Question TIMEA2

IF "V01(WRKSTAT=1,2,3 AND SPWRKSTA=1,2,3)=0"

**SPWKSUP: RadioButton**

"In your [\_spfill1]'s job, does he or she supervise anyone who is directly responsible to them?"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: TIMEA2  
Value: [\$H]

PRELOADACTION: BranchTo  
Next question

## **TIMEA2: DateTimeAnswer**

MaxAnswerLength = 20

MaxValue = 9999

PRELOADACTION: BranchTo  
Next question  
IF VERXY = Y

## **SPKATH: RadioButton**

"There are always some people whose ideas are considered bad or dangerous by other people. For instance, somebody who is against all churches and religion...

If such a person wanted to make a speech in your community against churches and religion, should he be allowed to speak, or not?"

MaxValue = 9999

### **Codes:**

[1] "[CATI UCase: Yes, allowed] "

[2] "[CATI UCase: Not allowed]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF VERXY = X

## SPKATHY: RadioButton

"There are always some people whose ideas are considered bad or dangerous by other people. For instance, somebody who is against all churches and religion...

If such a person wanted to make a speech in your community against churches and religion, should this person be allowed to speak, or not?"

MaxValue = 9999

### **Codes:**

[1] "[CATI UCase: Yes, allowed] "

[2] "[CATI UCase: Not allowed]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## COLATH: RadioButton

"Should such a person be allowed to teach in a college or university, or not?"

MaxValue = 9999

### **Codes:**

[1] "[CATI UCase: Yes, allowed] "

[2] "[CATI UCase: Not allowed]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = Y

## LIBATH: RadioButton

"If some people in your community suggested that a book he wrote against churches and religion should be taken out of your public library, would you favor removing this book, or not?"

MaxValue = 9999



**Codes:**

[1] [CATI UCase: Favor]  
[2] [CATI UCase: Not favor]  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = X

**LIBATHY: RadioButton**

"If some people in your community suggested that a book this person wrote against churches and religion should be taken out of your public library, would you favor removing this book, or not?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Favor]  
[2] [CATI UCase: Not favor]  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = Y

**SPKRAC: RadioButton**

"Or, consider a person who believes that Blacks are genetically inferior.

If such a person wanted to make a speech in your community claiming that Blacks are inferior, should he be allowed to speak, or not?"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Yes, allowed] "

[2] [CATI UCase: Not allowed]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF VERXY = X

### **SPKRACY: RadioButton**

"Or, consider a person who believes that Blacks are genetically inferior.

If such a person wanted to make a speech in your community claiming that Blacks are inferior, should this person be allowed to speak, or not?"

MaxValue = 9999

#### **Codes:**

[1] " [CATI UCase: Yes, allowed] "  
[2] [CATI UCase: Not allowed]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **COLRAC: RadioButton**

"Should such a person be allowed to teach in a college or university, or not?"

MaxValue = 9999

#### **Codes:**

[1] " [CATI UCase: Yes, allowed] "  
[2] [CATI UCase: Not allowed]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question

IF VERXY = Y

### **LIBRAC: RadioButton**

"If some people in your community suggested that a book he wrote which said Blacks are inferior should be taken out of your public library, would you favor removing this book, or not?"

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Favor]

[2] [CATI UCase: Not favor]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = X

### **LIBRACY: RadioButton**

"If some people in your community suggested that a book this person wrote which said Blacks are inferior should be taken out of your public library, would you favor removing this book, or not?"

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Favor]

[2] [CATI UCase: Not favor]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = Y

### **SPKCOM: RadioButton**

"Now, we would like to ask you some questions about a man who admits he is a Communist.

Suppose this admitted Communist wanted to make a speech in your community. Should he be allowed to speak, or not?"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Yes, allowed to speak] "

[2] [CATI UCase: Not allowed]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = X

**SPKCOMY: RadioButton**

"Now, we would like to ask you some questions about a self-identified Communist.

Suppose this admitted Communist wanted to make a speech in your community. Should this person be allowed to speak, or not?"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Yes, allowed to speak] "

[2] [CATI UCase: Not allowed]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = Y

**COLCOM: RadioButton**

"Suppose he is teaching in a college. Should he be fired, or not?"

MaxValue = 9999

**Codes:**

```
[1] "[CATI UCase: Yes, fired] "  
[2] [CATI UCase: Not fired]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo  
Next question  
IF VERXY = X
```

**COLCOMY: RadioButton**

"Suppose this person is teaching in a college. Should this person be fired, or not?"

MaxValue = 9999

**Codes:**

```
[1] "[CATI UCase: Yes, fired] "  
[2] [CATI UCase: Not fired]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo  
Next question  
IF VERXY = Y
```

**LIBCOM: RadioButton**

"Suppose he wrote a book which is in your public library. Somebody in your community suggests that the book should be removed from the library. Would you favor removing it, or not?"

MaxValue = 9999

**Codes:**

```
[1] [CATI UCase: Favor]  
[2] [CATI UCase: Not favor]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"
```

DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF VERXY = X

### **LIBCOMY: RadioButton**

"Suppose this person wrote a book which is in your public library. Somebody in your community suggests that the book should be removed from the library. Would you favor removing it, or not?"

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Favor]  
[2] [CATI UCase: Not favor]  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF VERXY = Y

### **SPKMIL: RadioButton**

"Consider a person who advocates doing away with elections and letting the military run the country.

If such a person wanted to make a speech in your community, should he be allowed to speak, or not?"

MaxValue = 9999

#### **Codes:**

[1] "[CATI UCase: Yes, allowed] "  
[2] [CATI UCase: Not allowed]  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question

IF VERXY = X

### SPKMILY: RadioButton

"Consider a person who advocates doing away with elections and letting the military run the country.

If such a person wanted to make a speech in your community, should this person be allowed to speak, or not?"

MaxValue = 9999

#### **Codes:**

[1] "[CATI UCase: Yes, allowed] "

[2] "[CATI UCase: Not allowed]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### COLMIL: RadioButton

"Should such a person be allowed to teach in a college or university, or not?"

MaxValue = 9999

#### **Codes:**

[1] "[CATI UCase: Yes, allowed] "

[2] "[CATI UCase: Not allowed]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = Y

### LIBMIL: RadioButton

"Suppose he wrote a book advocating doing away with elections and letting the military run the country.

Somebody in your community suggests that the book be removed from the public library. Would you

favor removing it, or not?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Favor]

[2] [CATI UCase: Not favor]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = X

**LIBMILY: RadioButton**

"Suppose this person wrote a book advocating doing away with elections and letting the military run the country.

Somebody in your community suggests that the book be removed from the public library. Would you favor removing it, or not?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Favor]

[2] [CATI UCase: Not favor]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = Y

**SPKHOMO: RadioButton**

"And what about a man who admits that he is homosexual...

Suppose this admitted homosexual wanted to make a speech in your community. Should he be allowed to speak, or not?"



MaxValue = 9999

**Codes:**

[1] " [CATI UCase: Yes, allowed] "

[2] [CATI UCase: Not allowed]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = X

**SPKHOMOY: RadioButton**

"And what about a gay person?

Suppose this gay person wanted to make a speech in your community. Should this person be allowed to speak, or not?"

MaxValue = 9999

**Codes:**

[1] " [CATI UCase: Yes, allowed] "

[2] [CATI UCase: Not allowed]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**COLHOMO: RadioButton**

"Should such a person be allowed to teach in a college or university, or not?"

MaxValue = 9999

**Codes:**

[1] " [CATI UCase: Yes, allowed] "

[2] [CATI UCase: Not allowed]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF VERXY = Y

### **LIBHOMO: RadioButton**

"If somebody in your community suggests that a book he wrote in favor of homosexuality should be taken out of your public library, would you favor removing it, or not?"

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Favor]  
[2] [CATI UCase: Not favor]  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF VERXY = X

### **LIBHOMOY: RadioButton**

"If somebody in your community suggests that a book the gay person wrote in favor of homosexuality should be taken out of your public library, would you favor removing it, or not?"

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Favor]  
[2] [CATI UCase: Not favor]  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF VERXY = Y

## SPKMSLM: RadioButton

"Now consider a Muslim clergyman who preaches hatred of the United States.

If such a person wanted to make a speech in your community preaching hatred of the United States, should he be allowed to speak, or not?"

MaxValue = 9999

### **Codes:**

[1] "[CATI UCase: Yes, allowed] "

[2] [CATI UCase: Not allowed]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = X

## SPKMSLMY: RadioButton

"Now consider a Islamic religious leader who preaches hatred of the United States.

If such a person wanted to make a speech in your community preaching hatred of the United States, should this person be allowed to speak, or not?"

MaxValue = 9999

### **Codes:**

[1] "[CATI UCase: Yes, allowed] "

[2] [CATI UCase: Not allowed]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## COLMSLM: RadioButton

"Should such a person be allowed to teach in a college or university, or not?"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Yes, allowed] "

[2] [CATI UCase: Not allowed]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = Y

**LIBMSLM: RadioButton**

"If some people in your community suggested that a book he wrote which preaches hatred of the United States should be taken out of your public library, would you favor removing this book, or not?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Favor]

[2] [CATI UCase: Not favor]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = X

**LIBMSLMY: RadioButton**

"If some people in your community suggested that a book this person wrote which preaches hatred of the United States should be taken out of your public library, would you favor removing this book, or not?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Favor]

[2] [CATI UCase: Not favor]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **CAPPUN: RadioButton**

Do you favor or oppose the death penalty for persons convicted of murder?

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Favor]  
[2] [CATI UCase: Oppose]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **GUNLAW: RadioButton**

Would you favor or oppose a law which would require a person to obtain a police permit before he or she could buy a gun?

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Favor]  
[2] [CATI UCase: Oppose]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **FEAR: RadioButton**

"Is there any area around your home--that is, within a mile--where you would be afraid to walk alone at night?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: HUNTTXT

Value: 1

PRELOADACTION: SetVariableValue

Variable: HUNTTXT

Value: 2

IF MARITAL = 1

Or POSSLQ = 1

Or POSSLQ = 2

Or POSSLQY = 1

Or POSSLQY = 2

PRELOADACTION: BranchTo

Next question

**HUNTTXT: RadioButton**

MaxValue = 9999

**Codes:**

[1] " [CATI UCase: No, I do not hunt] "

[2] " [CATI UCase: No, neither of us hunt] "

PRELOADACTION: SetVariableValue

Variable: HUNTSPFILL

Value: 1

PRELOADACTION: SetVariableValue

Variable: HUNTSPFILL

Value: 2

IF MARITAL = 1

Or POSSLQ = 1

Or POSSLQ = 2

Or POSSLQY = 1

Or POSSLQY = 2

PRELOADACTION: BranchTo

Next question

## HUNTSPFILL: RadioButton

MaxValue = 9999

### Codes:

- [1] Do you
- [2] Do you or does your [\_spfill1]

## HUNT: RadioButton

And now a question on a different topic. [huntspfill] go hunting?

MaxValue = 9999

### Codes:

- [1] "[CATI UCase: Yes, I hunt] "
- [2] "[CATI UCase: Yes, my [\_spfill1] hunts] "
- DISPLAY IF: MARITAL =1
- DISPLAY IF: POSSLQ =1
- DISPLAY IF: POSSLQ =2
- DISPLAY IF: POSSLQY =1
- DISPLAY IF: POSSLQY =2
- [3] "[CATI UCase: Yes, we both hunt] "
- DISPLAY IF: MARITAL =1
- DISPLAY IF: POSSLQ =1
- DISPLAY IF: POSSLQ =2
- DISPLAY IF: POSSLQY =1
- DISPLAY IF: POSSLQY =2
- [4] [hunttxt]
- [77] "[CATI UCase: Don't know] "
- DISPLAY IF: QUEXMODE =1
- [99] "REFUSED"
- DISPLAY IF: QUEXMODE =1
- [98] SKIPPED ON WEB
- DISPLAY IF: QUEXMODE =2

## OWNGUN: RadioButton

Do you happen to have in your home any guns or revolvers?

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Yes]  
[2] [CATI UCase: No]  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Question CLASS  
IF OWNGUN <> 1

**PISTOL: CheckBox**

"Is it a pistol, shotgun, rifle, or what?"

[WEB TEXT: If you have more than one gun, please check all that apply.] [CATI TEXT: CHECK ALL THAT APPLY] [CAWI\_FLOAT2]"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Pistol] "  
[2] "[CATI UCase: Shotgun] "  
[3] "[CATI UCase: Rifle] "  
[4] "[CATI UCase: Other  
]"  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**GUNSPEC: TextAnswer**

Please specify other type of gun:

MaxAnswerLength = 30

MaxValue = 9999

**Codes:**

[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB



DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue  
Variable: GUNSPEC  
Value: 98  
IF GUNSPEC Is Empty

### **ROWNGUN: RadioButton**

Do any of these guns personally belong to you?

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Yes]  
[2] [CATI UCase: No]  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **CLASS: RadioButton**

"If you were asked to use one of four names for your social class, which would you say you belong in: the lower class, the working class, the middle class, or the upper class?"

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Lower class]  
[2] [CATI UCase: Working class]  
[3] [CATI UCase: Middle class]  
[4] [CATI UCase: Upper class]  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **SATFIN: RadioButton**

"We are interested in how people are getting along financially these days. So far as you and your family are concerned, would you say that you are pretty well satisfied with your present financial situation, more or less satisfied, or not satisfied at all?"

MaxValue = 9999

**Codes:**

- [1] [CATI UCase: Pretty well satisfied]
- [2] [CATI UCase: More or less satisfied]
- [3] [CATI UCase: Not satisfied at all]
- [77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**FINALTER: RadioButton**

"During the last few years, has your financial situation been getting better, getting worse, or has it stayed the same?"

MaxValue = 9999

**Codes:**

- [1] [CATI UCase: Getting better]
- [2] [CATI UCase: Getting worse]
- [3] [CATI UCase: Stayed the same]
- [77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**FINRELA: RadioButton**

"Compared with American families in general, would you say your family income is--far below average, below average, average, above average, or far above average? If you are uncertain, just give us your best guess."

MaxValue = 9999

**Codes:**

- [1] [CATI UCase: Far below average]
- [2] [CATI UCase: Below average]
- [3] [CATI UCase: Average]
- [4] [CATI UCase: Above average]
- [5] [CATI UCase: Far above average]
- [77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## **HISPANIC: RadioButton**

"[CATI TEXT: [HANDCARD A5]] Are you of Hispanic, Latino, or Spanish origin? "

MaxValue = 9999

### **Codes:**

[1] "[CATI UCase: No, not of Hispanic, Latino, or Spanish origin] "

[2] "[CATI UCase: Yes, Mexican, Mexican American, Chicano] "

[3] "[CATI UCase: Yes, Puerto Rican] "

[4] "[CATI UCase: Yes, Cuban] "

[5] "[CATI UCase: Yes, another Hispanic, Latino, or Spanish origin] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## **HIS2SPEC: TextAnswer**

"Indicate origin, for example, Argentinean, Colombian, Dominican, Nicaraguan, Salvadoran, Spaniard, and so on"

MaxAnswerLength = 30

MaxValue = 9999

### **Codes:**

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: HIS2SPEC

Value: 98

IF HIS2SPEC Is Empty

## **RACEACS: CheckBox**

"[CATI TEXT: [HANDCARD A6]] What is your race? Indicate one or more races that you consider yourself to be.

"

MaxValue = 9999

**Codes:**

- [1] "[CATI UCase: White] "
- [2] "[CATI UCase: Black or African American] "
- [3] "[CATI UCase: American Indian or Alaska Native] "
- [4] "[CATI UCase: Asian Indian] "
- [5] "[CATI UCase: Chinese] "
- [6] "[CATI UCase: Filipino] "
- [7] "[CATI UCase: Japanese] "
- [8] "[CATI UCase: Korean] "
- [9] "[CATI UCase: Vietnamese] "
- [10] "[CATI UCase: Other Asian] "
- [11] "[CATI UCase: Native Hawaiian] "
- [12] "[CATI UCase: Guamanian or Chamorro] "
- [13] "[CATI UCase: Samoan] "
- [14] "[CATI UCase: Other Pacific Islander] "
- [15] "[CATI UCase: Some other race] "
- [16] "[CATI UCase: No more mentioned] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question TIMEA3

IF RACEACS = 17 OR 18 OR 19

IF RACEACS = 77

IF RACEACS = 99

IF RACEACS = 98

PRELOADACTION: BranchTo

Question RACERANK1

IF RACEACS <> 3

And RACEACS <> 10

And RACEACS <> 14

And RACEACS <> 15

And RACEACS <> 3

And RACEACS <> 10

And RACEACS <> 14

And RACEACS <> 15

**RACEACSOS: HybridGrid**

MaxValue = 9999

```
PRELOADACTION: SetVariableValue  
Variable: AMINSPC_FILL  
Value: 1  
IF RACEACS = 3  
And AMINSPC Is Not Empty
```

```
PRELOADACTION: SetVariableValue  
Variable: AMINSPC_FILL  
Value: 2  
IF RACEACS = 3  
And AMINSPC Is Empty
```

```
PRELOADACTION: BranchTo  
Next question
```

### **AMINSPC\_FILL: RadioButton**

MaxValue = 9999

#### **Codes:**

- [1] [AMINSPC]
- [2] American Indian or Alaska Native

```
PRELOADACTION: SetVariableValue  
Variable: ASIASPC_FILL  
Value: 1  
IF RACEACS = 10  
And ASIASPC Is Not Empty
```

```
PRELOADACTION: SetVariableValue  
Variable: ASIASPC_FILL  
Value: 2  
IF RACEACS = 10  
And ASIASPC Is Empty
```

```
PRELOADACTION: BranchTo  
Next question
```

### **ASIASPC\_FILL: RadioButton**

Single answer question using Radio Buttons

MaxValue = 9999

**Codes:**

- [1] [ASIASPC]
- [2] Other Asian

```
PRELOADACTION: SetVariableValue  
Variable: PACFSPC_FILL  
Value: 1  
IF RACEACS = 14  
And PACFSPC Is Not Empty
```

```
PRELOADACTION: SetVariableValue  
Variable: PACFSPC_FILL  
Value: 2  
IF RACEACS = 14  
And PACFSPC Is Empty
```

```
PRELOADACTION: BranchTo  
Next question
```

**PACFSPC\_FILL: RadioButton**

Single answer question using Radio Buttons

MaxValue = 9999

**Codes:**

- [1] [PACFSPC]
- [2] Othe Pacific Islander

```
PRELOADACTION: SetVariableValue  
Variable: OTRCSPC_FILL  
Value: 1  
IF RACEACS = 15  
And OTRCSPC Is Not Empty
```

```
PRELOADACTION: SetVariableValue  
Variable: OTRCSPC_FILL  
Value: 2  
IF RACEACS = 15  
And OTRCSPC Is Empty
```

```
PRELOADACTION: BranchTo  
Next question
```

**OTRCSPC\_FILL: RadioButton**

Single answer question using Radio Buttons

MaxValue = 9999

**Codes:**

[1] [OTRCSPC]  
[2] Some other race

```
PRELOADACTION: BranchTo  
Question TIMEA3  
IF NBR(RACEACS)=1
```

**RACERANK1: RadioButton**

"If you had to choose, which of these races do you identify most with?"

MaxValue = 9999

**Codes:**

```
Eliminate Choices Not Answered at RACEACS
```

```
[1] "[CATI UCase: White] "  
[2] "[CATI UCase: Black or African American] "  
[3] "[CATI UCase: [AMINSPC_FILL]] "  
[4] "[CATI UCase: Asian Indian] "  
[5] "[CATI UCase: Chinese] "  
[6] "[CATI UCase: Filipino] "  
[7] "[CATI UCase: Japanese] "  
[8] "[CATI UCase: Korean] "  
[9] "[CATI UCase: Vietnamese] "  
[10] "[CATI UCase: [ASIASPC_FILL]] "  
[11] "[CATI UCase: Native Hawaiian] "  
[12] "[CATI UCase: Guamanian or Chamorro] "  
[13] "[CATI UCase: Samoan] "  
[14] "[CATI UCase: [PACFSPC_FILL]] "  
[15] "[CATI UCase: [OTRCSPC_FILL]] "  
[16] "[CATI UCase: No more mentioned] "  
[77] "[CATI TEXT: DON'T KNOW] [WEB TEXT: Can't choose] "  
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: BranchTo  
Question TIMEA3  
IF RACERANK1 = 17 OR 18 OR 19  
IF RACERANK1 = 77  
IF RACERANK1 = 99  
IF RACERANK1 = 98
```

```
PRELOADACTION: BranchTo  
Question TIMEA3  
IF NBR(RACEACS)<=2
```

**RACERANK2: RadioButton**

"After [racerank1], which of these races do you identify most with?"

MaxValue = 9999

**Codes:**

Eliminate Choices Answered at RACERANK1

Eliminate Choices Not Answered at RACEACS

- [1] "[CATI UCase: White] "
- [2] "[CATI UCase: Black or African American] "
- [3] "[CATI UCase: [AMINSPC\_FILL]] "
- [4] "[CATI UCase: Asian Indian] "
- [5] "[CATI UCase: Chinese] "
- [6] "[CATI UCase: Filipino] "
- [7] "[CATI UCase: Japanese] "
- [8] "[CATI UCase: Korean] "
- [9] "[CATI UCase: Vietnamese] "
- [10] "[CATI UCase: [ASIASPC\_FILL]] "
- [11] "[CATI UCase: Native Hawaiian] "
- [12] "[CATI UCase: Guamanian or Chamorro] "
- [13] "[CATI UCase: Samoan] "
- [14] "[CATI UCase: [PACFSPC\_FILL]] "
- [15] "[CATI UCase: [OTRCSPC\_FILL]] "
- [16] "[CATI UCase: No more mentioned] "
- [77] "[CATI TEXT: DON'T KNOW] [WEB TEXT: Can't choose] "
- [99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question TIMEA3

IF RACERANK2 = 17 OR 18 OR 19 OR 20

IF RACERANK2 = 77

IF RACERANK2 = 99

IF RACERANK2 = 98

IF RACERANK2 = 17

PRELOADACTION: BranchTo

Question TIMEA3

IF NBR(RACEACS) <=3

**RACERANK3: RadioButton**

"After [racerank1] and [racerank2], which of these races do you identify most with?"

MaxValue = 9999

**Codes:**

Eliminate Choices Answered at "RACERANK1,RACERANK2"



## Eliminate Choices Not Answered at RACEACS

[1] "[CATI UCase: White] "  
[2] "[CATI UCase: Black or African American] "  
[3] "[CATI UCase: [AMINSPC\_FILL]] "  
[4] "[CATI UCase: Asian Indian] "  
[5] "[CATI UCase: Chinese] "  
[6] "[CATI UCase: Filipino] "  
[7] "[CATI UCase: Japanese] "  
[8] "[CATI UCase: Korean] "  
[9] "[CATI UCase: Vietnamese] "  
[10] "[CATI UCase: [ASIASPC\_FILL]] "  
[11] "[CATI UCase: Native Hawaiian] "  
[12] "[CATI UCase: Guamanian or Chamorro] "  
[13] "[CATI UCase: Samoan] "  
[14] "[CATI UCase: [PACFSPC\_FILL]] "  
[15] "[CATI UCase: [OTRCSPC\_FILL]] "  
[16] "[CATI UCase: No more mentioned] "  
[77] "[CATI TEXT: DON'T KNOW] [WEB TEXT: Can't choose] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE = 1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

PRELOADACTION: SetVariableValue  
Variable: TIMEA3  
Value: [\$H]  
IF TIMEA3 Is Empty

PRELOADACTION: BranchTo  
Next question

## TIMEA3: DateTimeAnswer

MaxAnswerLength = 20

MaxValue = 9999

PRELOADACTION: SetVariableValue  
Variable: RACEFILL  
Value: 2

PRELOADACTION: SetVariableValue  
Variable: RACEFILL  
Value: 1  
IF RACERANK1 = 2

PRELOADACTION: SetVariableValue  
Variable: RACEFILL  
Value: 1  
IF RACERANK1 = 77  
And RACEACS = 2

```
PRELOADACTION: SetVariableValue
Variable: RACEFILL
Value: 1
IF RACERANK1 = 99
And RACEACS = 2
```

```
PRELOADACTION: SetVariableValue
Variable: RACEFILL
Value: 1
IF RACERANK1 = 98
And RACEACS = 2
```

```
PRELOADACTION: SetVariableValue
Variable: RACEFILL
Value: 1
IF RACERANK1 Is Empty 98
And RACEACS = 2
```

```
PRELOADACTION: BranchTo
Next question
```

### **RACEFILL: RadioButton**

MaxValue = 9999

#### **Codes:**

[1] Whites  
[2] Blacks

```
PRELOADACTION: SetVariableValue
Variable: RACEFILL2
Value: [RACEFILL]
```

```
PRELOADACTION: BranchTo
Next question
```

### **RACEFILL2: RadioButton**

MaxValue = 9999

#### **Codes:**

[1] White  
[2] Black

```
PRELOADACTION: SetVariableValue
Variable: RACOPENCARDFILL
Value: 1
IF RACEACS = 2
And VERXY = Y
```

```
PRELOADACTION: SetVariableValue
Variable: RACOPENCARDFILL
Value: 2
IF RACEACS <> 2
And VERXY = Y
```

```
PRELOADACTION: SetVariableValue
Variable: RACOPENCARDFILL
Value: 3
IF RACEACS = 2
And VERXY = X
```

```
PRELOADACTION: SetVariableValue
Variable: RACOPENCARDFILL
Value: 4
IF RACEACS <> 2
And VERXY = X
```

```
PRELOADACTION: BranchTo
Next question
```

## **RACOPENCARDFILL: RadioButton**

Single answer question using Radio Buttons

MaxValue = 9999

### **Codes:**

- [1] A7.2
- [2] A8.2
- [3] A7
- [4] A8

```
PRELOADACTION: BranchTo
Next question
IF VERXY = Y
```

## **RACOPEN: RadioButton**

"[CATI TEXT: [HANDCARD [RACOPENCARDFILL]]] Suppose there is a community-wide vote on the general housing issue. There are two possible laws to vote on:

One law says that a homeowner can decide for himself whom to sell his house to, even if he prefers not to sell to [racefill].

The second law says that a homeowner cannot refuse to sell to someone because of their race or color.

Which law would you vote for?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: First law]

[2] [CATI UCase: Second law]

[3] [CATI UCase: Neither law [CATI TEXT: (VOLUNTEERED)]]

DISPLAY IF: QUEXMODE =1

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = X

**RACOPENY: RadioButton**

"[CATI TEXT: [HANDCARD [RACOPENCARDFILL]]] Suppose there is a community-wide vote on the general housing issue. There are two possible laws to vote on:

One law says that a homeowner can decide whom to sell their house to, even if that homeowner prefers not to sell to [racefill].

The second law says that a homeowner cannot refuse to sell to someone because of their race or color.

Which law would you vote for?"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: First law] "

[2] "[CATI UCase: Second law] "

[3] "[CATI UCase: Neither law] "

DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**RACLIVE: RadioButton**

Are there any [racefill] living in your neighborhood now?[CAWI\_FLOAT2]

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**RACDIF1: RadioButton**

"The next questions have been asked for almost 50 years. For historical comparison, we would like to ask them again here.

On the average Black people have worse jobs, income, and housing than White people. Do you think these differences are...

Mainly due to discrimination?"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**RACDIF2: RadioButton**

"(On the average Black people have worse jobs, income, and housing than White people.)

Do you think these differences are...

Because most Black people have less in-born ability to learn?"

MaxValue = 9999

**Codes:**

```
[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

### **RACDIF3: RadioButton**

"(On the average Black people have worse jobs, income, and housing than White people.)

Do you think these differences are...

Because most Black people don't have the chance for education that it takes to rise out of poverty?"

MaxValue = 9999

#### **Codes:**

```
[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

### **RACDIF4: RadioButton**

"(On the average Black people have worse jobs, income, and housing than White people.)

Do you think these differences are...

Because most Black people just don't have the motivation or will power to pull themselves up out of poverty?"

MaxValue = 9999

#### **Codes:**

```
[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

### **AFIRM1: RadioButton**

"Some people say that because of past discrimination, Blacks should be given preference in hiring and promotion. Others say that such preference in hiring and promotion of Blacks is wrong because it discriminates against Whites. What about your opinion -- are you for or against preferential hiring and promotion of Blacks?"

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: For racial preference]

[2] [CATI UCase: Against racial preference]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **AFIRM2: RadioButton**

Do you favor preferences in hiring and promotion strongly or not strongly?

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Strongly favor]

[2] [CATI UCase: Not strongly]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **AFIRM3: RadioButton**

Do you oppose preference in hiring and promotion strongly or not strongly?

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Oppose strongly]

[2] [CATI UCase: Not strongly]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **WRKWAYUP: RadioButton**

"[CATI TEXT: [HANDCARD A9]] Do you agree strongly, agree somewhat, neither agree nor disagree, disagree somewhat, or disagree strongly with the following statement:

Irish, Italians, Jewish and many other minorities overcame prejudice and worked their way up. Blacks should do the same without special favors."

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Agree strongly]  
[2] [CATI UCase: Agree somewhat]  
[3] [CATI UCase: Neither agree nor disagree]  
[4] [CATI UCase: Disagree somewhat]  
[5] [CATI UCase: Disagree strongly]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Question WORKWHTINTRO  
IF VERXY = Y

### **WLTHWHT: RadioButton**

"[CATI TEXT: [HANDCARD A10]] Now we have some questions about different groups in our society. Here is a seven-point scale on which the characteristics of people in a group can be rated. In the first statement a score of 1 means that you think almost all of the people in that group are 'rich.' A score of 7 means that you think almost all of the people in the group are 'poor.' A score of 4 means that you think that the group is not towards one end or another, and of course you may choose any number in between that comes closest to where you think people in the group stand.

Where would you rate Whites in general on this scale?"

MaxValue = 9999

#### **Codes:**



[1] [CATI UCase: 1 rich]  
[2] [CATI UCase: 2]  
[3] [CATI UCase: 3]  
[4] [CATI UCase: 4]  
[5] [CATI UCase: 5]  
[6] [CATI UCase: 6]  
[7] 7 poor  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **WLTHBLK: RadioButton**

"[CATI TEXT: [HANDCARD A10]] (Do people in this group tend to be rich or poor?)

Blacks?"

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: 1 rich]  
[2] [CATI UCase: 2]  
[3] [CATI UCase: 3]  
[4] [CATI UCase: 4]  
[5] [CATI UCase: 5]  
[6] [CATI UCase: 6]  
[7] 7 poor  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **WLTHHSPS: RadioButton**

"[CATI TEXT: [HANDCARD A10]] (Do people in this group tend to be rich or poor?)

Hispanics, Latinos?"

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: 1 rich]  
[2] [CATI UCase: 2]  
[3] [CATI UCase: 3]

[4] [CATI UCase: 4]  
[5] [CATI UCase: 5]  
[6] [CATI UCase: 6]  
[7] 7 poor  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: WORKWHTINTRO  
Value: 1  
IF VERXY = X

PRELOADACTION: SetVariableValue  
Variable: WORKWHTINTRO  
Value: 2  
IF VERXY = Y

PRELOADACTION: BranchTo  
Next question

## **WORKWHTINTRO: RadioButton**

MaxValue = 9999

### **Codes:**

[1] The second set of characteristics asks if people in the group tend to be hardworking or if they tend to be lazy.

[2] "Now we have some questions about different groups in our society. Here is a seven-point scale on which the characteristics of people in a group can be rated. In the first statement a score of 1 means that you think almost all of the people in that group are "Hardworking." A score of 7 means that you think almost all of the people in the group are "Lazy." A score of 4 means you think that the group is not towards one end or another, and of course you may choose any number in between that comes closest to where you think people in this group stand."

## **WORKWHT: RadioButton**

"[CATI TEXT: [HANDCARD A10]] [workwhtintro]

Where would you rate Whites in general on this scale?"

MaxValue = 9999

### **Codes:**

[1] [CATI UCase: 1 Hardworking]  
[2] [CATI UCase: 2]  
[3] [CATI UCase: 3]  
[4] [CATI UCase: 4]  
[5] [CATI UCase: 5]  
[6] [CATI UCase: 6]  
[7] 7 Lazy  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **WORKBLK: RadioButton**

"[CATI TEXT: [HANDCARD A10]] (Do people in this group tend to be hardworking or lazy?)

Blacks?"

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: 1 Hardworking]  
[2] [CATI UCase: 2]  
[3] [CATI UCase: 3]  
[4] [CATI UCase: 4]  
[5] [CATI UCase: 5]  
[6] [CATI UCase: 6]  
[7] 7 Lazy  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **WORKHSPS: RadioButton**

"[CATI TEXT: [HANDCARD A10]] (Do people in this group tend to be hardworking or lazy?)

Hispanics, Latinos?"

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: 1 Hardworking]  
[2] [CATI UCase: 2]  
[3] [CATI UCase: 3]

[4] [CATI UCase: 4]  
[5] [CATI UCase: 5]  
[6] [CATI UCase: 6]  
[7] 7 Lazy  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **INTLWHT: RadioButton**

"[CATI TEXT: [HANDCARD A10]] Do people in these groups tend to be unintelligent or tend to be intelligent?"

Where would you rate Whites in general on this scale?"

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: 1 Unintelligent]  
[2] [CATI UCase: 2]  
[3] [CATI UCase: 3]  
[4] [CATI UCase: 4]  
[5] [CATI UCase: 5]  
[6] [CATI UCase: 6]  
[7] 7 Intelligent  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **INTLBLK: RadioButton**

"[CATI TEXT: [HANDCARD A10]] (Do people in this group tend to be unintelligent or tend to be intelligent?)

Blacks?"

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: 1 Unintelligent]  
[2] [CATI UCase: 2]  
[3] [CATI UCase: 3]  
[4] [CATI UCase: 4]

[5] [CATI UCase: 5]  
[6] [CATI UCase: 6]  
[7] 7 Intelligent  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **INTLHSPS: RadioButton**

"[CATI TEXT: [HANDCARD A10]] (Do people in these groups tend to be unintelligent or tend to be intelligent?)

Hispanics, Latinos?"

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: 1 Unintelligent]  
[2] [CATI UCase: 2]  
[3] [CATI UCase: 3]  
[4] [CATI UCase: 4]  
[5] [CATI UCase: 5]  
[6] [CATI UCase: 6]  
[7] 7 Intelligent  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **LIVEWHTS: RadioButton**

"Now here is a question about different types of contact with various groups of people. For the following situation please indicate whether you would be very much in favor of it happening, somewhat in favor, neither in favor nor opposed to it happening, somewhat opposed, or very much opposed to it happening? Living in a neighborhood where half of your neighbors were Whites?"

MaxValue = 9999

#### **Codes:**

[1] "[CATI UCase: Very much in favor] "  
[2] "[CATI UCase: Somewhat in favor] "  
[3] "[CATI UCase: Neither in favor nor opposed] "  
[4] "[CATI UCase: Somewhat opposed] "

[5] "[CATI UCase: Very much opposed] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## **LIVEBLKS: RadioButton**

"Now we are going to ask you about different types of contact with various groups of people. For the following situation, please indicate whether you would be very much in favor of it happening, somewhat in favor, neither in favor nor opposed to it happening, somewhat opposed, or very much opposed to it happening. Living in a neighborhood where half of your neighbors are Blacks?"

MaxValue = 9999

### **Codes:**

[1] [CATI UCase: Very much in favor]

[2] [CATI UCase: Somewhat in favor]

[3] [CATI UCase: Neither favor nor opposed]

[4] [CATI UCase: Somewhat opposed]

[5] [CATI UCase: Very much opposed]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## **MARWHT: RadioButton**

"Now here is another question about another type of contact with various groups of people.

What about having a close relative marry a White person? Would you be very in favor of it happening, somewhat in favor, neither in favor nor opposed to it happening, somewhat opposed, or very opposed to it happening?"

MaxValue = 9999

### **Codes:**

[1] [CATI UCase: Very in favor]

[2] [CATI UCase: Somewhat in favor]

[3] [CATI UCase: Neither in favor nor opposed]

[4] [CATI UCase: Somewhat opposed]

[5] [CATI UCase: Very opposed]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **MARBLK: RadioButton**

What about having a close relative marry a Black person?

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Very in favor]  
[2] [CATI UCase: Somewhat in favor]  
[3] [CATI UCase: Neither in favor nor opposed]  
[4] [CATI UCase: Somewhat opposed]  
[5] [CATI UCase: Very opposed]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **MARASIAN: RadioButton**

What about having a close relative marry an Asian American person?

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Very in favor]  
[2] [CATI UCase: Somewhat in favor]  
[3] [CATI UCase: Neither in favor nor opposed]  
[4] [CATI UCase: Somewhat opposed]  
[5] [CATI UCase: Very opposed]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **MARHISP: RadioButton**

What about having a close relative marry a Hispanic or Latino person?

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Very in favor]  
[2] [CATI UCase: Somewhat in favor]  
[3] [CATI UCase: Neither in favor nor opposed]  
[4] [CATI UCase: Somewhat opposed]  
[5] [CATI UCase: Very opposed]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**RACWORK: RadioButton**

"Are the people who work where you work all White, mostly White, about half and half, mostly Black, or all Black?[CAWI\_FLOAT2]"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: All White] "  
[2] "[CATI UCase: Mostly White] "  
[3] "[CATI UCase: About half and half] "  
[4] "[CATI UCase: Mostly Black] "  
[5] "[CATI UCase: All Black] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**DISCAFF: RadioButton**

"What do you think the chances are these days that a White person won't get a job or promotion while an equally or less qualified Black person gets one instead? Is this very likely, somewhat likely, or not very likely to happen these days?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Very likely]  
[2] [CATI UCase: Somewhat likely]  
[3] [CATI UCase: Not very likely]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1



[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **CLOSEBLK: RadioButton**

"In general, how close do you feel to Blacks?"

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: 1 Not at all close]  
[2] [CATI UCase: 2]  
[3] [CATI UCase: 3]  
[4] [CATI UCase: 4]  
[5] [CATI UCase: 5 Neither one feeling nor the other]  
[6] [CATI UCase: 6]  
[7] [CATI UCase: 7]  
[8] [CATI UCase: 8]  
[9] [CATI UCase: 9 Very Close]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **CLOSEWHT: RadioButton**

"And in general, how close do you feel to Whites?"

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: 1 Not at all close]  
[2] [CATI UCase: 2]  
[3] [CATI UCase: 3]  
[4] [CATI UCase: 4]  
[5] [CATI UCase: 5 Neither one feeling nor the other]  
[6] [CATI UCase: 6]  
[7] [CATI UCase: 7]  
[8] [CATI UCase: 8]  
[9] [CATI UCase: 9 Very Close]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### LETIN1A: RadioButton

"[CATI TEXT: [HANDCARD A12]] Do you think the number of immigrants to America nowadays should be..."

MaxValue = 9999

#### **Codes:**

- [1] [CATI TEXT: 1. ] Increased a lot]
- [2] [CATI TEXT: 2. ] Increased a little
- [3] [CATI TEXT: 3. ] Remain the same as it is
- [4] [CATI TEXT: 4. ] Reduced a little
- [5] [CATI TEXT: 5. ] Reduced a lot
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### GETAHEAD: RadioButton

Some people say that people get ahead by their own hard work; others say that lucky breaks or help from other people are more important. Which do you think is most important?

MaxValue = 9999

#### **Codes:**

- [1] [CATI UCase: Hard work most important]
- [2] [CATI UCase: Hard work and luck are equally important]
- [3] "[CATI UCase: Luck or help from other people most important] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### LIFE: RadioButton

"In general, do you find life exciting, pretty routine, or dull?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Exciting]  
[2] [CATI UCase: Routine]  
[3] [CATI UCase: Dull]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**HAPMAR: RadioButton**

"Taking things all together, how would you describe your marriage? Would you say that your marriage is very happy, pretty happy, or not too happy?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Very happy]  
[2] [CATI UCase: Pretty happy]  
[3] [CATI UCase: Not too happy]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo  
Question HAPPY

**HAPCOHAB: RadioButton**

"Taking things all together, would you say that your relationship with your partner is very happy, pretty happy, or not too happy?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Very happy]  
[2] [CATI UCase: Pretty happy]  
[3] [CATI UCase: Not too happy]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **HAPPY: RadioButton**

"Taken all together, how would you say things are these days—would you say that you are very happy, pretty happy, or not too happy?"

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Very happy]  
[2] [CATI UCase: Pretty happy]  
[3] [CATI UCase: Not too happy]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: TIMEA72S  
Value: [\$H]

PRELOADACTION: BranchTo  
Next question

### **TIMEA72S: DateTimeAnswer**

MaxAnswerLength = 20

MaxValue = 9999

### **HEALTH: RadioButton**

"Would you say your own health, in general, is excellent, good, fair, or poor?"

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: Excellent]  
[2] [CATI UCase: Good]  
[3] [CATI UCase: Fair]

[4] [CATI UCase: Poor]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: TIMEA72E  
Value: [\$H]

PRELOADACTION: BranchTo  
Next question

### **TIMEA72E: DateTimeAnswer**

MaxAnswerLength = 20

MaxValue = 9999

### **CHLDIDEL: RadioButton**

What do you think is the ideal number of children for a family to have?

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: None]  
[2] [CATI UCase: One]  
[3] [CATI UCase: Two]  
[4] [CATI UCase: Three]  
[5] [CATI UCase: Four]  
[6] [CATI UCase: Five]  
[7] [CATI UCase: Six]  
[8] [CATI UCase: Seven or more]  
[9] [CATI UCase: As many as you want]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **CHILDS: RadioButton**

How many children have you ever had? Please count all that were born alive at any time (including any you had from a previous marriage).[CAWI\_FLOAT2]

MaxValue = 9999

**Codes:**

[0] "[CATI UCase: None] "  
[1] "[CATI UCase: One] "  
[2] "[CATI UCase: Two] "  
[3] "[CATI UCase: Three] "  
[4] "[CATI UCase: Four] "  
[5] "[CATI UCase: Five] "  
[6] "[CATI UCase: Six] "  
[7] "[CATI UCase: Seven] "  
[8] "[CATI UCase: Eight or more] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo  
Question SEXEDUC  
IF CHILDS = 1 OR 10 OR 11 OR 12  
IF CHILDS = 0  
IF CHILDS = 77  
IF CHILDS = 99  
IF CHILDS = 98

**AGEKDBRN: NumericAnswer**

How old were you when your first child was born?

MinValue = 9 MaxValue = 97

**Codes:**

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue  
Variable: AGEKDBRN  
Value: 98  
IF AGEKDBRN Is Empty

**SEXEDUC: RadioButton**

Would you be for or against sex education in the public schools?

MaxValue = 97

**Codes:**

[1] [CATI UCase: For]

[2] [CATI UCase: Against]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**DIVLAW: RadioButton**

Should divorce in this country be easier or more difficult to obtain than it is now?

MaxValue = 97

**Codes:**

[1] [CATI UCase: Easier]

[2] [CATI UCase: More difficult]

[3] "[CATI UCase: Stay as is[CATI TEXT: (VOLUNTEERED)] "

DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF QUEXMODE = 1

Or VERXY = Y

**ABGRID1: ChoiceGrid**

[WEB TEXT: Do you think it should be possible for a pregnant woman to obtain a legal abortion...]

[CATI TEXT: Please tell me whether or not you think it should be possible for a pregnant woman to obtain a legal abortion...]

MaxValue = 97

**Codes:**

[1] Yes  
[2] No  
[3] DK  
[4] REF  
[5] SKIPPED ON WEB

```
PRELOADACTION: BranchTo  
Question ABGRID2  
IF QUEXMODE = 2  
And VERXY = X
```

**ABDEFECT: RadioButton**

[WEB TEXT: Do you think it should be possible for a pregnant woman to obtain a legal abortion...]  
[CATI TEXT: Please tell me whether or not you think it should be possible for a pregnant woman to obtain a legal abortion...]

If there is a strong chance of serious defect in the baby?

MaxValue = 97

**Codes:**

```
[1] [CATI UCase: Yes]  
[2] [CATI UCase: No]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE = 1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE = 1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE = 2
```

**ABNOMORE: RadioButton**

"([WEB TEXT: Do you think it should be possible for a pregnant woman to obtain a legal abortion...]  
[CATI TEXT: Please tell me whether or not you think it should be possible for a pregnant woman to obtain a legal abortion...])

If she is married and does not want any more children?"

MaxValue = 97

**Codes:**

```
[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE = 1  
[99] "REFUSED"
```



DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **ABHLTH: RadioButton**

"([WEB TEXT: Do you think it should be possible for a pregnant woman to obtain a legal abortion...]  
[CATI TEXT: Please tell me whether or not you think it should be possible for a pregnant woman to obtain a legal abortion...])

If the woman's own health is seriously endangered by the pregnancy?"

MaxValue = 97

#### **Codes:**

[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF QUEXMODE = 1

Or VERXY = Y

### **ABGRID2: ChoiceGrid**

[WEB TEXT: Do you think it should be possible for a pregnant woman to obtain a legal abortion...]  
[CATI TEXT: Please tell me whether or not you think it should be possible for a pregnant woman to obtain a legal abortion...]

MaxValue = 97

#### **Codes:**

[1] Yes

[2] No

[3] DK

[4] REF

[5] SKIPPED ON WEB

POSTANSWERACTION: BranchTo

Question ABANY

IF QUEXMODE = 2

And VERXY = X

### **ABPOOR: RadioButton**

"([WEB TEXT: Do you think it should be possible for a pregnant woman to obtain a legal abortion...]  
[CATI TEXT: Please tell me whether or not you think it should be possible for a pregnant woman to obtain a legal abortion...])

If the family has a very low income and cannot afford any more children?"

MaxValue = 97

#### **Codes:**

[1] "[CATI UCase: Yes] "

[2] "[CATI UCase: No] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **ABRAPE: RadioButton**

([WEB TEXT: Do you think it should be possible for a pregnant woman to obtain a legal abortion...]  
[CATI TEXT: Please tell me whether or not you think it should be possible for a pregnant woman to obtain a legal abortion...])

If she became pregnant as a result of rape?

MaxValue = 97

#### **Codes:**

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **ABSINGLE: RadioButton**

([WEB TEXT: Do you think it should be possible for a pregnant woman to obtain a legal abortion...]  
[CATI TEXT: Please tell me whether or not you think it should be possible for a pregnant woman to obtain a legal abortion...])

If she is not married and does not want to marry the man?

MaxValue = 97

**Codes:**

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**ABANY: RadioButton**

([WEB TEXT: Do you think it should be possible for a pregnant woman to obtain a legal abortion...]  
[CATI TEXT: Please tell me whether or not you think it should be possible for a pregnant woman to obtain a legal abortion...] )

If the woman wants it for any reason?

MaxValue = 97

**Codes:**

[1] "[CATI UCase: Yes] "

[2] "[CATI UCase: No] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = Y

**LETDIE1: RadioButton**

"When a person has a disease that cannot be cured, do you think doctors should be allowed by law to end the patient's life by some painless means if the patient and his family request it?"

MaxValue = 97

**Codes:**

[1] [CATI UCase: Yes]  
[2] [CATI UCase: No]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF VERXY = X

### **LETDIE1Y: RadioButton**

"When a person has a disease that cannot be cured, do you think doctors should be allowed by law to end the patient's life by some painless means if the patient and the patient's family request it?"

MaxValue = 97

#### **Codes:**

[1] [CATI UCase: Yes]  
[2] [CATI UCase: No]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF QUEXMODE = 1  
Or VERXY = Y

### **SUICIDE: ChoiceGrid**

Do you think a person has the right to end his or her own life if this person...

MaxValue = 97

#### **Codes:**

[1] Yes  
[2] No  
[3] DK  
[4] REF  
[5] SKIPPED ON WEB

```
PRELOADACTION: BranchTo
Question PREMARSX
IF QUEXMODE = 2
And VERXY = X
```

### **SUICIDE1: RadioButton**

Do you think a person has the right to end his or her own life if this person...  
has an incurable disease?

MaxValue = 97

#### **Codes:**

```
[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

### **SUICIDE2: RadioButton**

Do you think a person has the right to end his or her own life if this person...  
has gone bankrupt?

MaxValue = 97

#### **Codes:**

```
[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

### **SUICIDE3: RadioButton**

Do you think a person has the right to end his or her own life if this person...  
has dishonored his or her family?

MaxValue = 97

**Codes:**

[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**SUICIDE4: RadioButton**

Do you think a person has the right to end his or her own life if this person...

is tired of living and ready to die?

MaxValue = 97

**Codes:**

[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**PREMARSEX: RadioButton**

"There's been a lot of discussion about the way morals and attitudes about sex are changing in this country. If a man and a woman have sexual relations before marriage, do you think it is always wrong, almost always wrong, wrong only sometimes, or not wrong at all?"

MaxValue = 97

**Codes:**

[1] [CATI UCase: Always wrong]  
[2] [CATI UCase: Almost always wrong]  
[3] [CATI UCase: Wrong only sometimes]  
[4] [CATI UCase: Not wrong at all]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## TEENSEX: RadioButton

"What if they are in their early teens, say 14 to 16 years old? In that case, do you think sexual relations before marriage are always wrong, almost always wrong, wrong only sometimes, or not wrong at all?"

MaxValue = 97

### **Codes:**

[1] [CATI UCase: Always wrong]  
[2] [CATI UCase: Almost always wrong]  
[3] [CATI UCase: Wrong only sometimes]  
[4] [CATI UCase: Not wrong at all]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## XMARSEX: RadioButton

"What is your opinion about a married person having sexual relations with someone other than the marriage partner--is it always wrong, almost always wrong, wrong only sometimes, or not wrong at all?"

MaxValue = 97

### **Codes:**

[1] "[CATI UCase: Always wrong] "  
[2] "[CATI UCase: Almost always wrong] "  
[3] "[CATI UCase: Wrong only sometimes] "  
[4] "[CATI UCase: Not wrong at all] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## HOMOSEX: RadioButton

"What about sexual relations between two adults of the same sex-- do you think it is always wrong, almost always wrong, wrong only sometimes, or not wrong at all?"

MaxValue = 97

**Codes:**

[1] [CATI UCase: Always wrong]  
[2] [CATI UCase: Almost always wrong]  
[3] [CATI UCase: Wrong only sometimes]  
[4] [CATI UCase: Not wrong at all]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**MARHOMO: RadioButton**

"[CATI TEXT: [HANDCARD A13]] Do you agree or disagree with the following statement:

Homosexual couples should have the right to marry one another."

MaxValue = 97

**Codes:**

[1] [CATI UCase: Strongly agree]  
[2] [CATI UCase: Agree]  
[3] [CATI UCase: Neither agree nor disagree]  
[4] [CATI UCase: Disagree]  
[5] [CATI UCase: Strongly disagree]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**PILLOK: RadioButton**

"Do you strongly agree, agree, disagree, or strongly disagree that methods of birth control should be available to teenagers between the ages of 14 and 16 if their parents do not approve?"

MaxValue = 97

**Codes:**

[1] [CATI UCase: Strongly agree]  
[2] [CATI UCase: Agree]  
[3] [CATI UCase: Disagree]  
[4] [CATI UCase: Strongly disagree]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"



DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **SPANKING: RadioButton**

"Do you strongly agree, agree, disagree, or strongly disagree that it is sometimes necessary to discipline a child with a good, hard spanking?"

MaxValue = 97

#### **Codes:**

[1] [CATI UCase: Strongly agree]  
[2] [CATI UCase: Agree]  
[3] [CATI UCase: Disagree]  
[4] [CATI UCase: Strongly disagree]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **SOCREL: RadioButton**

"[CATI TEXT: [HANDCARD A14]] For each of the next four questions, please select the answer that comes closest to how often you do the following things...

How often do you spend a social evening with relatives?"

MaxValue = 97

#### **Codes:**

[1] Almost every day  
[2] Once or twice a week  
[3] Several times a month  
[4] About once a month  
[5] Several times a year  
[6] About once a year  
[7] Never  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **SOCOMMUN: RadioButton**

"[CATI TEXT: [HANDCARD A14]] How often do you spend a social evening with someone who lives in your neighborhood?"

MaxValue = 97

**Codes:**

[1] Almost every day  
[2] Once or twice a week  
[3] Several times a month  
[4] About once a month  
[5] Several times a year  
[6] About once a year  
[7] Never  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**SOCFRIEND: RadioButton**

"[CATI TEXT: [HANDCARD A14]] How often do you spend a social evening with friends who live outside your neighborhood?"

MaxValue = 97

**Codes:**

[1] Almost every day  
[2] Once or twice a week  
[3] Several times a month  
[4] About once a month  
[5] Several times a year  
[6] About once a year  
[7] Never  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**SOCBAR: RadioButton**

"[CATI TEXT: [HANDCARD A14]] How often do you go to a bar or tavern?"

MaxValue = 97

**Codes:**

[1] Almost every day  
[2] Once or twice a week  
[3] Several times a month  
[4] About once a month  
[5] Several times a year  
[6] About once a year  
[7] Never  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**TAX: RadioButton**

"Do you consider the amount of federal income tax which you have to pay as too high, about right, or too low?"

MaxValue = 97

**Codes:**

[1] "[CATI UCase: Too high] "  
[2] "[CATI UCase: About right] "  
[3] "[CATI UCase: Too low] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**PRTYPREF: RadioButton**

"Generally speaking, do you usually think of yourself as a Republican, Democrat, Independent, or what?"

MaxValue = 97

**Codes:**

[1] [CATI UCase: Republican]  
[2] [CATI UCase: Democrat]  
[3] [CATI UCase: Independent]  
[4] [CATI UCase: Other (please specify)]  
[5] [CATI UCase: No preference]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **PRTYSPEC: TextAnswer**

Specify other party:

MaxAnswerLength = 30

MaxValue = 97

#### **Codes:**

[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue  
Variable: PRTYSPEC  
Value: 98  
IF PRTYSPEC Is Empty

PRELOADACTION: BranchTo  
Next question  
IF PRTPREF <> 1  
And PRTPREF <> 2

### **PRTYSTRG: RadioButton**

Would you call yourself a strong [PRTPREF] or not a very strong [PRTPREF]?

MaxValue = 97

#### **Codes:**

[1] [CATI UCase: Strong]  
[2] [CATI UCase: Not very strong]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question  
IF PRYPREF = 1  
Or PRYPREF = 2

### **PRTYIND: RadioButton**

Do you think of yourself as closer to the Republican or Democratic Party?

MaxValue = 97

#### **Codes:**

[1] [CATI UCase: Republican]  
[2] [CATI UCase: Democrat]  
[3] [CATI UCase: Neither]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **VOTE16: RadioButton**

"In 2016, Hillary Clinton ran for President on the Democratic ticket against Donald Trump for the Republicans. Do you remember for sure whether or not you voted in that election?[CAWI\_FLOAT2]"

MaxValue = 97

#### **Codes:**

[1] "[CATI UCase: Voted] "  
[2] "[CATI UCase: Did not vote] "  
[3] "[CATI UCase: Ineligible] "  
[4] "[CATI UCase: Prefer not to answer] "  
[8] "[CATI UCase: Don't know/Can't remember] "  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **PRES16: RadioButton**

Did you vote for Hillary Clinton or Donald Trump? [CAWI\_FLOAT2]

MaxValue = 97

**Codes:**

[1] "[CATI UCase: Hillary Clinton] "  
[2] "[CATI UCase: Donald Trump] "  
[3] "[CATI UCase: Other candidate (please specify)] "  
[5] "[CATI UCase: Didn't vote for president] "  
[8] "[CATI UCase: Don't know/Can't remember] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**PR16SPEC: TextAnswer**

Who did you vote for in the 2016 election?

MaxAnswerLength = 30

MaxValue = 97

**Codes:**

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: PR16SPEC

Value: 98

IF PR16SPEC Is Empty

PRELOADACTION: BranchTo

Next question

IF "V01(VOTE16=2,3 OR PRES16=5)==0"

**IF16WHO: RadioButton**

"Who would you have voted for, for President, if you had voted?[CAWI\_FLOAT2]"

MaxValue = 97

**Codes:**

[1] "[CATI UCase: Hillary Clinton] "

[2] "[CATI UCase: Donald Trump] "

[3] "[CATI UCase: Other] "

[8] "[CATI UCase: Don't know/Can't remember] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: TIMEA4  
Value: [\$H]

PRELOADACTION: BranchTo  
Next question

### **TIMEA4: DateTimeAnswer**

MaxAnswerLength = 20

MaxValue = 97

### **POLVIEWS: RadioButton**

"[CATI TEXT: [HANDCARD A15]] We hear a lot of talk these days about liberals and conservatives. Here is a seven-point scale on which the political views that people might hold are arranged from extremely liberal—point 1—to extremely conservative—point 7. Where would you place yourself on this scale?"

MaxValue = 97

#### **Codes:**

[1] 1 Extremely liberal  
[2] 2 Liberal  
[3] 3 Slightly liberal  
[4] "4 Moderate, middle of the road"  
[5] 5 Slightly conservative  
[6] 6 Conservative  
[7] 7 Extremely conservative  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **NEWS: RadioButton**

"How often do you read the newspaper--every day, a few times a week, once a week, less than once a week, or never?"

MaxValue = 97

**Codes:**

[1] [CATI UCase: Every day]  
[2] [CATI UCase: A few times a week]  
[3] [CATI UCase: Once a week]  
[4] [CATI UCase: Less than once a week]  
[5] [CATI UCase: Never]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**TVHOURS: NumericAnswer**

"On the average day, about how many hours do you personally watch television?"

"

MinValue = 0 MaxValue = 24

**Codes:**

[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue  
Variable: TVHOURS  
Value: 98  
IF TVHOURS Is Empty

**RELIG: RadioButton**

What is your religious preference?

MaxValue = 24

**Codes:**

[1] "[CATI UCase: Protestant] "  
[2] "[CATI UCase: Catholic] "  
[5] "[CATI UCase: Eastern Orthodox, such as Greek or Russian Orthodox] "  
[3] "[CATI UCase: Jewish] "  
[6] "[CATI UCase: Buddhist] "



[7] "[CATI UCase: Hindu] "  
[8] "[CATI UCase: Muslim, Islam, Sufi, Sunni, or Shia] "  
[9] "[CATI UCase: Some other religion] "  
[4] "[CATI UCase: No religion] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo  
Question TMPDENOM  
IF RELIG = 1

POSTANSWERACTION: BranchTo  
Question RELIGFILL  
IF RELIG = 2 OR 3 OR 5 OR 6 OR 7  
IF RELIG = 2  
IF RELIG = 8  
IF RELIG = 5  
IF RELIG = 6  
IF RELIG = 7

POSTANSWERACTION: BranchTo  
Question RELIG16  
IF RELIG = 8 OR 10 OR 11 OR 12  
IF RELIG = 4  
IF RELIG = 77  
IF RELIG = 99  
IF RELIG = 98

POSTANSWERACTION: BranchTo  
Question JEW  
IF RELIG = 3

PRELOADACTION: BranchTo  
Next question  
IF RELIG <> 9

## **RELGSPEC: TextAnswer**

What is your religious preference?

MaxAnswerLength = 30

MaxValue = 24

### **Codes:**

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue  
Variable: RELGSPEC  
Value: 98  
IF RELGSPEC Is Empty

### **IVQRELIG: RadioButton**

Is your religious preference any of the following?

MaxValue = 24

#### **Codes:**

[1] [CATI UCase: Christian]  
[2] [CATI UCase: Interdenominational]  
[3] [CATI UCase: Non-denominational]  
[4] [CATI UCase: Something else]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo  
Question TMPDENOM  
IF IVQRELIG = 1

POSTANSWERACTION: BranchTo  
Question RELIGFILL  
IF IVQRELIG = 4

### **CHRISTCH: RadioButton**

Would that be a Christian church?

MaxValue = 24

#### **Codes:**

[1] [CATI UCase: Yes]  
[2] [CATI UCase: No]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

```
POSTANSWERACTION: BranchTo
Question RELIGFILL
IF CHRISTCH = 2 OR 3 OR 4 OR 5
IF CHRISTCH = 2
IF CHRISTCH = 98
IF CHRISTCH = 77
IF CHRISTCH = 99
```

### **PROTCHRH: RadioButton**

Would you consider that a Protestant church?

MaxValue = 24

#### **Codes:**

```
[1] [CATI UCase: Yes]
[2] [CATI UCase: No]
[3] [CATI UCase: Not sure]
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF PROTCHRH <> 3
```

### **PROTSPEC: TextAnswer**

Please specify other religion:

MaxAnswerLength = 30

MaxValue = 24

#### **Codes:**

```
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: SetVariableValue
Variable: PROTSPEC
Value: 98
IF PROTSPEC Is Empty
```

```
PRELOADACTION: BranchTo
Question RELIGFILL
IF PROTCHRH = 2
Or PROTCHRH = 3
Or PROTCHRH = 77
Or PROTCHRH = 99
Or PROTCHRH = 98
```

### **TMPDENOM: RadioButton**

"What specific denomination is that, if any?"

[CATI TEXT: PROBE FOR COMPLETE NAME OF DENOMINATION] "

MaxValue = 24

#### **Codes:**

```
[1] "[CATI UCase: Baptist] "
[2] "[CATI UCase: Methodist] "
[3] "[CATI UCase: Lutheran] "
[4] "[CATI UCase: Presbyterian] "
[5] "[CATI UCase: Episcopal church] "
[6] "[CATI UCase: Other (please specify)] "
[7] "[CATI UCase: No Denomination [CATI TEXT: given ] or Non-Denominational Church] "
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: SetVariableValue
Variable: DENOM
Value: 50
IF TMPDENOM = 5
```

```
PRELOADACTION: SetVariableValue
Variable: DENOM
Value: 60
IF TMPDENOM = 6
```

```
PRELOADACTION: SetVariableValue
Variable: DENOM
Value: 70
IF TMPDENOM = 7
```

```
PRELOADACTION: SetVariableValue
Variable: DENOM
Value: 77
IF TMPDENOM = 77
```

```
PRELOADACTION: SetVariableValue
Variable: DENOM
Value: 99
```

IF TMPDENOM = 99

PRELOADACTION: SetVariableValue  
Variable: DENOM  
Value: 98  
IF TMPDENOM = 98

PRELOADACTION: BranchTo  
Next question  
IF TMPDENOM = 5  
Or TMPDENOM = 6  
Or TMPDENOM = 7  
Or TMPDENOM = 77  
Or TMPDENOM = 99  
Or TMPDENOM = 98

## DENOM: RadioButton

"What specific denomination is that, if any?"

[CATI TEXT: PROBE FOR COMPLETE NAME OF DENOMINATION] "

MaxValue = 24

### Codes:

[10] "[CATI UCase: American Baptist Association] "

DISPLAY IF: TMPDENOM =1

[11] "[CATI UCase: American Baptist Churches in the U.S.A] "

DISPLAY IF: TMPDENOM =1

[12] "[CATI UCase: National Baptist Convention of America] "

DISPLAY IF: TMPDENOM =1

[13] "[CATI UCase: National Baptist Convention, U.S.A., Inc] "

DISPLAY IF: TMPDENOM =1

[14] "[CATI UCase: Southern Baptist Convention] "

DISPLAY IF: TMPDENOM =1

[15] "[CATI UCase: Other Baptist Churches] "

DISPLAY IF: TMPDENOM =1

[18] "[CATI UCase: Baptist, Don't know which] "

DISPLAY IF: TMPDENOM =1

[20] "[CATI UCase: African Methodist Episcopal Church] "

DISPLAY IF: TMPDENOM =2

[21] "[CATI UCase: African Methodist Episcopal Zion Church] "

DISPLAY IF: TMPDENOM =2

[22] "[CATI UCase: United Methodist Church] "

DISPLAY IF: TMPDENOM =2

[23] "[CATI UCase: Other Methodist Churches] "

DISPLAY IF: TMPDENOM =2

[28] "[CATI UCase: Methodist, Don't know which] "

DISPLAY IF: TMPDENOM =2

[30] "[CATI UCase: American Lutheran Church] "

DISPLAY IF: TMPDENOM =3

[31] "[CATI UCase: Lutheran Church in America] "

DISPLAY IF: TMPDENOM =3

[32] "[CATI UCase: Lutheran Church -- Missouri Synod] "

DISPLAY IF: TMPDENOM =3  
[33] "[CATI UCase: Wisconsin Evangelical Lutheran Synod] "  
DISPLAY IF: TMPDENOM =3  
[34] "[CATI UCase: Other Lutheran Churches] "  
DISPLAY IF: TMPDENOM =3  
[35] "[CATI UCase: Evangelical Lutheran Church of America] "  
DISPLAY IF: TMPDENOM =3  
[38] "[CATI UCase: Lutheran, Don't know which] "  
DISPLAY IF: TMPDENOM =3  
[40] "[CATI UCase: Presbyterian Church in the United States] "  
DISPLAY IF: TMPDENOM =4  
[41] "[CATI UCase: United Presbyterian Church in the United States of America] "  
DISPLAY IF: TMPDENOM =4  
[42] "[CATI UCase: Other Presbyterian Churches] "  
DISPLAY IF: TMPDENOM =4  
[43] "[CATI UCase: Presbyterian Church (U.S.A.)] "  
DISPLAY IF: TMPDENOM =4  
[48] "[CATI UCase: Presbyterian, Don't know which] "  
DISPLAY IF: TMPDENOM =4  
[50] "[CATI UCase: Episcopal Church] "  
DISPLAY IF: TMPDENOM =5  
[60] "[CATI UCase: Other (please specify)] "  
DISPLAY IF: TMPDENOM =6  
[70] "[CATI UCase: No denomination given or non-denominational] "  
DISPLAY IF: TMPDENOM =7  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Question RELIGFILL  
IF "V01(DENOM=15,23,34,35,42,43,60)=0"

PRELOADACTION: SetVariableValue  
Variable: OTHDEMTXT  
Value: 3

PRELOADACTION: SetVariableValue  
Variable: OTHDEMTXT  
Value: 1  
IF DENOM = 43  
Or DENOM = 35

PRELOADACTION: BranchTo  
Next question

### **OTHDEMTXT: RadioButton**

MaxValue = 24

**Codes:**

- [1] Do you know the name of your denomination prior to the merger?
- [2] Do you know the name of your spouse's denomination prior to the merger?
- [3] " Please specify denomination:

[CATI TEXT: PROBE FOR COMPLETE NAME OF DENOMINATION.] "

**OTHSPEC: TextAnswer**

[othdemptxt]

MaxAnswerLength = 30

MaxValue = 24

**Codes:**

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: OTHSPEC

Value: 98

IF OTHSPEC Is Empty

POSTANSWERACTION: BranchTo

Question RELIGFILL

**JEW: RadioButton**

"Do you consider yourself Orthodox, Conservative, Reform or none of these?"

[CATI TEXT: PROBE FOR EXACT DENOMINATION] "

MaxValue = 24

**Codes:**

[1] [CATI UCase: Orthodox]

[2] [CATI UCase: Conservative]

[3] [CATI UCase: Reform]

[4] [CATI UCase: None of these]

[5] [CATI UCase: Other]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF JEW <> 5

## **JEWSP: TextAnswer**

"[CATI UCase: Please specify:] "

MaxAnswerLength = 250

MaxValue = 24

### **Codes:**

[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue  
Variable: JEWSP  
Value: 98  
IF JEWSP Is Empty

PRELOADACTION: BranchTo  
Question RELIG16  
IF RELIG = 4  
Or RELIG = 98  
Or RELIG = 77  
Or RELIG = 99

PRELOADACTION: SetVariableValue  
Variable: RELIGFILL  
Value: 3  
IF RELIG = 2

PRELOADACTION: SetVariableValue  
Variable: RELIGFILL  
Value: 4  
IF RELIG = 5

PRELOADACTION: SetVariableValue  
Variable: RELIGFILL  
Value: 5  
IF RELIG = 3

PRELOADACTION: SetVariableValue  
Variable: RELIGFILL  
Value: 6  
IF RELIG = 6



PRELOADACTION: SetVariableValue  
Variable: RELIGFILL  
Value: 7  
IF RELIG = 7

PRELOADACTION: SetVariableValue  
Variable: RELIGFILL  
Value: 8  
IF RELIG = 8

PRELOADACTION: SetVariableValue  
Variable: RELIGFILL  
Value: 9  
IF TMPDENOM = 1

PRELOADACTION: SetVariableValue  
Variable: RELIGFILL  
Value: 10  
IF TMPDENOM = 2

PRELOADACTION: SetVariableValue  
Variable: RELIGFILL  
Value: 11  
IF TMPDENOM = 3

PRELOADACTION: SetVariableValue  
Variable: RELIGFILL  
Value: 12  
IF TMPDENOM = 4

PRELOADACTION: SetVariableValue  
Variable: RELIGFILL  
Value: 13  
IF TMPDENOM = 5

PRELOADACTION: SetVariableValue  
Variable: RELIGFILL  
Value: 14  
IF TMPDENOM = 6

PRELOADACTION: SetVariableValue  
Variable: RELIGFILL  
Value: 1  
IF CHRISTCH = 1

PRELOADACTION: SetVariableValue  
Variable: RELIGFILL  
Value: 2  
IF PROTCHRH = 1

PRELOADACTION: SetVariableValue  
Variable: RELIGFILL  
Value: 15  
IF RELIG = 9

PRELOADACTION: SetVariableValue  
Variable: RELIGFILL  
Value: 2

```
IF TMPDENOM = 7
Or TMPDENOM = 77
Or TMPDENOM = 99
Or TMPDENOM = 98
```

```
PRELOADACTION: BranchTo
Next question
```

## RELIGFILL: RadioButton

religfill

MaxValue = 24

### **Codes:**

```
[1] Christian
[2] Protestant
[3] Catholic
[4] Orthodox Christian
[5] Jew
[6] Buddhist
[7] Hindu
[8] Muslim
[9] Baptist
[10] Methodist
[11] Lutheran
[12] Presbyterian
[13] Episcopalian
[14] [OTHSPEC]
[15] [RELGSPEC]
```

## RELITEN: RadioButton

Would you call yourself a strong [religfill] or not a very strong [religfill]?

MaxValue = 24

### **Codes:**

```
[1] [CATI UCase: Strong]
[2] [CATI UCase: Not very strong]
[3] "[CATI UCase: Somewhat strong ] [CATI TEXT: (VOLUNTEERED)] "
DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

## RELIG16: RadioButton

In what religion were you raised?

MaxValue = 24

### **Codes:**

```
[1] "[CATI UCase: Protestant] "  
[2] "[CATI UCase: Catholic] "  
[5] "[CATI UCase: Eastern Orthodox, such as Greek or Russian Orthodox] "  
[3] "[CATI UCase: Jewish] "  
[6] "[CATI UCase: Buddhist] "  
[7] "[CATI UCase: Hindu] "  
[8] "[CATI UCase: Muslim, Islam, Sufi, Sunni, or Shia] "  
[9] "[CATI UCase: Some other religion] "  
[4] "[CATI UCase: No religion] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: BranchTo  
Question TMPDEN16  
IF RELIG16 = 1
```

```
POSTANSWERACTION: BranchTo  
Question ATTEND  
IF RELIG16 = 2 OR 3 OR 5 OR 6 OR 7  
IF RELIG16 = 2  
IF RELIG16 = 8  
IF RELIG16 = 5  
IF RELIG16 = 6  
IF RELIG16 = 7
```

```
POSTANSWERACTION: BranchTo  
Question ATTEND  
IF RELIG16 = 9 OR 10 OR 11 OR 12  
IF RELIG16 = 4  
IF RELIG16 = 77  
IF RELIG16 = 99  
IF RELIG16 = 98
```

```
POSTANSWERACTION: BranchTo  
Question JEW16  
IF RELIG16 = 3
```

```
PRELOADACTION: BranchTo  
Next question  
IF RELIG16 <> 9
```

## RG16SPEC: TextAnswer

"[CATI UCase: Please specify other religion:] "

MaxAnswerLength = 30

MaxValue = 24

**Codes:**

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: RG16SPEC

Value: 98

IF RG16SPEC Is Empty

**IVQRELIG2: RadioButton**

Was your religious preference any of the following?

MaxValue = 24

**Codes:**

[1] [CATI UCase: Christian]

[2] [CATI UCase: Interdenominational]

[3] [CATI UCase: Non-denominational]

[4] [CATI UCase: Something else]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question TMPDEN16

IF IVQRELIG2 = 1

POSTANSWERACTION: BranchTo

Question ATTEND

IF IVQRELIG2 = 4

**CHRSTCH2: RadioButton**

Would that be a Christian church?

MaxValue = 24

**Codes:**

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo  
Question ATTEND  
IF CHRSTCH2 = 2 OR 3 OR 4 OR 5  
IF CHRSTCH2 = 2  
IF CHRSTCH2 = 98  
IF CHRSTCH2 = 77  
IF CHRSTCH2 = 99

**PROTCH2: RadioButton**

Would you consider that a Protestant church?

MaxValue = 24

**Codes:**

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[3] [CATI UCase: Not sure]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF PROTCH2 <> 3

**PROTSPC2: TextAnswer**

Please specify other religion:

MaxAnswerLength = 30

MaxValue = 24

**Codes:**

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: PROTSPC2

Value: 98

IF PROTSPC2 Is Empty

PRELOADACTION: BranchTo

Question ATTEND

IF PROTCH2 = 2

Or PROTCH2 = 3

Or PROTCH2 = 98

Or PROTCH2 = 77

Or PROTCH2 = 99

**TMPDEN16: RadioButton**

"What specific denomination is that, if any?"

[CATI TEXT: PROBE FOR COMPLETE NAME OF DENOMINATION] "

MaxValue = 24

**Codes:**

[1] "[CATI UCase: Baptist] "

[2] "[CATI UCase: Methodist] "

[3] "[CATI UCase: Lutheran] "

[4] "[CATI UCase: Presbyterian] "

[5] "[CATI UCase: Episcopal church] "

[6] "[CATI UCase: Other (please specify)] "

[7] "[CATI UCase: No Denomination [CATI TEXT: given ] or Non-Denominational Church] "

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: DENOM16

Value: 50

IF TMPDEN16 = 5

PRELOADACTION: SetVariableValue

Variable: DENOM16

Value: 60

IF TMPDEN16 = 6

PRELOADACTION: SetVariableValue  
Variable: DENOM16  
Value: 70  
IF TMPDEN16 = 7

PRELOADACTION: SetVariableValue  
Variable: DENOM16  
Value: 98  
IF TMPDEN16 = 98

PRELOADACTION: SetVariableValue  
Variable: DENOM16  
Value: 77  
IF TMPDEN16 = 77

PRELOADACTION: SetVariableValue  
Variable: DENOM16  
Value: 99  
IF TMPDEN16 = 99

PRELOADACTION: BranchTo  
Next question  
IF TMPDEN16 = 5  
Or TMPDEN16 = 6  
Or TMPDEN16 = 7  
Or TMPDEN16 = 98  
Or TMPDEN16 = 77  
Or TMPDEN16 = 99

## **DENOM16: RadioButton**

"What specific denomination is that, if any?"

[CATI TEXT: PROBE FOR COMPLETE NAME OF DENOMINATION] "

MaxValue = 24

### **Codes:**

[10] "[CATI UCase: American Baptist Association] "

DISPLAY IF: TMPDEN16 =1

[11] "[CATI UCase: American Baptist Churches in the U.S.A] "

DISPLAY IF: TMPDEN16 =1

[12] "[CATI UCase: National Baptist Convention of America] "

DISPLAY IF: TMPDEN16 =1

[13] "[CATI UCase: National Baptist Convention, U.S.A., Inc] "

DISPLAY IF: TMPDEN16 =1

[14] "[CATI UCase: Southern Baptist Convention] "

DISPLAY IF: TMPDEN16 =1

[15] "[CATI UCase: Other Baptist Churches] "

DISPLAY IF: TMPDEN16 =1

[18] "[CATI UCase: Baptist, Don't know which] "

DISPLAY IF: TMPDEN16 =1

[20] "[CATI UCase: African Methodist Episcopal Church] "  
DISPLAY IF: TMPDEN16 =2

[21] "[CATI UCase: African Methodist Episcopal Zion Church] "  
DISPLAY IF: TMPDEN16 =2

[22] "[CATI UCase: United Methodist Church] "  
DISPLAY IF: TMPDEN16 =2

[23] "[CATI UCase: Other Methodist Churches] "  
DISPLAY IF: TMPDEN16 =2

[28] "[CATI UCase: Methodist, Don't know which] "  
DISPLAY IF: TMPDEN16 =2

[30] "[CATI UCase: American Lutheran Church] "  
DISPLAY IF: TMPDEN16 =3

[31] "[CATI UCase: Lutheran Church in America] "  
DISPLAY IF: TMPDEN16 =3

[32] "[CATI UCase: Lutheran Church -- Missouri Synod] "  
DISPLAY IF: TMPDEN16 =3

[33] "[CATI UCase: Wisconsin Evangelical Lutheran Synod] "  
DISPLAY IF: TMPDEN16 =3

[34] "[CATI UCase: Other Lutheran Churches] "  
DISPLAY IF: TMPDEN16 =3

[35] "[CATI UCase: Evangelical Lutheran Church of America] "  
DISPLAY IF: TMPDEN16 =3

[38] "[CATI UCase: Lutheran, Don't know which] "  
DISPLAY IF: TMPDEN16 =3

[40] "[CATI UCase: Presbyterian Church in the United States] "  
DISPLAY IF: TMPDEN16 =4

[41] "[CATI UCase: United Presbyterian Church in the United States of America] "  
DISPLAY IF: TMPDEN16 =4

[42] "[CATI UCase: Other Presbyterian Churches] "  
DISPLAY IF: TMPDEN16 =4

[43] "[CATI UCase: Presbyterian Church (U.S.A.)] "  
DISPLAY IF: TMPDEN16 =4

[48] "[CATI UCase: Presbyterian, Don't know which] "  
DISPLAY IF: TMPDEN16 =4

[50] "[CATI UCase: Episcopal Church] "  
DISPLAY IF: TMPDEN16 =5

[60] "[CATI UCase: Other (please specify)] "  
DISPLAY IF: TMPDEN16 =6

[70] "[CATI UCase: No denomination given or non-denominational] "  
DISPLAY IF: TMPDEN16 =7

[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1

[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Question ATTEND  
IF "V01(DENOM16=15,23,34,35,42,43,60)=0"

PRELOADACTION: SetVariableValue  
Variable: OTHDEMTXT2  
Value: 3

PRELOADACTION: SetVariableValue  
Variable: OTHDEMTXT2  
Value: 1  
IF DENOM16 = 43



Or DENOM16 = 35

PRELOADACTION: BranchTo  
Next question

### **OTHDEMTXT2: RadioButton**

MaxValue = 24

#### **Codes:**

- [1] Do you know the name of your denomination prior to the merger?]
- [2] Do you know the name of your spouse's denomination prior to the merger?]
- [3] "Please specify denomination:

[CATI TEXT: PROBE FOR COMPLETE NAME OF DENOMINATION.] "

### **OTH16SPC: TextAnswer**

[othdemptxt2]

MaxAnswerLength = 30

MaxValue = 24

#### **Codes:**

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: OTH16SPC

Value: 98

IF OTH16SPC Is Empty

POSTANSWERACTION: BranchTo  
Question ATTEND

### **JEW16: RadioButton**

"Were you Orthodox, Conservative, Reform or none of these?

[CATI TEXT: PROBE FOR EXACT DENOMINATION] "

MaxValue = 24

**Codes:**

[1] [CATI UCase: Orthodox]  
[2] [CATI UCase: Conservative]  
[3] [CATI UCase: Reform]  
[4] [CATI UCase: None of these]  
[5] [CATI UCase: Other]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF JEW16 <> 5

**JEW16SP: TextAnswer**

Please specify:

MaxAnswerLength = 250

MaxValue = 24

**Codes:**

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue  
Variable: JEW16SP  
Value: 98  
IF JEW16SP Is Empty

**ATTEND: RadioButton**

How often do you attend religious services?

MaxValue = 24

**Codes:**

[1] [CATI UCase: Never]  
[2] [CATI UCase: Less than once a year]  
[3] [CATI UCase: About once or twice a year]  
[4] [CATI UCase: Several times a year]  
[5] [CATI UCase: About once a month]  
[6] [CATI UCase: 2-3 times a month]  
[7] [CATI UCase: Nearly every week]  
[8] [CATI UCase: Every week]  
[9] [CATI UCase: Several times a week]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Question POSTLIFE

IF MARITAL <> 1

And POSSLQ <> 1

And POSSLQ <> 2

And POSSLQY <> 1

And POSSLQY <> 2

**SPREL: RadioButton**

What is your [\_spfill1]'s religious preference?

MaxValue = 24

**Codes:**

[1] "[CATI UCase: Protestant] "  
[2] "[CATI UCase: Catholic] "  
[5] "[CATI UCase: Eastern Orthodox, such as Greek or Russian Orthodox] "  
[3] "[CATI UCase: Jewish] "  
[6] "[CATI UCase: Buddhist] "  
[7] "[CATI UCase: Hindu] "  
[8] "[CATI UCase: Muslim, Islam, Sufi, Sunni, or Shia] "  
[9] "[CATI UCase: Some other religion] "  
[4] "[CATI UCase: No religion] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question POSTLIFE

IF SPREL = 2 OR 3 OR 5 OR 6 OR 7 OR 9 OR 10 OR 11 OR 12

IF SPREL = 2

IF SPREL = 5

IF SPREL = 6

```
IF SPREL = 7
IF SPREL = 8
IF SPREL = 77
IF SPREL = 99
IF SPREL = 98
IF SPREL = 4
```

```
POSTANSWERACTION: BranchTo
Question SPJEW
IF SPREL = 3
```

```
POSTANSWERACTION: BranchTo
Question TMPSPDEN
IF SPREL = 1
```

```
PRELOADACTION: BranchTo
Next question
IF SPREL <> 9
```

### **SPRELSPC: TextAnswer**

Please specify religion and/or church denomination:

MaxAnswerLength = 30

MaxValue = 24

#### **Codes:**

```
[77] "[CATI UCase: DON'T KNOW] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: SetVariableValue
Variable: SPRELSPC
Value: 98
IF SPRELSPC Is Empty
```

### **IVQRELIG3: RadioButton**

Is your [\_spfill1]'s religious preference any of the following?

MaxValue = 24

#### **Codes:**

```
[1] [CATI UCase: Christian]
```

```
[2] [CATI UCase: Interdenominational]
```

[3] [CATI UCase: Non-denominational]

[4] [CATI UCase: Something else]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question TMPSPDEN

IF IVQRELIG3 = 1

POSTANSWERACTION: BranchTo

Question POSTLIFE

IF IVQRELIG3 = 4

### **CHRSTCH3: RadioButton**

Would that be a Christian church?

MaxValue = 24

#### **Codes:**

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question POSTLIFE

IF CHRSTCH3 = 2 OR 3 OR 4 OR 5

IF CHRSTCH3 = 2

IF CHRSTCH3 = 98

IF CHRSTCH3 = 77

IF CHRSTCH3 = 99

### **PROTCH3: RadioButton**

Would you consider that a Protestant church?

MaxValue = 24

#### **Codes:**

[1] [CATI UCase: Yes]

```
[2] [CATI UCase: No]
[3] [CATI UCase: Not sure]
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF PROTCH3 <> 3
```

### **PROTSPC3: TextAnswer**

Please specify other religion:

MaxAnswerLength = 30

MaxValue = 24

#### **Codes:**

```
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: SetVariableValue
Variable: PROTSPC3
Value: 98
IF PROTSPC3 Is Empty
```

```
PRELOADACTION: BranchTo
Question POSTLIFE
IF PROTCH3 = 2
Or PROTCH3 = 3
Or PROTCH3 = 98
Or PROTCH3 = 77
Or PROTCH3 = 99
```

### **TMPSPDEN: RadioButton**

"What specific denomination is that, if any?"

[CATI TEXT: PROBE FOR COMPLETE NAME OF DENOMINATION] [CAWI\_FLOAT2]"

MaxValue = 24

**Codes:**

[1] "[CATI UCase: Baptist] "  
[2] "[CATI UCase: Methodist] "  
[3] "[CATI UCase: Lutheran] "  
[4] "[CATI UCase: Presbyterian] "  
[5] "[CATI UCase: Episcopal Church] "  
[6] "[CATI UCase: Other (please specify)] "  
[7] "[CATI UCase: No denomination [CATI TEXT: given ] or Non-denominational Church] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: SPDEN

Value: 50

IF TMPSPDEN = 5

PRELOADACTION: SetVariableValue

Variable: SPDEN

Value: 60

IF TMPSPDEN = 6

PRELOADACTION: SetVariableValue

Variable: SPDEN

Value: 70

IF TMPSPDEN = 7

PRELOADACTION: SetVariableValue

Variable: SPDEN

Value: 98

IF TMPSPDEN = 98

PRELOADACTION: SetVariableValue

Variable: SPDEN

Value: 77

IF TMPSPDEN = 77

PRELOADACTION: SetVariableValue

Variable: SPDEN

Value: 99

IF TMPSPDEN = 99

PRELOADACTION: BranchTo

Next question

IF TMPSPDEN = 5

Or TMPSPDEN = 6

Or TMPSPDEN = 7

Or TMPSPDEN = 98

Or TMPSPDEN = 77

Or TMPSPDEN = 99

**SPDEN: RadioButton**

"What specific denomination is that, if any?"

[CATI TEXT: PROBE FOR COMPLETE NAME OF DENOMINATION] "

MaxValue = 24

**Codes:**

[10] "[CATI UCase: American Baptist Association] "

DISPLAY IF: TMPSPDEN =1

[11] "[CATI UCase: American Baptist Churches in the U.S.A] "

DISPLAY IF: TMPSPDEN =1

[12] "[CATI UCase: National Baptist Convention of America] "

DISPLAY IF: TMPSPDEN =1

[13] "[CATI UCase: National Baptist Convention, U.S.A., Inc] "

DISPLAY IF: TMPSPDEN =1

[14] "[CATI UCase: Southern Baptist Convention] "

DISPLAY IF: TMPSPDEN =1

[15] "[CATI UCase: Other Baptist Churches] "

DISPLAY IF: TMPSPDEN =1

[18] "[CATI UCase: Baptist, Don't know which] "

DISPLAY IF: TMPSPDEN =1

[20] "[CATI UCase: African Methodist Episcopal Church] "

DISPLAY IF: TMPSPDEN =2

[21] "[CATI UCase: African Methodist Episcopal Zion Church] "

DISPLAY IF: TMPSPDEN =2

[22] "[CATI UCase: United Methodist Church] "

DISPLAY IF: TMPSPDEN =2

[23] "[CATI UCase: Other Methodist Churches] "

DISPLAY IF: TMPSPDEN =2

[28] "[CATI UCase: Methodist, Don't know which] "

DISPLAY IF: TMPSPDEN =2

[30] "[CATI UCase: American Lutheran Church] "

DISPLAY IF: TMPSPDEN =3

[31] "[CATI UCase: Lutheran Church in America] "

DISPLAY IF: TMPSPDEN =3

[32] "[CATI UCase: Lutheran Church -- Missouri Synod] "

DISPLAY IF: TMPSPDEN =3

[33] "[CATI UCase: Wisconsin Evangelical Lutheran Synod] "

DISPLAY IF: TMPSPDEN =3

[34] "[CATI UCase: Other Lutheran Churches] "

DISPLAY IF: TMPSPDEN =3

[35] "[CATI UCase: Evangelical Lutheran Church of America] "

DISPLAY IF: TMPSPDEN =3

[38] "[CATI UCase: Lutheran, Don't know which] "

DISPLAY IF: TMPSPDEN =3

[40] "[CATI UCase: Presbyterian Church in the United States] "

DISPLAY IF: TMPSPDEN =4

[41] "[CATI UCase: United Presbyterian Church in the United States of America] "

DISPLAY IF: TMPSPDEN =4

[42] "[CATI UCase: Other Presbyterian Churches] "

DISPLAY IF: TMPSPDEN =4

[43] "[CATI UCase: Presbyterian Church (U.S.A.)] "

DISPLAY IF: TMPSPDEN =4

[48] "[CATI UCase: Presbyterian, Don't know which] "

DISPLAY IF: TMPSPDEN =4

[50] "[CATI UCase: Episcopal Church] "



```
DISPLAY IF: TMPSPDEN =5
[60] "[CATI UCase: Other (please specify)] "
DISPLAY IF: TMPSPDEN =6
[70] "[CATI UCase: No denomination given or non-denominational] "
DISPLAY IF: TMPSPDEN =7
[77] "[CATI UCase: Don't know] "
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo
Question POSTLIFE
IF "V01(SPDEN=15,23,34,35,42,43,60)==0"

PRELOADACTION: SetVariableValue
Variable: SPOTHFILL
Value: 2

PRELOADACTION: SetVariableValue
Variable: SPOTHFILL
Value: 1
IF SPDEN = 43
Or SPDEN = 35

PRELOADACTION: BranchTo
Next question
```

**SPOTHFILL: RadioButton**

MaxValue = 24

**Codes:**

- [1] Do you know the name of your [\_spfill1]'s denomination prior to the merger?
- [2] Please specify denomination:

**SPOTHER: TextAnswer**

[spothfill]

MaxAnswerLength = 30

MaxValue = 24

**Codes:**

```
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
```

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: SPOTHER

Value: 98

IF SPOTHER Is Empty

POSTANSWERACTION: BranchTo

Question POSTLIFE

### **SPJEW: RadioButton**

"Does your [\_spfill1] consider [\_spfill4]self Orthodox, Conservative, Reform or none of these?"

[CATI TEXT: PROBE FOR EXACT DENOMINATION] "

MaxValue = 24

#### **Codes:**

[1] [CATI UCase: Orthodox]

[2] [CATI UCase: Conservative]

[3] [CATI UCase: Reform]

[4] [CATI UCase: None of these]

[5] [CATI UCase: Other]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF SPJEW <> 5

### **SPJEWSP: TextAnswer**

Please specify:

MaxAnswerLength = 250

MaxValue = 24

#### **Codes:**

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue  
Variable: SPJEWSP  
Value: 98  
IF SPJEWSP Is Empty

## **POSTLIFE: RadioButton**

Now turning to a different topic: Do you believe there is a life after death?

MaxValue = 24

### **Codes:**

[1] [CATI UCase: Yes]  
[2] [CATI UCase: No]  
[3] "[CATI UCase: Undecided] [CATI TEXT: (VOLUNTEERED)] "  
DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

## **PRAY: RadioButton**

"About how often do you pray?[CATI TEXT:

USE CATEGORIES AS PROBES IF NECESSARY. DO NOT USE 'NEVER' RESPONSE WHEN PROBING.] "

MaxValue = 24

### **Codes:**

[1] [CATI UCase: Several times a day]  
[2] [CATI UCase: Once a day]  
[3] [CATI UCase: Several times a week]  
[4] [CATI UCase: Once a week]  
[5] [CATI UCase: Less than once a week]  
[6] [CATI UCase: Never]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

## **BIBLE: RadioButton**

"[CATI TEXT: [HANDCARD A16]] Which one of these statements comes closest to describing your feelings about the Bible?"

MaxValue = 24

### **Codes:**

[1] "The Bible is the actual word of God and is to be taken literally, word for word"

[2] "The Bible is the inspired word of God but not everything should be taken literally, word for word"

[3] "The Bible is an ancient book of fables, legends, history and moral precepts recorded by man"

[4] "[CATI UCase: Other/Something else] [CATI TEXT: (VOLUNTEERED)] "

DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELIG <> 2

## **POPEPKS: RadioButton**

"[CATI TEXT: [HANDCARD A17A]] We are interested in what American Catholics think about religious matters. Please select the answer that comes closest to your own personal opinion about the following statement:

Under certain conditions, the pope is infallible when he speaks on matters of faith and morals."

MaxValue = 24

### **Codes:**

[1] "[CATI UCase: Certainly true] "

[2] "[CATI UCase: Probably true] "

[3] "[CATI UCase: I am uncertain whether this is true or false] "

[4] "[CATI UCase: Probably false] "

[5] "[CATI UCase: Certainly false] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## REBORN: RadioButton

Did you ever have a religious or spiritual experience that changed your life?

MaxValue = 24

### **Codes:**

[1] "[CATI UCase: Yes] "

[2] "[CATI UCase: No] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## RELPERSN: RadioButton

"To what extent do you consider yourself a religious person? Are you very religious, moderately religious, slightly religious, or not religious at all?"

MaxValue = 24

### **Codes:**

[1] [CATI UCase: Very religious]

[2] [CATI UCase: Moderately religious]

[3] [CATI UCase: Slightly religious]

[4] [CATI UCase: Not religious at all]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## SPRTPRSN: RadioButton

"To what extent do you consider yourself a spiritual person? Are you very spiritual, moderately spiritual, slightly spiritual, or not spiritual at all?"

MaxValue = 24

### **Codes:**

[1] [CATI UCase: Very spiritual]

[2] [CATI UCase: Moderately spiritual]

[3] [CATI UCase: Slightly spiritual]

[4] [CATI UCase: Not spiritual at all]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## **RELACTIV: RadioButton**

How often do you take part in the activities and organizations of a church or place of worship other than attending service?

MaxValue = 24

### **Codes:**

[1] [CATI UCase: Never]

[2] [CATI UCase: Less than once a year]

[3] [CATI UCase: About once or twice a year]

[4] [CATI UCase: Several times a year]

[5] [CATI UCase: About once a month]

[6] [CATI UCase: 2-3 times a month]

[7] [CATI UCase: Nearly every week]

[8] [CATI UCase: Every week]

[9] [CATI UCase: Once a day]

[10] [CATI UCase: Several times a day]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## **SAVESOUL: RadioButton**

Have you ever tried to encourage someone to believe in Jesus Christ or accept Jesus Christ as his or her savior?

MaxValue = 24

### **Codes:**

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: TIMEA5  
Value: [\$H]

PRELOADACTION: BranchTo  
Next question

### **TIMEA5: DateTimeAnswer**

MaxAnswerLength = 20

MaxValue = 24

### **BORN: RadioButton**

Were you born in this country? [CAWI\_FLOAT2]

MaxValue = 24

#### **Codes:**

[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **MABORN: RadioButton**

"Was [MOMFILL] born in this country? [CATI TEXT:

(IF THE RESPONDENT IS UNCERTAIN OF PARENT, REFER TO MOTHER FIGURE R WAS LIVING WITH AT AGE 16).] [CAWI\_FLOAT2]"

MaxValue = 24

#### **Codes:**

[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

## **PABORN: RadioButton**

"Was [DADFILL] born in this country?[CATI TEXT:

(IF THE RESPONDENT IS UNCERTAIN OF PARENT, REFER TO FATHER FIGURE R WAS LIVING WITH AT AGE 16).] [CAWI\_FLOAT2]"

MaxValue = 24

### **Codes:**

[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: PARBORN  
Value: 0  
IF MABORN = 1  
And PABORN = 1

PRELOADACTION: SetVariableValue  
Variable: PARBORN  
Value: 1  
IF MABORN = 1  
And PABORN = 2

PRELOADACTION: SetVariableValue  
Variable: PARBORN  
Value: 2  
IF MABORN = 2  
And PABORN = 1

PRELOADACTION: SetVariableValue  
Variable: PARBORN  
Value: 3  
IF MABORN = 1  
And PABORN = 99

PRELOADACTION: SetVariableValue  
Variable: PARBORN  
Value: 4  
IF MABORN = 2  
And PABORN = 99

PRELOADACTION: SetVariableValue  
Variable: PARBORN  
Value: 5



```
IF MABORN = 99
And PABORN = 1
```

```
PRELOADACTION: SetVariableValue
Variable: PARBORN
Value: 6
IF MABORN = 99
And PABORN = 2
```

```
PRELOADACTION: SetVariableValue
Variable: PARBORN
Value: 7
IF MABORN = 99
And PABORN = 99
```

```
PRELOADACTION: SetVariableValue
Variable: PARBORN
Value: 8
IF MABORN = 2
And PABORN = 2
```

### **PARBORN: RadioButton**

Were both your parents born in this country? Please think about the same people who we asked for education and occupation details from.

MaxValue = 24

#### **Codes:**

```
[0] "[CATI UCase: Born in U.S.] "  
[1] "[CATI UCase: Mother yes, father no] "  
[2] "[CATI UCase: Mother no, father yes] "  
[3] "[CATI UCase: Mother yes, father don't know] "  
[4] "[CATI UCase: Mother no, father don't know] "  
[5] "[CATI UCase: Mother don't know, father yes] "  
[6] "[CATI UCase: Mother don't know, father no] "  
[7] "[CATI UCase: Mother don't know, father don't know] "  
[8] "[CATI UCase: Neither born in U.S.] "  
[77] "[CATI UCase: DON'T KNOW] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

### **GRANIN: RadioButton**

Were all of your four grandparents born in this country? [CAWI\_FLOAT2]

MaxValue = 24

**Codes:**

[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question USCITZN

IF GRANIN = 1 OR 3 OR 4 OR 5

IF GRANIN = 1

IF GRANIN = 98

IF GRANIN = 77

IF GRANIN = 99

**GRANOUT: RadioButton**

How many were born outside the United States?[CAWI\_FLOAT2]

MaxValue = 24

**Codes:**

[1] "[CATI UCase: One] "  
[2] "[CATI UCase: Two] "  
[3] "[CATI UCase: Three] "  
[4] "[CATI UCase: Four] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Question RGRADE

IF BORN = 1

**USCITZN: RadioButton**

"Now we would like to ask you about U.S. citizenship. Are you...[CATI TEXT:

IF RESPONDENT SAYS S/HE IS ""NATURALIZED,"" CODE ""A U.S. CITIZEN."" ] "

MaxValue = 24

**Codes:**

[1] A U.S. Citizen  
[2] Not a U.S. Citizen  
[3] "[CATI UCase: A U.S. citizen born in Puerto Rico, the U.S. Virgin Islands, or the Northern Marianas Islands] [CATI TEXT: (VOLUNTEERED)] "  
DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)  
[4] "[CATI UCase: Born outside of the United States to parents who were U.S. citizens at that time] [CATI TEXT: (VOLUNTEERED)] "  
DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo  
Question YEARSUSA  
IF USCITZN = 1

### **FUCITZN: RadioButton**

Are you...

MaxValue = 24

#### **Codes:**

[1] Currently applying for U.S. citizenship  
[2] " Planning to apply for U.S. citizenship, or"  
[3] Not planning to apply for U.S. citizenship?  
[4] "[CATI UCase: Not eligible to become a U.S. citizen] [CATI TEXT: (VOLUNTEERED)] "  
DISPLAY IF: (QUEXMODE=1) OR (QUEXMODE=2 AND VERXY=Y)  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **YEARSUSA: NumericAnswer**

"How long have you lived in the United States? If less than a year, please specify the time in months. If you have lived in the United States for more than one period during your life, what is the total number of years you have lived in the United States?

"

MinValue = 0 MaxValue = 99

**Codes:**

[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**MNTHSUSA: NumericAnswer**

MinValue = 1 MaxValue = 11

**Codes:**

[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue  
Variable: YEARSUSA  
Value: 98  
IF YEARSUSA Is Empty

POSTANSWERACTION: SetVariableValue  
Variable: MNTHSUSA  
Value: 98  
IF MNTHSUSA Is Empty

**RGRADE: RadioButton**

"What is the highest grade in elementary school or high school that you finished and got credit for?[CATI TEXT:

CODE EXACT GRADE.] [CAWI\_FLOAT2]"

MaxValue = 11

**Codes:**

[1] "[CATI UCase: No formal school] "  
[2] "[CATI UCase: 1st grade] "  
[3] "[CATI UCase: 2nd grade] "  
[4] "[CATI UCase: 3rd grade] "  
[5] "[CATI UCase: 4th grade] "  
[6] "[CATI UCase: 5th grade] "  
[7] "[CATI UCase: 6th grade] "

```
[8] "[CATI UCase: 7th grade] "  
[9] "[CATI UCase: 8th grade] "  
[10] "[CATI UCase: 9th grade] "  
[11] "[CATI UCase: 10th grade] "  
[12] "[CATI UCase: 11th grade] "  
[13] "[CATI UCase: 12th grade] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: BranchTo
```

```
Question SPGRADE
```

```
IF RGRADE = 1 OR 2 OR 3 OR 4 OR 5 OR 6 OR 7 OR 8 OR 9
```

```
IF RGRADE = 1
```

```
IF RGRADE = 2
```

```
IF RGRADE = 3
```

```
IF RGRADE = 4
```

```
IF RGRADE = 5
```

```
IF RGRADE = 6
```

```
IF RGRADE = 7
```

```
IF RGRADE = 8
```

```
IF RGRADE = 9
```

## **RDIPLMA: RadioButton**

Did you ever get a high school diploma or a GED certificate?[CAWI\_FLOAT2]

MaxValue = 11

### **Codes:**

```
[1] "[CATI UCase: Yes] "
```

```
[2] "[CATI UCase: No] "
```

```
[77] "[CATI UCase: Don't know] "
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: BranchTo
```

```
Question RCOL
```

```
IF RDIPLMA = 2 OR 6 OR 7 OR 8
```

```
IF RDIPLMA = 2
```

```
IF RDIPLMA = 98
```

```
IF RDIPLMA = 77
```

```
IF RDIPLMA = 99
```

## **DIPGED: RadioButton**

"Was that a diploma awarded by your high school at graduation at the end of 12th grade, a GED awarded after you took a test, or something else?[CAWI\_FLOAT2]"

MaxValue = 11

**Codes:**

[1] "[CATI UCase: High school diploma] "

[2] "[CATI UCase: GED] "

[3] "[CATI UCase: Other (Specify)] "

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF DIPGED <> 3

**DIPGEDSP: TextAnswer**

Please specify

MaxAnswerLength = 250

MaxValue = 11

**Codes:**

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: DIPGEDSP

Value: 98

IF DIPGEDSP Is Empty

PRELOADACTION: SetVariableValue

Variable: DIPGEDFILL

Value: [DIPGED]

IF DIPGED = 1

Or DIPGED = 2

PRELOADACTION: SetVariableValue

Variable: DIPGEDFILL

Value: 3

IF DIPGED <> 1

And DIPGED <> 2

PRELOADACTION: BranchTo

Next question

## **DIPGEDFILL: RadioButton**

MaxValue = 11

### **Codes:**

- [1] high School diploma
- [2] GED
- [3] high school diploma or GED

## **RCOL: RadioButton**

"Did you ever complete one or more years of college for credit--not including schooling such as business college, technical or vocational school?[CAWI\_FLOAT2]"

MaxValue = 11

### **Codes:**

- [1] "[CATI UCase: Yes] "
- [2] "[CATI UCase: No] "
- [77] "[CATI UCase: Don't know] "
- [99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question SPGRADE

IF RCOL = 2 OR 6 OR 7 OR 8

IF RCOL = 2

IF RCOL = 77

IF RCOL = 99

IF RCOL = 98

## **RCCOLCOM: RadioButton**

How many years did you complete?[CAWI\_FLOAT2]

MaxValue = 11

### **Codes:**

- [1] "[CATI UCase: 1 year] "
- [2] "[CATI UCase: 2 years] "
- [3] "[CATI UCase: 3 years] "
- [4] "[CATI UCase: 4 years] "

```
[5] "[CATI UCase: 5 years] "  
[6] "[CATI UCase: 6 years] "  
[7] "[CATI UCase: 7 years] "  
[8] "[CATI UCase: 8 or more years] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

## **RCOLDEG: RadioButton**

Do you have any college degrees? [CAWI\_FLOAT2]

MaxValue = 11

### **Codes:**

```
[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: BranchTo  
Question SPGRADE  
IF RCOLDEG = 2 OR 6 OR 7 OR 8  
IF RCOLDEG = 2  
IF RCOLDEG = 98  
IF RCOLDEG = 77  
IF RCOLDEG = 99
```

```
PRELOADACTION: BranchTo  
Question MAJORFILL  
IF RCOLDEG <> 1
```

## **RDEGHI: RadioButton**

"What degree or degrees? If you have more than one, please select the highest degree that you have.[CAWI\_FLOAT2]"

MaxValue = 11

### **Codes:**

```
[1] "[CATI UCase: Associate or Junior College] "  
[2] "[CATI UCase: Bachelor's] "  
[3] "[CATI UCase: Graduate] "
```



[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: RDEGHIFILL

Value: [RDEGHI]

IF RDEGHI = 1

Or RDEGHI = 2

Or RDEGHI = 3

PRELOADACTION: SetVariableValue

Variable: RDEGHIFILL

Value: 4

IF RDEGHI <> 1

And RDEGHI <> 2

And RDEGHI <> 3

PRELOADACTION: BranchTo

Next question

## **RDEGHIFILL: RadioButton**

MaxValue = 11

### **Codes:**

[1] Associate/Junior College

[2] Bachelor's

[3] Graduate

[4] highest degree

PRELOADACTION: SetVariableValue

Variable: MAJORFILL

Value: 0

PRELOADACTION: SetVariableValue

Variable: MAJORFILL

Value: 1

IF QUEXMODE = 1

And RDEGHI = 3

PRELOADACTION: SetVariableValue

Variable: MAJORFILL

Value: 2

IF QUEXMODE = 2

And RDEGHI = 3

PRELOADACTION: BranchTo

Next question

## MAJORFILL: RadioButton

Single answer question using Radio Buttons

MaxValue = 11

### **Codes:**

[1] "IF THE RESPONDENT RECEIVED MORE THAN ONE GRADUATE LEVEL DEGREE, ASK ABOUT THE HIGHEST DEGREE OBTAINED (E.G. ABOUT A Ph.D. RATHER THAN AN M.B.A).

[COUNT UP TO 2 MENTIONS]"

[2] "If you received more than one graduate-level degree, provide your major or focus for the highest degree obtained. "

[0]

## MAJOR1: TextAnswer

What was your major or field of study when you received your [RDEGHIFILL] degree?

[MAJORFILL]

MaxValue = 11

### **Codes:**

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## MAJOR2: TextAnswer

"[CATI UCase: Second major or focus (if applicable):] "

MaxValue = 11

### **Codes:**

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: MAJOR1

Value: 98

IF MAJOR1 Is Empty

PRELOADACTION: BranchTo

Question RANK

IF "V01(MARITAL=1 OR POSSLQ=1,2 OR POSSLQY=1,2)==0"

### SPGRADE: RadioButton

What is the highest grade in elementary school or high school that your [\_spfill1] finished and got credit for?[CAWI\_FLOAT2]

MaxValue = 11

#### **Codes:**

[1] "[CATI UCase: No formal school] "

[2] "[CATI UCase: 1st grade] "

[3] "[CATI UCase: 2nd grade] "

[4] "[CATI UCase: 3rd grade] "

[5] "[CATI UCase: 4th grade] "

[6] "[CATI UCase: 5th grade] "

[7] "[CATI UCase: 6th grade] "

[8] "[CATI UCase: 7th grade] "

[9] "[CATI UCase: 8th grade] "

[10] "[CATI UCase: 9th grade] "

[11] "[CATI UCase: 10th grade] "

[12] "[CATI UCase: 11th grade] "

[13] "[CATI UCase: 12th grade] "

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question RANK

IF SPGRADE = 1 OR 2 OR 3 OR 4 OR 5 OR 6 OR 7 OR 8 OR 9

IF SPGRADE = 1

IF SPGRADE = 2

IF SPGRADE = 3

IF SPGRADE = 4

IF SPGRADE = 5

IF SPGRADE = 6

IF SPGRADE = 7

IF SPGRADE = 8

IF SPGRADE = 9

### SPDIPLMA: RadioButton

Did your [\_spfill1] ever get a high school diploma or a GED certificate?[CAWI\_FLOAT2]

MaxValue = 11

**Codes:**

[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**SPCOL: RadioButton**

"Did your [\_spfill1] ever complete one or more years of college for credit -- not including schooling such as business college, technical, or vocational school?[CAWI\_FLOAT2]"

MaxValue = 11

**Codes:**

[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo  
Question RANK  
IF SPCOL = 2 OR 6 OR 7 OR 8  
IF SPCOL = 2  
IF SPCOL = 98  
IF SPCOL = 77  
IF SPCOL = 99

**SPCOLCOM: RadioButton**

How many years did your [\_spfill1] complete?[CAWI\_FLOAT2]

MaxValue = 11

**Codes:**

[1] "[CATI UCase: 1 year] "  
[2] "[CATI UCase: 2 years] "  
[3] "[CATI UCase: 3 years] "  
[4] "[CATI UCase: 4 years] "  
[5] "[CATI UCase: 5 years] "  
[6] "[CATI UCase: 6 years] "

[7] "[CATI UCase: 7 years] "  
[8] "[CATI UCase: 8 or more years] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **SPCOLDEG: RadioButton**

Does your [\_spfill1] have any college degrees?[CAWI\_FLOAT2]

MaxValue = 11

#### **Codes:**

[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo  
Question RANK  
IF SPCOLDEG = 2 OR 6 OR 7 OR 8  
IF SPCOLDEG = 2  
IF SPCOLDEG = 77  
IF SPCOLDEG = 99  
IF SPCOLDEG = 98

### **SPDEGHI: RadioButton**

What degree or degrees? Please select the highest degree that your [\_spfill1] received.[CAWI\_FLOAT2]

MaxValue = 11

#### **Codes:**

[1] "[CATI UCase: Associate/Junior College] "  
[2] "[CATI UCase: Bachelor's] "  
[3] "[CATI UCase: Graduate] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

## **RANK: RadioButton**

"[CATI TEXT: [HANDCARD A19.2]] In our society there are groups which tend to be towards the top and those that are towards the bottom. Here we have a scale that runs from top to bottom.

Where would you put yourself on this scale?"

MaxValue = 11

### **Codes:**

[1] "1 [CATI UCase: Top] "  
[2] [CATI UCase: 2]  
[3] [CATI UCase: 3]  
[4] [CATI UCase: 4]  
[5] [CATI UCase: 5]  
[6] [CATI UCase: 6]  
[7] [CATI UCase: 7]  
[8] [CATI UCase: 8]  
[9] [CATI UCase: 9]  
[10] "10 [CATI UCase: Bottom] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE = 1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE = 1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE = 2

## **SINGCHK: RadioButton**

"[WEB TEXT: This question is just to make sure we have the correct information. ] [CATI UCase: Is this a one-person household?] "

MaxValue = 11

### **Codes:**

[1] "[CATI UCase: Yes, one person household] "  
[2] "[CATI UCase: No, more than one person] "  
[98] SKIPPED ON WEB

POSTANSWERACTION: BranchTo  
Question EARNRS  
IF SINGCHK = 1

## **UNRELAT1: RadioButton**

"[CATI TEXT: Do not include college students who are living away at college, persons stationed away from here in the armed forces, or persons away in institutions.] Is everyone in this household related to you in some way?"

MaxValue = 11

**Codes:**

[1] "[CATI UCase: Yes] "

[2] "[CATI UCase: No] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question EARNRS

IF UNRELAT1 = 1

**UNRELAT2: NumericAnswer**

How many persons in this household are not related to you in any way?

MinValue = 1 MaxValue = 20

**Codes:**

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: UNRELAT2

Value: 98

IF UNRELAT2 Is Empty

**EARNRS: NumericAnswer**

Just thinking about your family now--those people in the household who are related to you...

How many persons in the family (including yourself) earned any money in 2019 from any job or employment?

MinValue = 0 MaxValue = 20

**Codes:**

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: EARNRS

Value: 98

IF EARNRS Is Empty

**INCOME16: RadioButton**

"[CATI TEXT: [HANDCARD A20]] In which of these groups did your total family income, from all sources, fall in 2019 before taxes, that is.

Your total income includes interest or dividends, rent, Social Security, other pensions, alimony or child support, unemployment compensation, public aid (welfare), armed forces or veteran's allotment.[CAWI\_FLOAT2]

"

MaxValue = 20

**Codes:**

[1] "[CATI TEXT: A. ] Under \$1,000"

[2] "[CATI TEXT: B. ] \$1,000 to 2,999"

[3] "[CATI TEXT: C. ] \$3,000 to 3,999"

[4] "[CATI TEXT: D. ] \$4,000 to 4,999"

[5] "[CATI TEXT: E. ] \$5,000 to 5,999"

[6] "[CATI TEXT: F. ] \$6,000 to 6,999"

[7] "[CATI TEXT: G. ] \$7,000 to 7,999"

[8] "[CATI TEXT: H. ] \$8,000 to 9,999"

[9] "[CATI TEXT: I. ] \$10,000 to 12,499"

[10] "[CATI TEXT: J. ] \$12,500 to 14,999"

[11] "[CATI TEXT: K. ] \$15,000 to 17,499"

[12] "[CATI TEXT: L. ] \$17,500 to 19,999"

[13] "[CATI TEXT: M. ] \$20,000 to 22,499"

[14] "[CATI TEXT: N. ] \$22,500 to 24,999"

[15] "[CATI TEXT: O. ] \$25,000 to 29,999"

[16] "[CATI TEXT: P. ] \$30,000 to 34,999"

[17] "[CATI TEXT: Q. ] \$35,000 to 39,999"

[18] "[CATI TEXT: R. ] \$40,000 to 49,999"

[19] "[CATI TEXT: S. ] \$50,000 to 59,999"

[20] "[CATI TEXT: T. ] \$60,000 to 74,999"

[21] "[CATI TEXT: U. ] \$75,000 to \$89,999"

[22] "[CATI TEXT: V. ] \$90,000 to \$109,999"

[23] "[CATI TEXT: W. ] \$110,000 to \$129,999"



[24] "[CATI TEXT: X. ] \$130,000 to \$149,999"

[25] "[CATI TEXT: Y. ] \$150,000 to \$169,999"

[26] "[CATI TEXT: Z. ] \$170,000 or over"

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: RINCTEXT

Value: 3

IF QUEXMODE = 2

PRELOADACTION: BranchTo

Next question

IF QUEXMODE = 2

PRELOADACTION: SetVariableValue

Variable: RINCTEXT

Value: 2

IF OCCSLF Is Not Empty

Or OCCSLF <> 77

Or OCCSLF <> 99

Or OCCSLF <> 98

PRELOADACTION: SetVariableValue

Variable: RINCTEXT

Value: 1

IF RINCTEXT Is Empty

PRELOADACTION: BranchTo

Next question

## **RINCTEXT: RadioButton**

Single answer question using Radio Buttons

MaxValue = 20

### **Codes:**

[1] [CATI UCase: the job you worked]

[2] [OCCSLF]

[3] [CATI UCase: your job or jobs]

PRELOADACTION: BranchTo

Question INCOM16

IF OCCSLF Is Empty

Or OCCSLF = 77

Or OCCSLF = 99

Or OCCSLF = 98

## **RINCOME1: RadioButton**

Did you earn any income from [rinctxt] in 2019?

MaxValue = 20

### **Codes:**

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question INCOM16

IF RINCOME1 = 2 OR 3 OR 4 OR 5

IF RINCOME1 = 2

IF RINCOME1 = 98

IF RINCOME1 = 77

IF RINCOME1 = 99

## **RINCOM16: RadioButton**

"[CATI TEXT: [HANDCARD A20]] In which of these groups did your earnings from [rinctxt] for 2019 fall? That is, before taxes or other deductions. [CATI TEXT: Just tell me the letter.[CAWI\_FLOAT2]] "

MaxValue = 20

### **Codes:**

[1] "[CATI TEXT: A. ] Under \$1,000"

[2] "[CATI TEXT: B. ] \$1,000 to 2,999"

[3] "[CATI TEXT: C. ] \$3,000 to 3,999"

[4] "[CATI TEXT: D. ] \$4,000 to 4,999"

[5] "[CATI TEXT: E. ] \$5,000 to 5,999"

[6] "[CATI TEXT: F. ] \$6,000 to 6,999"

[7] "[CATI TEXT: G. ] \$7,000 to 7,999"

[8] "[CATI TEXT: H. ] \$8,000 to 9,999"

[9] "[CATI TEXT: I. ] \$10,000 to 12,499"

[10] "[CATI TEXT: J. ] \$12,500 to 14,999"

[11] "[CATI TEXT: K. ] \$15,000 to 17,499"

[12] "[CATI TEXT: L. ] \$17,500 to 19,999"

[13] "[CATI TEXT: M. ] \$20,000 to 22,499"

[14] "[CATI TEXT: N. ] \$22,500 to 24,999"

[15] "[CATI TEXT: O. ] \$25,000 to 29,999"

[16] "[CATI TEXT: P. ] \$30,000 to 34,999"

[17] "[CATI TEXT: Q. ] \$35,000 to 39,999"

[18] "[CATI TEXT: R. ] \$40,000 to 49,999"

[19] "[CATI TEXT: S. ] \$50,000 to 59,999"

[20] "[CATI TEXT: T. ] \$60,000 to 74,999"  
[21] "[CATI TEXT: U. ] \$75,000 to \$89,999"  
[22] "[CATI TEXT: V. ] \$90,000 to \$109,999"  
[23] "[CATI TEXT: W. ] \$110,000 to \$129,999"  
[24] "[CATI TEXT: X. ] \$130,000 to \$149,999"  
[25] "[CATI TEXT: Y. ] \$150,000 to \$169,999"  
[26] "[CATI TEXT: Z. ] \$170,000 or over"  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **INCOM16: RadioButton**

"Thinking about the time when you were 16 years old, compared with American families in general then, would you say your family income was -- far below average, below average, average, above average, or far above average?[CAWI\_FLOAT2]"

MaxValue = 20

#### **Codes:**

[1] "[CATI UCase: Far below average] "  
[2] "[CATI UCase: Below average] "  
[3] "[CATI UCase: Average] "  
[4] "[CATI UCase: Above average] "  
[5] "[CATI UCase: Far above average] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **DWELOWN: RadioButton**

"Currently, do you (or does your family) own your home, pay rent, or something else?"

MaxValue = 20

#### **Codes:**

[1] [CATI UCase: Own or is buying]  
[2] [CATI UCase: Pays rent]  
[3] [CATI UCase: Other]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

```
POSTANSWERACTION: BranchTo
Question DWELOWN16
IF DWELOWN = 1 OR 2 OR 4 OR 5 OR 6
IF DWELOWN = 1
IF DWELOWN = 2
IF DWELOWN = 98
IF DWELOWN = 77
IF DWELOWN = 99
```

### **OWNSPEC: TextAnswer**

Please explain the situation with your dwelling.

MaxAnswerLength = 40

MaxValue = 20

#### **Codes:**

```
[77] "[CATI UCase: DON'T KNOW] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: SetVariableValue
Variable: OWNSPEC
Value: 98
IF OWNSPEC Is Empty
```

### **DWELOWN16: RadioButton**

"When you were 16 years old, did your family own your own home, pay rent, or something else?"

[CATI TEXT: IF R LIVED WITH TWO+ FAMILIES, FOR EXAMPLE DIVORCED PARENTS, R SHOULD REFER TO THE FAMILY AND PLACE RESIDED MOST OF THE TIME.] "

MaxValue = 20

#### **Codes:**

```
[1] [CATI UCase: Owned or was buying]
```

```
[2] [CATI UCase: Paid rent]
```

```
[3] [CATI UCase: Other]
```

```
[77] "[CATI UCase: DON'T KNOW] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo  
Question SEXBIRTH1  
IF DWELOWN16 = 1 OR 2 OR 4 OR 5 OR 6  
IF DWELOWN16 = 1  
IF DWELOWN16 = 2  
IF DWELOWN16 = 98  
IF DWELOWN16 = 77  
IF DWELOWN16 = 99

### **OWN16SPEC: TextAnswer**

Please explain the situation with your dwelling at age 16.

MaxAnswerLength = 40

MaxValue = 20

#### **Codes:**

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue  
Variable: OWN16SPEC  
Value: 98  
IF OWN16SPEC Is Empty

### **SEXBIRTH1: RadioButton**

Was your sex recorded as male or female at birth?[CAWI\_FLOAT2]

MaxValue = 20

#### **Codes:**

[1] "[CATI UCase: Male] "

[2] "[CATI UCase: Female] "

[77] "[CATI UCase: Don't know] "

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **SEXNOW1: RadioButton**

"Do you describe yourself as male, female, or transgender?[CAWI\_FLOAT2]"

MaxValue = 20

**Codes:**

[1] "[CATI UCase: Male] "  
[2] "[CATI UCase: Female] "  
[3] "[CATI UCase: Transgender] "  
[4] "[CATI UCase: None of these] "  
[77] "[CATI UCase: Don't know] "  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: TIMEA6

Value: [\$H]

IF TIMEA6 Is Empty

PRELOADACTION: BranchTo

Next question

**TIMEA6: DateTimeAnswer**

MaxAnswerLength = 20

MaxValue = 20

**BIRTHDATE: HybridGrid**

"What is your date of birth?"

[CATI TEXT: TI INSTRUCTION: IF R REFUSES, ENTER 99/99/9999 OR 77/77/7777 AND SELECT CONTINUE.]

[DOB\_VAL.Text]"

MaxValue = 20

**Codes:**

[1] "[CATI UCase: January] "  
[2] "[CATI UCase: February] "  
[3] "[CATI UCase: March] "  
[4] "[CATI UCase: April] "

[5] "[CATI UCase: May] "  
[6] "[CATI UCase: June] "  
[7] "[CATI UCase: July] "  
[8] "[CATI UCase: August] "  
[9] "[CATI UCase: September] "  
[10] "[CATI UCase: October] "  
[11] "[CATI UCase: November] "  
[12] "[CATI UCase: December] "  
[77] "DON'T KNOW"

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

[01] 01  
[02] 02  
[03] 03  
[04] 04  
[05] 05  
[06] 06  
[07] 07  
[08] 08  
[09] 09  
[10] 10  
[11] 11  
[12] 12  
[13] 13  
[14] 14  
[15] 15  
[16] 16  
[17] 17  
[18] 18  
[19] 19  
[20] 20  
[21] 21  
[22] 22  
[23] 23  
[24] 24  
[25] 25  
[26] 26  
[27] 27  
[28] 28  
[29] 29  
[30] 30  
[31] 31

[77] DON'T KNOW

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

[99] REFUSED

DISPLAY IF: QUEXMODE =1

[2020] 2020  
[2019] 2019  
[2018] 2018  
[2017] 2017  
[2016] 2016  
[2015] 2015  
[2014] 2014  
[2013] 2013

[2012] 2012  
[2011] 2011  
[2010] 2010  
[2009] 2009  
[2008] 2008  
[2007] 2007  
[2006] 2006  
[2005] 2005  
[2004] 2004  
[2003] 2003  
[2002] 2002  
[2001] 2001  
[2000] 2000  
[1999] 1999  
[1998] 1998  
[1997] 1997  
[1996] 1996  
[1995] 1995  
[1994] 1994  
[1993] 1993  
[1992] 1992  
[1991] 1991  
[1990] 1990  
[1989] 1989  
[1988] 1988  
[1987] 1987  
[1986] 1986  
[1985] 1985  
[1984] 1984  
[1983] 1983  
[1982] 1982  
[1981] 1981  
[1980] 1980  
[1979] 1979  
[1978] 1978  
[1977] 1977  
[1976] 1976  
[1975] 1975  
[1974] 1974  
[1973] 1973  
[1972] 1972  
[1971] 1971  
[1970] 1970  
[1969] 1969  
[1968] 1968  
[1967] 1967  
[1966] 1966  
[1965] 1965  
[1964] 1964  
[1963] 1963  
[1962] 1962  
[1961] 1961  
[1960] 1960  
[1959] 1959  
[1958] 1958  
[1957] 1957  
[1956] 1956  
[1955] 1955  
[1954] 1954



[1953] 1953  
[1952] 1952  
[1951] 1951  
[1950] 1950  
[1949] 1949  
[1948] 1948  
[1947] 1947  
[1946] 1946  
[1945] 1945  
[1944] 1944  
[1943] 1943  
[1942] 1942  
[1941] 1941  
[1940] 1940  
[1939] 1939  
[1938] 1938  
[1937] 1937  
[1936] 1936  
[1935] 1935  
[1934] 1934  
[1933] 1933  
[1932] 1932  
[1931] 1931  
[1930] 1930  
[1929] 1929  
[1928] 1928  
[1927] 1927  
[1926] 1926  
[1925] 1925  
[1924] 1924  
[1923] 1923  
[1922] 1922  
[1921] 1921  
[1920] 1920  
[7777] DON'T KNOW

DISPLAY IF: QUEXMODE =1

[9998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

[9999] REFUSED

DISPLAY IF: QUEXMODE =1

PRELOADACTION: SetVariableValue

Variable: FEBMOD

Value: "IF(((MOD(BRTHYR,4)==0)),1,2)"

PRELOADACTION: BranchTo

Next question

## **FEBMOD: RadioButton**

Determine whether February as 28 or 29 days this year.

MaxValue = 20

**Codes:**

[1] "  
**Date of birth is not valid, February has 29 days.**  
"  
[2] "  
**Date of birth is not valid, February has 28 days.**  
"

```
PRELOADACTION: SetVariableValue  
Variable: DOB_VAL  
Value: "IF(((BRTHMO==1 AND BRTHDY>31 AND BRTHDY>0)),03, IF((((BRTHMO==2 AND  
MOD(BRTHYR,4)==0 AND BRTHDY>29 AND BRTHDY>0) OR (BRTHMO==2 AND (NOT  
MOD(BRTHYR,4)==0) AND BRTHDY>28 AND BRTHDY>0))),04, IF(((BRTHMO==3 AND BRTHDY>31  
AND BRTHDY>0)),05, IF(((BRTHMO==4 AND BRTHDY>30 AND BRTHDY>0)),06, IF(((BRTHMO==5  
AND BRTHDY>31 AND BRTHDY>0)),07, IF(((BRTHMO==6 AND BRTHDY>30 AND BRTHDY>0)),08,  
IF(((BRTHMO==7 AND BRTHDY>31 AND BRTHDY>0)),09, IF(((BRTHMO==8 AND BRTHDY>31 AND  
BRTHDY>0)),10, IF(((BRTHMO==9 AND BRTHDY>30 AND BRTHDY>0)),11, IF(((BRTHMO==10 AND  
BRTHDY>31 AND BRTHDY>0)),12, IF(((BRTHMO==11 AND BRTHDY>30 AND BRTHDY>0)),13,  
IF(((BRTHMO==12 AND BRTHDY>31 AND BRTHDY>0)),14,00))))))))))"
```

```
PRELOADACTION: BranchTo  
Question BRTHDATE  
IF DOB_VAL = 1 OR 2 OR 3 OR 4 OR 5 OR 6 OR 7 OR 8 OR 9 OR 10 OR 11 OR 12  
IF DOB_VAL = 04  
IF DOB_VAL = 05  
IF DOB_VAL = 06  
IF DOB_VAL = 07  
IF DOB_VAL = 08  
IF DOB_VAL = 09  
IF DOB_VAL = 10  
IF DOB_VAL = 11  
IF DOB_VAL = 12  
IF DOB_VAL = 13  
IF DOB_VAL = 14  
IF DOB_VAL = 03
```

```
PRELOADACTION: BranchTo  
Next question  
IF DOB_VAL = 00
```

**DOB\_VAL: RadioButton**

VALIDATION OF BIRTHDATE ENTRY

MaxValue = 20

**Codes:**

[3] "  
**Date of birth is not valid, January has 31 days.]**

"  
[4] [febmod.text]  
[5] "

**Date of birth is not valid, March has 31 days.]**

"  
[6] "

**Date of birth is not valid, April has 30 days.]**

"  
[7] "

**Date of birth is not valid, May has 31 days.]**

"  
[8] "

**Date of birth is not valid, June has 30 days.]**

"  
[9] "

**Date of birth is not valid, July has 31 days.]**

"  
[10] "

**Date of birth is not valid, August has 31 days.]**

"  
[11] "

**Date of birth is not valid, September has 30 days.]**

"  
[12] "

**Date of birth is not valid, October has 31 days.]**

"  
[13] "

**Date of birth is not valid, November has 30 days.]**

"  
[14] "

**Date of birth is not valid, December has 31 days.]**

"  
[0]

PRELOADACTION: SetVariableValue  
Variable: AGECALC  
Value: ()

PRELOADACTION: BranchTo  
Next question  
IF BRTHYR = 7777  
Or BRTHYR = 9998  
Or BRTHYR = 9999

PRELOADACTION: SetVariableValue  
Variable: AGECALC  
Value: (CURRYR-BRTHYR)  
IF (CURRMO>ABS(BRTHMO)) AND (ABS(BRTHMO)<=12) AND (ABS(BRTHMO)>=1)

PRELOADACTION: SetVariableValue  
Variable: AGECALC  
Value: (CURRYR-BRTHYR)  
IF (CURRMO=ABS(BRTHMO)) AND (CURRDY>=BRTHDY) AND (BRTHDY<=31) AND (BRTHDY>=1)

PRELOADACTION: SetVariableValue  
Variable: AGECALC  
Value: (CURRYR-BRTHYR)  
IF BRTHMO = 77  
Or BRTHMO = 98  
Or BRTHMO = 99

PRELOADACTION: SetVariableValue  
Variable: AGECALC  
Value: ((CURRYR-BRTHYR)-1)  
IF AGECALC Is Empty  
Or AGECALC = 0

PRELOADACTION: BranchTo  
Next question

## **AGECALC: NumericAnswer**

CALCULATE CURRENT AGE

MinValue = 0 MaxValue = 999

PRELOADACTION: SetVariableValue  
Variable: TIMEA7  
Value: [\$H]

PRELOADACTION: BranchTo  
Next question

## **TIMEA7: DateTimeAnswer**

MaxAnswerLength = 20

MaxValue = 999

### **OTHLANG: RadioButton**

Can you speak a language other than [QUEXLANG]?

MaxValue = 999

#### **Codes:**

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question VETYRS1

IF OTHLANG = 2 OR 3 OR 4 OR 5

IF OTHLANG = 2

IF OTHLANG = 98

IF OTHLANG = 77

IF OTHLANG = 99

### **OTHLANGS: HybridGrid**

What other language(s) do you speak?

MaxValue = 999

PRELOADACTION: BranchTo

Question VETYRS1

IF OTHLANG1 Is Empty

PRELOADACTION: SetVariableValue

Variable: BETRLANG

Value: 1

IF OTHLANG2 Is Empty

PRELOADACTION: BranchTo

Next question

IF OTHLANG2 Is Empty

## **BETRLANG: RadioButton**

Which language do you speak more fluently?

MaxValue = 999

### **Codes:**

[1] [OTHLANG1]

[2] [OTHLANG2]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question VETYRS1

IF BETRLANG = 3 OR 4 OR 5

IF BETRLANG = 77

IF BETRLANG = 99

IF BETRLANG = 98

## **SPKLANG: RadioButton**

How well do you speak that language ([BETRLANG])?

MaxValue = 999

### **Codes:**

[1] [CATI UCase: Very well]

[2] [CATI UCase: Well]

[3] [CATI UCase: Not well]

[4] [CATI UCase: Poor/Hardly at all]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## **VETYRS1: RadioButton**

Have you ever been on active duty for military training or service for two consecutive months or more?

MaxValue = 999

**Codes:**

[1] [CATI UCase: Yes]  
[2] [CATI UCase: No]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo  
Question COMPUSE  
IF VETYRS1 = 2 OR 3 OR 4 OR 5  
IF VETYRS1 = 2  
IF VETYRS1 = 98  
IF VETYRS1 = 77  
IF VETYRS1 = 99

**VETYRS2: RadioButton**

What was your total time on active duty?

MaxValue = 999

**Codes:**

[1] [CATI UCase: Less than 2 years]  
[2] [CATI UCase: 2 - 4 years]  
[3] [CATI UCase: More than 4 years]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**COMPUSE: RadioButton**

"Do you personally ever use a computer at home, at work, or at some other location?"

MaxValue = 999

**Codes:**

[1] [CATI UCase: Yes]  
[2] [CATI UCase: No]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF COMPUSE = 1

### **WEBMOB: RadioButton**

Do you have access to the Internet in your home through an Internet-enabled mobile device like a smart phone or tablet?

MaxValue = 999

#### **Codes:**

[1] [CATI UCase: Yes]  
[2] [CATI UCase: No]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Question ETIMEA1  
IF COMPUSE <> 1  
And WEBMOB <> 1

### **EMAILHR: NumericAnswer**

About how many minutes or hours per week do you spend sending and answering electronic mail or e-mail?

MinValue = 0 MaxValue = 168

#### **Codes:**

[777] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[999] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[998] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **EMAILMIN: NumericAnswer**



MinValue = 0 MaxValue = 9999

**Codes:**

[77777] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99999] "REFUSED"

DISPLAY IF: QUEXMODE =1

[99998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: EMAILHR

Value: 998

IF EMAILHR Is Empty

POSTANSWERACTION: SetVariableValue

Variable: EMAILMIN

Value: 99998

IF EMAILMIN Is Empty

PRELOADACTION: BranchTo

Next question

IF EMAILHR > 0

Or EMAILMIN > 0

**USEWWW: RadioButton**

"Other than for e-mail, do you ever use the Internet or Web?"

MaxValue = 9999

**Codes:**

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Question ETIMEA1

IF V01(USEWWW=1 OR EMAILMIN>0 OR EMAILHR>0)==0

**WWWHR: NumericAnswer**

"Not counting e-mail, about how many minutes or hours per week do you use the Web? Include time you spend visiting regular web sites and time spent using interactive Internet services like social media, streaming services, chat rooms, online conferencing services, discussion boards or forums, and the like."

MinValue = 0 MaxValue = 168

**Codes:**

[777] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[999] "REFUSED"

DISPLAY IF: QUEXMODE =1

[998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**WWWMIN: NumericAnswer**

MinValue = 0 MaxValue = 9999

**Codes:**

[77777] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99999] "REFUSED"

DISPLAY IF: QUEXMODE =1

[99998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: WWWHR

Value: 998

IF WWWHR Is Empty

POSTANSWERACTION: SetVariableValue

Variable: WWWMIN

Value: 99999

IF WWWMIN Is Empty

PRELOADACTION: SetVariableValue

Variable: ETIMEA1

Value: [\$H]

IF ETIMEA1 Is Empty

PRELOADACTION: BranchTo

Next question

**ETIMEA1: DateTimeAnswer**

END TIME SECTION A

MaxAnswerLength = 20

MaxValue = 9999

PRELOADACTION: SetVariableValue  
Variable: ETIMEA1\_D  
Value: [\$H]

PRELOADACTION: BranchTo  
Next question

### **ETIMEA1\_D: DateTimeAnswer**

DYNAMIC END TIME SECTION A

MaxAnswerLength = 20

MaxValue = 9999

### **CARDA25\_A26: RadioButton**

MaxValue = 9999

#### **Codes:**

[1] [CATI UCase: A25]

[2] [CATI UCase: A26]

### **DIRSPCT: RadioButton**

"[CATI TEXT: [HANDCARD A25]] In your day-to-day life how often have any of the following things happened to you?

You are treated with less courtesy or respect than other people."

MaxValue = 9999

#### **Codes:**

[1] Almost every day

[2] At least once a week

[3] A few times a month  
[4] A few times a year  
[5] Less than once a year  
[6] Never  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **POORSERV: RadioButton**

"[CATI TEXT: [HANDCARD A25]] (In your day-to-day life how often have any of the following things happened to you?)

You receive poorer service than other people at restaurants or stores."

MaxValue = 9999

#### **Codes:**

[1] Almost every day  
[2] At least once a week  
[3] A few times a month  
[4] A few times a year  
[5] Less than once a year  
[6] Never  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **NOTSMART: RadioButton**

"[CATI TEXT: [HANDCARD A25]] (In your day-to-day life how often have any of the following things happened to you?)

People act as if they think you are not smart."

MaxValue = 9999

#### **Codes:**

[1] Almost every day  
[2] At least once a week  
[3] A few times a month  
[4] A few times a year  
[5] Less than once a year

[6] Never  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **AFRAIDOF: RadioButton**

"[CATI TEXT: [HANDCARD A25]] (In your day-to-day life how often have any of the following things happened to you?)

People act as if they are afraid of you."

MaxValue = 9999

#### **Codes:**

[1] Almost every day  
[2] At least once a week  
[3] A few times a month  
[4] A few times a year  
[5] Less than once a year  
[6] Never  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **THREATEN: RadioButton**

"[CATI TEXT: [HANDCARD A25]] (In your day-to-day life how often have any of the following things happened to you?)

You are threatened or harassed."

MaxValue = 9999

#### **Codes:**

[1] Almost every day  
[2] At least once a week  
[3] A few times a month  
[4] A few times a year  
[5] Less than once a year  
[6] Never  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: ETIMEA

Value: [\$H]

IF ETIMEA Is Empty

PRELOADACTION: BranchTo

Next question

### **ETIMEA: DateTimeAnswer**

END TIME SECTION A

MaxAnswerLength = 20

MaxValue = 9999

PRELOADACTION: SetVariableValue

Variable: ETIMEA\_D

Value: [\$H]

PRELOADACTION: BranchTo

Next question

### **ETIMEA\_D: DateTimeAnswer**

DYNAMIC END TIME SECTION A

MaxAnswerLength = 20

MaxValue = 9999

### **ELAPSEDTIMEA: NumericAnswer**

MaxValue = 9999

PRELOADACTION: SetVariableValue

Variable: BTIMEB

Value: [\$H]

IF BTIMEB Is Empty

```
PRELOADACTION: BranchTo
Next question
```

### **BTIMEB: DateTimeAnswer**

BEGIN TIME SECTION B

MaxAnswerLength = 20

MaxValue = 9999

```
PRELOADACTION: SetVariableValue
Variable: BTIMEB_D
Value: [$H]
```

```
PRELOADACTION: BranchTo
Next question
```

### **BTIMEB\_D: DateTimeAnswer**

DYNAMIC BEGIN TIME SECTION B

MaxAnswerLength = 20

MaxValue = 9999

### **HHNAME1: HybridGrid**

"Now [CATIFILL1] would like to ask some basic questions about your household. Here, we are interested in how adults, children, and babies living within households are related. Let's start with names, or nicknames - you can use whichever is easiest for you.

First, what is the name of the person (or one of the persons) who owns or rents this home?

"

MaxValue = 9999

### **HASRELSP: RadioButton**

Does [HHFNAME\_1] [HHLNAME\_1] have a spouse or unmarried partner who lives in the household?

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo  
Question WHOELSE\_3  
IF HASRELS = 2 OR 3 OR 4 OR 5  
IF HASRELS = 2  
IF HASRELS = 98  
IF HASRELS = 77  
IF HASRELS = 99

**HHNAME2: HybridGrid**

What is the spouse or partner's name?

MaxValue = 9999

**WHOELSE\_3: RadioButton**

"Again, thinking about your household, who else lives here? Please include yourself if you haven't already.

Current Household Members:

[HHFNAME\_1] [HHLNAME\_1]

[HHFNAME\_2] [HHLNAME\_2]

"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Add another person] "  
[2] "[CATI UCase: No one else lives here] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2



```
POSTANSWERACTION: BranchTo
Question HHNAME3
IF WHOELSE_3 = 1
```

### **PROBE\_3: RadioButton**

"Again, thinking about your household, have we forgotten anyone, like babies or small children; roomers; or people who usually live here, but are away temporarily? Please count those on business trips, at school, or temporarily in a hospital.

#### Current Household Members:

```
[HHFNAME_1] [HHLNAME_1]
[HHFNAME_2] [HHLNAME_2]
```

"

MaxValue = 9999

#### **Codes:**

```
[1] "[CATI UCase: Yes, add name] "
[2] "[CATI UCase: No one else] "
[77] "[CATI UCase: DON'T KNOW] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: BranchTo
Question WHOELSE_11
IF PROBE_3 = 2 OR 3 OR 4 OR 5
IF PROBE_3 = 2
IF PROBE_3 = 77
IF PROBE_3 = 99
IF PROBE_3 = 98
```

### **HHNAME3: HybridGrid**

Who else lives here?

MaxValue = 9999

### **WHOELSE\_4: RadioButton**

"Again, thinking about your household, who else lives here? Please include yourself if you haven't already.

Current Household Members:

[HHFNAME\_1] [HHLNAME\_1]

[HHFNAME\_2] [HHLNAME\_2]

[HHFNAME\_3] [HHLNAME\_3]

"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Add another person] "

[2] "[CATI UCase: No one else lives here] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question HHNAME4

IF WHOELSE\_4 = 1

**PROBE\_4: RadioButton**

"Again, thinking about your household, have we forgotten anyone, like babies or small children; roomers; or people who usually live here, but are away temporarily? Please count those on business trips, at school, or temporarily in a hospital.

Current Household Members:

[HHFNAME\_1] [HHLNAME\_1]

[HHFNAME\_2] [HHLNAME\_2]

[HHFNAME\_3] [HHLNAME\_3]

"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Yes, add name] "

[2] "[CATI UCase: No one else] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question WHOELSE\_11

IF PROBE\_4 = 2 OR 3 OR 4 OR 5

```
IF PROBE_4 = 2
IF PROBE_4 = 77
IF PROBE_4 = 99
IF PROBE_4 = 98
```

## HHNAME4: HybridGrid

Who else lives here?

MaxValue = 9999

## WHOELSE\_5: RadioButton

"Again, thinking about your household, who else lives here? Please include yourself if you haven't already.

Current Household Members:

```
[HHFNAME_1] [HHLNAME_1]
[HHFNAME_2] [HHLNAME_2]
[HHFNAME_3] [HHLNAME_3]
[HHFNAME_4] [HHLNAME_4]
```

"

MaxValue = 9999

### Codes:

```
[1] "[CATI UCase: Add another person] "
[2] "[CATI UCase: No one else lives here] "
[77] "[CATI UCase: DON'T KNOW] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: BranchTo
```

```
Question HHNAME5
```

```
IF WHOELSE_5 = 1
```

## PROBE\_5: RadioButton

"Again, thinking about your household, have we forgotten anyone, like babies or small children; roomers; or people who usually live here, but are away temporarily? Please count those on business trips, at school, or temporarily in a hospital.

Current Household Members:

[HHFNAME\_1] [HHLNAME\_1]  
[HHFNAME\_2] [HHLNAME\_2]  
[HHFNAME\_3] [HHLNAME\_3]  
[HHFNAME\_4] [HHLNAME\_4]

"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Yes, add name] "  
[2] "[CATI UCase: No one else] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question WHOELSE\_11

IF PROBE\_5 = 2 OR 3 OR 4 OR 5

IF PROBE\_5 = 2

IF PROBE\_5 = 77

IF PROBE\_5 = 99

IF PROBE\_5 = 98

**HHNAME5: HybridGrid**

Who else lives here?

MaxValue = 9999

**WHOELSE\_6: RadioButton**

"Again, thinking about your household, who else lives here? Please include yourself if you haven't already.

Current Household Members:

[HHFNAME\_1] [HHLNAME\_1]  
[HHFNAME\_2] [HHLNAME\_2]  
[HHFNAME\_3] [HHLNAME\_3]  
[HHFNAME\_4] [HHLNAME\_4]  
[HHFNAME\_5] [HHLNAME\_5]

"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Add another person] "  
[2] "[CATI UCase: No one else lives here] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question HHNAME6

IF WHOELSE\_6 = 1

**PROBE\_6: RadioButton**

"Again, thinking about your household, have we forgotten anyone, like babies or small children; roomers; or people who usually live here, but are away temporarily? Please count those on business trips, at school, or temporarily in a hospital.

Current Household Members:

[HHFNAME\_1] [HHLNAME\_1]

[HHFNAME\_2] [HHLNAME\_2]

[HHFNAME\_3] [HHLNAME\_3]

[HHFNAME\_4] [HHLNAME\_4]

[HHFNAME\_5] [HHLNAME\_5]

"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Yes, add name] "

[2] "[CATI UCase: No one else] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question WHOELSE\_11

IF PROBE\_6 = 2 OR 3 OR 4 OR 5

IF PROBE\_6 = 2

IF PROBE\_6 = 77

IF PROBE\_6 = 99

IF PROBE\_6 = 98

## HHNAME6: HybridGrid

Who else lives here?

MaxValue = 9999

## WHOELSE\_7: RadioButton

"Again, thinking about your household, who else lives here? Please include yourself if you haven't already.

Current Household Members:

[HHFNAME\_1] [HHLNAME\_1]  
[HHFNAME\_2] [HHLNAME\_2]  
[HHFNAME\_3] [HHLNAME\_3]  
[HHFNAME\_4] [HHLNAME\_4]  
[HHFNAME\_5] [HHLNAME\_5]  
[HHFNAME\_6] [HHLNAME\_6]

"

MaxValue = 9999

### Codes:

[1] "[CATI UCase: Add another person] "  
[2] "[CATI UCase: No one else lives here] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question HHNAME7

IF WHOELSE\_7 = 1

## PROBE\_7: RadioButton

"Again, thinking about your household, have we forgotten anyone, like babies or small children; roomers; or people who usually live here, but are away temporarily? Please count those on business trips, at school, or temporarily in a hospital.

Current Household Members:

[HHFNAME\_1] [HHLNAME\_1]  
[HHFNAME\_2] [HHLNAME\_2]

[HHFNAME\_3] [HHLNAME\_3]  
[HHFNAME\_4] [HHLNAME\_4]  
[HHFNAME\_5] [HHLNAME\_5]  
[HHFNAME\_6] [HHLNAME\_6]

"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Yes, add name] "

[2] "[CATI UCase: No one else] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question WHOELSE\_11

IF PROBE\_7 = 2 OR 3 OR 4 OR 5

IF PROBE\_7 = 2

IF PROBE\_7 = 77

IF PROBE\_7 = 99

IF PROBE\_7 = 98

**HHNAME7: HybridGrid**

Who else lives here?

MaxValue = 9999

**WHOELSE\_8: RadioButton**

"Again, thinking about your household, who else lives here? Please include yourself if you haven't already.

Current Household Members:

[HHFNAME\_1] [HHLNAME\_1]

[HHFNAME\_2] [HHLNAME\_2]

[HHFNAME\_3] [HHLNAME\_3]

[HHFNAME\_4] [HHLNAME\_4]

[HHFNAME\_5] [HHLNAME\_5]

[HHFNAME\_6] [HHLNAME\_6]

[HHFNAME\_7] [HHLNAME\_7]

"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Add another person] "

[2] "[CATI UCase: No one else lives here] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question HHNAME8

IF WHOELSE\_8 = 1

**PROBE\_8: RadioButton**

"Again, thinking about your household, have we forgotten anyone, like babies or small children; roomers; or people who usually live here, but are away temporarily? Please count those on business trips, at school, or temporarily in a hospital.

Current Household Members:

[HHFNAME\_1] [HHLNAME\_1]

[HHFNAME\_2] [HHLNAME\_2]

[HHFNAME\_3] [HHLNAME\_3]

[HHFNAME\_4] [HHLNAME\_4]

[HHFNAME\_5] [HHLNAME\_5]

[HHFNAME\_6] [HHLNAME\_6]

[HHFNAME\_7] [HHLNAME\_7]

"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Yes, add name] "

[2] "[CATI UCase: No one else] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question WHOELSE\_11

IF PROBE\_8 = 2 OR 3 OR 4 OR 5

IF PROBE\_8 = 2

IF PROBE\_8 = 77



```
IF PROBE_8 = 99
IF PROBE_8 = 98
```

### HHNAME8: HybridGrid

Who else lives here?

MaxValue = 9999

### WHOELSE\_9: RadioButton

"Again, thinking about your household, who else lives here? Please include yourself if you haven't already.

Current Household Members:

```
[HHFNAME_1] [HHLNAME_1]
[HHFNAME_2] [HHLNAME_2]
[HHFNAME_3] [HHLNAME_3]
[HHFNAME_4] [HHLNAME_4]
[HHFNAME_5] [HHLNAME_5]
[HHFNAME_6] [HHLNAME_6]
[HHFNAME_7] [HHLNAME_7]
[HHFNAME_8] [HHLNAME_8]
```

"

MaxValue = 9999

### Codes:

```
[1] "[CATI UCase: Add another person] "
[2] "[CATI UCase: No one else lives here] "
[77] "[CATI UCase: DON'T KNOW] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: BranchTo
```

```
Question HHNAME9
```

```
IF WHOELSE_9 = 1
```

### PROBE\_9: RadioButton

"Again, thinking about your household, have we forgotten anyone, like babies or small children;

roomers; or people who usually live here, but are away temporarily? Please count those on business trips, at school, or temporarily in a hospital.

Current Household Members:

[HHFNAME\_1] [HHLNAME\_1]  
[HHFNAME\_2] [HHLNAME\_2]  
[HHFNAME\_3] [HHLNAME\_3]  
[HHFNAME\_4] [HHLNAME\_4]  
[HHFNAME\_5] [HHLNAME\_5]  
[HHFNAME\_6] [HHLNAME\_6]  
[HHFNAME\_7] [HHLNAME\_7]  
[HHFNAME\_8] [HHLNAME\_8]

"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Yes, add name] "  
[2] "[CATI UCase: No one else] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question WHOELSE\_11

IF PROBE\_9 = 2 OR 3 OR 4 OR 5

IF PROBE\_9 = 2

IF PROBE\_9 = 77

IF PROBE\_9 = 99

IF PROBE\_9 = 98

**HHNAME9: HybridGrid**

Who else lives here?

MaxValue = 9999

**WHOELSE\_10: RadioButton**

"Again, thinking about your household, who else lives here? Please include yourself if you haven't already.

Current Household Members:

[HHFNAME\_1] [HHLNAME\_1]

[HHFNAME\_2] [HHLNAME\_2]  
[HHFNAME\_3] [HHLNAME\_3]  
[HHFNAME\_4] [HHLNAME\_4]  
[HHFNAME\_5] [HHLNAME\_5]  
[HHFNAME\_6] [HHLNAME\_6]  
[HHFNAME\_7] [HHLNAME\_7]  
[HHFNAME\_8] [HHLNAME\_8]  
[HHFNAME\_9] [HHLNAME\_9]

"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Add another person] "  
[2] "[CATI UCase: No one else lives here] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question HHNAME10

IF WHOELSE\_10 = 1

**PROBE\_10: RadioButton**

"Again, thinking about your household, have we forgotten anyone, like babies or small children; roomers; or people who usually live here, but are away temporarily? Please count those on business trips, at school, or temporarily in a hospital.

Current Household Members:

[HHFNAME\_1] [HHLNAME\_1]  
[HHFNAME\_2] [HHLNAME\_2]  
[HHFNAME\_3] [HHLNAME\_3]  
[HHFNAME\_4] [HHLNAME\_4]  
[HHFNAME\_5] [HHLNAME\_5]  
[HHFNAME\_6] [HHLNAME\_6]  
[HHFNAME\_7] [HHLNAME\_7]  
[HHFNAME\_8] [HHLNAME\_8]  
[HHFNAME\_9] [HHLNAME\_9]

"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Yes, add name] "

```
[2] "[CATI UCase: No one else] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: BranchTo  
Question WHOELSE_11  
IF PROBE_10 = 2 OR 3 OR 4 OR 5  
IF PROBE_10 = 2  
IF PROBE_10 = 77  
IF PROBE_10 = 99  
IF PROBE_10 = 98
```

### **HHNAME10: HybridGrid**

Who else lives here?

MaxValue = 9999

### **WHOELSE\_11: RadioButton**

"Again, thinking about your household...Are there any people staying here, like visitors, friends, or relatives, who do not usually live here?

("Visitors" are people who have stayed 4 or more of the previous 7 nights.)

#### Current Household Members:

```
[HHFNAME_1] [HHLNAME_1]  
[HHFNAME_2] [HHLNAME_2]  
[HHFNAME_3] [HHLNAME_3]  
[HHFNAME_4] [HHLNAME_4]  
[HHFNAME_5] [HHLNAME_5]  
[HHFNAME_6] [HHLNAME_6]  
[HHFNAME_7] [HHLNAME_7]  
[HHFNAME_8] [HHLNAME_8]  
[HHFNAME_9] [HHLNAME_9]  
[HHFNAME_10] [HHLNAME_10]
```

"

MaxValue = 9999

#### **Codes:**

```
[1] "[CATI UCase: Add another person] "  
[2] "[CATI UCase: There are no visitors staying here] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: BranchTo  
Question REMOVE  
IF WHOELSE_11 = 2 OR 3 OR 4 OR 5  
IF WHOELSE_11 = 2  
IF WHOELSE_11 = 77  
IF WHOELSE_11 = 99  
IF WHOELSE_11 = 98
```

## HHNAME11: HybridGrid

Who else is staying here?

MaxValue = 9999

## WHOELSE\_12: RadioButton

"Again, thinking about your household...Are there any people staying here, like visitors, friends, or relatives, who do not usually live here?"

("Visitors" are people who have stayed 4 or more of the previous 7 nights.)

### Current Household Members:

```
[HHFNAME_1] [HHLNAME_1]  
[HHFNAME_2] [HHLNAME_2]  
[HHFNAME_3] [HHLNAME_3]  
[HHFNAME_4] [HHLNAME_4]  
[HHFNAME_5] [HHLNAME_5]  
[HHFNAME_6] [HHLNAME_6]  
[HHFNAME_7] [HHLNAME_7]  
[HHFNAME_8] [HHLNAME_8]  
[HHFNAME_9] [HHLNAME_9]  
[HHFNAME_10] [HHLNAME_10]  
[HHFNAME_11] [HHLNAME_11]
```

"

MaxValue = 9999

**Codes:**

```
[1] "[CATI UCase: Add another person] "  
[2] "[CATI UCase: There are no other visitors staying here] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
POSTANSWERACTION: BranchTo  
Question REMOVE  
IF WHOELSE_12 = 2 OR 3 OR 4 OR 5  
IF WHOELSE_12 = 2  
IF WHOELSE_12 = 77  
IF WHOELSE_12 = 99  
IF WHOELSE_12 = 98
```

**HHNAME12: HybridGrid**

Who else is staying here?

MaxValue = 9999

**WHOELSE\_13: RadioButton**

"Again, thinking about your household...Are there any people staying here, like visitors, friends, or relatives, who do not usually live here?

("Visitors" are people who have stayed 4 or more of the previous 7 nights.)

Current Household Members:

```
[HHFNAME_1] [HHLNAME_1]  
[HHFNAME_2] [HHLNAME_2]  
[HHFNAME_3] [HHLNAME_3]  
[HHFNAME_4] [HHLNAME_4]  
[HHFNAME_5] [HHLNAME_5]  
[HHFNAME_6] [HHLNAME_6]  
[HHFNAME_7] [HHLNAME_7]  
[HHFNAME_8] [HHLNAME_8]  
[HHFNAME_9] [HHLNAME_9]  
[HHFNAME_10] [HHLNAME_10]  
[HHFNAME_11] [HHLNAME_11]  
[HHFNAME_12] [HHLNAME_12]
```

"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Add another person] "  
[2] "[CATI UCase: There are no other visitors staying here] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo  
Question REMOVE  
IF WHOELSE\_13 = 2 OR 3 OR 4 OR 5  
IF WHOELSE\_13 = 2  
IF WHOELSE\_13 = 77  
IF WHOELSE\_13 = 99  
IF WHOELSE\_13 = 98

**HHNAME13: HybridGrid**

Who else is staying here?

MaxValue = 9999

**WHOELSE\_14: RadioButton**

"Again, thinking about your household...Are there any people staying here, like visitors, friends, or relatives, who do not usually live here?"

("Visitors" are people who have stayed 4 or more of the previous 7 nights.)

Current Household Members:

[HHFNAME\_1] [HHLNAME\_1]  
[HHFNAME\_2] [HHLNAME\_2]  
[HHFNAME\_3] [HHLNAME\_3]  
[HHFNAME\_4] [HHLNAME\_4]  
[HHFNAME\_5] [HHLNAME\_5]  
[HHFNAME\_6] [HHLNAME\_6]  
[HHFNAME\_7] [HHLNAME\_7]  
[HHFNAME\_8] [HHLNAME\_8]  
[HHFNAME\_9] [HHLNAME\_9]  
[HHFNAME\_10] [HHLNAME\_10]  
[HHFNAME\_11] [HHLNAME\_11]  
[HHFNAME\_12] [HHLNAME\_12]  
[HHFNAME\_13] [HHLNAME\_13]

"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Add another person] "  
[2] "[CATI UCase: There are no other visitors staying here] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question REMOVE

IF WHOELSE\_14 = 2 OR 3 OR 4 OR 5

IF WHOELSE\_14 = 2

IF WHOELSE\_14 = 77

IF WHOELSE\_14 = 99

IF WHOELSE\_14 = 98

**HHNAME14: HybridGrid**

Who else is staying here?

MaxValue = 9999

**REMOVE: CheckBox**

"FI: SHOULD ANY OF THE PEOPLE ROSTERED BE REMOVED FROM THE LIST BECAUSE OF RESPONDENT ERROR OR DATA ENTRY ERROR OR THE PERSON DOES NOT LIVE IN HH?"

MaxValue = 9999

**Codes:**

[1] [HHFNAME\_1] [HHLNAME\_1]

[2] [HHFNAME\_2] [HHLNAME\_2]

[3] [HHFNAME\_3] [HHLNAME\_3]

[4] [HHFNAME\_4] [HHLNAME\_4]

[5] [HHFNAME\_5] [HHLNAME\_5]

[6] [HHFNAME\_6] [HHLNAME\_6]

[7] [HHFNAME\_7] [HHLNAME\_7]

[8] [HHFNAME\_8] [HHLNAME\_8]



[9] [HHFNAME\_9] [HHLNAME\_9]  
[10] [HHFNAME\_10] [HHLNAME\_10]  
[11] [HHFNAME\_11] [HHLNAME\_11]  
[12] [HHFNAME\_12] [HHLNAME\_12]  
[13] [HHFNAME\_13] [HHLNAME\_13]  
[14] [HHFNAME\_14] [HHLNAME\_14]

## **RESPNUM: RadioButton**

The next questions are about yourself and other members of your household. Which of these household members is you? (Please select the person on the list that refers to you.)

MaxValue = 9999

### **Codes:**

[1] [HHFNAME\_1] [HHLNAME\_1]  
[2] [HHFNAME\_2] [HHLNAME\_2]  
[3] [HHFNAME\_3] [HHLNAME\_3]  
[4] [HHFNAME\_4] [HHLNAME\_4]  
[5] [HHFNAME\_5] [HHLNAME\_5]  
[6] [HHFNAME\_6] [HHLNAME\_6]  
[7] [HHFNAME\_7] [HHLNAME\_7]  
[8] [HHFNAME\_8] [HHLNAME\_8]  
[9] [HHFNAME\_9] [HHLNAME\_9]  
[10] [HHFNAME\_10] [HHLNAME\_10]  
[11] [HHFNAME\_11] [HHLNAME\_11]  
[12] [HHFNAME\_12] [HHLNAME\_12]  
[13] [HHFNAME\_13] [HHLNAME\_13]  
[14] [HHFNAME\_14] [HHLNAME\_14]

```
PRELOADACTION: SetVariableValue  
Variable: SEXFILL_1  
Value: 1  
IF RESPNUM = 1
```

```
PRELOADACTION: SetVariableValue  
Variable: SEXFILL_1  
Value: 2  
IF RESPNUM <> 1
```

```
PRELOADACTION: BranchTo  
Next question
```

## **SEXFILL\_1: RadioButton**

MaxValue = 9999

**Codes:**

- [1] your
- [2] [HHFNAME\_1] [HHLNAME\_1]'s

**HHSEX\_1: RadioButton**

"What is [SEXFILL\_1] sex, male or female?"

MaxValue = 9999

**Codes:**

- [1] [CATI UCase: Male]
- [2] [CATI UCase: Female]
- [3] [CATI UCase: Other]
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: AGEFILL\_1

Value: [SEXFILL\_1]

PRELOADACTION: BranchTo

Next question

**AGEFILL\_1: RadioButton**

MaxValue = 9999

**Codes:**

- [1] were you on your
- [2] was [HHFNAME\_1] [HHLNAME\_1] on their

**HHAGE\_1: NumericAnswer**

How old [AGEFILL\_1] last birthday?

MinValue = 0 MaxValue = 150

**Codes:**

[777] DK

DISPLAY IF: QUEXMODE =1

[999] REF

DISPLAY IF: QUEXMODE =1

[998] SKIPPED ON WEB

POSTANSWERACTION: SetVariableValue

Variable: HHAGE\_1

Value: 998

IF HHAGE\_1 Is Empty

And QUEXMODE = 2

PRELOADACTION: BranchTo

Question RESPFLAG\_1

IF HHAGE\_1 <= 150

PRELOADACTION: SetVariableValue

Variable: OVER18FILL\_1

Value: [SEXFILL\_1]

PRELOADACTION: BranchTo

Next question

**OVER18FILL\_1: RadioButton**

MaxValue = 150

**Codes:**

[1] Were you 18 or older on your

[2] Was [HHFNAME\_1] [HHLNAME\_1] 18 or older on their

**HHOVER18\_1: RadioButton**

[OVER18FILL\_1] last birthday?

MaxValue = 150

**Codes:**

[1] "[CATI UCase: 18 or older] "

[2] "[CATI UCase: Under 18] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: RESPFLAG\_1  
Value: 1  
IF RESPNUM = 1

PRELOADACTION: BranchTo  
Next question

### **RESPFLAG\_1: NumericAnswer**

Respondent flag

MaxValue = 150

PRELOADACTION: BranchTo  
Question SEXFILL\_3  
IF HASRELSP <> 1

PRELOADACTION: SetVariableValue  
Variable: SEXFILL\_2  
Value: 1  
IF RESPNUM = 2

PRELOADACTION: SetVariableValue  
Variable: SEXFILL\_2  
Value: 2  
IF RESPNUM <> 2

PRELOADACTION: BranchTo  
Next question

### **SEXFILL\_2: RadioButton**

MaxValue = 150

#### **Codes:**

[1] your  
[2] [HHFNAME\_2] [HHLNAME\_2]'s

### **HHSEX\_2: RadioButton**

"What is [SEXFILL\_2] sex, male or female?"

MaxValue = 150

**Codes:**

[1] [CATI UCase: Male]  
[2] [CATI UCase: Female]  
[3] [CATI UCase: Other]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: AGEFILL\_2

Value: [SEXFILL\_2]

PRELOADACTION: BranchTo

Next question

**AGEFILL\_2: RadioButton**

MaxValue = 150

**Codes:**

[1] were you on your  
[2] was [HHFNAME\_2] [HHLNAME\_2] on their

**HHAGE\_2: NumericAnswer**

How old [AGEFILL\_2] last birthday?

MinValue = 0 MaxValue = 150

**Codes:**

[777] REF

DISPLAY IF: QUEXMODE =1

[999] DK

DISPLAY IF: QUEXMODE =1

[998] SKIPPED ON WEB

POSTANSWERACTION: SetVariableValue  
Variable: HHAGE\_2  
Value: 998  
IF HHAGE\_2 Is Empty  
And QUEXMODE = 2

PRELOADACTION: BranchTo  
Question RESPFLAG\_2  
IF HHAGE\_2 <= 150

PRELOADACTION: SetVariableValue  
Variable: OVER18FILL\_2  
Value: [SEXFILL\_2]

PRELOADACTION: BranchTo  
Next question

### **OVER18FILL\_2: RadioButton**

MaxValue = 150

#### **Codes:**

[1] Were you 18 or older on your  
[2] Was [HHFNAME\_2] [HHLNAME\_2] 18 or older on their

### **HHOVER18\_2: RadioButton**

[OVER18FILL\_2] last birthday?

MaxValue = 150

#### **Codes:**

[1] "[CATI UCase: 18 or older] "  
[2] "[CATI UCase: Under 18] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: RESPFLAG\_2  
Value: 1  
IF RESPNUM = 2

PRELOADACTION: BranchTo

Next question

## RESPFLAG\_2: NumericAnswer

Respondent flag

MaxValue = 150

PRELOADACTION: BranchTo  
Question SEXFILL\_4  
IF HHFNAME\_3 Is Empty

PRELOADACTION: SetVariableValue  
Variable: SEXFILL\_3  
Value: 1  
IF RESPNUM = 3

PRELOADACTION: SetVariableValue  
Variable: SEXFILL\_3  
Value: 2  
IF RESPNUM <> 3

PRELOADACTION: BranchTo  
Next question

## SEXFILL\_3: RadioButton

MaxValue = 150

### **Codes:**

[1] your

[2] [HHFNAME\_3] [HHLNAME\_3]'s

## HHSEX\_3: RadioButton

"What is [SEXFILL\_3] sex, male or female?"

MaxValue = 150

### **Codes:**

[1] [CATI UCase: Male]

[2] [CATI UCase: Female]

[3] [CATI UCase: Other]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: AGEFILL\_3  
Value: [SEXFILL\_3]

PRELOADACTION: BranchTo  
Next question

### **AGEFILL\_3: RadioButton**

MaxValue = 150

#### **Codes:**

[1] were you on your  
[2] was [HHFNAME\_3] [HHLNAME\_3] on their

### **HHAGE\_3: NumericAnswer**

How old [AGEFILL\_3] last birthday?

MinValue = 0 MaxValue = 150

#### **Codes:**

[777] DK  
DISPLAY IF: QUEXMODE =1  
[999] REF  
DISPLAY IF: QUEXMODE =1  
[998] SKIPPED ON WEB

POSTANSWERACTION: SetVariableValue  
Variable: HHAGE\_3  
Value: 998  
IF HHAGE\_3 Is Empty  
And QUEXMODE = 2

PRELOADACTION: BranchTo  
Question RESPFLAG\_3



IF HHAGE\_3 <= 150

PRELOADACTION: SetVariableValue  
Variable: OVER18FILL\_3  
Value: [SEXFILL\_3]

PRELOADACTION: BranchTo  
Next question

### **OVER18FILL\_3: RadioButton**

MaxValue = 150

#### **Codes:**

[1] Were you 18 or older on your  
[2] Was [HHFNAME\_3] [HHLNAME\_3] 18 or older on their

### **HHOVER18\_3: RadioButton**

[OVER18FILL\_3] last birthday?

MaxValue = 150

#### **Codes:**

[1] [CATI UCase: 18 or older]  
[2] [CATI UCase: Under 18]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: RESPFLAG\_3  
Value: 1  
IF RESPNUM = 3

PRELOADACTION: BranchTo  
Next question

### **RESPFLAG\_3: NumericAnswer**

Respondent flag

MaxValue = 150

PRELOADACTION: BranchTo  
Question SEXFILL\_5  
IF HHFNAME\_4 Is Empty

PRELOADACTION: SetVariableValue  
Variable: SEXFILL\_4  
Value: 1  
IF RESPNUM = 4

PRELOADACTION: SetVariableValue  
Variable: SEXFILL\_4  
Value: 2  
IF RESPNUM <> 4

PRELOADACTION: BranchTo  
Next question

### **SEXFILL\_4: RadioButton**

MaxValue = 150

#### **Codes:**

[1] your  
[2] [HHFNAME\_4] [HHLNAME\_4]'s

### **HHSEX\_4: RadioButton**

"What is [SEXFILL\_4] sex, male or female?"

MaxValue = 150

#### **Codes:**

[1] [CATI UCase: Male]  
[2] [CATI UCase: Female]  
[3] [CATI UCase: Other]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: AGEFILL\_4

Value: [SEXFILL\_4]

PRELOADACTION: BranchTo  
Next question

### **AGEFILL\_4: RadioButton**

MaxValue = 150

#### **Codes:**

[1] were you on your

[2] was [HHFNAME\_4] [HHLNAME\_4] on their

### **HHAGE\_4: NumericAnswer**

How old [AGEFILL\_4] last birthday?

MinValue = 0 MaxValue = 150

#### **Codes:**

[777] DK

DISPLAY IF: QUEXMODE = 1

[999] REF

DISPLAY IF: QUEXMODE = 1

[998] SKIPPED ON WEB

POSTANSWERACTION: SetVariableValue  
Variable: HHAGE\_4  
Value: 998  
IF HHAGE\_4 Is Empty  
And QUEXMODE = 2

PRELOADACTION: BranchTo  
Question RESPFLAG\_4  
IF HHAGE\_4 <= 150

PRELOADACTION: SetVariableValue  
Variable: OVER18FILL\_4  
Value: [SEXFILL\_4]

PRELOADACTION: BranchTo  
Next question

## OVER18FILL\_4: RadioButton

MaxValue = 150

### Codes:

- [1] Were you 18 or older on your
- [2] Was [HHFNAME\_4] [HHLNAME\_4] 18 or older on their

## HHOVER18\_4: RadioButton

[OVER18FILL\_4] last birthday?

MaxValue = 150

### Codes:

- [1] [CATI UCase: 18 or older]
  - [2] [CATI UCase: Under 18]
  - [77] "[CATI UCase: DON'T KNOW] "
- DISPLAY IF: QUEXMODE =1
- [99] "REFUSED"
- DISPLAY IF: QUEXMODE =1
- [98] SKIPPED ON WEB
- DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: RESPFLAG\_4  
Value: 1  
IF RESPNUM = 4

PRELOADACTION: BranchTo  
Next question

## RESPFLAG\_4: NumericAnswer

Respondent flag

MaxValue = 150

PRELOADACTION: BranchTo  
Question SEXFILL\_6  
IF HHFNAME\_5 Is Empty

PRELOADACTION: SetVariableValue  
Variable: SEXFILL\_5  
Value: 1

IF RESPNUM = 5

PRELOADACTION: SetVariableValue  
Variable: SEXFILL\_5  
Value: 2  
IF RESPNUM <> 5

PRELOADACTION: BranchTo  
Next question

### **SEXFILL\_5: RadioButton**

MaxValue = 150

#### **Codes:**

[1] your  
[2] [HHFNAME\_5] [HHLNAME\_5]'s

### **HHSEX\_5: RadioButton**

"What is [SEXFILL\_5] sex, male or female?"

MaxValue = 150

#### **Codes:**

[1] [CATI UCase: Male]  
[2] [CATI UCase: Female]  
[3] [CATI UCase: Other]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: AGEFILL\_5  
Value: [SEXFILL\_5]

PRELOADACTION: BranchTo  
Next question

### **AGEFILL\_5: RadioButton**

MaxValue = 150

**Codes:**

[1] were you on your  
[2] was [HHFNAME\_5] [HHLNAME\_5] on their

**HHAGE\_5: NumericAnswer**

How old [AGEFILL\_5] last birthday?

MinValue = 0 MaxValue = 150

**Codes:**

[777] DK

DISPLAY IF: QUEXMODE = 1

[999] REF

DISPLAY IF: QUEXMODE = 1

[998] SKIPPED ON WEB

POSTANSWERACTION: SetVariableValue

Variable: HHAGE\_5

Value: 998

IF HHAGE\_5 Is Empty

And QUEXMODE = 2

PRELOADACTION: BranchTo

Question RESPFLAG\_5

IF HHAGE\_5 <= 150

PRELOADACTION: SetVariableValue

Variable: OVER18FILL\_5

Value: [SEXFILL\_5]

PRELOADACTION: BranchTo

Next question

**OVER18FILL\_5: RadioButton**

MaxValue = 150

**Codes:**

[1] Were you 18 or older on your  
[2] Was [HHFNAME\_5] [HHLNAME\_5] 18 or older on their

### **HHOVER18\_5: RadioButton**

[OVER18FILL\_5] last birthday?

MaxValue = 150

#### **Codes:**

[1] [CATI UCase: 18 or older]

[2] [CATI UCase: Under 18]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: RESPFLAG\_5

Value: 1

IF RESPNUM = 5

PRELOADACTION: BranchTo

Next question

### **RESPFLAG\_5: NumericAnswer**

Respondent flag

MaxValue = 150

PRELOADACTION: BranchTo

Question SEXFILL\_7

IF HHFNAME\_6 Is Empty

PRELOADACTION: SetVariableValue

Variable: SEXFILL\_6

Value: 1

IF RESPNUM = 6

PRELOADACTION: SetVariableValue

Variable: SEXFILL\_6

Value: 2

IF RESPNUM <> 6

PRELOADACTION: BranchTo

Next question

### **SEXFILL\_6: RadioButton**

MaxValue = 150

#### **Codes:**

- [1] your
- [2] [HHFNAME\_6] [HHLNAME\_6]'s

### **HHSEX\_6: RadioButton**

"What is [SEXFILL\_6] sex, male or female?"

MaxValue = 150

#### **Codes:**

- [1] [CATI UCase: Male]
- [2] [CATI UCase: Female]
- [3] [CATI UCase: Other]
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: AGEFILL\_6

Value: [SEXFILL\_6]

PRELOADACTION: BranchTo

Next question

### **AGEFILL\_6: RadioButton**

MaxValue = 150

#### **Codes:**

- [1] were you on your
- [2] was [HHFNAME\_6] [HHLNAME\_6] on their



## HHAGE\_6: NumericAnswer

How old [AGEFILL\_6] last birthday?

MinValue = 0 MaxValue = 150

### **Codes:**

[777] DK

DISPLAY IF: QUEXMODE = 1

[999] REF

DISPLAY IF: QUEXMODE = 1

[998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

POSTANSWERACTION: SetVariableValue

Variable: HHAGE\_6

Value: 998

IF HHAGE\_6 Is Empty

And QUEXMODE = 2

PRELOADACTION: BranchTo

Question RESPFLAG\_6

IF HHAGE\_6 <= 150

PRELOADACTION: SetVariableValue

Variable: OVER18FILL\_6

Value: [SEXFILL\_6]

PRELOADACTION: BranchTo

Next question

## OVER18FILL\_6: RadioButton

MaxValue = 150

### **Codes:**

[1] Were you 18 or older on your

[2] Was [HHFNAME\_6] [HHLNAME\_6] 18 or older on their

## HHOVER18\_6: RadioButton

[OVER18FILL\_6] last birthday?

MaxValue = 150

**Codes:**

[1] "[CATI UCase: 18 or older] "  
[2] "[CATI UCase: Under 18] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: RESPFLAG\_6  
Value: 1  
IF RESPNUM = 6

PRELOADACTION: BranchTo  
Next question

**RESPFLAG\_6: NumericAnswer**

Respondent flag

MaxValue = 150

PRELOADACTION: BranchTo  
Question SEXFILL\_8  
IF HHFNAME\_7 Is Empty

PRELOADACTION: SetVariableValue  
Variable: SEXFILL\_7  
Value: 1  
IF RESPNUM = 7

PRELOADACTION: SetVariableValue  
Variable: SEXFILL\_7  
Value: 2  
IF RESPNUM <> 7

PRELOADACTION: BranchTo  
Next question

**SEXFILL\_7: RadioButton**

MaxValue = 150

**Codes:**

- [1] your
- [2] [HHFNAME\_7] [HHLNAME\_7]'s

**HHSEX\_7: RadioButton**

"What is [SEXFILL\_7] sex, male or female?"

MaxValue = 150

**Codes:**

- [1] [CATI UCase: Male]
- [2] [CATI UCase: Female]
- [3] [CATI UCase: Other]
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: AGEFILL\_7

Value: [SEXFILL\_7]

PRELOADACTION: BranchTo

Next question

**AGEFILL\_7: RadioButton**

MaxValue = 150

**Codes:**

- [1] were you on your
- [2] was [HHFNAME\_7] [HHLNAME\_7] on their

**HHAGE\_7: NumericAnswer**

How old [AGEFILL\_7] last birthday?

MinValue = 0 MaxValue = 150

**Codes:**

[777] DK

DISPLAY IF: QUEXMODE =1

[999] REF

DISPLAY IF: QUEXMODE =1

[998] SKIPPED ON WEB

POSTANSWERACTION: SetVariableValue

Variable: HHAGE\_7

Value: 998

IF HHAGE\_7 Is Empty

And QUEXMODE = 2

PRELOADACTION: BranchTo

Question RESPFLAG\_7

IF HHAGE\_7 <= 150

PRELOADACTION: SetVariableValue

Variable: OVER18FILL\_7

Value: [SEXFILL\_7]

PRELOADACTION: BranchTo

Next question

**OVER18FILL\_7: RadioButton**

MaxValue = 150

**Codes:**

[1] Were you 18 or older on your

[2] Was [HHFNAME\_7] [HHLNAME\_7] 18 or older on their

**HHOVER18\_7: RadioButton**

[OVER18FILL\_7] last birthday?

MaxValue = 150

**Codes:**

[1] "[CATI UCase: 18 or older] "

[2] "[CATI UCase: Under 18] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: RESPFLAG\_7  
Value: 1  
IF RESPNUM = 7

PRELOADACTION: BranchTo  
Next question

## **RESPFLAG\_7: NumericAnswer**

Respondent flag

MaxValue = 150

PRELOADACTION: BranchTo  
Question SEXFILL\_9  
IF HHFNAME\_8 Is Empty

PRELOADACTION: SetVariableValue  
Variable: SEXFILL\_8  
Value: 1  
IF RESPNUM = 8

PRELOADACTION: SetVariableValue  
Variable: SEXFILL\_8  
Value: 2  
IF RESPNUM <> 8

PRELOADACTION: BranchTo  
Next question

## **SEXFILL\_8: RadioButton**

MaxValue = 150

### **Codes:**

[1] your  
[2] [HHFNAME\_8] [HHLNAME\_8]'s

## **HHSEX\_8: RadioButton**

"What is [SEXFILL\_8] sex, male or female?"

MaxValue = 150

**Codes:**

[1] [CATI UCase: Male]

[2] [CATI UCase: Female]

[3] [CATI UCase: Other]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: AGEFILL\_8

Value: [SEXFILL\_8]

PRELOADACTION: BranchTo

Next question

**AGEFILL\_8: RadioButton**

MaxValue = 150

**Codes:**

[1] were you on your

[2] was [HHFNAME\_8] [HHLNAME\_8] on their

**HHAGE\_8: NumericAnswer**

How old [AGEFILL\_8] last birthday?

MinValue = 0 MaxValue = 150

**Codes:**

[777] DK

DISPLAY IF: QUEXMODE =1

[999] REF

DISPLAY IF: QUEXMODE =1

[998] SKIPPED ON WEB

```
POSTANSWERACTION: SetVariableValue
Variable: HHAGE_8
Value: 998
IF HHAGE_8 Is Empty
And QUEXMODE = 2
```

```
PRELOADACTION: BranchTo
Question RESPFLAG_8
IF HHAGE_8 <= 150
```

```
PRELOADACTION: SetVariableValue
Variable: OVER18FILL_8
Value: [SEXFILL_8]
```

```
PRELOADACTION: BranchTo
Next question
```

### **OVER18FILL\_8: RadioButton**

MaxValue = 150

#### **Codes:**

[1] Were you 18 or older on your  
[2] Was [HHFNAME\_8] [HHLNAME\_8] 18 or older on their

### **HHOVER18\_8: RadioButton**

[OVER18FILL\_8] last birthday?

MaxValue = 150

#### **Codes:**

[1] "[CATI UCase: 18 or older] "  
[2] "[CATI UCase: Under 18] "  
[77] "[CATI UCase: DON'T KNOW] "

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: SetVariableValue
Variable: RESPFLAG_8
Value: 1
IF RESPNUM = 8
```

PRELOADACTION: BranchTo  
Next question

### **RESPFLAG\_8: NumericAnswer**

Respondent flag

MaxValue = 150

PRELOADACTION: BranchTo  
Question SEXFILL\_10  
IF HHFNAME\_9 Is Empty

PRELOADACTION: SetVariableValue  
Variable: SEXFILL\_9  
Value: 1  
IF RESPNUM = 9

PRELOADACTION: SetVariableValue  
Variable: SEXFILL\_9  
Value: 2  
IF RESPNUM <> 9

PRELOADACTION: BranchTo  
Next question

### **SEXFILL\_9: RadioButton**

MaxValue = 150

#### **Codes:**

[1] your

[2] [HHFNAME\_9] [HHLNAME\_9]'s

### **HHSEX\_9: RadioButton**

"What is [SEXFILL\_9] sex, male or female?"

MaxValue = 150

#### **Codes:**



[1] [CATI UCase: Male]  
[2] [CATI UCase: Female]  
[3] [CATI UCase: Other]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: AGEFILL\_9  
Value: [SEXFILL\_9]

PRELOADACTION: BranchTo  
Next question

### **AGEFILL\_9: RadioButton**

MaxValue = 150

#### **Codes:**

[1] were you on your  
[2] was [HHFNAME\_9] [HHLNAME\_9] on their

### **HHAGE\_9: NumericAnswer**

How old [AGEFILL\_9] last birthday?

MinValue = 0 MaxValue = 150

#### **Codes:**

[777] DK  
DISPLAY IF: QUEXMODE =1  
[999] REF  
DISPLAY IF: QUEXMODE =1  
[998] SKIPPED ON WEB

POSTANSWERACTION: SetVariableValue  
Variable: HHAGE\_9  
Value: 998  
IF HHAGE\_9 Is Empty  
And QUEXMODE = 2

```
PRELOADACTION: BranchTo
Question RESPFLAG_9
IF HHAGE_9 <= 150
```

```
PRELOADACTION: SetVariableValue
Variable: OVER18FILL_9
Value: [SEXFILL_9]
```

```
PRELOADACTION: BranchTo
Next question
```

### **OVER18FILL\_9: RadioButton**

MaxValue = 150

#### **Codes:**

[1] Were you 18 or older on your  
[2] Was [HHFNAME\_9] [HHLNAME\_9] 18 or older on their

### **HHOVER18\_9: RadioButton**

[OVER18FILL\_9] last birthday?

MaxValue = 150

#### **Codes:**

[1] "[CATI UCase: 18 or older] "  
[2] "[CATI UCase: Under 18] "  
[77] "[CATI UCase: DON'T KNOW] "

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: SetVariableValue
Variable: RESPFLAG_9
Value: 1
IF RESPNUM = 9
```

```
PRELOADACTION: BranchTo
Next question
```

### **RESPFLAG\_9: NumericAnswer**

Respondent flag

MaxValue = 150

PRELOADACTION: BranchTo  
Question SEXFILL\_11  
IF HHFNAME\_10 Is Empty

PRELOADACTION: SetVariableValue  
Variable: SEXFILL\_10  
Value: 1  
IF RESPNUM = 10

PRELOADACTION: SetVariableValue  
Variable: SEXFILL\_10  
Value: 2  
IF RESPNUM <> 10

PRELOADACTION: BranchTo  
Next question

### **SEXFILL\_10: RadioButton**

MaxValue = 150

#### **Codes:**

[1] your  
[2] [HHFNAME\_10] [HHLNAME\_10]'s

### **HHSEX\_10: RadioButton**

"What is [SEXFILL\_10] sex, male or female?"

MaxValue = 150

#### **Codes:**

[1] [CATI UCase: Male]  
[2] [CATI UCase: Female]  
[3] [CATI UCase: Other]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: AGEFILL\_10  
Value: [SEXFILL\_10]

PRELOADACTION: BranchTo  
Next question

## AGEFILL\_10: RadioButton

MaxValue = 150

### Codes:

[1] were you on your  
[2] was [HHFNAME\_10] [HHLNAME\_10] on their

## HHAGE\_10: NumericAnswer

How old [AGEFILL\_10] last birthday?

MinValue = 0 MaxValue = 150

### Codes:

[777] DK

DISPLAY IF: QUEXMODE = 1

[999] REF

DISPLAY IF: QUEXMODE = 1

[998] SKIPPED ON WEB

POSTANSWERACTION: SetVariableValue  
Variable: HHAGE\_10  
Value: 998  
IF HHAGE\_10 Is Empty  
And QUEXMODE = 2

PRELOADACTION: BranchTo  
Question RESPFLAG\_10  
IF HHAGE\_10 <= 150

PRELOADACTION: SetVariableValue  
Variable: OVER18FILL\_10  
Value: [SEXFILL\_10]

PRELOADACTION: BranchTo

Next question

### **OVER18FILL\_10: RadioButton**

MaxValue = 150

#### **Codes:**

[1] Were you 18 or older on your  
[2] Was [HHFNAME\_10] [HHLNAME\_10] 18 or older on their

### **HHOVER18\_10: RadioButton**

[OVER18FILL\_10] last birthday?

MaxValue = 150

#### **Codes:**

[1] [CATI UCase: 18 or older]  
[2] [CATI UCase: Under 18]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: RESPFLAG\_10  
Value: 1  
IF RESPNUM = 10

PRELOADACTION: BranchTo  
Next question

### **RESPFLAG\_10: NumericAnswer**

Respondent flag

MaxValue = 150

PRELOADACTION: BranchTo  
Question SEXFILL\_12  
IF HHFNAME\_11 Is Empty

```
PRELOADACTION: SetVariableValue
Variable: SEXFILL_11
Value: 1
IF RESPNUM = 11
```

```
PRELOADACTION: SetVariableValue
Variable: SEXFILL_11
Value: 2
IF RESPNUM <> 11
```

```
PRELOADACTION: BranchTo
Next question
```

### **SEXFILL\_11: RadioButton**

MaxValue = 150

#### **Codes:**

[1] your  
[2] [HHFNAME\_11] [HHLNAME\_11]'s

### **HHSEX\_11: RadioButton**

"What is [SEXFILL\_11] sex, male or female?"

MaxValue = 150

#### **Codes:**

[1] [CATI UCase: Male]  
[2] [CATI UCase: Female]  
[3] [CATI UCase: Other]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

```
PRELOADACTION: SetVariableValue
Variable: AGEFILL_11
Value: [SEXFILL_11]
```

```
PRELOADACTION: BranchTo
Next question
```

## **AGEFILL\_11: RadioButton**

MaxValue = 150

### **Codes:**

[1] were you on your  
[2] was [HHFNAME\_11] [HHLNAME\_11] on their

## **HHAGE\_11: NumericAnswer**

How old [AGEFILL\_11] last birthday?

MinValue = 0 MaxValue = 150

### **Codes:**

[777] DK

DISPLAY IF: QUEXMODE = 1

[999] REF

DISPLAY IF: QUEXMODE = 1

[998] SKIPPED ON WEB

POSTANSWERACTION: SetVariableValue

Variable: HHAGE\_11

Value: 998

IF HHAGE\_11 Is Empty

And QUEXMODE = 2

PRELOADACTION: BranchTo

Question RESPFLAG\_11

IF HHAGE\_11 <= 150

PRELOADACTION: SetVariableValue

Variable: OVER18FILL\_11

Value: [SEXFILL\_11]

PRELOADACTION: BranchTo

Next question

## **OVER18FILL\_11: RadioButton**

MaxValue = 150

**Codes:**

- [1] Were you 18 or older on your
- [2] Was [HHFNAME\_11] [HHLNAME\_11] 18 or older on their

**HHOVER18\_11: RadioButton**

[OVER18FILL\_11] last birthday?

MaxValue = 150

**Codes:**

- [1] "[CATI UCase: 18 or older] "
- [2] "[CATI UCase: Under 18] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: RESPFLAG\_11  
Value: 1  
IF RESPNUM = 11

PRELOADACTION: BranchTo  
Next question

**RESPFLAG\_11: NumericAnswer**

Respondent flag

MaxValue = 150

PRELOADACTION: BranchTo  
Question SEXFILL\_13  
IF HHFNAME\_12 Is Empty

PRELOADACTION: SetVariableValue  
Variable: SEXFILL\_12  
Value: 1  
IF RESPNUM = 12

PRELOADACTION: SetVariableValue  
Variable: SEXFILL\_12  
Value: 2  
IF RESPNUM <> 12



PRELOADACTION: BranchTo  
Next question

### **SEXFILL\_12: RadioButton**

MaxValue = 150

#### **Codes:**

[1] your  
[2] [HHFNAME\_12] [HHLNAME\_12]'s

### **HHSEX\_12: RadioButton**

"What is [SEXFILL\_12] sex, male or female?"

MaxValue = 150

#### **Codes:**

[1] [CATI UCase: Male]  
[2] [CATI UCase: Female]  
[3] [CATI UCase: Other]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: AGEFILL\_12  
Value: [SEXFILL\_12]

PRELOADACTION: BranchTo  
Next question

### **AGEFILL\_12: RadioButton**

MaxValue = 150

#### **Codes:**

[1] were you on your  
[2] was [HHFNAME\_12] [HHLNAME\_12] on their

### **HHAGE\_12: NumericAnswer**

How old [AGEFILL\_12] last birthday?

MinValue = 0 MaxValue = 150

#### **Codes:**

[777] DK

DISPLAY IF: QUEXMODE = 1

[999] REF

DISPLAY IF: QUEXMODE = 1

[998] SKIPPED ON WEB

POSTANSWERACTION: SetVariableValue

Variable: HHAGE\_12

Value: 998

IF HHAGE\_12 Is Empty

And QUEXMODE = 2

PRELOADACTION: BranchTo

Question RESPFLAG\_12

IF HHAGE\_12 <= 150

PRELOADACTION: SetVariableValue

Variable: OVER18FILL\_12

Value: [SEXFILL\_12]

PRELOADACTION: BranchTo

Next question

### **OVER18FILL\_12: RadioButton**

MaxValue = 150

#### **Codes:**

[1] Were you 18 or older on your

[2] Was [HHFNAME\_12] [HHLNAME\_12] 18 or older on their

### **HHOVER18\_12: RadioButton**

[OVER18FILL\_12] last birthday?

MaxValue = 150

**Codes:**

[1] "[CATI UCase: 18 or older] "  
[2] "[CATI UCase: Under 18] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: RESPFLAG\_12  
Value: 1  
IF RESPNUM = 12

PRELOADACTION: BranchTo  
Next question

**RESPFLAG\_12: NumericAnswer**

Respondent flag

MaxValue = 150

PRELOADACTION: BranchTo  
Question SEXFILL\_14  
IF HHFNAME\_13 Is Empty

PRELOADACTION: SetVariableValue  
Variable: SEXFILL\_13  
Value: 1  
IF RESPNUM = 13

PRELOADACTION: SetVariableValue  
Variable: SEXFILL\_13  
Value: 2  
IF RESPNUM <> 13

PRELOADACTION: BranchTo  
Next question

**SEXFILL\_13: RadioButton**

MaxValue = 150

**Codes:**

[1] your

[2] [HHFNAME\_13] [HHLNAME\_13]'s

**HHSEX\_13: RadioButton**

"What is [SEXFILL\_13] sex, male or female?"

MaxValue = 150

**Codes:**

[1] [CATI UCase: Male]

[2] [CATI UCase: Female]

[3] [CATI UCase: Other]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: AGEFILL\_13

Value: [SEXFILL\_13]

PRELOADACTION: BranchTo

Next question

**AGEFILL\_13: RadioButton**

MaxValue = 150

**Codes:**

[1] were you on your

[2] was [HHFNAME\_13] [HHLNAME\_13] on their

**HHAGE\_13: NumericAnswer**

How old [AGEFILL\_13] last birthday?

MinValue = 0 MaxValue = 150

**Codes:**

[777] DK

DISPLAY IF: QUEXMODE =1

[999] REF

DISPLAY IF: QUEXMODE =1

[998] SKIPPED ON WEB

POSTANSWERACTION: SetVariableValue

Variable: HHAGE\_13

Value: 998

IF HHAGE\_13 Is Empty

And QUEXMODE = 2

PRELOADACTION: BranchTo

Question RESPFLAG\_13

IF HHAGE\_13 <= 150

PRELOADACTION: SetVariableValue

Variable: OVER18FILL\_13

Value: [SEXFILL\_13]

PRELOADACTION: BranchTo

Next question

**OVER18FILL\_13: RadioButton**

MaxValue = 150

**Codes:**

[1] Were you 18 or older on your

[2] Was [HHFNAME\_13] [HHLNAME\_13] 18 or older on their

**HHOVER18\_13: RadioButton**

[OVER18FILL\_13] last birthday?

MaxValue = 150

**Codes:**

[1] "[CATI UCase: 18 or older] "

[2] "[CATI UCase: Under 18] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: RESPFLAG\_13  
Value: 1  
IF RESPNUM = 13

PRELOADACTION: BranchTo  
Next question

### **RESPFLAG\_13: NumericAnswer**

Respondent flag

MaxValue = 150

PRELOADACTION: BranchTo  
Question RELHHFILL\_1  
IF HHFNAME\_14 Is Empty

PRELOADACTION: SetVariableValue  
Variable: SEXFILL\_14  
Value: 1  
IF RESPNUM = 14

PRELOADACTION: SetVariableValue  
Variable: SEXFILL\_14  
Value: 2  
IF RESPNUM <> 14

PRELOADACTION: BranchTo  
Next question

### **SEXFILL\_14: RadioButton**

MaxValue = 150

#### **Codes:**

[1] your  
[2] [HHFNAME\_14] [HHLNAME\_14]'s

## HHSEX\_14: RadioButton

"What is [SEXFILL\_14] sex, male or female?"

MaxValue = 150

### **Codes:**

[1] [CATI UCase: Male]

[2] [CATI UCase: Female]

[3] [CATI UCase: Other]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: AGEFILL\_14

Value: [SEXFILL\_14]

PRELOADACTION: BranchTo

Next question

## AGEFILL\_14: RadioButton

MaxValue = 150

### **Codes:**

[1] were you on your

[2] was [HHFNAME\_14] [HHLNAME\_14] on their

## HHAGE\_14: NumericAnswer

How old [AGEFILL\_14] last birthday?

MinValue = 0 MaxValue = 150

### **Codes:**

[777] DK

DISPLAY IF: QUEXMODE =1

[999] REF  
DISPLAY IF: QUEXMODE =1  
[998] SKIPPED ON WEB

POSTANSWERACTION: SetVariableValue  
Variable: HHAGE\_14  
Value: 998  
IF HHAGE\_14 Is Empty  
And QUEXMODE = 2

PRELOADACTION: BranchTo  
Question RESPFLAG\_14  
IF HHAGE\_14 <= 150

PRELOADACTION: SetVariableValue  
Variable: OVER18FILL\_14  
Value: [SEXFILL\_14]

PRELOADACTION: BranchTo  
Next question

### **OVER18FILL\_14: RadioButton**

MaxValue = 150

#### **Codes:**

[1] Were you 18 or older on your  
[2] Was [HHFNAME\_14] [HHLNAME\_14] 18 or older on their

### **HHOVER18\_14: RadioButton**

[OVER18FILL\_14] last birthday?

MaxValue = 150

#### **Codes:**

[1] "[CATI UCase: 18 or older] "  
[2] "[CATI UCase: Under 18] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: RESPFLAG\_14



Value: 1  
IF RESPNUM = 14

PRELOADACTION: BranchTo  
Next question

### **RESPFLAG\_14: NumericAnswer**

Respondent flag

MaxValue = 150

PRELOADACTION: SetVariableValue  
Variable: RELHHFILL\_1  
Value: [SEXFILL\_1]

PRELOADACTION: BranchTo  
Next question

### **RELHHFILL\_1: RadioButton**

MaxValue = 150

#### **Codes:**

[1] your  
[2] [HHFNAME\_1] [HHLNAME\_1]'s

PRELOADACTION: SetVariableValue  
Variable: RESPFILL  
Value: [SEXFILL\_1]

PRELOADACTION: BranchTo  
Next question

### **RESPFILL: RadioButton**

MaxValue = 150

#### **Codes:**

[1] you  
[2] [HHFNAME\_1] [HHLNAME\_1]

PRELOADACTION: SetVariableValue  
Variable: RELHHA\_1  
Value: 1

PRELOADACTION: BranchTo  
Next question

### RELHHA\_1: RadioButton

"[CATI TEXT: [HANDCARD B1]] The next questions are about the relationships between the first person you listed, who owns or rents this home and the other members of your household.

What is [RELHFFILL\_1] relationship to [RESPFILL]?"

MaxValue = 150

#### **Codes:**

- [1] "[CATI UCase: Householder] "
- [2] "[CATI UCase: Spouse or partner] "
- [3] "[CATI UCase: Child] "
- [4] "[CATI UCase: Parent] "
- [5] "[CATI UCase: Sibling] "
- [6] "[CATI UCase: Other relative] "
- [7] "[CATI UCase: Non-relative] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE = 1

[99] "REFUSED"

DISPLAY IF: QUEXMODE = 1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

PRELOADACTION: SetVariableValue  
Variable: RELHHA\_2  
Value: 2

PRELOADACTION: BranchTo  
Next question

### RELHHA\_2: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [RELHFFILL\_2] relationship to [RESPFILL]?"

MaxValue = 150

#### **Codes:**

- [1] "[CATI UCase: Householder] "
- [2] "[CATI UCase: Spouse or partner] "
- [3] "[CATI UCase: Child] "
- [4] "[CATI UCase: Parent] "

[5] "[CATI UCase: Sibling] "  
[6] "[CATI UCase: Other relative] "  
[7] "[CATI UCase: Non-relative] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: RELHHBFILL2  
Value: 1  
IF RESPNUM = 1

PRELOADACTION: SetVariableValue  
Variable: RELHHBFILL2  
Value: 2  
IF RESPNUM <> 1

PRELOADACTION: BranchTo  
Next question

## RELHHBFILL2: RadioButton

MaxValue = 150

### **Codes:**

[1] your  
[2] [HHFNAME\_1] [HHLNAME\_1]'s

PRELOADACTION: BranchTo  
Question RELHHFILL\_3  
IF HASRELSP <> 1

PRELOADACTION: SetVariableValue  
Variable: RELHHBFILL1\_2  
Value: 1  
IF RESPNUM = 2

PRELOADACTION: SetVariableValue  
Variable: RELHHBFILL1\_2  
Value: 2  
IF RESPNUM <> 2

PRELOADACTION: BranchTo  
Next question

## RELHHBFILL1\_2: RadioButton

MaxValue = 150

**Codes:**

[1] you are  
[2] [HHFNAME\_2] [HHLNAME\_2] is

**RELHHB\_2: RadioButton**

"The next questions are about the relationships between the first person you listed, who owns or rents this home and the other members of your household.

Please select the option that best describes this relationship. Would you say that [RELHHBFill1\_2] [RELHHBFill2] married spouse, partner, fiancé(e), boyfriend/girlfriend, or something else?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Married spouse] "  
[2] "[CATI UCase: Partner] "  
[3] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "  
[4] "[CATI UCase: Something else] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHB\_2 <> 4

**RELHHH\_2: TextAnswer**

"What is [SEXFILL\_2] relationship to [RESPFILL]?"

(For example, if [RESPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo

Question RELHHFILL\_4

IF HHFNAME\_3 Is Empty

PRELOADACTION: SetVariableValue  
Variable: RELHFFILL\_3  
Value: [SEXFILL\_3]

PRELOADACTION: BranchTo  
Next question

### **RELHFFILL\_3: RadioButton**

MaxValue = 150

#### **Codes:**

[1] your  
[2] [HHFNAME\_3] [HHLNAME\_3]'s

PRELOADACTION: SetVariableValue  
Variable: RELHHA3INTRO  
Value: 1  
IF HASRELSP <> 1

PRELOADACTION: BranchTo  
Next question

### **RELHHA3INTRO: RadioButton**

MaxValue = 150

#### **Codes:**

[1] "The next questions are about the relationships between the first person you listed, who owns or rents this home and the other members of your household.

"

[2]

PRELOADACTION: BranchTo  
Question RELHFFILL\_4  
IF HHFNAME\_3 Is Empty

### **RELHHA\_3: RadioButton**

"[CATI TEXT: [HANDCARD B1]] [RELHHA3INTRO]What is [RELHFFILL\_3] relationship to [RESPFILL]?"

MaxValue = 150

**Codes:**

- [1] "[CATI UCase: Householder] "
- [2] "[CATI UCase: Spouse or partner] "
- [3] "[CATI UCase: Child] "
- [4] "[CATI UCase: Parent] "
- [5] "[CATI UCase: Sibling] "
- [6] "[CATI UCase: Other relative] "
- [7] "[CATI UCase: Non-relative] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: RELHHBFILL1\_3

Value: 1

IF RESPNUM = 3

PRELOADACTION: SetVariableValue

Variable: RELHHBFILL1\_3

Value: 2

IF RESPNUM <> 3

PRELOADACTION: BranchTo

Next question

**RELHHBFILL1\_3: RadioButton**

MaxValue = 150

**Codes:**

- [1] you are
- [2] [HHFNAME\_3] [HHLNAME\_3] is

PRELOADACTION: BranchTo

Next question

IF RELHHA\_3 <> 3

**RELHHC\_3: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_3] [RELHHBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

**Codes:**

- [1] [CATI UCase: Natural/biological child]
- [2] [CATI UCase: Adopted child]
- [3] [CATI UCase: Stepchild]
- [4] [CATI UCase: Grandchild/great-grandchild]
- [5] [CATI UCase: Son-in-law/daughter-in-law]
- [6] [CATI UCase: Something else]
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_3 <> 4

**RELHHD\_3: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_3] [RELHHBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

**Codes:**

- [1] [CATI UCase: Parent]
- [2] [CATI UCase: Parent-in-law]
- [3] [CATI UCase: Something else]
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_3 <> 5

**RELHHE\_3: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_3] [RELHHBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "

[2] [CATI UCase: Sibling-in-law]

[3] [CATI UCase: Something else]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_3 <> 6

**RELHHF\_3: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_3] [RELHHBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

**Codes:**

[1] [CATI UCase: Grandparent/great-grandparent]

[2] [CATI UCase: Uncle/aunt]

[3] [CATI UCase: Niece/nephew]

[4] [CATI UCase: Grandchild/great-grandchild]

[5] [CATI UCase: Cousin]

[6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_3 <> 7

**RELHHG\_3: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_3] [RELHHBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150



**Codes:**

[1] [CATI UCase: Fiancé(e)/boyfriend/girlfriend]  
[2] [CATI UCase: Roommate/housemate]  
[3] [CATI UCase: Friend]  
[4] [CATI UCase: Child of a friend or other housemate]  
[5] " [CATI UCase: Other non-relative (employee, boarder)] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHC\_3 <> 6

And RELHHD\_3 <> 3

And RELHHE\_3 <> 3

And RELHHF\_3 <> 6

And RELHHG\_3 <> 5

**RELHHH\_3: TextAnswer**

"What is [RELHHFILL\_3] relationship to [RESPFILL]?"

(For example, if [RESPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo

Question RELHHFILL\_5

IF HHFNAME\_4 Is Empty

PRELOADACTION: SetVariableValue

Variable: RELHHFILL\_4

Value: [SEXFILL\_4]

PRELOADACTION: BranchTo

Next question

**RELHHFILL\_4: RadioButton**

MaxValue = 150

**Codes:**

- [1] your
- [2] [HHFNAME\_4] [HHLNAME\_4]'s

**RELHHA\_4: RadioButton**

"[CATI TEXT: [HANDCARD B1]] What is [RELHFFILL\_4] relationship to [RESPFILL]?"

MaxValue = 150

**Codes:**

- [1] "[CATI UCase: Householder] "
- [2] "[CATI UCase: Spouse or partner] "
- [3] "[CATI UCase: Child] "
- [4] "[CATI UCase: Parent] "
- [5] "[CATI UCase: Sibling] "
- [6] "[CATI UCase: Other relative] "
- [7] "[CATI UCase: Non-relative] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: RELHHBFILL1\_4  
Value: 1  
IF RESPNUM = 4

PRELOADACTION: SetVariableValue  
Variable: RELHHBFILL1\_4  
Value: 2  
IF RESPNUM <> 4

PRELOADACTION: BranchTo  
Next question

**RELHHBFILL1\_4: RadioButton**

MaxValue = 150

**Codes:**

- [1] you are
- [2] [HHFNAME\_4] [HHLNAME\_4] is

PRELOADACTION: BranchTo

Next question  
IF RELHHA\_4 <> 3

### RELHHC\_4: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_4] [RELHHBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

#### **Codes:**

- [1] [CATI UCase: Natural/biological child]
- [2] [CATI UCase: Adopted child]
- [3] [CATI UCase: Stepchild]
- [4] [CATI UCase: Grandchild/great-grandchild]
- [5] [CATI UCase: Son-in-law/daughter-in-law]
- [6] [CATI UCase: Something else]
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_4 <> 4

### RELHHD\_4: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_4] [RELHHBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

#### **Codes:**

- [1] [CATI UCase: Parent]
- [2] [CATI UCase: Parent-in-law]
- [3] [CATI UCase: Something else]
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_4 <> 5

#### RELHHE\_4: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_4] [RELHHBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

##### **Codes:**

[1] " [CATI UCase: Brother or sister (full, half, or step sibling)] "

[2] [CATI UCase: Sibling-in-law]

[3] [CATI UCase: Something else]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_4 <> 6

#### RELHHF\_4: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_4] [RELHHBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

##### **Codes:**

[1] [CATI UCase: Grandparent/great-grandparent]

[2] [CATI UCase: Uncle/aunt]

[3] [CATI UCase: Niece/nephew]

[4] [CATI UCase: Grandchild/great-grandchild]

[5] [CATI UCase: Cousin]

[6] " [CATI UCase: Other relative (great-aunt, grandniece, etc.)] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_4 <> 7

## RELHHG\_4: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_4] [RELHHBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

### **Codes:**

[1] [CATI UCase: Fiancé(e)/boyfriend/girlfriend]  
[2] [CATI UCase: Roommate/housemate]  
[3] [CATI UCase: Friend]  
[4] [CATI UCase: Child of a friend or other housemate]  
[5] " [CATI UCase: Other non-relative (employee, boarder)] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELHHC\_4 <> 6  
And RELHHD\_4 <> 3  
And RELHHE\_4 <> 3  
And RELHHF\_4 <> 6  
And RELHHG\_4 <> 5

## RELHHH\_4: TextAnswer

"What is [RELHHFILL\_4] relationship to [RESPFILL]?"

(For example, if [RESPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo  
Question RELHHFILL\_6  
IF HHFNAME\_5 Is Empty

PRELOADACTION: SetVariableValue  
Variable: RELHHFILL\_5  
Value: [SEXFILL\_5]

PRELOADACTION: BranchTo  
Next question

## RELHFFILL\_5: RadioButton

MaxValue = 150

### Codes:

- [1] your
- [2] [HHFNAME\_5] [HHLNAME\_5]'s

## RELHHA\_5: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [RELHFFILL\_5] relationship to [RESPFILL]?"

MaxValue = 150

### Codes:

- [1] "[CATI UCase: Householder] "
- [2] "[CATI UCase: Spouse or partner] "
- [3] "[CATI UCase: Child] "
- [4] "[CATI UCase: Parent] "
- [5] "[CATI UCase: Sibling] "
- [6] "[CATI UCase: Other relative] "
- [7] "[CATI UCase: Non-relative] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: RELHBBFILL1\_5

Value: 1

IF RESPNUM = 5

PRELOADACTION: SetVariableValue

Variable: RELHBBFILL1\_5

Value: 2

IF RESPNUM <> 5

PRELOADACTION: BranchTo

Next question

## RELHBBFILL1\_5: RadioButton

MaxValue = 150

**Codes:**

[1] you are

[2] [HHFNAME\_5] [HHLNAME\_5] is

```
PRELOADACTION: BranchTo
Next question
IF RELHHA_5 <> 3
```

**RELHHC\_5: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_5] [RELHHBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

**Codes:**

[1] [CATI UCase: Natural/biological child]

[2] [CATI UCase: Adopted child]

[3] [CATI UCase: Stepchild]

[4] [CATI UCase: Grandchild/great-grandchild]

[5] [CATI UCase: Son-in-law/daughter-in-law]

[6] [CATI UCase: Something else]

[77] "[CATI UCase: DON'T KNOW] "

```
DISPLAY IF: QUEXMODE =1
```

[99] "REFUSED"

```
DISPLAY IF: QUEXMODE =1
```

[98] SKIPPED ON WEB

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF RELHHA_5 <> 4
```

**RELHHD\_5: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_5] [RELHHBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

**Codes:**

[1] [CATI UCase: Parent]

[2] [CATI UCase: Parent-in-law]

[3] [CATI UCase: Something else]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_5 <> 5

## RELHHE\_5: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_5] [RELHHBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

### **Codes:**

[1] " [CATI UCase: Brother or sister (full, half, or step sibling)] "

[2] [CATI UCase: Sibling-in-law]

[3] [CATI UCase: Something else]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_5 <> 6

## RELHHF\_5: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_5] [RELHHBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

### **Codes:**

[1] [CATI UCase: Grandparent/great-grandparent]

[2] [CATI UCase: Uncle/aunt]

[3] [CATI UCase: Niece/nephew]

[4] [CATI UCase: Grandchild/great-grandchild]

[5] [CATI UCase: Cousin]



[6] " [CATI UCase: Other relative (great-aunt, grandniece, etc.)] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_5 <> 7

## RELHHG\_5: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_5] [RELHHBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

### Codes:

[1] [CATI UCase: Fiancé(e)/boyfriend/girlfriend]

[2] [CATI UCase: Roommate/housemate]

[3] [CATI UCase: Friend]

[4] [CATI UCase: Child of a friend or other housemate]

[5] " [CATI UCase: Other non-relative (employee, boarder)] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHC\_5 <> 6

And RELHHD\_5 <> 3

And RELHHE\_5 <> 3

And RELHHF\_5 <> 6

And RELHHG\_5 <> 5

## RELHHH\_5: TextAnswer

"What is [RELHHFILL\_5] relationship to [RESPFILL]?"

(For example, if [RESPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo  
Question RELHFFILL\_7  
IF HHFNAME\_6 Is Empty

PRELOADACTION: SetVariableValue  
Variable: RELHFFILL\_6  
Value: [SEXFILL\_6]

PRELOADACTION: BranchTo  
Next question

## RELHFFILL\_6: RadioButton

MaxValue = 150

### **Codes:**

[1] your  
[2] [HHFNAME\_6] [HHLNAME\_6]'s

## RELHHA\_6: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [RELHFFILL\_6] relationship to [RESPFILL]?"

MaxValue = 150

### **Codes:**

[1] "[CATI UCase: Householder] "  
[2] "[CATI UCase: Spouse or partner] "  
[3] "[CATI UCase: Child] "  
[4] "[CATI UCase: Parent] "  
[5] "[CATI UCase: Sibling] "  
[6] "[CATI UCase: Other relative] "  
[7] "[CATI UCase: Non-relative] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: RELHBFILL1\_6  
Value: 1  
IF RESPNUM = 6

PRELOADACTION: SetVariableValue  
Variable: RELHBFILL1\_6

Value: 2  
IF RESPNUM <> 6

PRELOADACTION: BranchTo  
Next question

### RELHHBFILL1\_6: RadioButton

MaxValue = 150

#### **Codes:**

[1] you are  
[2] [HHFNAME\_6] [HHLNAME\_6] is

PRELOADACTION: BranchTo  
Next question  
IF RELHHA\_6 <> 3

### RELHHC\_6: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_6] [RELHHBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

#### **Codes:**

[1] [CATI UCase: Natural/biological child]  
[2] [CATI UCase: Adopted child]  
[3] [CATI UCase: Stepchild]  
[4] [CATI UCase: Grandchild/great-grandchild]  
[5] [CATI UCase: Son-in-law/daughter-in-law]  
[6] [CATI UCase: Something else]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELHHA\_6 <> 4

### RELHHD\_6: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_6] [RELHHBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

**Codes:**

- [1] [CATI UCase: Parent]
- [2] [CATI UCase: Parent-in-law]
- [3] [CATI UCase: Something else]
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_6 <> 5

**RELHHE\_6: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_6] [RELHHBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

**Codes:**

- [1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "
- [2] [CATI UCase: Sibling-in-law]
- [3] [CATI UCase: Something else]
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_6 <> 6

**RELHHF\_6: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_6] [RELHHBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

**Codes:**

- [1] [CATI UCase: Grandparent/great-grandparent]
- [2] [CATI UCase: Uncle/aunt]
- [3] [CATI UCase: Niece/nephew]
- [4] [CATI UCase: Grandchild/great-grandchild]
- [5] [CATI UCase: Cousin]
- [6] " [CATI UCase: Other relative (great-aunt, grandniece, etc.)] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_6 <> 7

**RELHHG\_6: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_6] [RELHHBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

**Codes:**

- [1] [CATI UCase: Fiancé(e)/boyfriend/girlfriend]
- [2] [CATI UCase: Roommate/housemate]
- [3] [CATI UCase: Friend]
- [4] [CATI UCase: Child of a friend or other housemate]
- [5] " [CATI UCase: Other non-relative (employee, boarder)] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHC\_6 <> 6

And RELHHD\_6 <> 3

And RELHHE\_6 <> 3

And RELHHF\_6 <> 6

And RELHHG\_6 <> 5

**RELHHH\_6: TextAnswer**

"What is [RELHFFILL\_6] relationship to [RESPFILL]?"

(For example, if [RESPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)

MaxValue = 150

PRELOADACTION: BranchTo  
Question RELHFFILL\_8  
IF HHFNAME\_7 Is Empty

PRELOADACTION: SetVariableValue  
Variable: RELHFFILL\_7  
Value: [SEXFILL\_7]

PRELOADACTION: BranchTo  
Next question

### **RELHFFILL\_7: RadioButton**

MaxValue = 150

#### **Codes:**

[1] your  
[2] [HHFNAME\_7] [HHLNAME\_7]'s

### **RELHHA\_7: RadioButton**

"[CATI TEXT: [HANDCARD B1]] What is [RELHFFILL\_7] relationship to [RESPFILL]?"

MaxValue = 150

#### **Codes:**

[1] "[CATI UCase: Householder] "  
[2] "[CATI UCase: Spouse or partner] "  
[3] "[CATI UCase: Child] "  
[4] "[CATI UCase: Parent] "  
[5] "[CATI UCase: Sibling] "  
[6] "[CATI UCase: Other relative] "  
[7] "[CATI UCase: Non-relative] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: RELHHBFILL1\_7  
Value: 1  
IF RESPNUM = 7

PRELOADACTION: SetVariableValue  
Variable: RELHHBFILL1\_7  
Value: 2  
IF RESPNUM <> 7

PRELOADACTION: BranchTo  
Next question

### RELHHBFILL1\_7: RadioButton

MaxValue = 150

#### **Codes:**

[1] you are  
[2] [HHFNAME\_7] [HHLNAME\_7] is

PRELOADACTION: BranchTo  
Next question  
IF RELHHA\_7 <> 3

### RELHHC\_7: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_7] [RELHHBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

#### **Codes:**

[1] [CATI UCase: Natural/biological child]  
[2] [CATI UCase: Adopted child]  
[3] [CATI UCase: Stepchild]  
[4] [CATI UCase: Grandchild/great-grandchild]  
[5] [CATI UCase: Son-in-law/daughter-in-law]  
[6] [CATI UCase: Something else]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELHHA\_7 <> 4

### RELHHD\_7: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_7] [RELHHBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

#### **Codes:**

[1] [CATI UCase: Parent]  
[2] [CATI UCase: Parent-in-law]  
[3] [CATI UCase: Something else]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELHHA\_7 <> 5

### RELHHE\_7: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_7] [RELHHBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

#### **Codes:**

[1] " [CATI UCase: Brother or sister (full, half, or step sibling)] "  
[2] [CATI UCase: Sibling-in-law]  
[3] [CATI UCase: Something else]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELHHA\_7 <> 6



## RELHHF\_7: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_7] [RELHHBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

### **Codes:**

- [1] [CATI UCase: Grandparent/great-grandparent]
- [2] [CATI UCase: Uncle/aunt]
- [3] [CATI UCase: Niece/nephew]
- [4] [CATI UCase: Grandchild/great-grandchild]
- [5] [CATI UCase: Cousin]
- [6] " [CATI UCase: Other relative (great-aunt, grandniece, etc.)] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE = 1

[99] "REFUSED"

DISPLAY IF: QUEXMODE = 1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_7 <> 7

## RELHHG\_7: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_7] [RELHHBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

### **Codes:**

- [1] [CATI UCase: Fiancé(e)/boyfriend/girlfriend]
- [2] [CATI UCase: Roommate/housemate]
- [3] [CATI UCase: Friend]
- [4] [CATI UCase: Child of a friend or other housemate]
- [5] " [CATI UCase: Other non-relative (employee, boarder)] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE = 1

[99] "REFUSED"

DISPLAY IF: QUEXMODE = 1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

PRELOADACTION: BranchTo

Next question  
IF RELHHC\_7 <> 6  
And RELHHD\_7 <> 3  
And RELHHE\_7 <> 3  
And RELHHF\_7 <> 6  
And RELHHG\_7 <> 5

### **RELHHH\_7: TextAnswer**

"What is [RELHHFILL\_7] relationship to [RESPFILL]?"

(For example, if [RESPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo  
Question RELHHFILL\_9  
IF HHFNAME\_8 Is Empty

PRELOADACTION: SetVariableValue  
Variable: RELHHFILL\_8  
Value: [SEXFILL\_8]

PRELOADACTION: BranchTo  
Next question

### **RELHHFILL\_8: RadioButton**

MaxValue = 150

#### **Codes:**

[1] your  
[2] [HHFNAME\_8] [HHLNAME\_8]'s

### **RELHHA\_8: RadioButton**

"[CATI TEXT: [HANDCARD B1]] What is [RELHHFILL\_8] relationship to [RESPFILL]?"

MaxValue = 150

#### **Codes:**

[1] "[CATI UCase: Householder] "

[2] "[CATI UCase: Spouse or partner] "  
[3] "[CATI UCase: Child] "  
[4] "[CATI UCase: Parent] "  
[5] "[CATI UCase: Sibling] "  
[6] "[CATI UCase: Other relative] "  
[7] "[CATI UCase: Non-relative] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: RELHHBFILL1\_8

Value: 1

IF RESPNUM = 8

PRELOADACTION: SetVariableValue

Variable: RELHHBFILL1\_8

Value: 2

IF RESPNUM <> 8

PRELOADACTION: BranchTo

Next question

### **RELHHBFILL1\_8: RadioButton**

MaxValue = 150

#### **Codes:**

[1] you are

[2] [HHFNAME\_8] [HHLNAME\_8] is

PRELOADACTION: BranchTo

Next question

IF RELHHA\_8 <> 3

### **RELHHC\_8: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_8] [RELHHBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

#### **Codes:**

[1] "[CATI UCase: Natural/biological child] "  
[2] "[CATI UCase: Adopted child] "  
[3] "[CATI UCase: Stepchild] "  
[4] "[CATI UCase: Grandchild/great-grandchild] "  
[5] "[CATI UCase: Son-in-law/daughter-in-law] "  
[6] "[CATI UCase: Something else] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_8 <> 4

### **RELHHD\_8: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHBBFILL1\_8] [RELHBBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

#### **Codes:**

[1] "[CATI UCase: Parent] "  
[2] "[CATI UCase: Parent-in-law] "  
[3] "[CATI UCase: Something else] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_8 <> 5

### **RELHHE\_8: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHBBFILL1\_8] [RELHBBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

#### **Codes:**

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "  
[2] "[CATI UCase: Sibling-in-law]

[3] [CATI UCase: Something else]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_8 <> 6

## RELHHF\_8: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_8] [RELHHBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

### Codes:

[1] [CATI UCase: Grandparent/great-grandparent]

[2] [CATI UCase: Uncle/aunt]

[3] [CATI UCase: Niece/nephew]

[4] [CATI UCase: Grandchild/great-grandchild]

[5] [CATI UCase: Cousin]

[6] " [CATI UCase: Other relative (great-aunt, grandniece, etc.)] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_8 <> 7

## RELHHG\_8: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_8] [RELHHBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

### Codes:

[1] [CATI UCase: Fiancé(e)/boyfriend/girlfriend]

[2] [CATI UCase: Roommate/housemate]

[3] [CATI UCase: Friend]  
[4] [CATI UCase: Child of a friend or other housemate]  
[5] " [CATI UCase: Other non-relative (employee, boarder)] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELHHC\_8 <> 6  
And RELHHD\_8 <> 3  
And RELHHE\_8 <> 3  
And RELHHF\_8 <> 6  
And RELHHG\_8 <> 5

### **RELHHH\_8: TextAnswer**

"What is [RELHHFILL\_8] relationship to [RESPFILL]?"

(For example, if [RESPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo  
Question RELHHFILL\_10  
IF HHFNAME\_9 Is Empty

PRELOADACTION: SetVariableValue  
Variable: RELHHFILL\_9  
Value: [SEXFILL\_9]

PRELOADACTION: BranchTo  
Next question

### **RELHHFILL\_9: RadioButton**

MaxValue = 150

#### **Codes:**

[1] your  
[2] [HHFNAME\_9] [HHLNAME\_9]'s

### **RELHHA\_9: RadioButton**

"[CATI TEXT: [HANDCARD B1]] What is [RELHBFILL\_9] relationship to [RESPFILL]?"

MaxValue = 150

**Codes:**

- [1] "[CATI UCase: Householder] "
- [2] "[CATI UCase: Spouse or partner] "
- [3] "[CATI UCase: Child] "
- [4] "[CATI UCase: Parent] "
- [5] "[CATI UCase: Sibling] "
- [6] "[CATI UCase: Other relative] "
- [7] "[CATI UCase: Non-relative] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: RELHBFILL1\_9

Value: 1

IF RESPNUM = 9

PRELOADACTION: SetVariableValue

Variable: RELHBFILL1\_9

Value: 2

IF RESPNUM <> 9

PRELOADACTION: BranchTo

Next question

**RELHBFILL1\_9: RadioButton**

MaxValue = 150

**Codes:**

- [1] you are
- [2] [HHFNAME\_9] [HHLNAME\_9] is

PRELOADACTION: BranchTo

Next question

IF RELHHA\_9 <> 3

**RELHHC\_9: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_9] [RELHHBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

**Codes:**

- [1] [CATI UCase: Natural/biological child]
- [2] [CATI UCase: Adopted child]
- [3] [CATI UCase: Stepchild]
- [4] [CATI UCase: Grandchild/great-grandchild]
- [5] [CATI UCase: Son-in-law/daughter-in-law]
- [6] [CATI UCase: Something else]
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_9 <> 4

**RELHHD\_9: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_9] [RELHHBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

**Codes:**

- [1] [CATI UCase: Parent]
- [2] [CATI UCase: Parent-in-law]
- [3] [CATI UCase: Something else]
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_9 <> 5

**RELHHE\_9: RadioButton**



"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_9] [RELHHBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "

[2] [CATI UCase: Sibling-in-law]

[3] [CATI UCase: Something else]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_9 <> 6

**RELHHF\_9: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_9] [RELHHBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

**Codes:**

[1] [CATI UCase: Grandparent/great-grandparent]

[2] [CATI UCase: Uncle/aunt]

[3] [CATI UCase: Niece/nephew]

[4] [CATI UCase: Grandchild/great-grandchild]

[5] [CATI UCase: Cousin]

[6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_9 <> 7

**RELHHG\_9: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_9] [RELHHBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

**Codes:**

- [1] [CATI UCase: Fiancé(e)/boyfriend/girlfriend]
- [2] [CATI UCase: Roommate/housemate]
- [3] [CATI UCase: Friend]
- [4] [CATI UCase: Child of a friend or other housemate]
- [5] " [CATI UCase: Other non-relative (employee, boarder)] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHC\_9 <> 6

And RELHHD\_9 <> 3

And RELHHE\_9 <> 3

And RELHHF\_9 <> 6

And RELHHG\_9 <> 5

**RELHHH\_9: TextAnswer**

"What is [RELHHFILL\_9] relationship to [RESPFILL]?"

(For example, if [RESPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo

Question RELHHFILL\_11

IF HHFNAME\_10 Is Empty

PRELOADACTION: SetVariableValue

Variable: RELHHFILL\_10

Value: [SEXFILL\_10]

PRELOADACTION: BranchTo

Next question

**RELHHFILL\_10: RadioButton**

MaxValue = 150

**Codes:**

- [1] your
- [2] [HHFNAME\_10] [HHLNAME\_10]'s

**RELHHA\_10: RadioButton**

"[CATI TEXT: [HANDCARD B1]] What is [RELHFFILL\_10] relationship to [RESPFILL]?"

MaxValue = 150

**Codes:**

- [1] "[CATI UCase: Householder] "
- [2] "[CATI UCase: Spouse or partner] "
- [3] "[CATI UCase: Child] "
- [4] "[CATI UCase: Parent] "
- [5] "[CATI UCase: Sibling] "
- [6] "[CATI UCase: Other relative] "
- [7] "[CATI UCase: Non-relative] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: RELHBBFILL1\_10

Value: 1

IF RESPNUM = 10

PRELOADACTION: SetVariableValue

Variable: RELHBBFILL1\_10

Value: 2

IF RESPNUM <> 10

PRELOADACTION: BranchTo

Next question

**RELHBBFILL1\_10: RadioButton**

MaxValue = 150

**Codes:**

[1] you are  
[2] [HHFNAME\_10] [HHLNAME\_10] is

PRELOADACTION: BranchTo  
Next question  
IF RELHHA\_10 <> 3

**RELHHC\_10: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_10] [RELHHBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

**Codes:**

[1] [CATI UCase: Natural/biological child]  
[2] [CATI UCase: Adopted child]  
[3] [CATI UCase: Stepchild]  
[4] [CATI UCase: Grandchild/great-grandchild]  
[5] [CATI UCase: Son-in-law/daughter-in-law]  
[6] [CATI UCase: Something else]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE = 1

[99] "REFUSED"

DISPLAY IF: QUEXMODE = 1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

PRELOADACTION: BranchTo  
Next question  
IF RELHHA\_10 <> 4

**RELHHD\_10: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_10] [RELHHBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

**Codes:**

[1] [CATI UCase: Parent]  
[2] [CATI UCase: Parent-in-law]  
[3] [CATI UCase: Something else]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE = 1

[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELHHA\_10 <> 5

### RELHHE\_10: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_10] [RELHHBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

#### **Codes:**

[1] " [CATI UCase: Brother or sister (full, half, or step sibling)] "  
[2] [CATI UCase: Sibling-in-law]  
[3] [CATI UCase: Something else]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELHHA\_10 <> 6

### RELHHF\_10: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_10] [RELHHBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

#### **Codes:**

[1] [CATI UCase: Grandparent/great-grandparent]  
[2] [CATI UCase: Uncle/aunt]  
[3] [CATI UCase: Niece/nephew]  
[4] [CATI UCase: Grandchild/great-grandchild]  
[5] [CATI UCase: Cousin]  
[6] " [CATI UCase: Other relative (great-aunt, grandniece, etc.)] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELHHA\_10 <> 7

### RELHHG\_10: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_10] [RELHHBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

#### **Codes:**

- [1] [CATI UCase: Fiancé(e)/boyfriend/girlfriend]
- [2] [CATI UCase: Roommate/housemate]
- [3] [CATI UCase: Friend]
- [4] [CATI UCase: Child of a friend or other housemate]
- [5] " [CATI UCase: Other non-relative (employee, boarder)] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELHHC\_10 <> 6  
And RELHHD\_10 <> 3  
And RELHHE\_10 <> 3  
And RELHHF\_10 <> 6  
And RELHHG\_10 <> 5

### RELHHH\_10: TextAnswer

"What is [RELHHFILL\_10] relationship to [RESPFILL]?"

(For example, if [RESPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo  
Question RELHHFILL\_12  
IF HHFNAME\_11 Is Empty

PRELOADACTION: SetVariableValue  
Variable: RELHHFILL\_11  
Value: [SEXFILL\_11]

PRELOADACTION: BranchTo  
Next question

### RELHHFILL\_11: RadioButton

MaxValue = 150

#### **Codes:**

[1] your  
[2] [HHFNAME\_11] [HHLNAME\_11]'s

### RELHHA\_11: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [RELHHFILL\_11] relationship to [RESPFILL]?"

MaxValue = 150

#### **Codes:**

[1] "[CATI UCase: Householder] "  
[2] "[CATI UCase: Spouse or partner] "  
[3] "[CATI UCase: Child] "  
[4] "[CATI UCase: Parent] "  
[5] "[CATI UCase: Sibling] "  
[6] "[CATI UCase: Other relative] "  
[7] "[CATI UCase: Non-relative] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: RELHHBFILL1\_11  
Value: 1  
IF RESPNUM = 11

PRELOADACTION: SetVariableValue  
Variable: RELHHBFILL1\_11  
Value: 2  
IF RESPNUM <> 11

PRELOADACTION: BranchTo

Next question

### RELHHBFILL1\_11: RadioButton

MaxValue = 150

#### **Codes:**

[1] you are

[2] [HHFNAME\_11] [HHLNAME\_11] is

PRELOADACTION: BranchTo

Next question

IF RELHHA\_11 <> 3

### RELHHC\_11: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_11] [RELHHBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

#### **Codes:**

[1] [CATI UCase: Natural/biological child]

[2] [CATI UCase: Adopted child]

[3] [CATI UCase: Stepchild]

[4] [CATI UCase: Grandchild/great-grandchild]

[5] [CATI UCase: Son-in-law/daughter-in-law]

[6] [CATI UCase: Something else]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_11 <> 4

### RELHHD\_11: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_11] [RELHHBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150



**Codes:**

[1] [CATI UCase: Parent]  
[2] [CATI UCase: Parent-in-law]  
[3] [CATI UCase: Something else]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_11 <> 5

**RELHHE\_11: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_11] [RELHHBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "  
[2] [CATI UCase: Sibling-in-law]  
[3] [CATI UCase: Something else]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_11 <> 6

**RELHHF\_11: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_11] [RELHHBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

**Codes:**

[1] [CATI UCase: Grandparent/great-grandparent]

```
[2] [CATI UCase: Uncle/aunt]
[3] [CATI UCase: Niece/nephew]
[4] [CATI UCase: Grandchild/great-grandchild]
[5] [CATI UCase: Cousin]
[6] " [CATI UCase: Other relative (great-aunt, grandniece, etc.)] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF RELHHA_11 <> 7
```

### **RELHHG\_11: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_11] [RELHHBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

#### **Codes:**

```
[1] [CATI UCase: Fiancé(e)/boyfriend/girlfriend]
[2] [CATI UCase: Roommate/housemate]
[3] [CATI UCase: Friend]
[4] [CATI UCase: Child of a friend or other housemate]
[5] " [CATI UCase: Other non-relative (employee, boarder)] "
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF RELHHC_11 <> 6
And RELHHD_11 <> 3
And RELHHE_11 <> 3
And RELHHF_11 <> 6
And RELHHG_11 <> 5
```

### **RELHHH\_11: TextAnswer**

"What is [RELHHFILL\_11] relationship to [RESPFILL]?"

(For example, if [RESPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo  
Question RELHHFILL\_13  
IF HHFNAME\_12 Is Empty

PRELOADACTION: SetVariableValue  
Variable: RELHHFILL\_12  
Value: [SEXFILL\_12]

PRELOADACTION: BranchTo  
Next question

### **RELHHFILL\_12: RadioButton**

MaxValue = 150

#### **Codes:**

[1] your  
[2] [HHFNAME\_12] [HHLNAME\_12]'s

### **RELHHA\_12: RadioButton**

"[CATI TEXT: [HANDCARD B1]] What is [RELHHFILL\_12] relationship to [RESPFILL]?"

MaxValue = 150

#### **Codes:**

[1] "[CATI UCase: Householder] "  
[2] "[CATI UCase: Spouse or partner] "  
[3] "[CATI UCase: Child] "  
[4] "[CATI UCase: Parent] "  
[5] "[CATI UCase: Sibling] "  
[6] "[CATI UCase: Other relative] "  
[7] "[CATI UCase: Non-relative] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: RELHHBFILL1\_12  
Value: 1

IF RESPNUM = 12

PRELOADACTION: SetVariableValue  
Variable: RELHHBFILL1\_12  
Value: 2  
IF RESPNUM <> 12

PRELOADACTION: BranchTo  
Next question

## RELHHBFILL1\_12: RadioButton

MaxValue = 150

### **Codes:**

[1] you are  
[2] [HHFNAME\_12] [HHLNAME\_12] is

PRELOADACTION: BranchTo  
Next question  
IF RELHHA\_12 <> 3

## RELHHC\_12: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_12] [RELHHBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

### **Codes:**

[1] [CATI UCase: Natural/biological child]  
[2] [CATI UCase: Adopted child]  
[3] [CATI UCase: Stepchild]  
[4] [CATI UCase: Grandchild/great-grandchild]  
[5] [CATI UCase: Son-in-law/daughter-in-law]  
[6] [CATI UCase: Something else]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELHHA\_12 <> 4

## RELHHD\_12: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_12] [RELHHBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

### **Codes:**

[1] [CATI UCase: Parent]  
[2] [CATI UCase: Parent-in-law]  
[3] [CATI UCase: Something else]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_12 <> 5

## RELHHE\_12: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_12] [RELHHBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

### **Codes:**

[1] " [CATI UCase: Brother or sister (full, half, or step sibling)] "

[2] [CATI UCase: Sibling-in-law]

[3] [CATI UCase: Something else]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_12 <> 6

## RELHHF\_12: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_12] [RELHHBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

**Codes:**

[1] [CATI UCase: Grandparent/great-grandparent]  
[2] [CATI UCase: Uncle/aunt]  
[3] [CATI UCase: Niece/nephew]  
[4] [CATI UCase: Grandchild/great-grandchild]  
[5] [CATI UCase: Cousin]  
[6] " [CATI UCase: Other relative (great-aunt, grandniece, etc.)] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELHHA\_12 <> 7

**RELHHG\_12: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_12] [RELHHBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

**Codes:**

[1] [CATI UCase: Fiancé(e)/boyfriend/girlfriend]  
[2] [CATI UCase: Roommate/housemate]  
[3] [CATI UCase: Friend]  
[4] [CATI UCase: Child of a friend or other housemate]  
[5] " [CATI UCase: Other non-relative (employee, boarder)] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELHHC\_12 <> 6  
And RELHHD\_12 <> 3  
And RELHHE\_12 <> 3  
And RELHHF\_12 <> 6

And RELHHG\_12 <> 5

### **RELHHH\_12: TextAnswer**

"What is [RELHHFILL\_12] relationship to [RESPFILL]?"

(For example, if [RESPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo  
Question RELHHFILL\_14  
IF HHFNAME\_13 Is Empty

PRELOADACTION: SetVariableValue  
Variable: RELHHFILL\_13  
Value: [SEXFILL\_13]

PRELOADACTION: BranchTo  
Next question

### **RELHHFILL\_13: RadioButton**

MaxValue = 150

#### **Codes:**

- [1] your
- [2] [HHFNAME\_13] [HHLNAME\_13]'s

### **RELHHA\_13: RadioButton**

"[CATI TEXT: [HANDCARD B1]] What is [RELHHFILL\_13] relationship to [RESPFILL]?"

MaxValue = 150

#### **Codes:**

- [1] "[CATI UCase: Householder] "
- [2] "[CATI UCase: Spouse or partner] "
- [3] "[CATI UCase: Child] "
- [4] "[CATI UCase: Parent] "
- [5] "[CATI UCase: Sibling] "
- [6] "[CATI UCase: Other relative] "

```
[7] "[CATI UCase: Non-relative] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: SetVariableValue  
Variable: RELHHBFILL1_13  
Value: 1  
IF RESPNUM = 13
```

```
PRELOADACTION: SetVariableValue  
Variable: RELHHBFILL1_13  
Value: 2  
IF RESPNUM <> 13
```

```
PRELOADACTION: BranchTo  
Next question
```

### **RELHHBFILL1\_13: RadioButton**

MaxValue = 150

#### **Codes:**

```
[1] you are  
[2] [HHFNAME_13] [HHLNAME_13] is
```

```
PRELOADACTION: BranchTo  
Next question  
IF RELHHA_13 <> 3
```

### **RELHHC\_13: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_13] [RELHHBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

#### **Codes:**

```
[1] [CATI UCase: Natural/biological child]  
[2] [CATI UCase: Adopted child]  
[3] [CATI UCase: Stepchild]  
[4] [CATI UCase: Grandchild/great-grandchild]  
[5] [CATI UCase: Son-in-law/daughter-in-law]
```



```
[6] [CATI UCase: Something else]
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF RELHHA_13 <> 4
```

### **RELHHD\_13: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_13] [RELHHBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

#### **Codes:**

```
[1] [CATI UCase: Parent]
[2] [CATI UCase: Parent-in-law]
[3] [CATI UCase: Something else]
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF RELHHA_13 <> 5
```

### **RELHHE\_13: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_13] [RELHHBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

#### **Codes:**

```
[1] " [CATI UCase: Brother or sister (full, half, or step sibling)] "
[2] [CATI UCase: Sibling-in-law]
[3] [CATI UCase: Something else]
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
```

[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELHHA\_13 <> 6

### RELHHF\_13: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_13] [RELHHBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

#### **Codes:**

- [1] [CATI UCase: Grandparent/great-grandparent]
- [2] [CATI UCase: Uncle/aunt]
- [3] [CATI UCase: Niece/nephew]
- [4] [CATI UCase: Grandchild/great-grandchild]
- [5] [CATI UCase: Cousin]
- [6] " [CATI UCase: Other relative (great-aunt, grandniece, etc.)] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELHHA\_13 <> 7

### RELHHG\_13: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_13] [RELHHBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

#### **Codes:**

- [1] [CATI UCase: Fiancé(e)/boyfriend/girlfriend]
- [2] [CATI UCase: Roommate/housemate]
- [3] [CATI UCase: Friend]
- [4] [CATI UCase: Child of a friend or other housemate]
- [5] " [CATI UCase: Other non-relative (employee, boarder)] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHC\_13 <> 6

And RELHHD\_13 <> 3

And RELHHE\_13 <> 3

And RELHHF\_13 <> 6

And RELHHG\_13 <> 5

### **RELHHH\_13: TextAnswer**

"What is [RELHHFILL\_13] relationship to [RESPFILL]?"

(For example, if [RESPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo

Question SPFILL

IF HHFNAME\_14 Is Empty

PRELOADACTION: SetVariableValue

Variable: RELHHFILL\_14

Value: [SEXFILL\_14]

PRELOADACTION: BranchTo

Next question

### **RELHHFILL\_14: RadioButton**

MaxValue = 150

#### **Codes:**

[1] your

[2] [HHFNAME\_14] [HHLNAME\_14]'s

### **RELHHA\_14: RadioButton**

"[CATI TEXT: [HANDCARD B1]] What is [RELHHFILL\_14] relationship to [RESPFILL]?"

MaxValue = 150

**Codes:**

- [1] "[CATI UCase: Householder] "
- [2] "[CATI UCase: Spouse or partner] "
- [3] "[CATI UCase: Child] "
- [4] "[CATI UCase: Parent] "
- [5] "[CATI UCase: Sibling] "
- [6] "[CATI UCase: Other relative] "
- [7] "[CATI UCase: Non-relative] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: RELHHBFILL1\_14

Value: 1

IF RESPNUM = 14

PRELOADACTION: SetVariableValue

Variable: RELHHBFILL1\_14

Value: 2

IF RESPNUM <> 14

PRELOADACTION: BranchTo

Next question

**RELHHBFILL1\_14: RadioButton**

MaxValue = 150

**Codes:**

- [1] you are
- [2] [HHFNAME\_14] [HHLNAME\_14] is

PRELOADACTION: BranchTo

Next question

IF RELHHA\_14 <> 3

**RELHHC\_14: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_14] [RELHHBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

**Codes:**

- [1] [CATI UCase: Natural/biological child]
- [2] [CATI UCase: Adopted child]
- [3] [CATI UCase: Stepchild]
- [4] [CATI UCase: Grandchild/great-grandchild]
- [5] [CATI UCase: Son-in-law/daughter-in-law]
- [6] [CATI UCase: Something else]
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_14 <> 4

**RELHHD\_14: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_14] [RELHHBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

**Codes:**

- [1] [CATI UCase: Parent]
- [2] [CATI UCase: Parent-in-law]
- [3] [CATI UCase: Something else]
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_14 <> 5

**RELHHE\_14: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHHBFILL1\_14] [RELHHBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "

[2] [CATI UCase: Sibling-in-law]

[3] [CATI UCase: Something else]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_14 <> 6

**RELHHF\_14: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHBFILL1\_14] [RELHBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

**Codes:**

[1] [CATI UCase: Grandparent/great-grandparent]

[2] [CATI UCase: Uncle/aunt]

[3] [CATI UCase: Niece/nephew]

[4] [CATI UCase: Grandchild/great-grandchild]

[5] [CATI UCase: Cousin]

[6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHA\_14 <> 7

**RELHHG\_14: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELHBFILL1\_14] [RELHBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

### **Codes:**

[1] [CATI UCase: Fiancé(e)/boyfriend/girlfriend]  
[2] [CATI UCase: Roommate/housemate]  
[3] [CATI UCase: Friend]  
[4] [CATI UCase: Child of a friend or other housemate]  
[5] " [CATI UCase: Other non-relative (employee, boarder)] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELHHC\_14 <> 6

And RELHHD\_14 <> 3

And RELHHE\_14 <> 3

And RELHHF\_14 <> 6

And RELHHG\_14 <> 5

### **RELHHH\_14: TextAnswer**

"What is [RELHHFILL\_14] relationship to [RESPFILL]?"

(For example, if [RESPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo

Question MSTATFILL1\_1

IF HASRELSP <> 1

PRELOADACTION: SetVariableValue

Variable: SPFILL

Value: 1

IF RESPNUM = 2

PRELOADACTION: SetVariableValue

Variable: SPFILL

Value: 2

IF RESPNUM <> 2

PRELOADACTION: BranchTo

Next question

### **SPFILL: RadioButton**

MaxValue = 150

**Codes:**

[1] you

[2] [HHFNAME\_2] [HHLNAME\_2]

```
PRELOADACTION: SetVariableValue  
Variable: RELSPBFILL2  
Value: 1  
IF RESPNUM = 2
```

```
PRELOADACTION: SetVariableValue  
Variable: RELSPBFILL2  
Value: 2  
IF RESPNUM <> 2
```

```
PRELOADACTION: BranchTo  
Next question
```

**RELSPBFILL2: RadioButton**

MaxValue = 150

**Codes:**

[1] your

[2] [HHFNAME\_2] [HHLNAME\_2]'s

```
PRELOADACTION: SetVariableValue  
Variable: RELSPA_1  
Value: 2
```

```
PRELOADACTION: BranchTo  
Next question
```

**RELSPA\_1: RadioButton**

"[CATI TEXT: [HANDCARD B1]] Now, the next questions are about the relationships between the household head's spouse or partner and the other people in the household.

Please select the option that best describes this relationship. What is [RELSPFILL\_1] relationship to [SPFILL]?"

MaxValue = 150



**Codes:**

[1] [CATI UCase: Householder]  
[2] [CATI UCase: Spouse or partner]  
[3] [CATI UCase: Child]  
[4] [CATI UCase: Parent]  
[5] [CATI UCase: Sibling]  
[6] [CATI UCase: Other relative]  
[7] [CATI UCase: Non-relative]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: RELSPB\_1

Value: [RELHHB\_2]

PRELOADACTION: BranchTo

Next question

**RELSPB\_1: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_1] [RELSPBFILL2] married spouse, partner, fiancé(e), boyfriend/girlfriend, or something else?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Married spouse] "  
[2] "[CATI UCase: Partner] "  
[3] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "  
[4] "[CATI UCase: Something else] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: RELSPH\_1

Value: [RELHHH\_2]

PRELOADACTION: BranchTo

Next question

**RELSPH\_1: TextAnswer**

"Please select the option that best describes this relationship. What is [rel2spfill] relationship to [spfill]?"

(For example, if [respfill] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: SetVariableValue  
Variable: RELSPA\_2  
Value: 1

PRELOADACTION: BranchTo  
Next question

### RELSPA\_2: RadioButton

"[CATI TEXT: [HANDCARD B1]] Please select the option that best describes this relationship. What is [RELSPFILL\_2] relationship to [SPFILL]?"

MaxValue = 150

#### **Codes:**

- [1] [CATI UCase: Householder]
- [2] [CATI UCase: Spouse or partner]
- [3] [CATI UCase: Child]
- [4] [CATI UCase: Parent]
- [5] [CATI UCase: Sibling]
- [6] [CATI UCase: Other relative]
- [7] [CATI UCase: Non-relative]
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Question REL2SPFILL\_4  
IF HHFNAME\_3 Is Empty

PRELOADACTION: SetVariableValue  
Variable: REL2SPFILL\_3  
Value: [SEXFILL\_3]

PRELOADACTION: BranchTo  
Next question

### REL2SPFILL\_3: RadioButton

MaxValue = 150

**Codes:**

[1] your

[2] [HHFNAME\_3] [HHLNAME\_3]'s

PRELOADACTION: SetVariableValue  
Variable: RELSPBFILL1\_3  
Value: [SEXFILL\_3]

PRELOADACTION: BranchTo  
Next question

**RELSPBFILL1\_3: RadioButton**

MaxValue = 150

**Codes:**

[1] you are

[2] [HHFNAME\_3] [HHLNAME\_3] is

**RELSPA\_3: RadioButton**

"[CATI TEXT: [HANDCARD B1]] Now, the next questions are about the relationships between the household head's spouse or partner and the other people in the household.

What is [REL2SPFILL\_3] relationship to [SPFILL]?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Householder] "

[2] "[CATI UCase: Spouse or partner] "

[3] "[CATI UCase: Child] "

[4] "[CATI UCase: Parent] "

[5] "[CATI UCase: Sibling] "

[6] "[CATI UCase: Other relative] "

[7] "[CATI UCase: Non-relative] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELSPA\_3 <> 3

### RELSPC\_3: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_3] [RELSPBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

#### Codes:

[1] "[CATI UCase: Natural/biological child] "  
[2] "[CATI UCase: Adopted child] "  
[3] "[CATI UCase: Stepchild] "  
[4] "[CATI UCase: Grandchild/great-grandchild] "  
[5] "[CATI UCase: Son-in-law/daughter-in-law] "  
[6] "[CATI UCase: Something else] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELSPA\_3 <> 4

### RELSPD\_3: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_3] [RELSPBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

#### Codes:

[1] "[CATI UCase: Parent] "  
[2] "[CATI UCase: Parent-in-law] "  
[3] "[CATI UCase: Something else] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELSPA\_3 <> 5

### RELSPE\_3: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_3] [RELSPBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

#### **Codes:**

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "  
[2] "[CATI UCase: Sibling-in-law] "  
[3] "[CATI UCase: Something else] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELSPA\_3 <> 6

### RELSPF\_3: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_3] [RELSPBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

#### **Codes:**

[1] "[CATI UCase: Grandparent/great-grandparent] "  
[2] "[CATI UCase: Uncle/aunt] "  
[3] "[CATI UCase: Niece/nephew] "  
[4] "[CATI UCase: Grandchild/great-grandchild] "  
[5] "[CATI UCase: Cousin] "  
[6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

```
PRELOADACTION: BranchTo
Next question
IF RELSPA_3 <> 7
```

### RELSPG\_3: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_3] [RELSPBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

#### **Codes:**

```
[1] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "  
[2] "[CATI UCase: Roommate/housemate] "  
[3] "[CATI UCase: Friend] "  
[4] "[CATI UCase: Child of a friend or other housemate] "  
[5] "[CATI UCase: Other non-relative (employee, boarder)] "  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF RELSPC_3 <> 6
And RELSPD_3 <> 3
And RELSPE_3 <> 3
And RELSPF_3 <> 6
And RELSPG_3 <> 5
```

### RELSPH\_3: TextAnswer

"Please select the option that best describes this relationship. What is [REL2SPFILL\_3] relationship to [SPFILL]?"

(For example, if [SPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

```
PRELOADACTION: BranchTo
Question REL2SPFILL_5
IF HHFNAME_4 Is Empty
```

```
PRELOADACTION: SetVariableValue
Variable: REL2SPFILL_4
```

Value: [SEXFILL\_4]

PRELOADACTION: BranchTo  
Next question

### **REL2SPFILL\_4: RadioButton**

MaxValue = 150

#### **Codes:**

- [1] your
- [2] [HHFNAME\_4] [HHLNAME\_4]'s

PRELOADACTION: SetVariableValue  
Variable: RELSPBFILL1\_4  
Value: [SEXFILL\_4]

PRELOADACTION: BranchTo  
Next question

### **RELSPBFILL1\_4: RadioButton**

MaxValue = 150

#### **Codes:**

- [1] you are
- [2] [HHFNAME\_4] [HHLNAME\_4] is

### **RELSPA\_4: RadioButton**

"[CATI TEXT: [HANDCARD B1]] What is [REL2SPFILL\_4] relationship to [SPFILL]?"

MaxValue = 150

#### **Codes:**

- [1] "[CATI UCase: Householder] "
- [2] "[CATI UCase: Spouse or partner] "
- [3] "[CATI UCase: Child] "
- [4] "[CATI UCase: Parent] "
- [5] "[CATI UCase: Sibling] "

```
[6] "[CATI UCase: Other relative] "  
[7] "[CATI UCase: Non-relative] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2  
  
PRELOADACTION: BranchTo  
Next question  
IF RELSPA_4 <> 3
```

### **RELSPC\_4: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_4] [RELSPBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

#### **Codes:**

```
[1] "[CATI UCase: Natural/biological child] "  
[2] "[CATI UCase: Adopted child] "  
[3] "[CATI UCase: Stepchild] "  
[4] "[CATI UCase: Grandchild/great-grandchild] "  
[5] "[CATI UCase: Son-in-law/daughter-in-law] "  
[6] "[CATI UCase: Something else] "  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2  
  
PRELOADACTION: BranchTo  
Next question  
IF RELSPA_4 <> 4
```

### **RELSPD\_4: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_4] [RELSPBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

#### **Codes:**

```
[1] [CATI UCase: Parent]  
[2] [CATI UCase: Parent-in-law]
```



[3] [CATI UCase: Something else]

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_4 <> 5

## RELSPE\_4: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_4] [RELSPBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

### **Codes:**

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "

[2] "[CATI UCase: Sibling-in-law] "

[3] "[CATI UCase: Something else] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_4 <> 6

## RELSPF\_4: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_4] [RELSPBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

### **Codes:**

[1] "[CATI UCase: Grandparent/great-grandparent] "

[2] "[CATI UCase: Uncle/aunt] "

[3] "[CATI UCase: Niece/nephew] "

[4] "[CATI UCase: Grandchild/great-grandchild] "

[5] "[CATI UCase: Cousin] "

[6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_4 <> 7

## RELSPG\_4: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_4] [RELSPBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

### **Codes:**

[1] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "

[2] "[CATI UCase: Roommate/housemate] "

[3] "[CATI UCase: Friend] "

[4] "[CATI UCase: Child of a friend or other housemate] "

[5] "[CATI UCase: Other non-relative (employee, boarder)] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPC\_4 <> 6

And RELSPD\_4 <> 3

And RELSPE\_4 <> 3

And RELSPF\_4 <> 6

And RELSPG\_4 <> 5

## RELSPH\_4: TextAnswer

"Please select the option that best describes this relationship. What is [REL2SPFILL\_4] relationship to [SPFILL]?"

(For example, if [SPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo  
Question REL2SPFILL\_6  
IF HHFNAME\_5 Is Empty

PRELOADACTION: SetVariableValue  
Variable: REL2SPFILL\_5  
Value: [SEXFILL\_5]

PRELOADACTION: BranchTo  
Next question

### **REL2SPFILL\_5: RadioButton**

MaxValue = 150

#### **Codes:**

[1] your

[2] [HHFNAME\_5] [HHLNAME\_5]'s

PRELOADACTION: SetVariableValue

Variable: RELSPBFILL1\_5

Value: [SEXFILL\_5]

PRELOADACTION: BranchTo

Next question

### **RELSPBFILL1\_5: RadioButton**

MaxValue = 150

#### **Codes:**

[1] you are

[2] [HHFNAME\_5] [HHLNAME\_5] is

### **RELSPA\_5: RadioButton**

"[CATI TEXT: [HANDCARD B1]] What is [REL2SPFILL\_5] relationship to [SPFILL]?"

MaxValue = 150

#### **Codes:**

[1] "[CATI UCase: Householder] "

[2] "[CATI UCase: Spouse or partner] "

```
[3] "[CATI UCase: Child] "  
[4] "[CATI UCase: Parent] "  
[5] "[CATI UCase: Sibling] "  
[6] "[CATI UCase: Other relative] "  
[7] "[CATI UCase: Non-relative] "  
[77] "[CATI UCase: DON'T KNOW] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
```

```
Next question
```

```
IF RELSPA_5 <> 3
```

### **RELSPC\_5: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_5] [RELSPBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

#### **Codes:**

```
[1] "[CATI UCase: Natural/biological child] "  
[2] "[CATI UCase: Adopted child] "  
[3] "[CATI UCase: Stepchild] "  
[4] "[CATI UCase: Grandchild/great-grandchild] "  
[5] "[CATI UCase: Son-in-law/daughter-in-law] "  
[6] "[CATI UCase: Something else] "  
[77] "[CATI UCase: Don't know] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
```

```
Next question
```

```
IF RELSPA_5 <> 4
```

### **RELSPD\_5: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_5] [RELSPBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Parent] "  
[2] "[CATI UCase: Parent-in-law] "  
[3] "[CATI UCase: Something else] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_5 <> 5

**RELSPE\_5: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPEBFILL1\_5] [RELSPEBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "  
[2] "[CATI UCase: Sibling-in-law] "  
[3] "[CATI UCase: Something else] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_5 <> 6

**RELSPF\_5: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_5] [RELSPBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Grandparent/great-grandparent] "  
[2] "[CATI UCase: Uncle/aunt] "  
[3] "[CATI UCase: Niece/nephew] "

```

[4] "[CATI UCase: Grandchild/great-grandchild] "
[5] "[CATI UCase: Cousin] "
[6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

```

```

PRELOADACTION: BranchTo
Next question
IF RELSPA_5 <> 7

```

## RELSPG\_5: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_5] [RELSPBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

### **Codes:**

```

[1] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "
[2] "[CATI UCase: Roommate/housemate] "
[3] "[CATI UCase: Friend] "
[4] "[CATI UCase: Child of a friend or other housemate] "
[5] "[CATI UCase: Other non-relative (employee, boarder)] "
[77] "[CATI UCase: Don't know] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2

```

```

PRELOADACTION: BranchTo
Next question
IF RELSPC_5 <> 6
And RELSPD_5 <> 3
And RELSPE_5 <> 3
And RELSPF_5 <> 6
And RELSPG_5 <> 5

```

## RELSPH\_5: TextAnswer

"Please select the option that best describes this relationship. What is [REL2SPFILL\_5] relationship to [SPFILL]?"

(For example, if [SPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt".)"

MaxValue = 150

PRELOADACTION: BranchTo  
Question REL2SPFILL\_7  
IF HHFNAME\_6 Is Empty

PRELOADACTION: SetVariableValue  
Variable: REL2SPFILL\_6  
Value: [SEXFILL\_6]

PRELOADACTION: BranchTo  
Next question

### **REL2SPFILL\_6: RadioButton**

MaxValue = 150

#### **Codes:**

[1] your  
[2] [HHFNAME\_6] [HHLNAME\_6]'s

PRELOADACTION: SetVariableValue  
Variable: RELSPBFILL1\_6  
Value: [SEXFILL\_6]

PRELOADACTION: BranchTo  
Next question

### **RELSPBFILL1\_6: RadioButton**

MaxValue = 150

#### **Codes:**

[1] you are  
[2] [HHFNAME\_6] [HHLNAME\_6] is

### **RELSPA\_6: RadioButton**

"[CATI TEXT: [HANDCARD B1]] What is [REL2SPFILL\_6] relationship to [SPFILL]?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Householder] "  
[2] "[CATI UCase: Spouse or partner] "  
[3] "[CATI UCase: Child] "  
[4] "[CATI UCase: Parent] "  
[5] "[CATI UCase: Sibling] "  
[6] "[CATI UCase: Other relative] "  
[7] "[CATI UCase: Non-relative] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_6 <> 3

**RELSPC\_6: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_6] [RELSPBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Natural/biological child] "  
[2] "[CATI UCase: Adopted child] "  
[3] "[CATI UCase: Stepchild] "  
[4] "[CATI UCase: Grandchild/great-grandchild] "  
[5] "[CATI UCase: Son-in-law/daughter-in-law] "  
[6] "[CATI UCase: Something else] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_6 <> 4

**RELSPD\_6: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_6]



[RELSPBFill2] parent, parent-in-law, or something else?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Parent] "

[2] "[CATI UCase: Parent-in-law] "

[3] "[CATI UCase: Something else] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_6 <> 5

**RELSPE\_6: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFill1\_6] [RELSPBFill2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "

[2] "[CATI UCase: Sibling-in-law] "

[3] "[CATI UCase: Something else] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_6 <> 6

**RELSPF\_6: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFill1\_6] [RELSPBFill2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Grandparent/great-grandparent] "  
[2] "[CATI UCase: Uncle/aunt] "  
[3] "[CATI UCase: Niece/nephew] "  
[4] "[CATI UCase: Grandchild/great-grandchild] "  
[5] "[CATI UCase: Cousin] "  
[6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE = 1

[99] "REFUSED"

DISPLAY IF: QUEXMODE = 1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_6 <> 7

**RELSPG\_6: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_6] [RELSPBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "  
[2] "[CATI UCase: Roommate/housemate] "  
[3] "[CATI UCase: Friend] "  
[4] "[CATI UCase: Child of a friend or other housemate] "  
[5] "[CATI UCase: Other non-relative (employee, boarder)] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE = 1

[99] "REFUSED"

DISPLAY IF: QUEXMODE = 1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

PRELOADACTION: BranchTo

Next question

IF RELSPC\_6 <> 6

And RELSPD\_6 <> 3

And RELSPE\_6 <> 3

And RELSPF\_6 <> 6

And RELSPG\_6 <> 5

**RELSPH\_6: TextAnswer**

"Please select the option that best describes this relationship. What is [REL2SPFILL\_6] relationship to [SPFILL]?"

(For example, if [SPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo  
Question REL2SPFILL\_8  
IF HHFNAME\_7 Is Empty

PRELOADACTION: SetVariableValue  
Variable: REL2SPFILL\_7  
Value: [SEXFILL\_7]

PRELOADACTION: BranchTo  
Next question

### REL2SPFILL\_7: RadioButton

MaxValue = 150

#### **Codes:**

[1] your

[2] [HHFNAME\_7] [HHLNAME\_7]'s

PRELOADACTION: SetVariableValue  
Variable: RELSPBFILL1\_7  
Value: [SEXFILL\_7]

PRELOADACTION: BranchTo  
Next question

### RELSPBFILL1\_7: RadioButton

MaxValue = 150

#### **Codes:**

[1] you are

[2] [HHFNAME\_7] [HHLNAME\_7] is

## RELSPA\_7: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [REL2SPFILL\_7] relationship to [SPFILL]?"

MaxValue = 150

### **Codes:**

- [1] "[CATI UCase: Householder] "
- [2] "[CATI UCase: Spouse or partner] "
- [3] "[CATI UCase: Child] "
- [4] "[CATI UCase: Parent] "
- [5] "[CATI UCase: Sibling] "
- [6] "[CATI UCase: Other relative] "
- [7] "[CATI UCase: Non-relative] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_7 <> 3

## RELSPC\_7: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_7] [RELSPBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

### **Codes:**

- [1] "[CATI UCase: Natural/biological child] "
- [2] "[CATI UCase: Adopted child] "
- [3] "[CATI UCase: Stepchild] "
- [4] "[CATI UCase: Grandchild/great-grandchild] "
- [5] "[CATI UCase: Son-in-law/daughter-in-law] "
- [6] "[CATI UCase: Something else] "
- [77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_7 <> 4

## RELSPD\_7: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_7] [RELSPBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

### Codes:

[1] "[CATI UCase: Parent] "

[2] "[CATI UCase: Parent-in-law] "

[3] "[CATI UCase: Something else] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_7 <> 5

## RELSPE\_7: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_7] [RELSPBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

### Codes:

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "

[2] "[CATI UCase: Sibling-in-law] "

[3] "[CATI UCase: Something else] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_7 <> 6

## RELSPF\_7: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_7] [RELSPBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or

great-grandchild, cousin, or other relative?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Grandparent/great-grandparent] "  
[2] "[CATI UCase: Uncle/aunt] "  
[3] "[CATI UCase: Niece/nephew] "  
[4] "[CATI UCase: Grandchild/great-grandchild] "  
[5] "[CATI UCase: Cousin] "  
[6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_7 <> 7

**RELSPG\_7: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_7] [RELSPBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "  
[2] "[CATI UCase: Roommate/housemate] "  
[3] "[CATI UCase: Friend] "  
[4] "[CATI UCase: Child of a friend or other housemate] "  
[5] "[CATI UCase: Other non-relative (employee, boarder)] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPC\_7 <> 6

And RELSPD\_7 <> 3

And RELSPE\_7 <> 3

And RELSPF\_7 <> 6

And RELSPG\_7 <> 5

## RELSPH\_7: TextAnswer

"Please select the option that best describes this relationship. What is [REL2SPFILL\_7] relationship to [SPFILL]?"

(For example, if [SPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo  
Question REL2SPFILL\_9  
IF HHFNAME\_8 Is Empty

PRELOADACTION: SetVariableValue  
Variable: REL2SPFILL\_8  
Value: [SEXFILL\_8]

PRELOADACTION: BranchTo  
Next question

## REL2SPFILL\_8: RadioButton

MaxValue = 150

### **Codes:**

[1] your

[2] [HHFNAME\_8] [HHLNAME\_8]'s

PRELOADACTION: SetVariableValue  
Variable: RELSPBFILL1\_8  
Value: [SEXFILL\_8]

PRELOADACTION: BranchTo  
Next question

## RELSPBFILL1\_8: RadioButton

MaxValue = 150

### **Codes:**

[1] you are

[2] [HHFNAME\_8] [HHLNAME\_8] is

### **RELSPA\_8: RadioButton**

"[CATI TEXT: [HANDCARD B1]] What is [REL2SPFILL\_8] relationship to [SPFILL]?"

MaxValue = 150

#### **Codes:**

- [1] "[CATI UCase: Householder] "
- [2] "[CATI UCase: Spouse or partner] "
- [3] "[CATI UCase: Child] "
- [4] "[CATI UCase: Parent] "
- [5] "[CATI UCase: Sibling] "
- [6] "[CATI UCase: Other relative] "
- [7] "[CATI UCase: Non-relative] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_8 <> 3

### **RELSPC\_8: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_8] [RELSPBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

#### **Codes:**

- [1] "[CATI UCase: Natural/biological child] "
- [2] "[CATI UCase: Adopted child] "
- [3] "[CATI UCase: Stepchild] "
- [4] "[CATI UCase: Grandchild/great-grandchild] "
- [5] "[CATI UCase: Son-in-law/daughter-in-law] "
- [6] "[CATI UCase: Something else] "
- [77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2



```
PRELOADACTION: BranchTo
Next question
IF RELSPA_8 <> 4
```

### RELSPD\_8: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_8] [RELSPBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

#### **Codes:**

```
[1] "[CATI UCase: Parent] "  
[2] "[CATI UCase: Parent-in-law] "  
[3] "[CATI UCase: Something else] "  
[77] "[CATI UCase: Don't know] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF RELSPA_8 <> 5
```

### RELSPE\_8: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_8] [RELSPBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

#### **Codes:**

```
[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "  
[2] "[CATI UCase: Sibling-in-law] "  
[3] "[CATI UCase: Something else] "  
[77] "[CATI UCase: Don't know] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF RELSPA_8 <> 6
```

## RELSPF\_8: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_8] [RELSPBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

### **Codes:**

- [1] "[CATI UCase: Grandparent/great-grandparent] "
- [2] "[CATI UCase: Uncle/aunt] "
- [3] "[CATI UCase: Niece/nephew] "
- [4] "[CATI UCase: Grandchild/great-grandchild] "
- [5] "[CATI UCase: Cousin] "
- [6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "
- [77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_8 <> 7

## RELSPG\_8: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_8] [RELSPBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

### **Codes:**

- [1] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "
- [2] "[CATI UCase: Roommate/housemate] "
- [3] "[CATI UCase: Friend] "
- [4] "[CATI UCase: Child of a friend or other housemate] "
- [5] "[CATI UCase: Other non-relative (employee, boarder)] "
- [77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPC\_8 <> 6

And RELSPD\_8 <> 3

And RELSPE\_8 <> 3  
And RELSPF\_8 <> 6  
And RELSPG\_8 <> 5

### RELSPH\_8: TextAnswer

"Please select the option that best describes this relationship. What is [REL2SPFILL\_8] relationship to [SPFILL]?"

(For example, if [SPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo  
Question REL2SPFILL\_10  
IF HHFNAME\_9 Is Empty

PRELOADACTION: SetVariableValue  
Variable: REL2SPFILL\_9  
Value: [SEXFILL\_9]

PRELOADACTION: BranchTo  
Next question

### REL2SPFILL\_9: RadioButton

MaxValue = 150

#### **Codes:**

[1] your

[2] [HHFNAME\_9] [HHLNAME\_9]'s

PRELOADACTION: SetVariableValue  
Variable: RELSPBFILL1\_9  
Value: [SEXFILL\_9]

PRELOADACTION: BranchTo  
Next question

### RELSPBFILL1\_9: RadioButton

MaxValue = 150

**Codes:**

- [1] you are
- [2] [HHFNAME\_9] [HHLNAME\_9] is

**RELSPA\_9: RadioButton**

"[CATI TEXT: [HANDCARD B1]] What is [REL2SPFILL\_9] relationship to [SPFILL]?"

MaxValue = 150

**Codes:**

- [1] "[CATI UCase: Householder] "
- [2] "[CATI UCase: Spouse or partner] "
- [3] "[CATI UCase: Child] "
- [4] "[CATI UCase: Parent] "
- [5] "[CATI UCase: Sibling] "
- [6] "[CATI UCase: Other relative] "
- [7] "[CATI UCase: Non-relative] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_9 <> 3

**RELSPC\_9: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_9] [RELSPBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

**Codes:**

- [1] "[CATI UCase: Natural/biological child] "
- [2] "[CATI UCase: Adopted child] "
- [3] "[CATI UCase: Stepchild] "
- [4] "[CATI UCase: Grandchild/great-grandchild] "
- [5] "[CATI UCase: Son-in-law/daughter-in-law] "
- [6] "[CATI UCase: Something else] "
- [77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELSPA\_9 <> 4

### **RELSPD\_9: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_9] [RELSPBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

#### **Codes:**

[1] "[CATI UCase: Parent] "  
[2] "[CATI UCase: Parent-in-law] "  
[3] "[CATI UCase: Something else] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELSPA\_9 <> 5

### **RELSPE\_9: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_9] [RELSPBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

#### **Codes:**

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "  
[2] "[CATI UCase: Sibling-in-law] "  
[3] "[CATI UCase: Something else] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

```
PRELOADACTION: BranchTo
Next question
IF RELSPA_9 <> 6
```

### RELSPF\_9: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_9] [RELSPBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

#### Codes:

```
[1] "[CATI UCase: Grandparent/great-grandparent] "  
[2] "[CATI UCase: Uncle/aunt] "  
[3] "[CATI UCase: Niece/nephew] "  
[4] "[CATI UCase: Grandchild/great-grandchild] "  
[5] "[CATI UCase: Cousin] "  
[6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF RELSPA_9 <> 7
```

### RELSPG\_9: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_9] [RELSPBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

#### Codes:

```
[1] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "  
[2] "[CATI UCase: Roommate/housemate] "  
[3] "[CATI UCase: Friend] "  
[4] "[CATI UCase: Child of a friend or other housemate] "  
[5] "[CATI UCase: Other non-relative (employee, boarder)] "  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB
```

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELSPC\_9 <> 6  
And RELSPD\_9 <> 3  
And RELSPE\_9 <> 3  
And RELSPF\_9 <> 6  
And RELSPG\_9 <> 5

### RELSPH\_9: TextAnswer

"Please select the option that best describes this relationship. What is [REL2SPFILL\_9] relationship to [SPFILL]?"

(For example, if [SPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo  
Question REL2SPFILL\_11  
IF HHFNAME\_10 Is Empty

PRELOADACTION: SetVariableValue  
Variable: REL2SPFILL\_10  
Value: [SEXFILL\_10]

PRELOADACTION: BranchTo  
Next question

### REL2SPFILL\_10: RadioButton

MaxValue = 150

#### **Codes:**

[1] your

[2] [HHFNAME\_10] [HHLNAME\_10]'s

PRELOADACTION: SetVariableValue  
Variable: RELSPBFILL1\_10  
Value: [SEXFILL\_10]

PRELOADACTION: BranchTo  
Next question

### RELSPBFILL1\_10: RadioButton

MaxValue = 150

**Codes:**

[1] you are

[2] [HHFNAME\_10] [HHLNAME\_10] is

**RELSPA\_10: RadioButton**

"[CATI TEXT: [HANDCARD B1]] What is [REL2SPFILL\_10] relationship to [SPFILL]?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Householder] "

[2] "[CATI UCase: Spouse or partner] "

[3] "[CATI UCase: Child] "

[4] "[CATI UCase: Parent] "

[5] "[CATI UCase: Sibling] "

[6] "[CATI UCase: Other relative] "

[7] "[CATI UCase: Non-relative] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_10 <> 3

**RELSPC\_10: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_10] [RELSPBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Natural/biological child] "

[2] "[CATI UCase: Adopted child] "

[3] "[CATI UCase: Stepchild] "

[4] "[CATI UCase: Grandchild/great-grandchild] "



[5] "[CATI UCase: Son-in-law/daughter-in-law] "

[6] "[CATI UCase: Something else] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_10 <> 4

## RELSPD\_10: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_10] [RELSPBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

### **Codes:**

[1] "[CATI UCase: Parent] "

[2] "[CATI UCase: Parent-in-law] "

[3] "[CATI UCase: Something else] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_10 <> 5

## RELSPE\_10: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_10] [RELSPBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

### **Codes:**

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "

[2] "[CATI UCase: Sibling-in-law] "

[3] "[CATI UCase: Something else] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELSPA\_10 <> 6

### **RELSPF\_10: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_10] [RELSPBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

#### **Codes:**

- [1] "[CATI UCase: Grandparent/great-grandparent] "
- [2] "[CATI UCase: Uncle/aunt] "
- [3] "[CATI UCase: Niece/nephew] "
- [4] "[CATI UCase: Grandchild/great-grandchild] "
- [5] "[CATI UCase: Cousin] "
- [6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "
- [77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELSPA\_10 <> 7

### **RELSPG\_10: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_10] [RELSPBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

#### **Codes:**

- [1] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "
- [2] "[CATI UCase: Roommate/housemate] "
- [3] "[CATI UCase: Friend] "
- [4] "[CATI UCase: Child of a friend or other housemate] "
- [5] "[CATI UCase: Other non-relative (employee, boarder)] "
- [77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPC\_10 <> 6

And RELSPD\_10 <> 3

And RELSPE\_10 <> 3

And RELSPF\_10 <> 6

And RELSPG\_10 <> 5

### RELSPH\_10: TextAnswer

"Please select the option that best describes this relationship. What is [REL2SPFILL\_10] relationship to [SPFILL]?"

(For example, if [SPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo

Question REL2SPFILL\_12

IF HHFNAME\_11 Is Empty

PRELOADACTION: SetVariableValue

Variable: REL2SPFILL\_11

Value: [SEXFILL\_11]

PRELOADACTION: BranchTo

Next question

### REL2SPFILL\_11: RadioButton

MaxValue = 150

#### **Codes:**

[1] your

[2] [HHFNAME\_11] [HHLNAME\_11]'s

PRELOADACTION: SetVariableValue

Variable: RELSPBFILL1\_11

Value: [SEXFILL\_11]

PRELOADACTION: BranchTo

Next question

### RELSPBFILL1\_11: RadioButton

MaxValue = 150

#### Codes:

[1] you are

[2] [HHFNAME\_11] [HHLNAME\_11] is

### RELSPA\_11: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [REL2SPFILL\_11] relationship to [SPFILL]?"

MaxValue = 150

#### Codes:

[1] "[CATI UCase: Householder] "

[2] "[CATI UCase: Spouse or partner] "

[3] "[CATI UCase: Child] "

[4] "[CATI UCase: Parent] "

[5] "[CATI UCase: Sibling] "

[6] "[CATI UCase: Other relative] "

[7] "[CATI UCase: Non-relative] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_11 <> 3

### RELSPC\_11: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_11] [RELSPBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Natural/biological child] "  
[2] "[CATI UCase: Adopted child] "  
[3] "[CATI UCase: Stepchild] "  
[4] "[CATI UCase: Grandchild/great-grandchild] "  
[5] "[CATI UCase: Son-in-law/daughter-in-law] "  
[6] "[CATI UCase: Something else] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_11 <> 4

**RELSPD\_11: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_11] [RELSPBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Parent] "  
[2] "[CATI UCase: Parent-in-law] "  
[3] "[CATI UCase: Something else] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_11 <> 5

**RELSPE\_11: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_11] [RELSPBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "

[2] "[CATI UCase: Sibling-in-law] "  
[3] "[CATI UCase: Something else] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_11 <> 6

### **RELSPF\_11: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_11] [RELSPBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

#### **Codes:**

[1] "[CATI UCase: Grandparent/great-grandparent] "

[2] "[CATI UCase: Uncle/aunt] "

[3] "[CATI UCase: Niece/nephew] "

[4] "[CATI UCase: Grandchild/great-grandchild] "

[5] "[CATI UCase: Cousin] "

[6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_11 <> 7

### **RELSPG\_11: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_11] [RELSPBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

#### **Codes:**

[1] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "

[2] "[CATI UCase: Roommate/housemate] "

[3] "[CATI UCase: Friend] "

[4] "[CATI UCase: Child of a friend or other housemate] "  
[5] "[CATI UCase: Other non-relative (employee, boarder)] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPC\_11 <> 6

And RELSPD\_11 <> 3

And RELSPE\_11 <> 3

And RELSPF\_11 <> 6

And RELSPG\_11 <> 5

### RELSPH\_11: TextAnswer

"Please select the option that best describes this relationship. What is [REL2SPFILL\_11] relationship to [SPFILL]?"

(For example, if [SPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo

Question REL2SPFILL\_13

IF HHFNAME\_12 Is Empty

PRELOADACTION: SetVariableValue

Variable: REL2SPFILL\_12

Value: [SEXFILL\_12]

PRELOADACTION: BranchTo

Next question

### REL2SPFILL\_12: RadioButton

MaxValue = 150

#### **Codes:**

[1] your

[2] [HHFNAME\_12] [HHLNAME\_12]'s

PRELOADACTION: SetVariableValue

Variable: RELSPBFILL1\_12

Value: [SEXFILL\_12]

PRELOADACTION: BranchTo  
Next question

### RELSPBFILL1\_12: RadioButton

MaxValue = 150

#### **Codes:**

[1] you are  
[2] [HHFNAME\_12] [HHLNAME\_12] is

### RELSPA\_12: RadioButton

"[CATI TEXT: [HANDCARD B1]] What is [REL2SPFILL\_12] relationship to [SPFILL]?"

MaxValue = 150

#### **Codes:**

[1] "[CATI UCase: Householder] "  
[2] "[CATI UCase: Spouse or partner] "  
[3] "[CATI UCase: Child] "  
[4] "[CATI UCase: Parent] "  
[5] "[CATI UCase: Sibling] "  
[6] "[CATI UCase: Other relative] "  
[7] "[CATI UCase: Non-relative] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELSPA\_12 <> 3

### RELSPC\_12: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_12] [RELSPBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150



**Codes:**

[1] "[CATI UCase: Natural/biological child] "  
[2] "[CATI UCase: Adopted child] "  
[3] "[CATI UCase: Stepchild] "  
[4] "[CATI UCase: Grandchild/great-grandchild] "  
[5] "[CATI UCase: Son-in-law/daughter-in-law] "  
[6] "[CATI UCase: Something else] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_12 <> 4

**RELSPD\_12: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_12] [RELSPBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Parent] "  
[2] "[CATI UCase: Parent-in-law] "  
[3] "[CATI UCase: Something else] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_12 <> 5

**RELSPE\_12: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_12] [RELSPBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "

[2] "[CATI UCase: Sibling-in-law] "

[3] "[CATI UCase: Something else] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_12 <> 6

**RELSPF\_12: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_12] [RELSPBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Grandparent/great-grandparent] "

[2] "[CATI UCase: Uncle/aunt] "

[3] "[CATI UCase: Niece/nephew] "

[4] "[CATI UCase: Grandchild/great-grandchild] "

[5] "[CATI UCase: Cousin] "

[6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_12 <> 7

**RELSPG\_12: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_12] [RELSPBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "  
[2] "[CATI UCase: Roommate/housemate] "  
[3] "[CATI UCase: Friend] "  
[4] "[CATI UCase: Child of a friend or other housemate] "  
[5] "[CATI UCase: Other non-relative (employee, boarder)] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPC\_12 <> 6

And RELSPD\_12 <> 3

And RELSPE\_12 <> 3

And RELSPF\_12 <> 6

And RELSPG\_12 <> 5

**RELSPH\_12: TextAnswer**

"Please select the option that best describes this relationship. What is [REL2SPFILL\_12] relationship to [SPFILL]?"

(For example, if [SPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo

Question REL2SPFILL\_14

IF HHFNAME\_13 Is Empty

PRELOADACTION: SetVariableValue

Variable: REL2SPFILL\_13

Value: [SEXFILL\_13]

PRELOADACTION: BranchTo

Next question

**REL2SPFILL\_13: RadioButton**

MaxValue = 150

**Codes:**

[1] your  
[2] [HHFNAME\_13] [HHLNAME\_13]'s

PRELOADACTION: SetVariableValue  
Variable: RELSPBFILL1\_13  
Value: [SEXFILL\_13]

PRELOADACTION: BranchTo  
Next question

### **RELSPBFILL1\_13: RadioButton**

MaxValue = 150

#### **Codes:**

[1] you are  
[2] [HHFNAME\_13] [HHLNAME\_13] is

### **RELSPA\_13: RadioButton**

"[CATI TEXT: [HANDCARD B1]] What is [REL2SPFILL\_13] relationship to [SPFILL]?"

MaxValue = 150

#### **Codes:**

[1] "[CATI UCase: Householder] "  
[2] "[CATI UCase: Spouse or partner] "  
[3] "[CATI UCase: Child] "  
[4] "[CATI UCase: Parent] "  
[5] "[CATI UCase: Sibling] "  
[6] "[CATI UCase: Other relative] "  
[7] "[CATI UCase: Non-relative] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELSPA\_13 <> 3

### **RELSPC\_13: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_13] [RELSPBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

**Codes:**

- [1] "[CATI UCase: Natural/biological child] "
- [2] "[CATI UCase: Adopted child] "
- [3] "[CATI UCase: Stepchild] "
- [4] "[CATI UCase: Grandchild/great-grandchild] "
- [5] "[CATI UCase: Son-in-law/daughter-in-law] "
- [6] "[CATI UCase: Something else] "
- [77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_13 <> 4

**RELSPD\_13: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_13] [RELSPBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

**Codes:**

- [1] "[CATI UCase: Parent] "
- [2] "[CATI UCase: Parent-in-law] "
- [3] "[CATI UCase: Something else] "
- [77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_13 <> 5

**RELSPE\_13: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_13] [RELSPBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "

[2] "[CATI UCase: Sibling-in-law] "

[3] "[CATI UCase: Something else] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_13 <> 6

**RELSPF\_13: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_13] [RELSPBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Grandparent/great-grandparent] "

[2] "[CATI UCase: Uncle/aunt] "

[3] "[CATI UCase: Niece/nephew] "

[4] "[CATI UCase: Grandchild/great-grandchild] "

[5] "[CATI UCase: Cousin] "

[6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_13 <> 7

**RELSPG\_13: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_13] [RELSPBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "  
[2] "[CATI UCase: Roommate/housemate] "  
[3] "[CATI UCase: Friend] "  
[4] "[CATI UCase: Child of a friend or other housemate] "  
[5] "[CATI UCase: Other non-relative (employee, boarder)] "  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF RELSPC\_13 <> 6  
And RELSPD\_13 <> 3  
And RELSPE\_13 <> 3  
And RELSPF\_13 <> 6  
And RELSPG\_13 <> 5

**RELSPH\_13: TextAnswer**

"Please select the option that best describes this relationship. What is [REL2SPFILL\_13] relationship to [SPFILL]?"

(For example, if [SPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt"".)"

MaxValue = 150

PRELOADACTION: BranchTo  
Question MSTATFILL1\_1  
IF HHFNAME\_14 Is Empty

PRELOADACTION: SetVariableValue  
Variable: REL2SPFILL\_14  
Value: [SEXFILL\_14]

PRELOADACTION: BranchTo  
Next question

**REL2SPFILL\_14: RadioButton**

MaxValue = 150

**Codes:**

[1] your

[2] [HHFNAME\_14] [HHLNAME\_14]'s

PRELOADACTION: SetVariableValue  
Variable: RELSPBFILL1\_14  
Value: [SEXFILL\_14]

PRELOADACTION: BranchTo  
Next question

**RELSPBFILL1\_14: RadioButton**

MaxValue = 150

**Codes:**

[1] you are

[2] [HHFNAME\_14] [HHLNAME\_14] is

**RELSPA\_14: RadioButton**

"[CATI TEXT: [HANDCARD B1]] What is [REL2SPFILL\_14] relationship to [SPFILL]?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Householder] "

[2] "[CATI UCase: Spouse or partner] "

[3] "[CATI UCase: Child] "

[4] "[CATI UCase: Parent] "

[5] "[CATI UCase: Sibling] "

[6] "[CATI UCase: Other relative] "

[7] "[CATI UCase: Non-relative] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2



```
PRELOADACTION: BranchTo
Next question
IF RELSPA_14 <> 3
```

### **RELSPC\_14: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_14] [RELSPBFILL2] biological child, adopted child, stepchild, grand or great-grandchild, son or daughter in law, or something else?"

MaxValue = 150

#### **Codes:**

```
[1] "[CATI UCase: Natural/biological child] "  
[2] "[CATI UCase: Adopted child] "  
[3] "[CATI UCase: Stepchild] "  
[4] "[CATI UCase: Grandchild/great-grandchild] "  
[5] "[CATI UCase: Son-in-law/daughter-in-law] "  
[6] "[CATI UCase: Something else] "  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Next question
IF RELSPA_14 <> 4
```

### **RELSPD\_14: RadioButton**

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_14] [RELSPBFILL2] parent, parent-in-law, or something else?"

MaxValue = 150

#### **Codes:**

```
[1] "[CATI UCase: Parent] "  
[2] "[CATI UCase: Parent-in-law] "  
[3] "[CATI UCase: Something else] "  
[77] "[CATI UCase: Don't know] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
```

Next question  
IF RELSPA\_14 <> 5

### RELSPE\_14: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_14] [RELSPBFILL2] brother or sister, sibling-in-law, or something else?"

MaxValue = 150

#### **Codes:**

[1] "[CATI UCase: Brother or sister (full, half, or step sibling)] "

[2] "[CATI UCase: Sibling-in-law] "

[3] "[CATI UCase: Something else] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF RELSPA\_14 <> 6

### RELSPF\_14: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_14] [RELSPBFILL2] grandparent or great-grandparent, uncle or aunt, niece or nephew, grandchild or great-grandchild, cousin, or other relative?"

MaxValue = 150

#### **Codes:**

[1] "[CATI UCase: Grandparent/great-grandparent] "

[2] "[CATI UCase: Uncle/aunt] "

[3] "[CATI UCase: Niece/nephew] "

[4] "[CATI UCase: Grandchild/great-grandchild] "

[5] "[CATI UCase: Cousin] "

[6] "[CATI UCase: Other relative (great-aunt, grandniece, etc.)] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

```
IF RELSPA_14 <> 7
```

### RELSPG\_14: RadioButton

"Please select the option that best describes this relationship. Would you say that [RELSPBFILL1\_14] [RELSPBFILL2] fiancé(e), boyfriend or girlfriend, roommate or housemate, friend, child of a friend or housemate, or other?"

MaxValue = 150

#### **Codes:**

```
[1] "[CATI UCase: Fiancé(e)/boyfriend/girlfriend] "  
[2] "[CATI UCase: Roommate/housemate] "  
[3] "[CATI UCase: Friend] "  
[4] "[CATI UCase: Child of a friend or other housemate] "  
[5] "[CATI UCase: Other non-relative (employee, boarder)] "  
[77] "[CATI UCase: Don't know] "
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
```

```
Next question
```

```
IF RELSPC_14 <> 6
```

```
And RELSPD_14 <> 3
```

```
And RELSPE_14 <> 3
```

```
And RELSPF_14 <> 6
```

```
And RELSPG_14 <> 5
```

### RELSPH\_14: TextAnswer

"Please select the option that best describes this relationship. What is [REL2SPFILL\_14] relationship to [SPFILL]?"

(For example, if [SPFILL] would say that this person is ""my uncle"", the answer would be ""uncle or aunt".)

MaxValue = 150

```
PRELOADACTION: SetVariableValue
```

```
Variable: MSTATFILL1_1
```

```
Value: 1
```

```
IF RESPNUM = 1
```

```
PRELOADACTION: SetVariableValue
```

```
Variable: MSTATFILL1_1
```

```
Value: 2
```

```
IF RESPNUM <> 1
```

PRELOADACTION: BranchTo  
Next question

### **MSTATFILL1\_1: RadioButton**

MaxValue = 150

#### **Codes:**

[1] Are you  
[2] Is [HHFNAME\_1] [HHLNAME\_1]

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL2\_1  
Value: [MSTATFILL1\_1]

PRELOADACTION: BranchTo  
Next question

### **MSTATFILL2\_1: RadioButton**

MaxValue = 150

#### **Codes:**

[1] you  
[2] they

### **MSTAT\_1: RadioButton**

"The next questions are about the marital status of the people in your household.

[CATI TEXT: IF ALREADY ANSWERED, CODE WITHOUT ASKING:  
] [mstatfill1\_1] now married, widowed, divorced, separated, or have [mstatfill2\_1] never been married?"

MaxValue = 150

#### **Codes:**

[1] "[CATI UCase: Married] "  
[2] "[CATI UCase: Widowed] "

[3] "[CATI UCase: Divorced] "  
[4] "[CATI UCase: Separated] "  
[5] "[CATI UCase: Never married] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Question MSTATFILL1\_3  
IF HASRELSP <> 1

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL1\_2  
Value: 1  
IF RESPNUM = 2

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL1\_2  
Value: 2  
IF RESPNUM <> 2

PRELOADACTION: BranchTo  
Next question

## **MSTATFILL1\_2: RadioButton**

MaxValue = 150

### **Codes:**

[1] Are you

[2] Is [HHFNAME\_2] [HHLNAME\_2]

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL2\_2  
Value: 1  
IF RESPNUM = 2

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL2\_2  
Value: 2  
IF RESPNUM <> 2

PRELOADACTION: BranchTo  
Next question

## **MSTATFILL2\_2: RadioButton**

MaxValue = 150

**Codes:**

[1] you  
[2] they

**MSTAT\_2: RadioButton**

"[CATI TEXT: IF ALREADY ANSWERED, CODE WITHOUT ASKING:  
] [mstatfill1\_2] now married, widowed, divorced, separated, or have [mstatfill2\_2] never been married?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Married] "  
[2] "[CATI UCase: Widowed] "  
[3] "[CATI UCase: Divorced] "  
[4] "[CATI UCase: Separated] "  
[5] "[CATI UCase: Never married] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Question MSTATFILL1\_4  
IF HHAGE\_3 < 13  
Or HHFNAME\_3 Is Empty

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL1\_3  
Value: 1  
IF RESPNUM = 3

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL1\_3  
Value: 2  
IF RESPNUM <> 3

PRELOADACTION: BranchTo  
Next question

**MSTATFILL1\_3: RadioButton**

MaxValue = 150

**Codes:**

[1] Are you

[2] Is [HHFNAME\_3] [HHLNAME\_3]

```
PRELOADACTION: SetVariableValue  
Variable: MSTATFILL2_3  
Value: 1  
IF RESPNUM = 3
```

```
PRELOADACTION: SetVariableValue  
Variable: MSTATFILL2_3  
Value: 2  
IF RESPNUM <> 3
```

```
PRELOADACTION: BranchTo  
Next question
```

**MSTATFILL2\_3: RadioButton**

MaxValue = 150

**Codes:**

[1] you

[2] they

**MSTAT\_3: RadioButton**

"[mstatfill1\_3] now married, widowed, divorced, separated, or have [mstatfill2\_3] never been married?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Married] "

[2] "[CATI UCase: Widowed] "

[3] "[CATI UCase: Divorced] "

[4] "[CATI UCase: Separated] "

[5] "[CATI UCase: Never married] "

[77] "[CATI UCase: Don't know] "

```
DISPLAY IF: QUEXMODE =1
```

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Question MSTATFILL1\_5

IF HHAGE\_4 < 13

Or HHFNAME\_4 Is Empty

PRELOADACTION: SetVariableValue

Variable: MSTATFILL1\_4

Value: 1

IF RESPNUM = 4

PRELOADACTION: SetVariableValue

Variable: MSTATFILL1\_4

Value: 2

IF RESPNUM <> 4

PRELOADACTION: BranchTo

Next question

### **MSTATFILL1\_4: RadioButton**

MaxValue = 150

#### **Codes:**

[1] Are you

[2] Is [HHFNAME\_4] [HHLNAME\_4]

PRELOADACTION: SetVariableValue

Variable: MSTATFILL2\_4

Value: 1

IF RESPNUM = 4

PRELOADACTION: SetVariableValue

Variable: MSTATFILL2\_4

Value: 2

IF RESPNUM <> 4

PRELOADACTION: BranchTo

Next question

### **MSTATFILL2\_4: RadioButton**

MaxValue = 150



**Codes:**

[1] you  
[2] they

**MSTAT\_4: RadioButton**

"[mstatfill1\_4] now married, widowed, divorced, separated, or have [mstatfill2\_4] never been married?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Married] "  
[2] "[CATI UCase: Widowed] "  
[3] "[CATI UCase: Divorced] "  
[4] "[CATI UCase: Separated] "  
[5] "[CATI UCase: Never married] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Question MSTATFILL1\_6  
IF HHAGE\_5 < 13  
Or HHFNAME\_5 Is Empty

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL1\_5  
Value: 1  
IF RESPNUM = 5

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL1\_5  
Value: 2  
IF RESPNUM <> 5

PRELOADACTION: BranchTo  
Next question

**MSTATFILL1\_5: RadioButton**

MaxValue = 150

**Codes:**

[1] Are you  
[2] Is [HHFNAME\_5] [HHLNAME\_5]

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL2\_5  
Value: 1  
IF RESPNUM = 5

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL2\_5  
Value: 2  
IF RESPNUM <> 5

PRELOADACTION: BranchTo  
Next question

**MSTATFILL2\_5: RadioButton**

MaxValue = 150

**Codes:**

[1] you  
[2] they

**MSTAT\_5: RadioButton**

"[mstatfill1\_5] now married, widowed, divorced, separated, or have [mstatfill2\_5] never been married?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Married] "  
[2] "[CATI UCase: Widowed] "  
[3] "[CATI UCase: Divorced] "  
[4] "[CATI UCase: Separated] "  
[5] "[CATI UCase: Never married] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

```
PRELOADACTION: BranchTo
Question MSTATFILL1_7
IF HHAGE_6 < 13
Or HHFNAME_6 Is Empty
```

```
PRELOADACTION: SetVariableValue
Variable: MSTATFILL1_6
Value: 1
IF RESPNUM = 6
```

```
PRELOADACTION: SetVariableValue
Variable: MSTATFILL1_6
Value: 2
IF RESPNUM <> 6
```

```
PRELOADACTION: BranchTo
Next question
```

### **MSTATFILL1\_6: RadioButton**

MaxValue = 150

#### **Codes:**

[1] Are you  
[2] Is [HHFNAME\_6] [HHLNAME\_6]

```
PRELOADACTION: SetVariableValue
Variable: MSTATFILL2_6
Value: 1
IF RESPNUM = 6
```

```
PRELOADACTION: SetVariableValue
Variable: MSTATFILL2_6
Value: 2
IF RESPNUM <> 6
```

```
PRELOADACTION: BranchTo
Next question
```

### **MSTATFILL2\_6: RadioButton**

MaxValue = 150

#### **Codes:**

[1] you

[2] they

### **MSTAT\_6: RadioButton**

"[mstatfill1\_6] now married, widowed, divorced, separated, or have [mstatfill2\_6] never been married?"

MaxValue = 150

#### **Codes:**

[1] "[CATI UCase: Married] "  
[2] "[CATI UCase: Widowed] "  
[3] "[CATI UCase: Divorced] "  
[4] "[CATI UCase: Separated] "  
[5] "[CATI UCase: Never married] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Question MSTATFILL1\_8  
IF HHAGE\_7 < 13  
Or HHFNAME\_7 Is Empty

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL1\_7  
Value: 1  
IF RESPNUM = 7

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL1\_7  
Value: 2  
IF RESPNUM <> 7

PRELOADACTION: BranchTo  
Next question

### **MSTATFILL1\_7: RadioButton**

MaxValue = 150

#### **Codes:**

[1] Are you  
[2] Is [HHFNAME\_7] [HHLNAME\_7]

```
PRELOADACTION: SetVariableValue
Variable: MSTATFILL2_7
Value: 1
IF RESPNUM = 7
```

```
PRELOADACTION: SetVariableValue
Variable: MSTATFILL2_7
Value: 2
IF RESPNUM <> 7
```

```
PRELOADACTION: BranchTo
Next question
```

### **MSTATFILL2\_7: RadioButton**

MaxValue = 150

#### **Codes:**

[1] you  
[2] they

### **MSTAT\_7: RadioButton**

"[mstatfill1\_7] now married, widowed, divorced, separated, or have [mstatfill2\_7] never been married?"

MaxValue = 150

#### **Codes:**

[1] "[CATI UCase: Married] "  
[2] "[CATI UCase: Widowed] "  
[3] "[CATI UCase: Divorced] "  
[4] "[CATI UCase: Separated] "  
[5] "[CATI UCase: Never married] "  
[77] "[CATI UCase: Don't know] "

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Question MSTATFILL1_9
IF HHAGE_8 < 13
Or HHFNAME_8 Is Empty
```

```
PRELOADACTION: SetVariableValue
```

Variable: MSTATFILL1\_8  
Value: 1  
IF RESPNUM = 8

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL1\_8  
Value: 2  
IF RESPNUM <> 8

PRELOADACTION: BranchTo  
Next question

### **MSTATFILL1\_8: RadioButton**

MaxValue = 150

#### **Codes:**

[1] Are you  
[2] Is [HHFNAME\_8] [HHLNAME\_8]

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL2\_8  
Value: 1  
IF RESPNUM = 8

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL2\_8  
Value: 2  
IF RESPNUM <> 8

PRELOADACTION: BranchTo  
Next question

### **MSTATFILL2\_8: RadioButton**

MaxValue = 150

#### **Codes:**

[1] you  
[2] they

### **MSTAT\_8: RadioButton**

"[mstatfill1\_8] now married, widowed, divorced, separated, or have [mstatfill2\_8] never been married?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Married] "  
[2] "[CATI UCase: Widowed] "  
[3] "[CATI UCase: Divorced] "  
[4] "[CATI UCase: Separated] "  
[5] "[CATI UCase: Never married] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Question MSTATFILL1\_10  
IF HHAGE\_9 < 13  
Or HHFNAME\_9 Is Empty

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL1\_9  
Value: 1  
IF RESPNUM = 9

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL1\_9  
Value: 2  
IF RESPNUM <> 9

PRELOADACTION: BranchTo  
Next question

**MSTATFILL1\_9: RadioButton**

MaxValue = 150

**Codes:**

[1] Are you  
[2] Is [HHFNAME\_9] [HHLNAME\_9]

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL2\_9  
Value: 1  
IF RESPNUM = 9

```
PRELOADACTION: SetVariableValue
Variable: MSTATFILL2_9
Value: 2
IF RESPNUM <> 9
```

```
PRELOADACTION: BranchTo
Next question
```

### **MSTATFILL2\_9: RadioButton**

MaxValue = 150

#### **Codes:**

[1] you  
[2] they

### **MSTAT\_9: RadioButton**

"[mstatfill1\_9] now married, widowed, divorced, separated, or have [mstatfill2\_9] never been married?"

MaxValue = 150

#### **Codes:**

[1] "[CATI UCase: Married] "  
[2] "[CATI UCase: Widowed] "  
[3] "[CATI UCase: Divorced] "  
[4] "[CATI UCase: Separated] "  
[5] "[CATI UCase: Never married] "  
[77] "[CATI UCase: Don't know] "

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo
Question MSTATFILL1_11
IF HHAGE_10 < 13
Or HHFNAME_10 Is Empty
```

```
PRELOADACTION: SetVariableValue
Variable: MSTATFILL1_10
Value: 1
IF RESPNUM = 10
```

```
PRELOADACTION: SetVariableValue
```



Variable: MSTATFILL1\_10  
Value: 2  
IF RESPNUM <> 10

PRELOADACTION: BranchTo  
Next question

### **MSTATFILL1\_10: RadioButton**

MaxValue = 150

#### **Codes:**

[1] Are you  
[2] Is [HHFNAME\_10] [HHLNAME\_10]

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL2\_10  
Value: 1  
IF RESPNUM = 10

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL2\_10  
Value: 2  
IF RESPNUM <> 10

PRELOADACTION: BranchTo  
Next question

### **MSTATFILL2\_10: RadioButton**

MaxValue = 150

#### **Codes:**

[1] you  
[2] they

### **MSTAT\_10: RadioButton**

"[mstatfill1\_10] now married, widowed, divorced, separated, or have [mstatfill2\_10] never been married?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Married] "  
[2] "[CATI UCase: Widowed] "  
[3] "[CATI UCase: Divorced] "  
[4] "[CATI UCase: Separated] "  
[5] "[CATI UCase: Never married] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE = 1

[99] "REFUSED"

DISPLAY IF: QUEXMODE = 1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE = 2

PRELOADACTION: BranchTo  
Question MSTATFILL1\_12  
IF HHAGE\_11 < 13  
Or HHFNAME\_11 Is Empty

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL1\_11  
Value: 1  
IF RESPNUM = 11

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL1\_11  
Value: 2  
IF RESPNUM <> 11

PRELOADACTION: BranchTo  
Next question

**MSTATFILL1\_11: RadioButton**

MaxValue = 150

**Codes:**

[1] Are you  
[2] Is [HHFNAME\_11] [HHLNAME\_11]

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL2\_11  
Value: 1  
IF RESPNUM = 11

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL2\_11  
Value: 2  
IF RESPNUM <> 11

PRELOADACTION: BranchTo  
Next question

## **MSTATFILL2\_11: RadioButton**

MaxValue = 150

### **Codes:**

[1] you  
[2] they

## **MSTAT\_11: RadioButton**

"[mstatfill1\_11] now married, widowed, divorced, separated, or have [mstatfill2\_11] never been married?"

MaxValue = 150

### **Codes:**

[1] "[CATI UCase: Married] "  
[2] "[CATI UCase: Widowed] "  
[3] "[CATI UCase: Divorced] "  
[4] "[CATI UCase: Separated] "  
[5] "[CATI UCase: Never married] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Question MSTATFILL1\_13

IF HHAGE\_12 < 13

Or HHFNAME\_12 Is Empty

PRELOADACTION: SetVariableValue

Variable: MSTATFILL1\_12

Value: 1

IF RESPNUM = 12

PRELOADACTION: SetVariableValue

Variable: MSTATFILL1\_12

Value: 2

IF RESPNUM <> 12

PRELOADACTION: BranchTo

Next question

## **MSTATFILL1\_12: RadioButton**

MaxValue = 150

### **Codes:**

- [1] Are you
- [2] Is [HHFNAME\_12] [HHLNAME\_12]

```
PRELOADACTION: SetVariableValue  
Variable: MSTATFILL2_12  
Value: 1  
IF RESPNUM = 12
```

```
PRELOADACTION: SetVariableValue  
Variable: MSTATFILL2_12  
Value: 2  
IF RESPNUM <> 12
```

```
PRELOADACTION: BranchTo  
Next question
```

## **MSTATFILL2\_12: RadioButton**

MaxValue = 150

### **Codes:**

- [1] you
- [2] they

## **MSTAT\_12: RadioButton**

"[mstatfill1\_12] now married, widowed, divorced, separated, or have [mstatfill2\_12] never been married?"

MaxValue = 150

### **Codes:**

- [1] "[CATI UCase: Married] "
- [2] "[CATI UCase: Widowed] "
- [3] "[CATI UCase: Divorced] "
- [4] "[CATI UCase: Separated] "

[5] "[CATI UCase: Never married] "

[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Question MSTATFILL1\_14  
IF HHAGE\_13 < 13  
Or HHFNAME\_13 Is Empty

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL1\_13  
Value: 1  
IF RESPNUM = 13

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL1\_13  
Value: 2  
IF RESPNUM <> 13

PRELOADACTION: BranchTo  
Next question

### **MSTATFILL1\_13: RadioButton**

MaxValue = 150

#### **Codes:**

[1] Are you

[2] Is [HHFNAME\_13] [HHLNAME\_13]

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL2\_13  
Value: 1  
IF RESPNUM = 13

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL2\_13  
Value: 2  
IF RESPNUM <> 13

PRELOADACTION: BranchTo  
Next question

### **MSTATFILL2\_13: RadioButton**

MaxValue = 150

**Codes:**

[1] you  
[2] they

**MSTAT\_13: RadioButton**

"[mstatfill1\_13] now married, widowed, divorced, separated, or have [mstatfill2\_13] never been married?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Married] "  
[2] "[CATI UCase: Widowed] "  
[3] "[CATI UCase: Divorced] "  
[4] "[CATI UCase: Separated] "  
[5] "[CATI UCase: Never married] "  
[77] "[CATI UCase: Don't know] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Question ETIMEB  
IF HHAGE\_14 < 13  
Or HHFNAME\_14 Is Empty

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL1\_14  
Value: 1  
IF RESPNUM = 14

PRELOADACTION: SetVariableValue  
Variable: MSTATFILL1\_14  
Value: 2  
IF RESPNUM <> 14

PRELOADACTION: BranchTo  
Next question

**MSTATFILL1\_14: RadioButton**

MaxValue = 150

**Codes:**

[1] Are you

[2] Is [HHFNAME\_14] [HHLNAME\_14]

```
PRELOADACTION: SetVariableValue  
Variable: MSTATFILL2_14  
Value: 1  
IF RESPNUM = 14
```

```
PRELOADACTION: SetVariableValue  
Variable: MSTATFILL2_14  
Value: 2  
IF RESPNUM <> 14
```

```
PRELOADACTION: BranchTo  
Next question
```

**MSTATFILL2\_14: RadioButton**

MaxValue = 150

**Codes:**

[1] you

[2] they

**MSTAT\_14: RadioButton**

"[mstatfill1\_14] now married, widowed, divorced, separated, or have [mstatfill2\_14] never been married?"

MaxValue = 150

**Codes:**

[1] "[CATI UCase: Married] "

[2] "[CATI UCase: Widowed] "

[3] "[CATI UCase: Divorced] "

[4] "[CATI UCase: Separated] "

[5] "[CATI UCase: Never married] "

[77] "[CATI UCase: Don't know] "

```
DISPLAY IF: QUEXMODE =1
```

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: ETIMEB

Value: [\$H]

IF ETIMEB Is Empty

PRELOADACTION: BranchTo

Next question

### **ETIMEB: DateTimeAnswer**

END TIME SECTION B

MaxAnswerLength = 20

MaxValue = 150

PRELOADACTION: SetVariableValue

Variable: ETIMEB\_D

Value: [\$H]

PRELOADACTION: BranchTo

Next question

### **ETIMEB\_D: DateTimeAnswer**

DYNAMIC END TIME SECTION B

MaxAnswerLength = 20

MaxValue = 150

### **ELAPSEDTIMEB: NumericAnswer**

MaxValue = 150

PRELOADACTION: SetVariableValue

Variable: BTIMED

Value: [\$H]

IF BTIMED Is Empty



```
PRELOADACTION: BranchTo  
Next question
```

### **BTIMED: DateTimeAnswer**

BEGIN TIME SECTION D

MaxAnswerLength = 20

MaxValue = 150

```
PRELOADACTION: SetVariableValue  
Variable: BTIMED_D  
Value: [$H]
```

```
PRELOADACTION: BranchTo  
Next question
```

### **BTIMED\_D: DateTimeAnswer**

DYNAMIC BEGIN TIME SECTION D

MaxAnswerLength = 20

MaxValue = 150

```
PRELOADACTION: SetVariableValue  
Variable: QUEXMODE_DBEG  
Value: [QUEXMODE.Code]  
IF QUEXMODE_DBEG Is Empty
```

```
PRELOADACTION: BranchTo  
Next question
```

### **QUEXMODE\_DBEG: RadioButton**

MaxValue = 150

#### **Codes:**

[1] CATI

[2] CAWI

### **TOPPROB1: RadioButton**

"[CATI TEXT: [HANDCARD D1]] ] Which of these issues is the most important for America today?  
[CAWI\_FLOAT2]"

MaxValue = 150

**Codes:**

- [1] "[CATI TEXT: 1. ] Health care"
- [2] "[CATI TEXT: 2. ] Education"
- [3] "[CATI TEXT: 3. ] Crime"
- [4] "[CATI TEXT: 4. ] The environment"
- [5] "[CATI TEXT: 5. ] Immigration"
- [6] "[CATI TEXT: 6. ] The economy"
- [7] "[CATI TEXT: 7. ] Terrorism"
- [8] "[CATI TEXT: 8. ] Poverty"
- [9] "[CATI TEXT: 9. ] None of these[CATI TEXT: , or] "
- [10] "[CATI TEXT: 10. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**TOPPROB2: RadioButton**

"[CATI TEXT: [HANDCARD D1]] ] Which is the next most important?"

MaxValue = 150

**Codes:**

Eliminate Choices Answered at TOPPROB1

- [1] "[CATI TEXT: 1. ] Health care"
- [2] "[CATI TEXT: 2. ] Education"
- [3] "[CATI TEXT: 3. ] Crime"
- [4] "[CATI TEXT: 4. ] The environment"
- [5] "[CATI TEXT: 5. ] Immigration"
- [6] "[CATI TEXT: 6. ] The economy"
- [7] "[CATI TEXT: 7. ] Terrorism"
- [8] "[CATI TEXT: 8. ] Poverty"
- [9] "[CATI TEXT: 9. ] None of these[CATI TEXT: , or] "
- [10] "[CATI TEXT: 10. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**PRIVENT: RadioButton**

"[CATI TEXT: [HANDCARD D2]] ] How much do you agree or disagree with each of these statements?

Private enterprise is the best way to solve America's economic problems."

MaxValue = 150

**Codes:**

[1] [CATI TEXT: 1. ] Agree strongly

[2] [CATI TEXT: 2. ] Agree

[3] [CATI TEXT: 3. ] Neither agree nor disagree

[4] [CATI TEXT: 4. ] Disagree

[5] "[CATI TEXT: 5. ] Disagree strongly[CATI TEXT: , or] "

[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**GOVEQINC: RadioButton**

"[CATI TEXT: [HANDCARD D2]] ( ) How much do you agree or disagree with each of these statements?[CATI TEXT: )]

It is the responsibility of the government to reduce the differences in income between people with high incomes and those with low incomes."

MaxValue = 150

**Codes:**

[1] "[CATI TEXT: 1. ] Agree strongly"

[2] "[CATI TEXT: 2. ] Agree"

[3] "[CATI TEXT: 3. ] Neither agree nor disagree"

[4] "[CATI TEXT: 4. ] Disagree"

[5] "[CATI TEXT: 5. ] Disagree strongly[CATI TEXT: , or] "

[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**IMPORTS: RadioButton**

"[CATI TEXT: [HANDCARD D2]] ( ) How much do you agree or disagree with each of these statements?[CATI TEXT: )]

America should limit the import of foreign products in order to protect its national economy."

MaxValue = 150

**Codes:**

[1] "[CATI TEXT: 1. ] Agree strongly"  
[2] "[CATI TEXT: 2. ] Agree"  
[3] "[CATI TEXT: 3. ] Neither agree nor disagree"  
[4] "[CATI TEXT: 4. ] Disagree"  
[5] "[CATI TEXT: 5. ] Disagree strongly[CATI TEXT: , or] "  
[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**IMMLIMIT: RadioButton**

"[CATI TEXT: [HANDCARD D2]] ( ) How much do you agree or disagree with each of these statements?[CATI TEXT: )]

America should limit immigration in order to protect our national way of life."

MaxValue = 150

**Codes:**

[1] "[CATI TEXT: 1. ] Agree strongly"  
[2] "[CATI TEXT: 2. ] Agree"  
[3] "[CATI TEXT: 3. ] Neither agree nor disagree"  
[4] "[CATI TEXT: 4. ] Disagree"  
[5] "[CATI TEXT: 5. ] Disagree strongly[CATI TEXT: , or] "  
[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**POWORGS: RadioButton**

"[CATI TEXT: [HANDCARD D2]] ( ) How much do you agree or disagree with each of these statements?[CATI TEXT: )]

International organizations are taking away too much power from the American government."

MaxValue = 150

**Codes:**

[1] "[CATI TEXT: 1. ] Agree strongly"  
[2] "[CATI TEXT: 2. ] Agree"  
[3] "[CATI TEXT: 3. ] Neither agree nor disagree"  
[4] "[CATI TEXT: 4. ] Disagree"  
[5] "[CATI TEXT: 5. ] Disagree strongly[CATI TEXT: , or] "  
[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**POSTMAT1: RadioButton**

"[CATI TEXT: [HANDCARD D3]] ] Please tell [CATIFILL3] the one thing you think should be America's highest priority, the most important thing it should do.

America should..."

MaxValue = 150

**Codes:**

[1] "[CATI TEXT: 1. ] Maintain order in the nation"  
[2] "[CATI TEXT: 2. ] Give people more say in government decisions"  
[3] "[CATI TEXT: 3. ] Fight rising prices"  
[4] "[CATI TEXT: 4. ] Protect freedom of speech[CATI TEXT: , or] "  
[5] "[CATI TEXT: 5. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**POSTMAT2: RadioButton**

"[CATI TEXT: [HANDCARD D3]] ] And which one do you think should be America's next highest priority, the second most important thing it should do?

America should..."

MaxValue = 150

**Codes:**

Eliminate Choices Answered at POSTMAT1

[1] "[CATI TEXT: 1. ] Maintain order in the nation"  
[2] "[CATI TEXT: 2. ] Give people more say in government decisions"  
[3] "[CATI TEXT: 3. ] Fight rising prices"  
[4] "[CATI TEXT: 4. ] Protect freedom of speech[CATI TEXT: , or] "  
[5] "[CATI TEXT: 5. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**TRUST5: RadioButton**

"[CATI TEXT: [HANDCARD D4]] ] Generally speaking, would you say that most people can be trusted, or that you can't be too careful in dealing with people? Please tell [CATIFILL3] what you think, where 1 means you can't be too careful and 5 means most people can be trusted."

MaxValue = 150

**Codes:**

[1] "[CATI UCase: 1 You can't be too careful] "  
[2] 2  
[3] 3  
[4] 4  
[5] "[CATI UCase: 5 Most people can be trusted] "  
[6] "[CATI UCase: Can't choose] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**TRRESRCH: RadioButton**

"[CATI TEXT: [HANDCARD D5]] ] On a scale of 0 to 10, how much do you personally trust each of the following institutions? 0 means you do not trust an institution at all, and 10 means you trust it completely.

University research centers"

MaxValue = 150

**Codes:**

```
[0] [CATI UCase: 0 No trust at all]
[1] 1
[2] 2
[3] 3
[4] 4
[5] 5
[6] 6
[7] 7
[8] 8
[9] 9
[10] "[CATI UCase: 10 Complete trust] "
[11] "[CATI UCase: Can't choose] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

### **TRMEDIA: RadioButton**

"[CATI TEXT: [HANDCARD D5]] ( ) On a scale of 0 to 10, how much do you personally trust each of the following institutions? 0 means you do not trust an institution at all, and 10 means you trust it completely.[CATI TEXT: )]

The news media"

MaxValue = 150

#### **Codes:**

```
[0] "[CATI UCase: 0 No trust at all] "
[1] 1
[2] 2
[3] 3
[4] 4
[5] 5
[6] 6
[7] 7
[8] 8
[9] 9
[10] "[CATI UCase: 10 Complete trust] "
[11] "[CATI UCase: Can't choose] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

### **TRBUSIND: RadioButton**

"[CATI TEXT: [HANDCARD D5]] ( ) On a scale of 0 to 10, how much do you personally trust each of the following institutions? 0 means you do not trust an institution at all, and 10 means you trust it completely.[CATI TEXT: )]

Business and industry"

MaxValue = 150

**Codes:**

[0] "[CATI UCase: 0 No trust at all] "

[1] 1

[2] 2

[3] 3

[4] 4

[5] 5

[6] 6

[7] 7

[8] 8

[9] 9

[10] "[CATI UCase: 10 Complete trust] "

[11] "[CATI UCase: Can't choose] [CAWI\_FLOAT3]"

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**TRLEGIS: RadioButton**

"[CATI TEXT: [HANDCARD D5]] ( ) On a scale of 0 to 10, how much do you personally trust each of the following institutions? 0 means you do not trust an institution at all, and 10 means you trust it completely.[CATI TEXT: )]

The U.S. Congress"

MaxValue = 150

**Codes:**

[0] "[CATI UCase: 0 No trust at all] "

[1] 1

[2] 2

[3] 3

[4] 4

[5] 5

[6] 6

[7] 7

[8] 8

[9] 9

[10] "[CATI UCase: 10 Complete trust] "



```
[11] "[CATI UCase: Can't choose] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

### **GRNCON: RadioButton**

"[CATI TEXT: [HANDCARD D6]] ] Generally speaking, how concerned are you about environmental issues? Please tell [CATIFILL3] what you think, where 1 means you are not at all concerned and 5 means you are very concerned."

MaxValue = 150

#### **Codes:**

```
[1] "[CATI UCase: 1 Not at all concerned] "
[2] 2
[3] 3
[4] 4
[5] "[CATI UCase: 5 Very concerned] "
[6] "[CATI UCase: Can't choose] [CAWI_FLOAT3]"
[77] "[CATI UCase: DON'T KNOW] "
DISPLAY IF: QUEXMODE =1
[99] "REFUSED"
DISPLAY IF: QUEXMODE =1
[98] SKIPPED ON WEB
DISPLAY IF: QUEXMODE =2
```

### **ENPRBUS: RadioButton**

"[CATI TEXT: [HANDCARD D7]] ] Here is a list of some different environmental problems.

Which problem, if any, do you think is the most important for America as a whole?"

MaxValue = 150

#### **Codes:**

```
[1] "[CATI TEXT: 1. ] Air pollution"
[2] "[CATI TEXT: 2. ] Chemicals and pesticides"
[3] "[CATI TEXT: 3. ] Water shortage"
[4] "[CATI TEXT: 4. ] Water pollution"
[5] "[CATI TEXT: 5. ] Nuclear waste"
[6] "[CATI TEXT: 6. ] Domestic waste disposal"
[7] "[CATI TEXT: 7. ] Climate change"
[8] "[CATI TEXT: 8. ] Genetically modified foods"
[9] "[CATI TEXT: 9. ] Using up our natural resources"
[10] "[CATI TEXT: 10. ] None of these[CATI TEXT: , or] "
```

[11] "[CATI TEXT: 11. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## **CLMTCAUS: RadioButton**

"[CATI TEXT: [HANDCARD D8]] ] There has been a lot of discussion about the world's climate and the idea it has been changing in recent decades. Which of the following statements comes closest to your opinion?"

MaxValue = 150

### **Codes:**

[1] "[CATI TEXT: 1. ] The world's climate has not been changing"

[2] "[CATI TEXT: 2. ] The world's climate has been changing mostly due to natural processes"

[3] "[CATI TEXT: 3. ] The world's climate has been changing about equally due to natural processes and human activity"

[4] "[CATI TEXT: 4. ] The world's climate has been changing mostly due to human activity[CATI TEXT: , or] "

[5] "[CATI TEXT: 5. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo

Question SCIGRN

IF CLMTCAUS = 1

## **CLMTWRLD: RadioButton**

"[CATI TEXT: [HANDCARD D9]] ] On a scale from 0 to 10, how bad or good do you think the impacts of climate change will be for the world as a whole? 0 means extremely bad, 10 means extremely good."

MaxValue = 150

### **Codes:**

[1] [CATI UCase: 0 Extremely bad]

[2] 1

[3] 2

[4] 3

[5] 4

[6] 5  
[7] 6  
[8] 7  
[9] 8  
[10] 9  
[11] [CATI UCase: 10 Extremely good]  
[12] "[CATI UCase: Can't choose] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **CLMTUSA: RadioButton**

"[CATI TEXT: [HANDCARD D9]] ] On a scale from 0 to 10, how bad or good do you think the impacts of climate change will be for America? 0 means extremely bad, 10 means extremely good."

MaxValue = 150

#### **Codes:**

[1] [CATI UCase: 0 Extremely bad]  
[2] 1  
[3] 2  
[4] 3  
[5] 4  
[6] 5  
[7] 6  
[8] 7  
[9] 8  
[10] 9  
[11] [CATI UCase: 10 Extremely good]  
[12] "[CATI UCase: Can't choose] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **SCIGRN: RadioButton**

"[CATI TEXT: [HANDCARD D10]] ] How much do you agree or disagree with each of these statements?

Modern science will solve our environmental problems with little change to our way of life."

MaxValue = 150

**Codes:**

[1] [CATI TEXT: 1. ] Agree strongly  
[2] [CATI TEXT: 2. ] Agree  
[3] [CATI TEXT: 3. ] Neither agree nor disagree  
[4] [CATI TEXT: 4. ] Disagree  
[5] "[CATI TEXT: 5. ] Disagree strongly[CATI TEXT: , or] "  
[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**GRNECON: RadioButton**

"[CATI TEXT: [HANDCARD D10]] ] (How much do you agree or disagree with each of these statements?)

We worry too much about the future of the environment and not enough about prices and jobs today."

MaxValue = 150

**Codes:**

[1] "[CATI TEXT: 1. ] Agree strongly"  
[2] "[CATI TEXT: 2. ] Agree"  
[3] "[CATI TEXT: 3. ] Neither agree nor disagree"  
[4] "[CATI TEXT: 4. ] Disagree"  
[5] "[CATI TEXT: 5. ] Disagree strongly[CATI TEXT: , or] "  
[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**HARMSGRN: RadioButton**

"[CATI TEXT: [HANDCARD D10]] ] (How much do you agree or disagree with each of these statements?)

Almost everything we do in modern life harms the environment."

MaxValue = 150

**Codes:**

[1] "[CATI TEXT: 1. ] Agree strongly"

[2] "[CATI TEXT: 2. ] Agree"  
[3] "[CATI TEXT: 3. ] Neither agree nor disagree"  
[4] "[CATI TEXT: 4. ] Disagree"  
[5] "[CATI TEXT: 5. ] Disagree strongly[CATI TEXT: , or] "  
[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

## GRNPROG: RadioButton

"[CATI TEXT: [HANDCARD D10]] ] (How much do you agree or disagree with each of these statements?)

People worry too much about human progress harming the environment."

MaxValue = 150

### **Codes:**

[1] "[CATI TEXT: 1. ] Agree strongly"  
[2] "[CATI TEXT: 2. ] Agree"  
[3] "[CATI TEXT: 3. ] Neither agree nor disagree"  
[4] "[CATI TEXT: 4. ] Disagree"  
[5] "[CATI TEXT: 5. ] Disagree strongly[CATI TEXT: , or] "  
[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

## GRWTHELP: RadioButton

"[CATI TEXT: [HANDCARD D10]] ] And please tell [CATIFILL3] for each of these statements, how much you agree or disagree with it.

In order to protect the environment America needs economic growth."

MaxValue = 150

### **Codes:**

[1] "[CATI TEXT: 1. ] Agree strongly"  
[2] "[CATI TEXT: 2. ] Agree"  
[3] "[CATI TEXT: 3. ] Neither agree nor disagree"  
[4] "[CATI TEXT: 4. ] Disagree"

[5] "[CATI TEXT: 5. ] Disagree strongly[CATI TEXT: , or] "  
[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **GRWTHARM: RadioButton**

"[CATI TEXT: [HANDCARD D10]] ] (And please tell [CATIFILL3] for each of these statements, how much you agree or disagree with it.)

Economic growth always harms the environment."

MaxValue = 150

#### **Codes:**

[1] "[CATI TEXT: 1. ] Agree strongly"  
[2] "[CATI TEXT: 2. ] Agree"  
[3] "[CATI TEXT: 3. ] Neither agree nor disagree"  
[4] "[CATI TEXT: 4. ] Disagree"  
[5] "[CATI TEXT: 5. ] Disagree strongly[CATI TEXT: , or] "  
[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **GRNPRICE: RadioButton**

"[CATI TEXT: [HANDCARD D11]] ] How willing would you be to pay much higher prices in order to protect the environment?"

MaxValue = 150

#### **Codes:**

[1] [CATI TEXT: 1. ] Very willing  
[2] [CATI TEXT: 2. ] Fairly willing  
[3] [CATI TEXT: 3. ] Neither willing nor unwilling  
[4] [CATI TEXT: 4. ] Fairly unwilling  
[5] "[CATI TEXT: 5. ] Very unwilling[CATI TEXT: , or] "  
[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### GRNTAXES: RadioButton

"[CATI TEXT: [HANDCARD D11]] ] And how willing would you be to pay much higher taxes in order to protect the environment?"

MaxValue = 150

#### Codes:

[1] [CATI TEXT: 1. ] Very willing  
[2] [CATI TEXT: 2. ] Fairly willing  
[3] [CATI TEXT: 3. ] Neither willing nor unwilling  
[4] [CATI TEXT: 4. ] Fairly unwilling  
[5] "[CATI TEXT: 5. ] Very unwilling[CATI TEXT: , or] "  
[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### GRNSOL: RadioButton

"[CATI TEXT: [HANDCARD D11]] ] And how willing would you be to accept cuts in your standard of living in order to protect the environment?"

MaxValue = 150

#### Codes:

[1] [CATI TEXT: 1. ] Very willing  
[2] [CATI TEXT: 2. ] Fairly willing  
[3] [CATI TEXT: 3. ] Neither willing nor unwilling  
[4] [CATI TEXT: 4. ] Fairly unwilling  
[5] "[CATI TEXT: 5. ] Very unwilling[CATI TEXT: , or] "  
[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### NATURDEV: RadioButton

"[CATI TEXT: [HANDCARD D11]] ] How willing would you be to accept a reduction in the size of America's protected nature areas, in order to open them up for economic development?"

MaxValue = 150

**Codes:**

[1] [CATI TEXT: 1. ] Very willing  
[2] [CATI TEXT: 2. ] Fairly willing  
[3] [CATI TEXT: 3. ] Neither willing nor unwilling  
[4] [CATI TEXT: 4. ] Fairly unwilling  
[5] "[CATI TEXT: 5. ] Very unwilling[CATI TEXT: , or] "  
[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**TOODIFME: RadioButton**

"[CATI TEXT: [HANDCARD D12]] ] How much do you agree or disagree with each of these statements?

It is just too difficult for someone like me to do much about the environment."

MaxValue = 150

**Codes:**

[1] [CATI TEXT: 1. ] Agree strongly  
[2] [CATI TEXT: 2. ] Agree  
[3] [CATI TEXT: 3. ] Neither agree nor disagree  
[4] [CATI TEXT: 4. ] Disagree  
[5] "[CATI TEXT: 5. ] Disagree strongly[CATI TEXT: , or] "  
[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**IHLPGRN: RadioButton**

"[CATI TEXT: [HANDCARD D12]] ] (How much do you agree or disagree with each of these statements?)

I do what is right for the environment, even when it costs more money or takes more time."



MaxValue = 150

**Codes:**

- [1] "[CATI TEXT: 1. ] Agree strongly"
- [2] "[CATI TEXT: 2. ] Agree"
- [3] "[CATI TEXT: 3. ] Neither agree nor disagree"
- [4] "[CATI TEXT: 4. ] Disagree"
- [5] "[CATI TEXT: 5. ] Disagree strongly[CATI TEXT: , or] "
- [6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**IMPGRN: RadioButton**

"[CATI TEXT: [HANDCARD D12]] ] (How much do you agree or disagree with each of these statements?)

There are more important things to do in life than protect the environment."

MaxValue = 150

**Codes:**

- [1] "[CATI TEXT: 1. ] Agree strongly"
- [2] "[CATI TEXT: 2. ] Agree"
- [3] "[CATI TEXT: 3. ] Neither agree nor disagree"
- [4] "[CATI TEXT: 4. ] Disagree"
- [5] "[CATI TEXT: 5. ] Disagree strongly[CATI TEXT: , or] "
- [6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**OTHSSAME: RadioButton**

"[CATI TEXT: [HANDCARD D12]] ] (How much do you agree or disagree with each of these statements?)

There is no point in doing what I can for the environment unless others do the same."

MaxValue = 150

**Codes:**

[1] "[CATI TEXT: 1. ] Agree strongly"  
[2] "[CATI TEXT: 2. ] Agree"  
[3] "[CATI TEXT: 3. ] Neither agree nor disagree"  
[4] "[CATI TEXT: 4. ] Disagree"  
[5] "[CATI TEXT: 5. ] Disagree strongly[CATI TEXT: , or] "  
[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**GRNEXAGG: RadioButton**

"[CATI TEXT: [HANDCARD D12]] ] (How much do you agree or disagree with each of these statements?)

Many of the claims about environmental threats are exaggerated."

MaxValue = 150

**Codes:**

[1] "[CATI TEXT: 1. ] Agree strongly"  
[2] "[CATI TEXT: 2. ] Agree"  
[3] "[CATI TEXT: 3. ] Neither agree nor disagree"  
[4] "[CATI TEXT: 4. ] Disagree"  
[5] "[CATI TEXT: 5. ] Disagree strongly[CATI TEXT: , or] "  
[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**HELPHARM: RadioButton**

"[CATI TEXT: [HANDCARD D12]] ] (How much do you agree or disagree with each of these statements?)

I find it hard to know whether the way I live is helpful or harmful to the environment."

MaxValue = 150

**Codes:**

[1] "[CATI TEXT: 1. ] Agree strongly"  
[2] "[CATI TEXT: 2. ] Agree"  
[3] "[CATI TEXT: 3. ] Neither agree nor disagree"  
[4] "[CATI TEXT: 4. ] Disagree"  
[5] "[CATI TEXT: 5. ] Disagree strongly[CATI TEXT: , or] "  
[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **GRNEFFME: RadioButton**

"[CATI TEXT: [HANDCARD D12]] ] (How much do you agree or disagree with each of these statements?)

Environmental problems have a direct effect on my everyday life."

MaxValue = 150

#### **Codes:**

[1] "[CATI TEXT: 1. ] Agree strongly"  
[2] "[CATI TEXT: 2. ] Agree"  
[3] "[CATI TEXT: 3. ] Neither agree nor disagree"  
[4] "[CATI TEXT: 4. ] Disagree"  
[5] "[CATI TEXT: 5. ] Disagree strongly[CATI TEXT: , or] "  
[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **CARSGEN: RadioButton**

"[CATI TEXT: [HANDCARD D13]] ] In general, do you think that air pollution caused by cars is..."

MaxValue = 150

#### **Codes:**

[1] [CATI TEXT: 1. ] Extremely dangerous for the environment  
[2] [CATI TEXT: 2. ] Very dangerous  
[3] [CATI TEXT: 3. ] Somewhat dangerous  
[4] [CATI TEXT: 4. ] Not very dangerous  
[5] "[CATI TEXT: 5. ] Not dangerous at all for the environment[CATI TEXT: , or] "

[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## INDUSGEN1: RadioButton

"[CATI TEXT: [HANDCARD D13]] ] In general, do you think that air pollution caused by industry is..."

MaxValue = 150

### Codes:

[1] [CATI TEXT: 1. ] Extremely dangerous for the environment

[2] [CATI TEXT: 2. ] Very dangerous

[3] [CATI TEXT: 3. ] Somewhat dangerous

[4] [CATI TEXT: 4. ] Not very dangerous

[5] "[CATI TEXT: 5. ] Not dangerous at all for the environment[CATI TEXT: , or] "

[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## CHEMGEN1: RadioButton

"[CATI TEXT: [HANDCARD D13]] ] And do you think that pesticides and chemicals used in farming are..."

MaxValue = 150

### Codes:

[1] [CATI TEXT: 1. ] Extremely dangerous for the environment

[2] [CATI TEXT: 2. ] Very dangerous

[3] [CATI TEXT: 3. ] Somewhat dangerous

[4] [CATI TEXT: 4. ] Not very dangerous

[5] "[CATI TEXT: 5. ] Not dangerous at all for the environment[CATI TEXT: , or] "

[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## **WATERGEN1: RadioButton**

"[CATI TEXT: [HANDCARD D13]] ] And do you think that pollution of America's rivers, lakes and streams is..."

MaxValue = 150

### **Codes:**

[1] [CATI TEXT: 1. ] Extremely dangerous for the environment  
[2] [CATI TEXT: 2. ] Very dangerous  
[3] [CATI TEXT: 3. ] Somewhat dangerous  
[4] [CATI TEXT: 4. ] Not very dangerous  
[5] "[CATI TEXT: 5. ] Not dangerous at all for the environment[CATI TEXT: , or] "  
[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

## **TEMPGEN1: RadioButton**

"[CATI TEXT: [HANDCARD D13]] ] In general, do you think that a rise in the world's temperature caused by climate change is..."

MaxValue = 150

### **Codes:**

[1] [CATI TEXT: 1. ] Extremely dangerous for the environment  
[2] [CATI TEXT: 2. ] Very dangerous  
[3] [CATI TEXT: 3. ] Somewhat dangerous  
[4] [CATI TEXT: 4. ] Not very dangerous  
[5] "[CATI TEXT: 5. ] Not dangerous at all for the environment[CATI TEXT: , or] "  
[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

## **GENEGEN1: RadioButton**

"[CATI TEXT: [HANDCARD D13]] ] And do you think that modifying the genes of certain crops is..."

MaxValue = 150

**Codes:**

[1] [CATI TEXT: 1. ] Extremely dangerous for the environment  
[2] [CATI TEXT: 2. ] Very dangerous  
[3] [CATI TEXT: 3. ] Somewhat dangerous  
[4] [CATI TEXT: 4. ] Not very dangerous  
[5] "[CATI TEXT: 5. ] Not dangerous at all for the environment[CATI TEXT: , or] "  
[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**NUKEGEN1: RadioButton**

"[CATI TEXT: [HANDCARD D13]] ] And do you think that nuclear power stations are..."

MaxValue = 150

**Codes:**

[1] [CATI TEXT: 1. ] Extremely dangerous for the environment  
[2] [CATI TEXT: 2. ] Very dangerous  
[3] [CATI TEXT: 3. ] Somewhat dangerous  
[4] [CATI TEXT: 4. ] Not very dangerous  
[5] "[CATI TEXT: 5. ] Not dangerous at all for the environment[CATI TEXT: , or] "  
[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**BUSGRN: RadioButton**

"[CATI TEXT: [HANDCARD D14]] ] Which of these approaches do you think would be the best way of getting business and industry in America to protect the environment?"

MaxValue = 150

**Codes:**

[1] [CATI TEXT: 1. ] Heavy fines for businesses that damage the environment  
[2] [CATI TEXT: 2. ] Use the tax system to reward businesses that protect the environment  
[3] "[CATI TEXT: 3. ] More information and education for businesses about the advantages of protecting the environment[CATI TEXT: , or] "

[4] "[CATI TEXT: 4. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## PEOPGRN: RadioButton

"[CATI TEXT: [HANDCARD D15]] ] Which of these approaches do you think would be the best way of getting people and their families in America to protect the environment?"

MaxValue = 150

### Codes:

[1] [CATI TEXT: 1. ] Heavy fines for people who damage the environment

[2] [CATI TEXT: 2. ] Use the tax system to reward people who protect the environment

[3] "[CATI TEXT: 3. ] More information and education for people about the advantages of protecting the environment[CATI TEXT: , or] "

[4] "[CATI TEXT: 4. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## ENJOYNAT: RadioButton

"[CATI TEXT: [HANDCARD D16]] ] How much, if at all, do you enjoy being outside in nature?"

MaxValue = 150

### Codes:

[1] [CATI TEXT: 1. ] Not at all

[2] [CATI TEXT: 2. ] To a small extent

[3] [CATI TEXT: 3. ] To some extent

[4] [CATI TEXT: 4. ] To a great extent

[5] "[CATI TEXT: 5. ] To a very great extent[CATI TEXT: , or] "

[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## ACTIVNAT: RadioButton

"[CATI TEXT: [HANDCARD D17]] ] In the last twelve months how often, if at all, have you engaged in any leisure activities outside in nature, such as hiking, bird watching, swimming, skiing, other outdoor activities or just relaxing?"

MaxValue = 150

### **Codes:**

[1] [CATI TEXT: 1. ] Daily  
[2] [CATI TEXT: 2. ] Several times a week  
[3] [CATI TEXT: 3. ] Several times a month  
[4] [CATI TEXT: 4. ] Several times a year  
[5] "[CATI TEXT: 5. ] Never[CATI TEXT: , or] "  
[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

## PLANETRP: NumericAnswer

"In the last twelve months, how many trips did you make by plane? Count outward and return journeys, including transfers, as one trip.

"

MinValue = 0 MaxValue = 996

### **Codes:**

[777] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[999] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[998] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue  
Variable: PLANETRP  
Value: 998  
IF PLANETRP Is Empty

## CARHR: NumericAnswer

"In a typical week, about how many hours do you spend in a car or another motor vehicle, including



motorcycles, trucks, and vans, but not counting public transport? Do not include shared rides in buses, collective taxis, or carpooling services such as Uber Pool and Lyft Share.

"

MinValue = 0 MaxValue = 168

**Codes:**

[777] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[999] "REFUSED"

DISPLAY IF: QUEXMODE =1

[998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: CARHR

Value: 998

IF CARHR Is Empty

**EATMEAT: RadioButton**

"[CATI TEXT: [HANDCARD D18]] ] In a typical week, on how many days do you eat beef, lamb, or products that contain them?"

MaxValue = 168

**Codes:**

[1] [CATI UCase: 0]

[2] [CATI UCase: 1]

[3] [CATI UCase: 2]

[4] [CATI UCase: 3]

[5] [CATI UCase: 4]

[6] [CATI UCase: 5]

[7] [CATI UCase: 6]

[8] [CATI UCase: 7]

[9] "[CATI UCase: Can't choose] [CAWI\_FLOAT3]"

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**NUMROOMS: NumericAnswer**

"How many rooms are there in your home (apartment or house)? Do not count any separate kitchens, bathrooms, garages, balconies, hallways or cupboards.

"

MinValue = 0 MaxValue = 99

**Codes:**

[777] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[999] "REFUSED"

DISPLAY IF: QUEXMODE =1

[998] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: NUMROOMS

Value: 998

IF NUMROOMS Is Empty

**RECYCLE: RadioButton**

"[CATI TEXT: [HANDCARD D19]] ] How often do you make a special effort to sort glass or cans or plastic or newspapers and so on for recycling?[CAWI\_FLOAT2]"

MaxValue = 99

**Codes:**

[1] "[CATI TEXT: 1. ] Always"

[2] "[CATI TEXT: 2. ] Often"

[3] "[CATI TEXT: 3. ] Sometimes[CATI TEXT: , or] "

[4] "[CATI TEXT: 4. ] Never[CATI TEXT: ?] "

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

[5] "[CATI TEXT: 5. ] [CATI UCase: (Recycling not available where I live)] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

**NOBUYGRN: RadioButton**

"[CATI TEXT: [HANDCARD D19]] ] And how often do you avoid buying certain products for environmental reasons?"

MaxValue = 99

**Codes:**

[1] [CATI TEXT: 1. ] Always

[2] [CATI TEXT: 2. ] Often  
[3] "[CATI TEXT: 3. ] Sometimes[CATI TEXT: , or] "  
[4] [CATI TEXT: 4. ] Never[CATI TEXT: ?]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **GRNGROUP: RadioButton**

Are you a member of any group whose main aim is to preserve or protect the environment?

MaxValue = 99

#### **Codes:**

[1] [CATI UCase: Yes]  
[2] [CATI UCase: No]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **GRNSIGN: RadioButton**

"In the last five years, have you signed a petition about an environmental issue?"

MaxValue = 99

#### **Codes:**

[1] "[CATI UCase: Yes, I have] "  
[2] [CATI UCase: No I have not]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **GRNMONEY: RadioButton**

"In the last five years, have you given money to an environmental group?"

MaxValue = 99

**Codes:**

[1] "[CATI UCase: Yes, I have] "  
[2] [CATI UCase: No I have not]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**GRNDEMO: RadioButton**

"In the last five years, have you taken part in a protest or demonstration about an environmental issue?"

MaxValue = 99

**Codes:**

[1] "[CATI UCase: Yes, I have] "  
[2] [CATI UCase: No I have not]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**AIRPOLLU: RadioButton**

"[CATI TEXT: [HANDCARD D20]] ] Thinking about your neighborhood, to what extent, if at all, was it affected by the following things over the last twelve months?

Air pollution"

MaxValue = 99

**Codes:**

[1] [CATI TEXT: 1. ] Not at all  
[2] [CATI TEXT: 2. ] To a small extent  
[3] [CATI TEXT: 3. ] To some extent  
[4] [CATI TEXT: 4. ] To a great extent  
[5] "[CATI TEXT: 5. ] To a very great extent[CATI TEXT: , or] "  
[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **WTRPOLLU: RadioButton**

"[CATI TEXT: [HANDCARD D20]] ] (Thinking about your neighborhood, to what extent, if at all, was it affected by the following things over the last twelve months?)

Water pollution"

MaxValue = 99

#### **Codes:**

[1] "[CATI TEXT: 1. ] Not at all"  
[2] "[CATI TEXT: 2. ] To a small extent"  
[3] "[CATI TEXT: 3. ] To some extent"  
[4] "[CATI TEXT: 4. ] To a great extent"  
[5] "[CATI TEXT: 5. ] To a very great extent[CATI TEXT: , or] "  
[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **EXWEATHR: RadioButton**

"[CATI TEXT: [HANDCARD D20]] ] (Thinking about your neighborhood, to what extent, if at all, was it affected by the following things over the last twelve months?)

Extreme weather events (such as severe storms, droughts, floods, heat waves, cold snaps, etc.)"

MaxValue = 99

#### **Codes:**

[1] "[CATI TEXT: 1. ] Not at all"  
[2] "[CATI TEXT: 2. ] To a small extent"  
[3] "[CATI TEXT: 3. ] To some extent"  
[4] "[CATI TEXT: 4. ] To a great extent"  
[5] "[CATI TEXT: 5. ] To a very great extent[CATI TEXT: , or] "  
[6] "[CATI TEXT: 6. ] Can't choose[CATI TEXT: ?] [CAWI\_FLOAT3]"  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

```
PRELOADACTION: SetVariableValue
Variable: QUEXMODE_DEND
Value: [QUEXMODE.Code]
IF QUEXMODE_DEND Is Empty
```

```
PRELOADACTION: BranchTo
Next question
```

### **QUEXMODE\_DEND: RadioButton**

MaxValue = 99

#### **Codes:**

[1] CATI  
[2] CAWI

```
PRELOADACTION: SetVariableValue
Variable: ETIMED
Value: [$H]
IF ETIMED Is Empty
```

```
PRELOADACTION: BranchTo
Next question
```

### **ETIMED: DateTimeAnswer**

BEGIN TIME SECTION D

MaxAnswerLength = 20

MaxValue = 99

```
PRELOADACTION: SetVariableValue
Variable: ETIMED_D
Value: [$H]
```

```
PRELOADACTION: BranchTo
Next question
```

### **ETIMED\_D: DateTimeAnswer**

DYNAMIC BEGIN TIME SECTION D

MaxAnswerLength = 20

MaxValue = 99

### **ELAPSEDTIMED: NumericAnswer**

MaxValue = 99

```
PRELOADACTION: SetVariableValue  
Variable: BTIMEF  
Value: [$H]  
IF BTIMEF Is Empty
```

```
PRELOADACTION: BranchTo  
Next question
```

### **BTIMEF: DateTimeAnswer**

BEGIN TIME SECTION F

MaxAnswerLength = 20

MaxValue = 99

```
PRELOADACTION: SetVariableValue  
Variable: BTIMEF_D  
Value: [$H]
```

```
PRELOADACTION: BranchTo  
Next question
```

### **BTIMEF\_D: DateTimeAnswer**

DYNAMIC BEGIN TIME SECTION F

MaxAnswerLength = 20

MaxValue = 99

### **QUALLIFE: RadioButton**

"[CATI TEXT: [HANDCARD F1]] ] In general, would you say your quality of life is:"

MaxValue = 99

**Codes:**

- [1] "[CATI TEXT: 1. ] Excellent"
- [2] "[CATI TEXT: 2. ] Very good"
- [3] "[CATI TEXT: 3. ] Good"
- [4] "[CATI TEXT: 4. ] Fair[CATI TEXT: , or] "
- [5] "[CATI TEXT: 5. ] Poor[CATI TEXT: ?] "
- [77] "DON'T KNOW"

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**HLTHPHYS: RadioButton**

"[CATI TEXT: [HANDCARD F1]] ] In general, how would you rate your physical health?"

MaxValue = 99

**Codes:**

- [1] "[CATI TEXT: 1. ] Excellent"
- [2] "[CATI TEXT: 2. ] Very good"
- [3] "[CATI TEXT: 3. ] Good"
- [4] "[CATI TEXT: 4. ] Fair[CATI TEXT: , or] "
- [5] "[CATI TEXT: 5. ] Poor[CATI TEXT: ?] "
- [77] "DON'T KNOW"

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**HLTHMNTL: RadioButton**

"[CATI TEXT: [HANDCARD F1]] ] In general, how would you rate your mental health, including your mood and your ability to think?"

MaxValue = 99

**Codes:**

- [1] "[CATI TEXT: 1. ] Excellent"
- [2] "[CATI TEXT: 2. ] Very good"
- [3] "[CATI TEXT: 3. ] Good"
- [4] "[CATI TEXT: 4. ] Fair[CATI TEXT: , or] "



[5] "[CATI TEXT: 5. ] Poor[CATI TEXT: ?] "  
[77] "DON'T KNOW"

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **SATSOC: RadioButton**

"[CATI TEXT: [HANDCARD F1]] ] In general, how would you rate your satisfaction with your social activities and relationships?"

MaxValue = 99

#### **Codes:**

[1] "[CATI TEXT: 1. ] Excellent"

[2] "[CATI TEXT: 2. ] Very good"

[3] "[CATI TEXT: 3. ] Good"

[4] "[CATI TEXT: 4. ] Fair[CATI TEXT: , or] "

[5] "[CATI TEXT: 5. ] Poor[CATI TEXT: ?] "

[77] "DON'T KNOW"

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **ACTSSOC: RadioButton**

"[CATI TEXT: [HANDCARD F1]] ] In general, please rate how well you carry out your usual social activities and roles. (This includes activities at home, at work and in your community, and responsibilities as a parent, child, spouse, employee, friend, etc.)"

MaxValue = 99

#### **Codes:**

[1] "[CATI TEXT: 1. ] Excellent"

[2] "[CATI TEXT: 2. ] Very good"

[3] "[CATI TEXT: 3. ] Good"

[4] "[CATI TEXT: 4. ] Fair[CATI TEXT: , or] "

[5] "[CATI TEXT: 5. ] Poor[CATI TEXT: ?] "

[77] "DON'T KNOW"

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## PHYSACTS: RadioButton

"[CATI TEXT: [HANDCARD F2]]

To what extent are you able to carry out your everyday physical activities such as walking, climbing stairs, carrying groceries, or moving a chair?"

MaxValue = 99

### **Codes:**

[1] [CATI TEXT: 1. ] Completely  
[2] [CATI TEXT: 2. ] Mostly  
[3] [CATI TEXT: 3. ] Moderately  
[4] "[CATI TEXT: 4. ] A little[CATI TEXT: , or] "  
[5] [CATI TEXT: 5. ] Not at all[CATI TEXT: ?]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## EMOPROBS: RadioButton

"[CATI TEXT: [HANDCARD F3]] ] In the past 7 days...

How often have you been bothered by emotional problems such as feeling anxious, depressed or irritable?"

MaxValue = 99

### **Codes:**

[1] "[CATI TEXT: 1. ] Never"  
[2] "[CATI TEXT: 2. ] Rarely"  
[3] "[CATI TEXT: 3. ] Sometimes"  
[4] "[CATI TEXT: 4. ] Often[CATI TEXT: , or] "  
[5] "[CATI TEXT: 5. ] Always[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## FATIGUE: RadioButton

"[CATI TEXT: [HANDCARD F4]] ] In the past 7 days...

How would you rate your fatigue on average?"

MaxValue = 99

**Codes:**

[1] "[CATI TEXT: 1. ] None"  
[2] "[CATI TEXT: 2. ] Mild"  
[3] "[CATI TEXT: 3. ] Moderate"  
[4] "[CATI TEXT: 4. ] Severe[CATI TEXT: , or] "  
[5] "[CATI TEXT: 5. ] Very severe[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**RATEPAIN1: ChoiceGrid**

"[CATI TEXT: [HANDCARD F5]] ] In the past 7 days...  
[CATI TEXT: On a scale from 0 to 10, with 0 meaning no pain and 10 being the worst imaginable pain,  
h] [WEB TEXT: H] ow would you rate your pain on average?  
[CATI TEXT:  
ENTER THE RESPONDENT'S ANSWER, 0-10:] "

MaxValue = 99

**Codes:**

[0] "

0

"

[1] "

1

"

[2] "

2

"

[3] "

3

"

[4] "

4

"

[5] "

5

"

[6] "

6

"

[7] "

7

"

[8] "

8

```
"
[9] "
9
"
[10] "
10
"
[77] "
[CATI UCase: DON'T KNOW]
"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "
REFUSED
"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: SetVariableValue
Variable: ETIMEF
Value: [$H]
IF ETIMEF Is Empty
```

```
PRELOADACTION: BranchTo
Next question
```

### **ETIMEF: DateTimeAnswer**

END TIME SECTION F

MaxAnswerLength = 20

MaxValue = 99

```
PRELOADACTION: SetVariableValue
Variable: ETIMEF_D
Value: [$H]
```

```
PRELOADACTION: BranchTo
Next question
```

### **ETIMEF\_D: DateTimeAnswer**

DYNAMIC END TIME SECTION F

MaxAnswerLength = 20

MaxValue = 99

### **ELAPSEDTIMEF: NumericAnswer**

"[CATI TEXT: [HAND CARD F5]] ] En los últimos 7 días...  
[CATI TEXT: En una escala del 0 al 10, donde 0 quiere decir que usted no tiene ningún dolor y 10 quiere decir que tiene el peor dolor que puede imaginarse,¿c] [WEB TEXT: C] ómo calificaría el nivel de dolor que usted siente, en promedio?

[CATI TEXT:  
ENTER THE RESPONDENT'S ANSWER, 0-10:] "

MaxValue = 99

PRELOADACTION: SetVariableValue  
Variable: BTIMEH  
Value: [\$H]  
IF BTIMEH Is Empty

PRELOADACTION: BranchTo  
Next question

### **BTIMEH: DateTimeAnswer**

BEGIN TIME SECTION H

MaxAnswerLength = 20

MaxValue = 99

PRELOADACTION: SetVariableValue  
Variable: BTIMEH\_D  
Value: [\$H]

PRELOADACTION: BranchTo  
Next question

### **BTIMEH\_D: DateTimeAnswer**

DYNAMIC BEGIN TIME SECTION H

MaxAnswerLength = 20

MaxValue = 99

PRELOADACTION: BranchTo  
Next question  
IF RELIG <> 4

### **NORELGSP: RadioButton**

"Do you consider yourself to be atheist, agnostic, something else, or nothing in particular?"

MaxValue = 99

**Codes:**

[1] "[CATI UCase: Atheist] "  
[2] "[CATI UCase: Agnostic] "  
[3] "[CATI UCase: Something else] "  
[4] "[CATI UCase: Nothing in particular] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = Y

PRELOADACTION: BranchTo

Next question

IF V01(RELIG=1 OR IVQRELIG=1 OR CHRISTCH=1)==0

**EVANGCLX: RadioButton**

"Would you describe yourself as a ""born again"" or evangelical Christian, or not?"

MaxValue = 99

**Codes:**

[1] [CATI UCase: Yes]  
[2] [CATI UCase: No]  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = X

PRELOADACTION: BranchTo

Next question

IF V01(RELIG=1 OR IVQRELIG=1 OR CHRISTCH=1)==0

**EVANGCLY: RadioButton**

"Would you describe yourself as an evangelical Christian, or not?"

MaxValue = 99

**Codes:**

[1] [CATI UCase: Yes]

[2] [CATI UCase: No]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**RELIGIMP: RadioButton**

"How important is religion in your life[CATI TEXT: -- very important, somewhat important, not too important, or not at all important] ?"

MaxValue = 99

**Codes:**

[1] "[CATI UCase: Very important] "

[2] "[CATI UCase: Somewhat important] "

[3] "[CATI UCase: Not too important] "

[4] "[CATI UCase: Not at all important] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: H2AFILL

Value: 10

PRELOADACTION: SetVariableValue

Variable: H2AFILL

Value: 1

IF RELIG = 1

Or IVQRELIG = 1

Or RELIG = 5

Or CHRISTCH = 1

PRELOADACTION: SetVariableValue

Variable: H2AFILL

Value: 2

IF RELIG = 2

PRELOADACTION: SetVariableValue

Variable: H2AFILL  
Value: 3  
IF RELIG = 3

PRELOADACTION: SetVariableValue  
Variable: H2AFILL  
Value: 4  
IF RELIG = 6

PRELOADACTION: SetVariableValue  
Variable: H2AFILL  
Value: 5  
IF RELIG = 7

PRELOADACTION: SetVariableValue  
Variable: H2AFILL  
Value: 6  
IF RELIG = 8

PRELOADACTION: SetVariableValue  
Variable: H2AFILL  
Value: 7  
IF NORELGSP = 1

PRELOADACTION: SetVariableValue  
Variable: H2AFILL  
Value: 8  
IF NORELGSP = 2

PRELOADACTION: SetVariableValue  
Variable: H2AFILL  
Value: 9  
IF "NORELGSP=3,4,77,99,98

PRELOADACTION: BranchTo  
Next question

## **H2AFILL: RadioButton**

MaxValue = 99

### **Codes:**

- [1] a Christian
- [2] a Catholic
- [3] a Jew
- [4] a Buddhist
- [5] a Hindu
- [6] a Muslim
- [7] an atheist
- [8] an agnostic
- [9] someone who does not identify with a religion
- [10] a member of your religion



PRELOADACTION: SetVariableValue  
Variable: H2BFILL  
Value: [H2AFILL.Code]

PRELOADACTION: BranchTo  
Next question

## H2BFILL: RadioButton

MaxValue = 99

### **Codes:**

- [1] Christian
- [2] Catholic
- [3] Jew
- [4] Buddhist
- [5] Hindu
- [6] Muslim
- [7] atheist
- [8] agnostic
- [9] non-religious
- [10]

PRELOADACTION: SetVariableValue  
Variable: H2CFILL  
Value: [H2AFILL.Code]

PRELOADACTION: BranchTo  
Next question

## H2CFILL: RadioButton

MaxValue = 99

### **Codes:**

- [1] Christians
- [2] Catholics
- [3] Jews
- [4] Buddhists
- [5] Hindus
- [6] Muslims
- [7] atheists
- [8] agnostics
- [9] people who do not identify with a religion

[10] your religion

### **RELIDIMP: RadioButton**

"[CATI TEXT: [HANDCARD H1]] ] When thinking about religion, how important is being [h2afill] to you?"

MaxValue = 99

#### **Codes:**

[1] "[CATI TEXT: 1. ] Extremely important"  
[2] "[CATI TEXT: 2. ] Very important"  
[3] "[CATI TEXT: 3. ] Somewhat important"  
[4] "[CATI TEXT: 4. ] Not very important[CATI TEXT: , or] "  
[5] "[CATI TEXT: 5. ] Not important at all[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Question RELIDWE

IF H2AFILL = 10

### **RELIDESC: RadioButton**

"[CATI TEXT: [HANDCARD H2]] ] How well does the term [h2bfill] describe you?"

MaxValue = 99

#### **Codes:**

[1] "[CATI TEXT: 1. ] Extremely well"  
[2] "[CATI TEXT: 2. ] Very well"  
[3] "[CATI TEXT: 3. ] Somewhat well"  
[4] "[CATI TEXT: 4. ] Not very well[CATI TEXT: , or] "  
[5] "[CATI TEXT: 5. ] Not at all[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **RELIDWE: RadioButton**

"[CATI TEXT: [HANDCARD H3]] ] When talking about [h2cfill], how often do you say ""we"" instead of ""they""?"

MaxValue = 99

**Codes:**

- [1] "[CATI TEXT: 1. ] Never"
- [2] "[CATI TEXT: 2. ] Rarely"
- [3] "[CATI TEXT: 3. ] Some of the time"
- [4] "[CATI TEXT: 4. ] Most of the time[CATI TEXT: , or] "
- [5] "[CATI TEXT: 5. ] All of the time[CATI TEXT: ?] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**RELIDINS: RadioButton**

"If someone criticized [h2cfill], to what extent would it feel like a personal insult?"

MaxValue = 99

**Codes:**

- [1] A great deal
- [2] Somewhat
- [3] "Very little[CATI TEXT: , or] "
- [4] "Not at all[CATI TEXT: ?] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Question H4ORDER  
IF V01(RELIG=1 OR IVQRELIG=1 OR CHRISTCH=1)==0

PRELOADACTION: Selection

PRELOADACTION: Selection

PRELOADACTION: Selection

PRELOADACTION: Selection

PRELOADACTION: BranchTo  
Next question

### **H3ORDER: CheckBox**

Order of CHRST questions based on RANDORDER2

MaxValue = 99

#### **Codes:**

[1] The Bible is the highest authority for what I believe.

[2] It is very important for me personally to encourage non-Christians to accept Jesus Christ as their Savior.

[3] Jesus Christ's death on the cross is the only sacrifice that could remove the penalty of my sin.

[4] Only those who accept Jesus Christ alone as their Savior can achieve eternal salvation.

### **H3\_Q1: RadioButton**

"[CATI TEXT: [HANDCARD H4]] ] Please indicate how much you agree or disagree with the following statement.

[H3ORDER(1)]"

MaxValue = 99

#### **Codes:**

[1] "[CATI UCase: [CATI TEXT: 1. ] Strongly agree] "

[2] "[CATI UCase: [CATI TEXT: 2. ] Agree] "

[3] "[CATI UCase: [CATI TEXT: 3. ] Neither agree nor disagree] "

[4] "[CATI UCase: [CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "

[5] "[CATI UCase: [CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **H3\_Q2: RadioButton**

"[CATI TEXT: [HANDCARD H4]] ] (Please indicate how much you agree or disagree with the following statement.)

[H3ORDER(2)]"

MaxValue = 99

#### **Codes:**

[1] "[CATI UCase: [CATI TEXT: 1. ] Strongly agree] "

[2] "[CATI UCase: [CATI TEXT: 2. ] Agree] "  
[3] "[CATI UCase: [CATI TEXT: 3. ] Neither agree nor disagree] "  
[4] "[CATI UCase: [CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "  
[5] "[CATI UCase: [CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### H3\_Q3: RadioButton

"[CATI TEXT: [HANDCARD H4]] ] (Please indicate how much you agree or disagree with the following statement.)

[H3ORDER(3)]"

MaxValue = 99

#### **Codes:**

[1] "[CATI UCase: [CATI TEXT: 1. ] Strongly agree] "  
[2] "[CATI UCase: [CATI TEXT: 2. ] Agree] "  
[3] "[CATI UCase: [CATI TEXT: 3. ] Neither agree nor disagree] "  
[4] "[CATI UCase: [CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "  
[5] "[CATI UCase: [CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### H3\_Q4: RadioButton

"[CATI TEXT: [HANDCARD H4]] ] (Please indicate how much you agree or disagree with the following statement.)

[H3ORDER(4)]"

MaxValue = 99

#### **Codes:**

[1] "[CATI UCase: [CATI TEXT: 1. ] Strongly agree] "  
[2] "[CATI UCase: [CATI TEXT: 2. ] Agree] "  
[3] "[CATI UCase: [CATI TEXT: 3. ] Neither agree nor disagree] "  
[4] "[CATI UCase: [CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "  
[5] "[CATI UCase: [CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: BIBLAUTH  
Value: [H3\_Q1]  
IF "MNB(H3ORDER,1)==1"

PRELOADACTION: SetVariableValue  
Variable: BIBLAUTH  
Value: [H3\_Q2]  
IF "MNB(H3ORDER,1)==2"

PRELOADACTION: SetVariableValue  
Variable: BIBLAUTH  
Value: [H3\_Q3]  
IF "MNB(H3ORDER,1)==3"

PRELOADACTION: SetVariableValue  
Variable: BIBLAUTH  
Value: [H3\_Q4]  
IF "MNB(H3ORDER,1)==4"

PRELOADACTION: BranchTo  
Next question

## **BIBLAUTH: RadioButton**

"[CATI TEXT: [HANDCARD H4]] ] The Bible is the highest authority for what I believe."

MaxValue = 99

### **Codes:**

[1] "[CATI UCase: [CATI TEXT: 1. ] Strongly agree] "  
[2] "[CATI UCase: [CATI TEXT: 2. ] Agree] "  
[3] "[CATI UCase: [CATI TEXT: 3. ] Neither agree nor disagree] "  
[4] "[CATI UCase: [CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "  
[5] "[CATI UCase: [CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"

DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: EVNGELZE  
Value: [H3\_Q1]  
IF "MNB(H3ORDER,2)==1"

PRELOADACTION: SetVariableValue

Variable: EVNGELZE  
Value: [H3\_Q2]  
IF "MNB(H3ORDER,2)==2"

PRELOADACTION: SetVariableValue  
Variable: EVNGELZE  
Value: [H3\_Q3]  
IF "MNB(H3ORDER,2)==3"

PRELOADACTION: SetVariableValue  
Variable: EVNGELZE  
Value: [H3\_Q4]  
IF "MNB(H3ORDER,2)==4"

PRELOADACTION: BranchTo  
Next question

### **EVNGELZE: RadioButton**

"[CATI TEXT: [HANDCARD H4]] ] It is very important for me personally to encourage non-Christians to accept Jesus Christ as their Savior."

MaxValue = 99

#### **Codes:**

[1] "[CATI UCase: [CATI TEXT: 1. ] Strongly agree] "  
[2] "[CATI UCase: [CATI TEXT: 2. ] Agree] "  
[3] "[CATI UCase: [CATI TEXT: 3. ] Neither agree nor disagree] "  
[4] "[CATI UCase: [CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "  
[5] "[CATI UCase: [CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: SINSACRI  
Value: [H3\_Q1]  
IF "MNB(H3ORDER,3)==1"

PRELOADACTION: SetVariableValue  
Variable: SINSACRI  
Value: [H3\_Q2]  
IF "MNB(H3ORDER,3)==2"

PRELOADACTION: SetVariableValue  
Variable: SINSACRI  
Value: [H3\_Q3]  
IF "MNB(H3ORDER,3)==3"

PRELOADACTION: SetVariableValue  
Variable: SINSACRI

Value: [H3\_Q4]  
IF "MNB(H3ORDER,3)==4"

PRELOADACTION: BranchTo  
Next question

### **SINSACRI: RadioButton**

"[CATI TEXT: [HANDCARD H4]] ] Jesus Christ's death on the cross is the only sacrifice that could remove the penalty of my sin."

MaxValue = 99

#### **Codes:**

[1] "[CATI UCase: [CATI TEXT: 1. ] Strongly agree] "  
[2] "[CATI UCase: [CATI TEXT: 2. ] Agree] "  
[3] "[CATI UCase: [CATI TEXT: 3. ] Neither agree nor disagree] "  
[4] "[CATI UCase: [CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "  
[5] "[CATI UCase: [CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: CHRSTSAV  
Value: [H3\_Q1]  
IF "MNB(H3ORDER,4)==1"

PRELOADACTION: SetVariableValue  
Variable: CHRSTSAV  
Value: [H3\_Q2]  
IF "MNB(H3ORDER,4)==2"

PRELOADACTION: SetVariableValue  
Variable: CHRSTSAV  
Value: [H3\_Q3]  
IF "MNB(H3ORDER,4)==3"

PRELOADACTION: SetVariableValue  
Variable: CHRSTSAV  
Value: [H3\_Q4]  
IF "MNB(H3ORDER,4)==4"

PRELOADACTION: BranchTo  
Next question

### **CHRSTSAV: RadioButton**



"[CATI TEXT: [HANDCARD H4]]

] Only those who accept Jesus Christ alone as their Savior can achieve eternal salvation. "

MaxValue = 99

**Codes:**

- [1] "[CATI UCase: [CATI TEXT: 1. ] Strongly agree] "
- [2] "[CATI UCase: [CATI TEXT: 2. ] Agree] "
- [3] "[CATI UCase: [CATI TEXT: 3. ] Neither agree nor disagree] "
- [4] "[CATI UCase: [CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "
- [5] "[CATI UCase: [CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: Selection

PRELOADACTION: Selection

PRELOADACTION: Selection

PRELOADACTION: BranchTo  
Next question

**H4ORDER: CheckBox**

Order of SPRT questions based on RANDORDER1

MaxValue = 99

**Codes:**

- [1] Felt particularly connected to the world around you.
- [2] Felt like you were part of something much larger than yourself.
- [3] Felt a sense of a larger meaning or purpose in life.

**H4\_Q1: RadioButton**

"[CATI TEXT: [HANDCARD H5]] Some people say they have experiences of being personally moved, touched, or inspired, while others say they do not have these experiences at all. How often, if at all, do you experience each of the following?

[H4ORDER(1)]"

MaxValue = 99

**Codes:**

[1] "[CATI TEXT: 1. ] At least once a day"  
[2] "[CATI TEXT: 2. ] Almost every day"  
[3] "[CATI TEXT: 3. ] Once or twice a week"  
[4] "[CATI TEXT: 4. ] Once or twice a month"  
[5] "[CATI TEXT: 5. ] A few times per year"  
[6] "[CATI TEXT: 6. ] Once a year or less[CATI TEXT: , or] "  
[7] "[CATI TEXT: 7. ] Never[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**H4\_Q2: RadioButton**

"[CATI TEXT: [HANDCARD H5]] (Some people say they have experiences of being personally moved, touched, or inspired, while others say they do not have these experiences at all. How often, if at all, do you experience each of the following?)

[H4ORDER(2)]"

MaxValue = 99

**Codes:**

[1] "[CATI TEXT: 1. ] At least once a day"  
[2] "[CATI TEXT: 2. ] Almost every day"  
[3] "[CATI TEXT: 3. ] Once or twice a week"  
[4] "[CATI TEXT: 4. ] Once or twice a month"  
[5] "[CATI TEXT: 5. ] A few times per year"  
[6] "[CATI TEXT: 6. ] Once a year or less[CATI TEXT: , or] "  
[7] "[CATI TEXT: 7. ] Never[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**H4\_Q3: RadioButton**

"[CATI TEXT: [HANDCARD H5]] (Some people say they have experiences of being personally moved, touched, or inspired, while others say they do not have these experiences at all. How often, if at all, do you experience each of the following?)

[H4ORDER(3)]"

MaxValue = 99

**Codes:**

- [1] "[CATI TEXT: 1. ] At least once a day"
- [2] "[CATI TEXT: 2. ] Almost every day"
- [3] "[CATI TEXT: 3. ] Once or twice a week"
- [4] "[CATI TEXT: 4. ] Once or twice a month"
- [5] "[CATI TEXT: 5. ] A few times per year"
- [6] "[CATI TEXT: 6. ] Once a year or less[CATI TEXT: , or] "
- [7] "[CATI TEXT: 7. ] Never[CATI TEXT: ?] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: SPRTCONNCT

Value: [H4\_Q1]

IF "MNB(H4ORDER,1)==1"

PRELOADACTION: SetVariableValue

Variable: SPRTCONNCT

Value: [H4\_Q2]

IF "MNB(H4ORDER,1)==2"

PRELOADACTION: SetVariableValue

Variable: SPRTCONNCT

Value: [H4\_Q3]

IF "MNB(H4ORDER,1)==3"

PRELOADACTION: BranchTo

Next question

**SPRTCONNCT: RadioButton**

"[CATI TEXT: [HANDCARD H5]] ] Some people say they have experiences of being personally moved, touched, or inspired, while others say they do not have these experiences at all. How often, if at all, do you experience each of the following?

Felt particularly connected to the world around you."

MaxValue = 99

**Codes:**

- [1] "[CATI UCase: At least once a day] "
- [2] "[CATI UCase: Almost every day] "
- [3] "[CATI UCase: Once or twice a week] "
- [4] "[CATI UCase: Once or twice a month] "
- [5] "[CATI UCase: A few times per year] "
- [6] "[CATI UCase: Once a year or less] "

```
[7] "[CATI UCase: Never] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: SetVariableValue  
Variable: SPRTLGR  
Value: [H4_Q1]  
IF "MNB(H4ORDER,2)==1"
```

```
PRELOADACTION: SetVariableValue  
Variable: SPRTLGR  
Value: [H4_Q2]  
IF "MNB(H4ORDER,2)==2"
```

```
PRELOADACTION: SetVariableValue  
Variable: SPRTLGR  
Value: [H4_Q3]  
IF "MNB(H4ORDER,2)==3"
```

```
PRELOADACTION: BranchTo  
Next question
```

## **SPRTLGR: RadioButton**

"[CATI TEXT: [HANDCARD H5]] ] Some people say they have experiences of being personally moved, touched, or inspired, while others say they do not have these experiences at all. How often, if at all, do you experience each of the following?

Felt like you were part of something much larger than yourself."

MaxValue = 99

### **Codes:**

```
[1] "[CATI UCase: At least once a day] "  
[2] "[CATI UCase: Almost every day] "  
[3] "[CATI UCase: Once or twice a week] "  
[4] "[CATI UCase: Once or twice a month] "  
[5] "[CATI UCase: A few times per year] "  
[6] "[CATI UCase: Once a year or less] "  
[7] "[CATI UCase: Never] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: SetVariableValue  
Variable: SPRTPURP  
Value: [H4_Q1]
```

IF "MNB(H4ORDER,3)==1"

PRELOADACTION: SetVariableValue  
Variable: SP RTPURP  
Value: [H4\_Q2]  
IF "MNB(H4ORDER,3)==2"

PRELOADACTION: SetVariableValue  
Variable: SP RTPURP  
Value: [H4\_Q3]  
IF "MNB(H4ORDER,3)==3"

PRELOADACTION: BranchTo  
Next question

### **SP RTPURP: RadioButton**

"[CATI TEXT: [HANDCARD H5]] ] Some people say they have experiences of being personally moved, touched, or inspired, while others say they do not have these experiences at all. How often, if at all, do you experience each of the following?

Felt a sense of a larger meaning or purpose in life."

MaxValue = 99

#### **Codes:**

[1] "[CATI UCase: At least once a day] "  
[2] "[CATI UCase: Almost every day] "  
[3] "[CATI UCase: Once or twice a week] "  
[4] "[CATI UCase: Once or twice a month] "  
[5] "[CATI UCase: A few times per year] "  
[6] "[CATI UCase: Once a year or less] "  
[7] "[CATI UCase: Never] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **MDITATE1: RadioButton**

"[CATI TEXT: [HANDCARD H5]] ] How often do you meditate?

"

MaxValue = 99

#### **Codes:**

- [1] At least once a day
- [2] Almost every day
- [3] Once or twice a week
- [4] Once or twice a month
- [5] A few times per year
- [6] Once a year or less
- [7] Never
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: Selection

PRELOADACTION: Selection

PRELOADACTION: Selection

PRELOADACTION: Selection

PRELOADACTION: BranchTo  
Next question

## **H5ORDER: CheckBox**

Order of H5 questions based on RANDORDER2

MaxValue = 99

### **Codes:**

- [1] "The great works of philosophy and science are the best source of truth, wisdom, and ethics."
- [2] "To understand the world, we must free our minds from old traditions and beliefs."
- [3] "When I make important decisions in my life, I rely mostly on reason and evidence."
- [4] All of the greatest advances for humanity have come from science and technology.

## **H5\_Q1: RadioButton**

"[CATI TEXT: [HANDCARD H6]] ] Please indicate to what extent you agree or disagree with each of the following statements:

[H5ORDER(1)]"

MaxValue = 99

### **Codes:**

- [1] [CATI TEXT: 1. ] Strongly agree
- [2] [CATI TEXT: 2. ] Agree

[3] [CATI TEXT: 3. ] Neither agree nor disagree  
[4] "[CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "  
[5] "[CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

## H5\_Q2: RadioButton

"[CATI TEXT: [HANDCARD H6]] ] (Please indicate to what extent you agree or disagree with each of the following statements:)

[H5ORDER(2)]"

MaxValue = 99

### **Codes:**

[1] [CATI TEXT: 1. ] Strongly agree  
[2] [CATI TEXT: 2. ] Agree  
[3] [CATI TEXT: 3. ] Neither agree nor disagree  
[4] "[CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "  
[5] "[CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

## H5\_Q3: RadioButton

"[CATI TEXT: [HANDCARD H6]] (Please indicate to what extent you agree or disagree with each of the following statements:)

[H5ORDER(3)]"

MaxValue = 99

### **Codes:**

[1] [CATI TEXT: 1. ] Strongly agree  
[2] [CATI TEXT: 2. ] Agree  
[3] [CATI TEXT: 3. ] Neither agree nor disagree  
[4] "[CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "  
[5] "[CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## H5\_Q4: RadioButton

"[CATI TEXT: [HANDCARD H6]] (Please indicate to what extent you agree or disagree with each of the following statements:)

[H5ORDER(4)]"

MaxValue = 99

### **Codes:**

[1] [CATI TEXT: 1. ] Strongly agree

[2] [CATI TEXT: 2. ] Agree

[3] [CATI TEXT: 3. ] Neither agree nor disagree

[4] "[CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "

[5] "[CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: GRTWRKS

Value: [H5\_Q1]

IF "MNB(H5ORDER,1)==1"

PRELOADACTION: SetVariableValue

Variable: GRTWRKS

Value: [H5\_Q2]

IF "MNB(H5ORDER,1)==2"

PRELOADACTION: SetVariableValue

Variable: GRTWRKS

Value: [H5\_Q3]

IF "MNB(H5ORDER,1)==3"

PRELOADACTION: SetVariableValue

Variable: GRTWRKS

Value: [H5\_Q4]

IF "MNB(H5ORDER,1)==4"

PRELOADACTION: BranchTo

Next question

## GRTWRKS: RadioButton



"[CATI TEXT: [HANDCARD H6]] ] Please indicate to what extent you agree or disagree with each of the following statements:

The great works of philosophy and science are the best source of truth, wisdom, and ethics."

MaxValue = 99

**Codes:**

- [1] "[CATI UCase: [CATI TEXT: 1. ] Strongly agree] "
- [2] "[CATI UCase: [CATI TEXT: 2. ] Agree] "
- [3] "[CATI UCase: [CATI TEXT: 3. ] Neither agree nor disagree] "
- [4] "[CATI UCase: [CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "
- [5] "[CATI UCase: [CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: FREEMIND

Value: [H5\_Q1]

IF "MNB(H5ORDER,2)==1"

PRELOADACTION: SetVariableValue

Variable: FREEMIND

Value: [H5\_Q2]

IF "MNB(H5ORDER,2)==2"

PRELOADACTION: SetVariableValue

Variable: FREEMIND

Value: [H5\_Q3]

IF "MNB(H5ORDER,2)==3"

PRELOADACTION: SetVariableValue

Variable: FREEMIND

Value: [H5\_Q4]

IF "MNB(H5ORDER,2)==4"

PRELOADACTION: BranchTo

Next question

**FREEMIND: RadioButton**

"[CATI TEXT: [HANDCARD H6]] ] Please indicate to what extent you agree or disagree with each of the following statements:

To understand the world, we must free our minds from old traditions and beliefs."

MaxValue = 99

**Codes:**

[1] "[CATI UCase: [CATI TEXT: 1. ] Strongly agree] "  
[2] "[CATI UCase: [CATI TEXT: 2. ] Agree] "  
[3] "[CATI UCase: [CATI TEXT: 3. ] Neither agree nor disagree] "  
[4] "[CATI UCase: [CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "  
[5] "[CATI UCase: [CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: DECEVIDC  
Value: [H5\_Q1]  
IF "MNB(H5ORDER,3)==1"

PRELOADACTION: SetVariableValue  
Variable: DECEVIDC  
Value: [H5\_Q2]  
IF "MNB(H5ORDER,3)==2"

PRELOADACTION: SetVariableValue  
Variable: DECEVIDC  
Value: [H5\_Q3]  
IF "MNB(H5ORDER,3)==3"

PRELOADACTION: SetVariableValue  
Variable: DECEVIDC  
Value: [H5\_Q4]  
IF "MNB(H5ORDER,3)==4"

PRELOADACTION: BranchTo  
Next question

**DECEVIDC: RadioButton**

"[CATI TEXT: [HANDCARD H6]] ] Please indicate to what extent you agree or disagree with each of the following statements:

When I make important decisions in my life, I rely mostly on reason and evidence."

MaxValue = 99

**Codes:**

[1] "[CATI UCase: [CATI TEXT: 1. ] Strongly agree] "  
[2] "[CATI UCase: [CATI TEXT: 2. ] Agree] "  
[3] "[CATI UCase: [CATI TEXT: 3. ] Neither agree nor disagree] "  
[4] "[CATI UCase: [CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "  
[5] "[CATI UCase: [CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: ADVFMSCI

Value: [H5\_Q1]

IF "MNB(H5ORDER,4)==1"

PRELOADACTION: SetVariableValue

Variable: ADVFMSCI

Value: [H5\_Q2]

IF "MNB(H5ORDER,4)==2"

PRELOADACTION: SetVariableValue

Variable: ADVFMSCI

Value: [H5\_Q3]

IF "MNB(H5ORDER,4)==3"

PRELOADACTION: SetVariableValue

Variable: ADVFMSCI

Value: [H5\_Q4]

IF "MNB(H5ORDER,4)==4"

PRELOADACTION: BranchTo

Next question

## **ADVFMSCI: RadioButton**

"[CATI TEXT: [HANDCARD H6]] ] Please indicate to what extent you agree or disagree with each of the following statements:

All of the greatest advances for humanity have come from science and technology."

MaxValue = 99

### **Codes:**

[1] "[CATI UCase: [CATI TEXT: 1. ] Strongly agree] "

[2] "[CATI UCase: [CATI TEXT: 2. ] Agree] "

[3] "[CATI UCase: [CATI TEXT: 3. ] Neither agree nor disagree] "

[4] "[CATI UCase: [CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "

[5] "[CATI UCase: [CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: Selection

PRELOADACTION: Selection

PRELOADACTION: BranchTo  
Next question

## H6ORDER: CheckBox

MaxValue = 99

### Codes:

- [1] I consider myself pro-choice.
- [2] I consider myself pro-life.

## H6\_Q1: RadioButton

"[CATI TEXT: [HANDCARD H6]] We hear a lot of talk these days about abortion. Please indicate to what extent you agree or disagree with each of the following statements:

[H6ORDER(1)]

[CATI TEXT: INTERVIEWER INSTRUCTION: RE-READ QUESTION AS SCRIPTED IF R ASKS FOR CLARIFICATION.] "

MaxValue = 99

### Codes:

- [1] [CATI TEXT: 1. ] Strongly agree
- [2] [CATI TEXT: 2. ] Agree
- [3] [CATI TEXT: 3. ] Neither agree nor disagree
- [4] "[CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "
- [5] "[CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

## H6\_Q2: RadioButton

"[CATI TEXT: [HANDCARD H6]] (We hear a lot of talk these days about abortion. Please indicate to what extent you agree or disagree with each of the following statements: )

[H6ORDER(2)]

[CATI TEXT: INTERVIEWER INSTRUCTION: RE-READ QUESTION AS SCRIPTED IF R ASKS FOR CLARIFICATION.] "

MaxValue = 99

**Codes:**

[1] [CATI TEXT: 1. ] Strongly agree  
[2] [CATI TEXT: 2. ] Agree  
[3] [CATI TEXT: 3. ] Neither agree nor disagree  
[4] "[CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "  
[5] "[CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: PROCHOIC

Value: [H6\_Q1]

IF "MNB(H6ORDER,1)==1"

PRELOADACTION: SetVariableValue

Variable: PROCHOIC

Value: [H6\_Q2]

IF "MNB(H6ORDER,1)==2"

PRELOADACTION: BranchTo

Next question

**PROCHOIC: RadioButton**

"[CATI TEXT: [HANDCARD H6]] ] We hear a lot of talk these days about abortion. Please indicate to what extent you agree or disagree with each of the following statements:

I consider myself pro-choice.

FI INSTRUCTION: RE-READ QUESTION AS SCRIPTED IF R ASKS FOR CLARIFICATION.] "

MaxValue = 99

**Codes:**

[1] "[CATI UCase: [CATI TEXT: 1. ] Strongly agree] "  
[2] "[CATI UCase: [CATI TEXT: 2. ] Agree] "  
[3] "[CATI UCase: [CATI TEXT: 3. ] Neither agree nor disagree] "  
[4] "[CATI UCase: [CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "  
[5] "[CATI UCase: [CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

```
PRELOADACTION: SetVariableValue
Variable: PROLIFE
Value: [H6_Q1]
IF "MNB(H6ORDER,2)==1"
```

```
PRELOADACTION: SetVariableValue
Variable: PROLIFE
Value: [H6_Q2]
IF "MNB(H6ORDER,2)==2"
```

```
PRELOADACTION: BranchTo
Next question
```

### **PROLIFE: RadioButton**

"[CATI TEXT: [HANDCARD H6]] ] We hear a lot of talk these days about abortion. Please indicate to what extent you agree or disagree with each of the following statements:

I consider myself pro-life.

[CATI TEXT: FI INSTRUCTION: RE-READ QUESTION AS SCRIPTED IF R ASKS FOR CLARIFICATION.] "

MaxValue = 99

#### **Codes:**

[1] "[CATI UCase: [CATI TEXT: 1. ] Strongly agree] "  
[2] "[CATI UCase: [CATI TEXT: 2. ] Agree] "  
[3] "[CATI UCase: [CATI TEXT: 3. ] Neither agree nor disagree] "  
[4] "[CATI UCase: [CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "  
[5] "[CATI UCase: [CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "

```
DISPLAY IF: QUEXMODE =1
```

```
[99] "REFUSED"
```

```
DISPLAY IF: QUEXMODE =1
```

```
[98] SKIPPED ON WEB
```

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: Selection
```

```
PRELOADACTION: Selection
```

```
PRELOADACTION: Selection
```

```
PRELOADACTION: BranchTo
Next question
```

### **H7ORDER: CheckBox**

Order of H7 questions based on RANDORDER1

MaxValue = 99

**Codes:**

- [1] The success of the United States is part of God's plan.]
- [2] The federal government should advocate Christian values.]
- [3] The U.S. would be a better country if religion had less influence.]

**H7\_Q1: RadioButton**

"[CATI TEXT: [HANDCARD H6]] Please indicate to what extent you agree or disagree with each of the following statements.

[H7ORDER(1)]"

MaxValue = 99

**Codes:**

- [1] [CATI TEXT: 1. ] Strongly agree
- [2] [CATI TEXT: 2. ] Agree
- [3] [CATI TEXT: 3. ] Neither agree nor disagree
- [4] "[CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "
- [5] "[CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**H7\_Q2: RadioButton**

"[CATI TEXT: [HANDCARD H6]] (Please indicate to what extent you agree or disagree with each of the following statements.)

[H7ORDER(2)]"

MaxValue = 99

**Codes:**

- [1] [CATI TEXT: 1. ] Strongly agree
- [2] [CATI TEXT: 2. ] Agree
- [3] [CATI TEXT: 3. ] Neither agree nor disagree
- [4] "[CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "
- [5] "[CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "
- [77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### H7\_Q3: RadioButton

"[CATI TEXT: [HANDCARD H6]] (Please indicate to what extent you agree or disagree with each of the following statements.)

[H7ORDER(3)]"

MaxValue = 99

#### **Codes:**

[1] [CATI TEXT: 1. ] Strongly agree  
[2] [CATI TEXT: 2. ] Agree  
[3] [CATI TEXT: 3. ] Neither agree nor disagree  
[4] "[CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "  
[5] "[CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: GODUSA  
Value: [H7\_Q1]  
IF "MNB(H7ORDER,1)==1"

PRELOADACTION: SetVariableValue  
Variable: GODUSA  
Value: [H7\_Q2]  
IF "MNB(H7ORDER,1)==2"

PRELOADACTION: SetVariableValue  
Variable: GODUSA  
Value: [H7\_Q3]  
IF "MNB(H7ORDER,1)==3"

PRELOADACTION: BranchTo  
Next question

### GODUSA: RadioButton

"[CATI TEXT: [HANDCARD H6]] ] Please indicate to what extent you agree or disagree with each of the following statements.

The success of the United States is part of God's plan."



MaxValue = 99

**Codes:**

[1] "[CATI UCase: [CATI TEXT: 1. ] Strongly agree] "  
[2] "[CATI UCase: [CATI TEXT: 2. ] Agree] "  
[3] "[CATI UCase: [CATI TEXT: 3. ] Neither agree nor disagree] "  
[4] "[CATI UCase: [CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "  
[5] "[CATI UCase: [CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: GOVCHRST  
Value: [H7\_Q1]  
IF "MNB(H7ORDER,2)==1"

PRELOADACTION: SetVariableValue  
Variable: GOVCHRST  
Value: [H7\_Q2]  
IF "MNB(H7ORDER,2)==2"

PRELOADACTION: SetVariableValue  
Variable: GOVCHRST  
Value: [H7\_Q3]  
IF "MNB(H7ORDER,2)==3"

PRELOADACTION: BranchTo  
Next question

**GOVCHRST: RadioButton**

"[CATI TEXT: [HANDCARD H6]] ] Please indicate to what extent you agree or disagree with each of the following statements.

The federal government should advocate Christian values."

MaxValue = 99

**Codes:**

[1] "[CATI UCase: [CATI TEXT: 1. ] Strongly agree] "  
[2] "[CATI UCase: [CATI TEXT: 2. ] Agree] "  
[3] "[CATI UCase: [CATI TEXT: 3. ] Neither agree nor disagree] "  
[4] "[CATI UCase: [CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "  
[5] "[CATI UCase: [CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: RELIGINF  
Value: [H7\_Q1]  
IF "MNB(H7ORDER,3)==1"

PRELOADACTION: SetVariableValue  
Variable: RELIGINF  
Value: [H7\_Q2]  
IF "MNB(H7ORDER,3)==2"

PRELOADACTION: SetVariableValue  
Variable: RELIGINF  
Value: [H7\_Q3]  
IF "MNB(H7ORDER,3)==3"

PRELOADACTION: BranchTo  
Next question

### **RELIGINF: RadioButton**

"[CATI TEXT: [HANDCARD H6]] ] Please indicate to what extent you agree or disagree with each of the following statements.

The U.S. would be a better country if religion had less influence."

MaxValue = 99

#### **Codes:**

[1] "[CATI UCase: [CATI TEXT: 1. ] Strongly agree] "  
[2] "[CATI UCase: [CATI TEXT: 2. ] Agree] "  
[3] "[CATI UCase: [CATI TEXT: 3. ] Neither agree nor disagree] "  
[4] "[CATI UCase: [CATI TEXT: 4. ] Disagree[CATI TEXT: , or] "  
[5] "[CATI UCase: [CATI TEXT: 5. ] Strongly disagree[CATI TEXT: ?] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: ETIMEH  
Value: [\$H]  
IF ETIMEH Is Empty

PRELOADACTION: BranchTo  
Next question

### **ETIMEH: DateTimeAnswer**

END TIME SECTION H

MaxAnswerLength = 20

MaxValue = 99

PRELOADACTION: SetVariableValue  
Variable: ETIMEH\_D  
Value: [\$H]

PRELOADACTION: BranchTo  
Next question

### **ETIMEH\_D: DateTimeAnswer**

DYNAMIC END TIME SECTION H

MaxAnswerLength = 20

MaxValue = 99

### **ELAPSEDTIMEH: NumericAnswer**

"[CATI TEXT: [HANDCARD H5]] ] (Some people say they have experiences of being personally moved, touched, or inspired, while others say they do not have these experiences at all. How often, if at all, do you experience each of the following?[CATI TEXT: ]]

[H4ORDER(3)]"

MaxValue = 99

PRELOADACTION: SetVariableValue  
Variable: BTIMEJJ  
Value: [\$H]  
IF BTIMEJJ Is Empty

PRELOADACTION: BranchTo  
Next question

### **BTIMEJJ: DateTimeAnswer**

MaxAnswerLength = 20

MaxValue = 99

```
PRELOADACTION: SetVariableValue  
Variable: BTIMEJJ_D  
Value: [$H]
```

```
PRELOADACTION: BranchTo  
Next question
```

### **BTIMEJJ\_D: DateTimeAnswer**

MaxAnswerLength = 20

MaxValue = 99

```
PRELOADACTION: BranchTo  
Next question  
IF VERXY = Y
```

### **POLTRTBLK: RadioButton**

"The following questions are about police and law enforcement.

In general, do the police treat Whites better than Blacks, treat them both the same, or treat Blacks better than Whites?"

MaxValue = 99

#### **Codes:**

[1] "[CATI UCase: Treat Whites better than Blacks] "

[2] "[CATI UCase: Treat both the same] "

[3] "[CATI UCase: Treat Blacks better than Whites] "

[77] "[CATI UCase: DON'T KNOW] "

```
DISPLAY IF: QUEXMODE =1
```

[99] "REFUSED"

```
DISPLAY IF: QUEXMODE =1
```

[98] SKIPPED ON WEB

```
DISPLAY IF: QUEXMODE =2
```

```
PRELOADACTION: BranchTo  
Next question  
IF VERXY = X
```

### **POLTRTBLKY: RadioButton**

"The following questions are about police and law enforcement.

In general, do the police treat Blacks better than Whites, treat them both the same, or treat Whites better than Blacks?"

MaxValue = 99

**Codes:**

[3] "[CATI UCase: Treat Blacks better than Whites] "

[2] "[CATI UCase: Treat both the same] "

[1] "[CATI UCase: Treat Whites better than Blacks] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = Y

PRELOADACTION: BranchTo

Next question

IF POLTRTBLK <> 1

**POLTRTB1: RadioButton**

"Do the police treat Whites much better, moderately better, or a little better?"

MaxValue = 99

**Codes:**

[1] "[CATI UCase: Much better] "

[2] "[CATI UCase: Moderately better] "

[3] "[CATI UCase: A little better] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = X

PRELOADACTION: BranchTo

Next question

IF POLTRTBLY <> 1

## **POLTRTB1Y: RadioButton**

"Do the police treat Whites a little better, moderately better, or much better?"

MaxValue = 99

### **Codes:**

[3] "[CATI UCase: A little better] "

[2] "[CATI UCase: Moderately better] "

[1] "[CATI UCase: Much better] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = Y

PRELOADACTION: BranchTo

Next question

IF POLTRTBK <> 3

## **POLTRTB2: RadioButton**

"Do the police treat Blacks much better, moderately better, or a little better?"

MaxValue = 99

### **Codes:**

[1] "[CATI UCase: Much better] "

[2] "[CATI UCase: Moderately better] "

[3] "[CATI UCase: A little better] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = X

PRELOADACTION: BranchTo

Next question

IF POLTRTBKY <> 3

## **POLTRTB2Y: RadioButton**

"Do the police treat Blacks a little better, moderately better, or much better?"

MaxValue = 99

### **Codes:**

[3] "[CATI UCase: A little better] "

[2] "[CATI UCase: Moderately better] "

[1] "[CATI UCase: Much better] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = Y

## **POLTRTHSP: RadioButton**

"In general, do the police treat Whites better than Latinos, treat them both the same, or treat Latinos better than Whites?"

MaxValue = 99

### **Codes:**

[1] "[CATI UCase: Treat Whites better than Latinos] "

[2] "[CATI UCase: Treat both the same] "

[3] "[CATI UCase: Treat Latinos better than Whites] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = X

## **POLTRTHSPY: RadioButton**

"In general, do the police treat Latinos better than Whites, treat them both the same, or treat Whites better than Latinos?"

MaxValue = 99

**Codes:**

[3] "[CATI UCase: Treat Latinos better than Whites] "

[2] "[CATI UCase: Treat both the same] "

[1] "[CATI UCase: Treat Whites better than Latinos] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = Y

PRELOADACTION: BranchTo

Next question

IF POLTRTHSP <> 1

**POLTRTB3: RadioButton**

"Do the police treat Whites much better, moderately better, or a little better?"

MaxValue = 99

**Codes:**

[1] "[CATI UCase: Much better] "

[2] "[CATI UCase: Moderately better] "

[3] "[CATI UCase: A little better] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = X

PRELOADACTION: BranchTo

Next question

IF POLTRTHSPY <> 1

**POLTRTB3Y: RadioButton**

"Do the police treat Whites a little better, moderately better, or much better?"



MaxValue = 99

**Codes:**

[3] "[CATI UCase: A little better] "  
[2] "[CATI UCase: Moderately better] "  
[1] "[CATI UCase: Much better] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = Y

PRELOADACTION: BranchTo

Next question

IF POLTRTHSP <> 3

**POLTRTB4: RadioButton**

"Do the police treat Latinos much better, moderately better, or a little better?"

MaxValue = 99

**Codes:**

[3] "[CATI UCase: Much better] "  
[2] "[CATI UCase: Moderately better] "  
[1] "[CATI UCase: A little better] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY = X

PRELOADACTION: BranchTo

Next question

IF POLTRTHSPY <> 3

**POLTRTB4Y: RadioButton**

"Do the police treat Latinos a little better, moderately better, or much better?"

MaxValue = 99

**Codes:**

[3] "[CATI UCase: A little better] "  
[2] "[CATI UCase: Moderately better] "  
[1] "[CATI UCase: Much better] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**DEFUND: RadioButton**

"Do you favor or oppose reducing funding for police departments, and moving those funds to mental health, housing, and other social services?"

MaxValue = 99

**Codes:**

[1] "[CATI UCase: Favor] "  
[2] "[CATI UCase: Oppose] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY <> X

**STRVBIAS: RadioButton**

Which do you think should be the bigger priority for the U.S. criminal justice system today?

MaxValue = 99

**Codes:**

[1] Strengthening law and order through more police and greater enforcement of the laws  
[2] Reducing bias against minorities in the criminal justice system by reforming court and police

practices  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF VERXY <> Y

### **STRVBIASY: RadioButton**

Which do you think should be the bigger priority for the U.S. criminal justice system today?

MaxValue = 99

#### **Codes:**

[2] Reducing bias against minorities in the criminal justice system by reforming court and police practices  
[1] Strengthening law and order through more police and greater enforcement of the laws  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **RACESURV17: RadioButton**

"How much, if at all, do you think the legacy of slavery affects the position of black people in American society today?"

MaxValue = 99

#### **Codes:**

[1] A great deal  
[2] A fair amount  
[3] Not much  
[4] Not at all  
[77] "DON'T KNOW"  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue

Variable: JJCATIFILL  
Value: [QUEXMODE]

PRELOADACTION: BranchTo  
Next question

### JJCATIFILL: RadioButton

Single answer question using Radio Buttons

MaxValue = 99

#### **Codes:**

[1] I am going to name  
[2] Here are

PRELOADACTION: BranchTo  
Next question  
IF VERXY <> X

### CONPHARVAC: RadioButton

"[JJCATIFILL] some institutions in this country. As far as the people running these institutions are concerned, would you say you have a great deal of confidence, only some confidence, or hardly any confidence at all in them?

Pharmaceutical companies working to create safe vaccines to protect the public against serious diseases"

MaxValue = 99

#### **Codes:**

[1] "[CATI UCase: A great deal of confidence] "  
[2] "[CATI UCase: Only some confidence] "  
[3] "[CATI UCase: Hardly any confidence at all] "  
[77] "DON'T KNOW"

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo  
Next question  
IF VERXY <> Y

### CONPHARVACY: RadioButton

"[JJCATIFILL] some institutions in this country. As far as the people running these institutions are concerned, would you say you have a great deal of confidence, only some confidence, or hardly any confidence at all in them?

Pharmaceutical companies working to create safe vaccines to protect the public against COVID-19"

MaxValue = 99

**Codes:**

[1] "[CATI UCase: A great deal of confidence] "  
[2] "[CATI UCase: Only some confidence] "  
[3] "[CATI UCase: Hardly any confidence at all] "  
[77] "DON'T KNOW"

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY <> X

**CONFEDVAC: RadioButton**

"([JJCATIFILL] some institutions in this country. As far as the people running these institutions are concerned, would you say you have a great deal of confidence, only some confidence, or hardly any confidence in them?)

The federal government ensuring the safety of vaccines to protect the public against serious diseases"

MaxValue = 99

**Codes:**

[1] "[CATI UCase: A great deal of confidence] "  
[2] "[CATI UCase: Only some confidence] "  
[3] "[CATI UCase: Hardly any confidence at all] "  
[77] "DON'T KNOW"

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF VERXY <> Y

**CONFEDVACY: RadioButton**

"([JCATIFILL] some institutions in this country. As far as the people running these institutions are concerned, would you say you have a great deal of confidence, only some confidence, or hardly any confidence in them?)

The federal government ensuring the safety of vaccines to protect the public against COVID-19"

MaxValue = 99

**Codes:**

[1] "[CATI UCase: A great deal of confidence] "  
[2] "[CATI UCase: Only some confidence] "  
[3] "[CATI UCase: Hardly any confidence at all] "  
[77] "DON'T KNOW"

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: SetVariableValue  
Variable: ETIMEJJ  
Value: [\$H]  
IF ETIMEJJ Is Empty

PRELOADACTION: BranchTo  
Next question

**ETIMEJJ: DateTimeAnswer**

TIMESTAMP (TIMEJJ)

MaxAnswerLength = 20

MaxValue = 99

PRELOADACTION: SetVariableValue  
Variable: ETIMEJJ\_D  
Value: [\$H]

PRELOADACTION: BranchTo  
Next question

**ETIMEJJ\_D: DateTimeAnswer**

¿La policía trata a las personas de raza blanca [poltrtb1fill]?

MaxAnswerLength = 20

MaxValue = 99

## **ELAPSEDTIMEJJ: NumericAnswer**

¿La policía trata a los latinos [poltrtb1fill]?

MaxValue = 99

```
PRELOADACTION: SetVariableValue  
Variable: BTIMEK  
Value: [$H]  
IF BTIMEK Is Empty
```

```
PRELOADACTION: BranchTo  
Next question
```

## **BTIMEK: DateTimeAnswer**

BEGIN TIME SECTION K

MaxAnswerLength = 20

MaxValue = 99

```
PRELOADACTION: SetVariableValue  
Variable: BTIMEK_D  
Value: [$H]
```

```
PRELOADACTION: BranchTo  
Next question
```

## **BTIMEK\_D: DateTimeAnswer**

DYNAMIC BEGIN TIME SECTION K

MaxAnswerLength = 20

MaxValue = 99

```
PRELOADACTION: BranchTo  
Next question  
IF QUEXLANG <> es
```

## **SPANSELF: RadioButton**

"If this interview had only been available in English, would you...[WEB TEXT: ?] "

MaxValue = 99

**Codes:**

[1] "Have been able to do the interview easily in English[CATI TEXT: , ] "

[2] "Have been able to do the interview with difficulty[CATI TEXT: , or] "

[3] Not have been able to do the interview[CATI TEXT: ?]

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF QUEXMODE <> 2

**VALINTRO\_WEB: Description**

Some participants may be contacted for a follow up interview. The following questions will help us locate you if you are selected. Your answers will remain confidential.

MaxValue = 99

PRELOADACTION: BranchTo

Next question

IF QUEXMODE <> 1

**VALINTRO\_CATI: Description**

"My office sometimes needs to confirm that interviews were conducted, and some participants may be contacted for a follow up interview. The following questions will help us locate you if you are selected. Your answers will remain confidential."

MaxValue = 99

**PLHUTYPE1: RadioButton**

Are you currently living in a household or an institution?

MaxValue = 99



**Codes:**

[1] "[CATI UCase: Living in a household (such as a house, apartment or similar residence)] "  
[2] "[CATI UCase: Living in an institution (such as a college dorm, military barrack, work camp, shelter, residential treatment, long-term medical care facility, or nursing home)] "  
[3] "[CATI UCase: Other (please specify)] "  
[77] "DON'T KNOW"  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**RNAME: HybridGrid**

"What is your name?

[CATI TEXT: FI INFO: CONFIRM SPELLING OF FIRST AND LAST NAME.

ENTER 77 FOR DON'T KNOW AND 99 FOR REFUSALS] "

MaxValue = 99

**PHONE: TextAnswer**

"What is your phone number?

[WEB TEXT: *Please enter your phone number without any dashes or spaces between numbers.*]  
[CATI TEXT: FI INFO: CONFIRM PHONE NUMBER.] FI INFO: IF R INDICATES THEY DON'T HAVE PHONE, TYPE IN 9999999999]

Phone:] "

MaxAnswerLength = 10

MaxValue = 99

**Codes:**

[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2  
  
POSTANSWERACTION: SetVariableValue  
Variable: PHONE  
Value: 98

IF PHONE Is Empty

POSTANSWERACTION: BranchTo  
Question CROSSINTRO  
IF PHONE = 98  
Or PHONE = 77  
Or PHONE = 99  
Or PHONE = 9999999999

### **PHONNAM: RadioButton**

In whose name is your phone listed?

MaxValue = 99

#### **Codes:**

[1] [CATI UCase: Your name]  
[2] [CATI UCase: Someone else's name]  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo  
Question PHNETYPE  
IF PHONNAM = 1 OR 3 OR 4 OR 5  
IF PHONNAM = 1  
IF PHONNAM = 98  
IF PHONNAM = 77  
IF PHONNAM = 99

### **PHONNMOT: TextAnswer**

In whose name is your phone listed?

MaxAnswerLength = 30

MaxValue = 99

#### **Codes:**

[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **PHNETYPE: RadioButton**

"Is that number for a cellular phone or for a regular, landline phone?"

MaxValue = 99

#### **Codes:**

[1] [CATI UCase: Cellular]  
[2] " [CATI UCase: Regular, landline] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Question CELPHONE

IF V01(PHNETYPE=1)==0

### **REGPHONE: RadioButton**

"Do you also have a regular, landline phone number for your residence?"

MaxValue = 99

#### **Codes:**

[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF REGPHONE <> 1

### **NEWREGPH: TextAnswer**

What is it? *Please enter your phone number without any dashes or spaces between numbers.*

MaxAnswerLength = 10

MaxValue = 99

**Codes:**

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: NEWREGPH

Value: 98

IF NEWREGPH Is Empty

PRELOADACTION: BranchTo

Question CALLTYPE

IF PHNETYPE <> 2

**CELLPHONE: RadioButton**

Do you or any other members of your household have a working cellular phone number?

MaxValue = 99

**Codes:**

[1] "[CATI UCase: Yes] "

[2] "[CATI UCase: No] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

PRELOADACTION: BranchTo

Next question

IF CELPHONE <> 1

**NEWCELPH: TextAnswer**

What is that phone number? *Please enter your phone number without any dashes or spaces between numbers.*

MaxAnswerLength = 10

MaxValue = 99

**Codes:**

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue

Variable: NEWCELPH

Value: 98

IF NEWCELPH Is Empty

PRELOADACTION: BranchTo

Next question

IF V01((PHNETYPE=1 And REGPHONE=1) Or (PHNETYPE=2 And CELPHONE=1))=0

**CALLTYPE: RadioButton**

"Please think about the voice calls that you and your family receive. Excluding all fax, modem, and non-voice calls, what situation best describes the telephone calls that your and your family receive?"

MaxValue = 99

**Codes:**

[1] "[CATI UCase: All or almost all calls received are on cell phones] "

[2] "[CATI UCase: Some calls are received on cell phones and some on regular phones] "

[3] "[CATI UCase: Very few or none are received on cell phones] "

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**CROSSINTRO: Description**

"As we mentioned earlier, some GSS participants may be contacted for a follow up interview. The following questions will help us locate you if you are selected for this interview.

[CATI TEXT: READ AS NEEDED: ] Participation in this round of the survey does not obligate you to participate in any future rounds of the General Social Survey or any other survey we might conduct. Any future participation on your part will again require us to gain your consent.

"

MaxValue = 99

PRELOADACTION: SetVariableValue

Variable: F\_VERADDR

Value: 1  
IF P\_ADD2 Is Empty

PRELOADACTION: SetVariableValue  
Variable: F\_VERADDR  
Value: 2  
IF P\_ADD2 Is Not Empty

PRELOADACTION: BranchTo  
Next question

## **F\_VERADDR: RadioButton**

COMPUTED TEXT FILL AT VERADDR

MaxValue = 99

### **Codes:**

[1] Address: [P\_ADD1]  
City: [P\_CITY]  
State: [P\_STATE]  
Zip: [P\_ZIP]  
[2] Address: [P\_ADD1]  
Apt: [P\_ADD2]  
City: [P\_CITY]  
State: [P\_STATE]  
Zip: [P\_ZIP]

## **VERADDR: RadioButton**

Is your mailing address...

[F\_VERADDR.Text]

MaxValue = 99

### **Codes:**

[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo  
Question EXPTMOVE  
IF VERADDR = 1 OR 3 OR 4 OR 5

```
IF VERADDR = 1
IF VERADDR = 77
IF VERADDR = 99
IF VERADDR = 98
```

### **MAILADDR: TextAnswer**

"What is your mailing address?"

Address:] "

MaxAnswerLength = 40

MaxValue = 99

#### **Codes:**

```
[77] "[CATI UCase: DK] "  
[97] "[CATI UCase: REF] "  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2
```

### **MAILAPT: TextAnswer**

"Apt:] "

MaxAnswerLength = 40

MaxValue = 99

#### **Codes:**

```
[77] "[CATI UCase: DK] "  
[97] "[CATI UCase: REF] "  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2  
[3]
```

### **MAILCITY: TextAnswer**

"City:] "

MaxAnswerLength = 30

MaxValue = 99

**Codes:**

[77] "[CATI UCase: DK] "  
[97] "[CATI UCase: REF] "  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**MAILSTAE: TextAnswer**

"State:] "

MaxAnswerLength = 2

MaxValue = 99

**Codes:**

[77] "[CATI UCase: DK] "  
[97] "[CATI UCase: REF] "  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**MAILZIP: TextAnswer**

"Zip:] "

MaxAnswerLength = 5

MaxValue = 99

**Codes:**

[77] "[CATI UCase: DK] "  
[97] "[CATI UCase: REF] "  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

**EXPTMOVE: RadioButton**

Do you expect your address to change in the near future?

MaxValue = 99

**Codes:**



[1] "[CATI UCase: Yes] "  
[2] "[CATI UCase: No] "  
[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo  
Question EMAIL  
IF EXPTMOVE = 2 OR 3 OR 4 OR 5  
IF EXPTMOVE = 2  
IF EXPTMOVE = 77  
IF EXPTMOVE = 99  
IF EXPTMOVE = 98

PRELOADACTION: BranchTo  
Question EMAIL  
IF EXPTMOVE <> 1

### **NEWADDR: TextAnswer**

"What will your new address be?

Address:] "

MaxAnswerLength = 40

MaxValue = 99

#### **Codes:**

[77] "[CATI UCase: DK] "  
[97] "[CATI UCase: REF] "  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **NEWAPT: TextAnswer**

"Apt:] "

MaxAnswerLength = 40

MaxValue = 99

#### **Codes:**

[77] "[CATI UCase: DK] "  
[97] "[CATI UCase: REF] "

DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2  
[3] [CATI UCase: NA]

### **NEWCITY: TextAnswer**

"City:]"

MaxAnswerLength = 30

MaxValue = 99

#### **Codes:**

[77] "[CATI UCase: DK] "  
[97] "[CATI UCase: REF] "  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **NEWSTAE: TextAnswer**

"State:]"

MaxAnswerLength = 2

MaxValue = 99

#### **Codes:**

[77] "[CATI UCase: DK] "  
[97] "[CATI UCase: REF] "  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **NEWZIP: TextAnswer**

"Zip:]"

MaxAnswerLength = 5

MaxValue = 99

#### **Codes:**

[77] "[CATI UCase: DK] "  
[97] "[CATI UCase: REF] "  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **EMAIL: TextAnswer**

Do you have an email address? What is it?

MaxAnswerLength = 50

MaxValue = 99

#### **Codes:**

[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **SSNUM: NumericAnswer**

"What are the last four digits of your social security number? If you would rather not give us the last four digits of your social security number, please enter 9999." [CATI TEXT:

IF REFUSED STRESS SURVEY CONFIDENTIALITY.] "

MinValue = 1000 MaxValue = 9999

#### **Codes:**

[77] "[CATI UCase: DON'T KNOW] "  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: SetVariableValue  
Variable: SSNUM  
Value: 98  
IF SSNUM Is Empty

### **CONTFNAM: TextAnswer**

"Thinking of all the people you know, either around here or elsewhere, who would be the one person

you keep in touch with who would be most likely to know where you are? Do not include anyone who lives in your household.

[CATI UCase: First name:] "

MaxAnswerLength = 30

MaxValue = 9999

**Codes:**

[77] "[CATI UCase: DK] "

[97] "[CATI UCase: REF] "

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

[3] [CATI UCase: NA]

**CONTMNAM: TextAnswer**

"[CATI UCase: Middle name:] "

MaxAnswerLength = 30

MaxValue = 9999

**Codes:**

[77] "[CATI UCase: DK] "

[97] "[CATI UCase: REF] "

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

[3] [CATI UCase: NA]

**CONTLNAM: TextAnswer**

"[CATI UCase: Last name:] "

MaxAnswerLength = 30

MaxValue = 9999

**Codes:**

[77] "[CATI UCase: DK] "

[97] "[CATI UCase: REF] "

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2  
[3] [CATI UCase: NA]

### **CONTPHON: TextAnswer**

"What is their phone number? Please enter your phone number without any dashes or spaces between numbers.] "

MaxAnswerLength = 10

MaxValue = 9999

#### **Codes:**

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **CONTADDR: TextAnswer**

"Address:] "

MaxAnswerLength = 40

MaxValue = 9999

#### **Codes:**

[77] "[CATI UCase: DK] "

[97] "[CATI UCase: REF] "

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

### **CONTCITY: TextAnswer**

"City:] "

MaxAnswerLength = 30

MaxValue = 9999

#### **Codes:**

[77] "[CATI UCase: DK] "  
[97] "[CATI UCase: REF] "  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **CONTSTAE: TextAnswer**

"State:] "

MaxAnswerLength = 2

MaxValue = 9999

#### **Codes:**

[77] "[CATI UCase: DK] "  
[97] "[CATI UCase: REF] "  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **CONTZIP: TextAnswer**

"Zip:] "

MaxAnswerLength = 5

MaxValue = 9999

#### **Codes:**

[77] "[CATI UCase: DK] "  
[97] "[CATI UCase: REF] "  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

### **CNTEMAIL: TextAnswer**

Do they have an email address? What is it?

MaxAnswerLength = 50

MaxValue = 9999

**Codes:**

[77] "[CATI UCase: DON'T KNOW] "

DISPLAY IF: QUEXMODE =1

[99] "REFUSED"

DISPLAY IF: QUEXMODE =1

[98] SKIPPED ON WEB

DISPLAY IF: QUEXMODE =2

**ADMINCONSENT: RadioButton**

"One important purpose of our survey is to gather information about our society in order to explain trends in attitudes and behaviors. The GSS seeks to support the study of opinion data with more behavioral, fact-based information. To do this, we need your permission to search government records that may exist now or in the future such as Census data, unemployment or social security information, Medicaid and Medicare, health records and other sources. We would link your interview with that information upon completion of the survey. Also, we would like to be able to continue combining these data for the foreseeable future. Each time, in the future, we will remove personally identifiable information after the linking process, and store anonymous data for the duration of our study. The best way for us to get this information without taking up any more of your time is to conduct the work in a secure data facility meeting strict Federal Information Security Management Act requirements, and we need your permission to proceed. All identifying information will be kept confidential as required by law. If at any time you change your mind, you can contact us at the toll-free number 888-837-8988.

May we try to link government records with your survey answers?

If you would like to learn more about this, you can review Frequently Asked Questions at <http://gss.norc.org/Documents/MyGSS/AdminConsent.pdf>.]

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Yes] "

[2] "[CATI UCase: No] "

POSTANSWERACTION: BranchTo

Question TIMEQUEX

IF ADMINCONSENT = 2

**CHNGNAME: RadioButton**

"Over the course of their lives, people may change their first or last name, use a nickname, or go by initials, especially in their daily lives. To help obtain accurate information, have you changed your name at all during your life?"

MaxValue = 9999

**Codes:**

[1] "[CATI UCase: Yes] "

[2] "[CATI UCase: No] "  
[77] "DON'T KNOW"  
DISPLAY IF: QUEXMODE =1  
[99] "REFUSED"  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2

POSTANSWERACTION: BranchTo  
Question TIMEQUEX  
IF CHNGNAME = 2 OR 3 OR 4 OR 5  
IF CHNGNAME = 2  
IF CHNGNAME = 77  
IF CHNGNAME = 99  
IF CHNGNAME = 98

### **FPREVNAME: TextAnswer**

"What was the name you were given at birth?  
[CATI TEXT:  
FI INFO: CONFIRM SPELLING OF FIRST AND LAST NAME.]

[CATI UCase: First name:] "

MaxAnswerLength = 30

MaxValue = 9999

#### **Codes:**

[77] "[CATI UCase: DK] "  
[97] "[CATI UCase: REF] "  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2  
[3] [CATI UCase: NA]

### **MPREVNAME: TextAnswer**

"[CATI UCase: Middle name:] "

MaxAnswerLength = 30

MaxValue = 9999

#### **Codes:**

[77] "[CATI UCase: DK] "  
[97] "[CATI UCase: REF] "  
DISPLAY IF: QUEXMODE =1



[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2  
[3] [CATI UCase: NA]

### **LPREVNAME: TextAnswer**

"[CATI UCase: Last name:] "

MaxAnswerLength = 30

MaxValue = 9999

### **Codes:**

[77] "[CATI UCase: DK] "  
[97] "[CATI UCase: REF] "  
DISPLAY IF: QUEXMODE =1  
[98] SKIPPED ON WEB  
DISPLAY IF: QUEXMODE =2  
[3] [CATI UCase: NA]

PRELOADACTION: SetVariableValue  
Variable: TIMEQUEX  
Value: [\$H]  
IF TIMEQUEX Is Empty

PRELOADACTION: BranchTo  
Next question

### **TIMEQUEX: DateTimeAnswer**

END TIME SECTION K

MaxAnswerLength = 20

MaxValue = 9999

PRELOADACTION: SetVariableValue  
Variable: ETIMEK  
Value: [\$H]  
IF ETIMEK Is Empty

PRELOADACTION: BranchTo  
Next question

### **ETIMEK: DateTimeAnswer**

END TIME SECTION K

MaxAnswerLength = 20

MaxValue = 9999

PRELOADACTION: SetVariableValue  
Variable: ETIMEK\_D  
Value: [\$H]

PRELOADACTION: BranchTo  
Question CO\_DATE

### **ETIMEK\_D: DateTimeAnswer**

DYNAMIC END TIME SECTION K

MaxAnswerLength = 20

MaxValue = 9999

### **ELAPSEDTIMEK: NumericAnswer**

"Como se mencionó anteriormente, se contactará a los participantes de GSS para una segunda entrevista. Las siguientes preguntas nos ayudarán a localizarlo(a) para esa entrevista.

[CATI TEXT: FI INFO, READ IF NEEDED: ] Su participación ahora no lo obliga a participar en futuras rondas de la Encuesta Social General o en ninguna otra encuesta que pudieramos llevar a cabo. Cualquier participación futura de su parte requerirá que obtengamos nuevamente su consentimiento. "

MaxValue = 9999

### **SAVE\_EXIT: RadioButton**

"Are you sure you want to exit the survey?"

Click NEXT to exit.

If you reached this page by mistake, please click BACK to return to the survey."

MaxValue = 9999

### **Codes:**

[1]

[2] EXIT SURVEY

PRELOADACTION: ExitSurvey

IF ENV\_RUN = 2

PRELOADACTION: ExitSurvey  
IF ENV\_RUN = 3

### **Z\_SAVE\_EXIT: TextAnswer**

Exit the survey - Interrupted

MaxValue = 9999

PRELOADACTION: SetVariableValue  
Variable: CO\_DATE  
Value: \$D

PRELOADACTION: BranchTo  
Next question

### **CO\_DATE: DateTimeAnswer**

DATE STAMP: Date the interview was completed

MaxAnswerLength = 20

MaxValue = 9999

PRELOADACTION: SetVariableValue  
Variable: CO\_TIME  
Value: \$H

PRELOADACTION: BranchTo  
Next question

### **CO\_TIME: TextAnswer**

TIME STAMP: Time the interview was completed

MaxAnswerLength = 4

MaxValue = 9999

PRELOADACTION: BranchTo  
Next question

### **R\_SUPPORTCALL: NumericAnswer**

Temporary storage of Support Call

MaxValue = 9999

```
PRELOADACTION: SetVariableValue  
Variable: R_URLIMPORT  
Value: "IF((FIMODE=1),3,QUEXMODE)"
```

```
PRELOADACTION: BranchTo  
Next question
```

### **R\_URLIMPORT: RadioButton**

1 = cati  
2 = cawi

MaxValue = 9999

#### **Codes:**

[1] SUPPORT\_CALL;VOXCOC&SUPPORT\_CALL=[R\_SUPPORTCALL]&VOXCOC=1  
[2] SUPPORT\_CALL;VOXCOC&SUPPORT\_CALL=0&VOXCOC=1  
[3] FIENTER;SUPPORT\_CALL;VOXCOC&FIENTER=1&SUPPORT\_CALL=0&VOXCOC=1

```
PRELOADACTION: SetVariableValue  
Variable: TM_EXIT  
Value: $T
```

```
PRELOADACTION: ExitSurvey  
IF ENV_RUN = 2
```

```
PRELOADACTION: ExitSurvey  
IF ENV_RUN = 3
```

```
PRELOADACTION: ExitSurvey
```

### **TM\_EXIT: TextAnswer**

TIMER STAMP: This is a variable to capture the value of the call timer just before closing the case out.

MaxAnswerLength = 5

MaxValue = 9999

### **RSUPPORTCALL: NumericAnswer**

Roster Copy of SUPPORT\_CALL

MaxValue = 9999

**INTERVIEWER: TextAnswer**

Roster Copy of Employee ID of the Telephone Interviewer who completed the case

MaxValue = 9999